

DAFTAR PUSTAKA

- Abbas, A.K., Lichtman, A.H., Pillai, S., 2007. Innate immunity in cellular and molecular immunology. 6 ed. Philadelphia, WB Saunders Co. p 19-46.
- Abu-Elala, N.M., Mohamed, S.H., Zaki, M.M., Eissa, A.E., 2015. Assessment of the immune-modulatory and antimicrobial effects of dietary chitosan on Nile tilapia (*Oreochromis niloticus*) with special emphasis to its bio-remediating impacts. *Fish Shellfish Immunol.* 46, 678–685. <https://doi.org/10.1016/j.fsi.2015.08.004>
- Akira, S., Uematsu, S., Takeuchi, O., 2006. Pathogen recognition and innate immunity. *Cell* 124, 783–801. <https://doi.org/10.1016/j.cell.2006.02.015>
- Alexander, C., Sahu, N.P., Pal, A.K., Akhtar, M.S., 2011. Haemato-immunological and stress responses of *Labeo rohita* (Hamilton) fingerlings: Effect of rearing temperature and dietary gelatinized carbohydrate. *J. Anim. Physiol. Anim. Nutr. (Berl.)* 95, 653–663. <https://doi.org/10.1111/j.1439-0396.2010.01096.x>
- Aliprantis, A.Q., Yang, R.-B., Mark, M.R., Suggett, S., Devaux, B., Radolf, J.D., KLimpel, G.R., Godowski, P., Zychlinsky, A., 1999. Cell activation and apoptosis by bacterial lipoproteins through toll-like receptor-2, *Science*. https://doi.org/10.1007/978-3-642-79437-7_2
- Alvarez-Pellitero, P., 2008. Fish immunity and parasite infections: from innate immunity to immunoprophylactic prospects. *Vet. Immunol. Immunopathol.* 126, 171–198. <https://doi.org/10.1016/j.vetimm.2008.07.013>
- Amal, M.N.A., Ismail, A., Saad, M.Z., Md Yasin, I.S., Nasruddin, N.S., Mastor, S.S., Abdul Rahman, M.H., Mohamad, N., 2019. Study on *Streptococcus agalactiae* infection in Javanese medaka (*Oryzias javanicus* Bleeker, 1854) model. *Microb. Pathog.* 131, 47–52. <https://doi.org/10.1016/j.micpath.2019.03.034>
- Amal, M.N.A., Zamri-Saad, M., 2011. Streptococcosis in tilapia (*Oreochromis niloticus*): A review. *Pertanika J. Trop. Agric. Sci.* 34, 195–206.
- Amri, K., Khairuman, 2008. Budidaya ikan Nila secara intensif. Agromedia Pustaka. Jakarta.
- Anderson, D., Siwicki, A., 1995. Basic hematology and serology for fish health programs. In: M. Shariff, J.R. Arthur & R.P. Subasinghe (eds): diseases in Asian aquaculture. Asian Fish. Soc. Fish Heal. Sect. 185–202.
- Anderson, D.P., 1992. Immunostimulants, adjuvants, and vaccine carriers in fish: Applications to aquaculture. *Annu. Rev. Fish Dis.* 2, 281–307. [https://doi.org/10.1016/0959-8030\(92\)90067-8](https://doi.org/10.1016/0959-8030(92)90067-8)

- Anderson, D.P., 1974. Fish immunology. TFH Publ. Ltd. Hongkong.
- Andriamanantoanina, H., Rinaudo, M., 2010. Characterization of the alginates from five madagascan brown algae. *Carbohydr. Polym.* 82, 555–560. <https://doi.org/10.1016/j.carbpol.2010.05.002>
- Ashouri, G., Mahboobi, N., Hossein, S., Amir, S., Jalali, H., Morshedi, V., Doan, H. Van, Tor, M., 2018. Combined effects of dietary low molecular weight sodium alginate and *Pediococcus acidilactici* MA18/5M on growth performance, haematological and innate immune responses of Asian sea bass (*Lates calcalifer*) juveniles 79, 34–41. <https://doi.org/10.1016/j.fsi.2018.05.009>
- Ashouri, G., Mahboobi Soofiani, N., Hoseinifar, S.H., Jalali, S.A.H., Morshedi, V., Valinassab, T., Bagheri, D., Van Doan, H., Torfi Mozanzadeh, M., Carnevali, O., 2020. Influence of dietary sodium alginate and *Pediococcus acidilactici* on liver antioxidant status, intestinal lysozyme gene expression, histomorphology, microbiota, and digestive enzymes activity, in Asian sea bass (*Lates calcalifer*) juveniles. *Aquaculture* 518, 734638. <https://doi.org/10.1016/j.aquaculture.2019.734638>
- Baldissera, M.D., Souza, C.F., Parmeggiani, B.S., Santos, R.C.V., Leipnitz, G., Moreira, K.L.S., da Rocha, M.I.U.M., da Veiga, M.L., Baldisserotto, B., 2017. *Streptococcus agalactiae* impairs cerebral bioenergetics in experimentally infected silver catfish. *Microb. Pathog.* 111, 28–32. <https://doi.org/10.1016/j.micpath.2017.08.013>
- Baratawijaya, K.G., 2004. Immunologi dasar. Edisi keenam. FK UI. Jakarta.
- Barbalat, R., Lau, L., Locksley, R.M., Barton, G.M., 2009. Toll-like receptor 2 on inflammatory monocytes induces type i interferon in response to viral but not bacterial ligands. *Nat. Immunol.* 10, 1200–1209. <https://doi.org/10.1038/ni.1792>
- Barkham, T., Zadoks, R.N., Azmai, M.N.A., Baker, S., Bich, V.T.N., Chalker, V., Chau, M.L., Dance, D., Deepak, R.N., van Doorn, H.R., Gutierrez, R.A., Holmes, M.A., Huong, L.N.P., Koh, T.H., Martins, E., Mehershahi, K., Newton, P., Ng, L.C., Phuoc, N.N., Sangwichian, O., Sawatwong, P., Surin, U., Tan, T.Y., Tang, W.Y., Thuy, N.V., Turner, P., Vongsouvath, M., Zhang, D., Whistler, T., Chen, S.L., 2019. One hypervirulent clone, sequence type 283, accounts for a large proportion of invasive *Streptococcus agalactiae* isolated from humans and diseased tilapia in Southeast Asia. *PLoS Negl. Trop. Dis.* 13, 1–20. <https://doi.org/10.1371/journal.pntd.0007421>
- Barnes, A.C., Trewin, B., Snape, N., Kvennefors, E.C.E., Baiano, J.C.F., 2011. Two

- hepcidin-like antimicrobial peptides in Barramundi *Lates calcarifer* exhibit differing tissue tropism and are induced in response to lipopolysaccharide. *Fish Shellfish Immunol.* 31, 350–357. <https://doi.org/10.1016/j.fsi.2011.05.027>
- Barros, M.M., Falcon, D.R., De Oliveira Orsi, R., Pezzato, L.E., Fernandes, A.C., Guimarães, I.G., Fernandes, A., Padovani, C.R., Sartori, M.M.P., 2014. Non-specific immune parameters and physiological response of Nile tilapia fed β -glucan and vitamin C for different periods and submitted to stress and bacterial challenge. *Fish Shellfish Immunol.* 39, 188–195. <https://doi.org/10.1016/j.fsi.2014.05.004>
- Beauchamp, C., Fridovich, I., 1971. Superoxide dismutase: Improved assays and an assay applicable to acrylamide gels. *Anal. Biochem.* 44, 276–287. [https://doi.org/10.1016/0003-2697\(71\)90370-8](https://doi.org/10.1016/0003-2697(71)90370-8)
- Benvegna, T., Sassi, J.-F., 2010. Oligomannuronates from Seaweeds as Renewable Sources for the Development of Green Surfactants. *Top Curr Chem.* <https://doi.org/10.1007/128>
- Biller-Takahashi, J., Takahashi, L., Saita, M., Gimbo, R., Urbinati, E., 2013. Leukocytes respiratory burst activity as indicator of innate immunity of pacu *Piaractus mesopotamicus*. *Brazilian J. Biol.* 73, 425–429. <https://doi.org/10.1590/s1519-69842013000200026>
- Bold, H.C., Wynne, M.J., 1985. Introduction to the algae: structure and reproduction. Englewood Cliffs, N.J.: Prentice-Hall.
- Boshra, H., Li, J., Sunyer, J.O., 2006. Recent advances on the complement system of teleost fish. *Fish Shellfish Immunol.* 20, 239–262. <https://doi.org/10.1016/j.fsi.2005.04.004>
- Bowater, R.O., Forbes-Faulkner, J., Anderson, I.G., Condon, K., Robinson, B., Kong, F., Gilbert, G.L., Reynolds, A., Hyland, S., Mcpherson, G., Brien, J.O., Blyde, D., 2012. Natural outbreak of *Streptococcus agalactiae* (GBS) infection in wild giant Queensland grouper, *Epinephelus lanceolatus* (Bloch), and other wild fish in northern Queensland, Australia. *J. Fish Dis.* 35, 173–186. <https://doi.org/10.1111/j.1365-2761.2011.01332.x>
- Bradford, M.M., 1976. A Rapid and Sensitive Method for the Quantitation Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding. *Anal. Biochem.* 72, 248–254. [https://doi.org/https://doi.org/10.1016/0003-2697\(76\)90527-3](https://doi.org/https://doi.org/10.1016/0003-2697(76)90527-3)
- Bricknell, I., Dalmo, R.A., 2005. The use of immunostimulants in fish larval

- aquaculture. Fish Shellfish Immunol. 19, 457–472.
<https://doi.org/10.1016/j.fsi.2005.03.008>
- Brightbill, H.D., Libraty, D.H., Krutzik, S.R., Yang, R.B., Belisle, J.T., Bleharski, J.R., Maitland, M., Norgard, M. V., Plevy, S.E., Smale, S.T., Brennan, P.J., Bloom, B.R., Godowski, P.J., Modlin, R.L., 1999. Host defense mechanisms triggered by microbial lipoproteins through toll-like receptors. *Science* (80-.). 285, 732–736. <https://doi.org/10.1126/science.285.5428.732>
- Bu, X., Lian, X., Wang, Y., Luo, C., Tao, S., Liao, Y., Yang, J., Chen, A., Yang, Y., 2019. Dietary yeast culture modulates immune response related to TLR2-MyD88-NF- κ B signaling pathway, antioxidant capability and disease resistance against *Aeromonas hydrophila* for Ussuri catfish (*Pseudobagrus ussuriensis*). *Fish Shellfish Immunol.* 84, 711–718. <https://doi.org/10.1016/j.fsi.2018.10.049>
- Bustin, S.A., 2004. *A to z quantitative PCR*. La Jolla, California: Intl Univ Line.
- Campos, M.A.S., Almeida, I.C., Takeuchi, O., Akira, S., Valente, E.P., Procópio, D.O., Travassos, L.R., Smith, J.A., Golenbock, D.T., Gazzinelli, R.T., 2001. Activation of toll-like receptor-2 by glycosylphosphatidylinositol anchors from a protozoan parasite. *J. Immunol.* 167, 416–423. <https://doi.org/10.4049/jimmunol.167.1.416>
- Capone, D.G., Weston, D.P., Miller, V., Shoemaker, C., 1996. Antibacterial residues in marine sediments and invertebrates following chemotherapy in aquaculture. *Aquaculture* 145, 55–75. [https://doi.org/10.1016/S0044-8486\(96\)01330-0](https://doi.org/10.1016/S0044-8486(96)01330-0)
- Carl, V.S., Brown-Steinke, K., Nicklin, M.J.H., Smith, M.F., 2002. Toll-like receptor 2 and 4 (TLR2 and TLR4) agonists differentially regulate secretory interleukin-1 receptor antagonist gene expression in macrophages. *J. Biol. Chem.* 277, 17448–17456. <https://doi.org/10.1074/jbc.M111847200>
- Chambaud, I., Wróblewski, H., Blanchard, A., 1999. Interactions between mycoplasma lipoproteins and the host immune system. *Trends Microbiol.* 7, 493–499. [https://doi.org/10.1016/S0966-842X\(99\)01641-8](https://doi.org/10.1016/S0966-842X(99)01641-8)
- Chandía, N.P., Matsuhira, B., Mejías, E., Moenne, A., 2004. Alginic acids in *Lessonia vadosa*: Partial hydrolysis and elicitor properties of the polymannuronic acid fraction. *J. Appl. Phycol.* 16, 127–133. <https://doi.org/10.1023/B:JAPH.0000044778.44193.a8>
- Chandia, N.P., Matsuhira, B., Vasquez, A.E., 2001. Alginic acids in *Lessonia trabeculata*: Characterization by formic acid hydrolysis and FT-IR spectroscopy. *Carbohydr. Polym.* 46, 81–87. [https://doi.org/10.1016/S0144-8617\(00\)00286-1](https://doi.org/10.1016/S0144-8617(00)00286-1)
- Chandini, S.K., Ganesan, P., Bhaskar, N., 2008. In vitro antioxidant activities of three

- selected brown seaweeds of India. *Food Chem.* 107, 707–713.
<https://doi.org/10.1016/j.foodchem.2007.08.081>
- Chen, C., Sun, B., Guan, W., Bi, Y., Li, P., Ma, J., Chen, F., Pan, Q., Xie, Q., 2016. N-3 essential fatty acids in Nile tilapia, *Oreochromis niloticus*: Effects of linolenic acid on non-specific immunity and anti-inflammatory responses in juvenile fish. *Aquaculture* 450, 250–257. <https://doi.org/10.1016/j.aquaculture.2015.08.005>
- Chen, G., Feng, L., Kuang, S., Liu, Y., Jiang, J., Hu, K., Jiang, W., Li, S., Tang, L., Zhou, X., 2012. Effect of dietary arginine on growth, intestinal enzyme activities and gene expression in muscle, hepatopancreas and intestine of juvenile Jian carp (*Cyprinus carpio* var. Jian). *Br. J. Nutr.* 108, 195–207.
<https://doi.org/10.1017/S0007114511005459>
- Chen, Y.-B., Hu, J., Lyu, Q.-J., Liu, L.-J., Wen, L.-F., Yang, X.-K., Zhao, H.-H., 2016. The effects of Natucin C-Natucin P mixture on blood biochemical parameters, antioxidant activity and non-specific immune responses in tilapia (*Oreochromis niloticus*). *Fish Shellfish Immunol.* 55, 367–373.
<https://doi.org/http://dx.doi.org/10.1016/j.fsi.2016.06.016>
- Chen, Y.Y., Chen, J.C., Lin, Y.C., Putra, D.F., Kitikiew, S., Li, C.C., Hsieh, J.F., Liou, C.H., Yeh, S.T., 2014. Shrimp that have received carrageenan via immersion and diet exhibit immunocompetence in phagocytosis despite a post-plateau in immune parameters. *Fish Shellfish Immunol.* 36, 352–366.
<https://doi.org/10.1016/j.fsi.2013.12.004>
- Chen, Y.Y., Kitikiew, S., Yeh, S.T., Chen, J.C., 2016. White shrimp *Litopenaeus vannamei* that have received fucoidan exhibit a defense against *Vibrio alginolyticus* and WSSV despite their recovery of immune parameters to background levels. *Fish Shellfish Immunol.* 59, 414–426.
<https://doi.org/10.1016/j.fsi.2016.10.050>
- Cheng, A.-C., Chen, Y.-Y., Chen, J.-C., 2008. Dietary administration of sodium alginate and κ-carrageenan enhances the innate immune response of brown-marbled grouper *Epinephelus fuscoguttatus* and its resistance against *Vibrio alginolyticus*. *Vet. Immunol. Immunopathol.* 121, 206–215.
<https://doi.org/10.1016/j.vetimm.2007.09.011>
- Cheng, A.-C., Tu, C.-W., Chen, Y.-Y., Nan, F.-H., Chen, J.-C., 2007. The immunostimulatory effects of sodium alginate and iota-carrageenan on orange-spotted grouper *Epinephelus coioides* and its resistance against *Vibrio alginolyticus*. *Fish Shellfish Immunol.* 22, 197–205.

<https://doi.org/10.1016/j.fsi.2006.04.009>

Cheng, A., Chen, Y., Chen, J., 2008. Dietary administration of sodium alginate and k-carrageenan enhances the innate immune response of brown-marbled grouper *Epinephelus fuscoguttatus* and its resistance against *Vibrio alginolyticus*. *Vet. Immunol. Immunopathol.* 121, 206–215.

<https://doi.org/10.1016/j.vetimm.2007.09.011>

Cheng, W., Liu, C.H., Kuo, C.M., Chen, J.C., 2005. Dietary administration of sodium alginate enhances the immune ability of white shrimp *Litopenaeus vannamei* and its resistance against *Vibrio alginolyticus*. *Fish Shellfish Immunol.* 18, 1–12.

<https://doi.org/10.1016/j.fsi.2004.03.002>

Cheng, W., Liu, C.H., Yeh, S.T., Chen, J.C., 2004. The immune stimulatory effect of sodium alginate on the white shrimp *Litopenaeus vannamei* and its resistance against *Vibrio alginolyticus*. *Fish Shellfish Immunol.* 17, 41–51.

<https://doi.org/10.1016/j.fsi.2003.11.004>

Cheng, W., Yu, J.S., 2013. Effects of the dietary administration of sodium alginate on the immune responses and disease resistance of Taiwan abalone, *Haliotis diversicolor supertexta*. *Fish Shellfish Immunol.* 34, 902–908.

<https://doi.org/10.1016/j.fsi.2012.12.020>

Chideroli, R.T., Amoroso, N., Mainardi, R.M., Suphoronski, S.A., de Padua, S.B., Alfieri, A.F., Alfieri, A.A., Mosela, M., Moralez, A.T.P., de Oliveira, A.G., Zanolo, R., Di Santis, G.W., Pereira, U.P., 2017. Emergence of a new multidrug-resistant and highly virulent serotype of *Streptococcus agalactiae* in fish farms from Brazil. *Aquaculture* 479, 45–51.

<https://doi.org/10.1016/j.aquaculture.2017.05.013>

Chiu, S.T., Tsai, R.T., Hsu, J.P., Liu, C.H., Cheng, W., 2008. Dietary sodium alginate administration to enhance the non-specific immune responses, and disease resistance of the juvenile grouper *Epinephelus fuscoguttatus*. *Aquaculture* 277, 66–72.

<https://doi.org/10.1016/j.aquaculture.2008.01.032>

Christobel, G., Lipton, A.P., Aishwarya, M.S., Sarika, A.R., Udayakumar, A., 2011. Antibacterial activity of aqueous extract from selected macroalgae of southwest coast of India. *Seaweed Res. Util.* 33, 67–75.

Christybapita, D., Divyagnaneswari, M., Dinakaran Michael, R., 2007. Oral administration of *Eclipta alba* leaf aqueous extract enhances the non-specific immune responses and disease resistance of *Oreochromis mossambicus*. *Fish Shellfish Immunol.* 23, 840–852.

<https://doi.org/10.1016/j.fsi.2007.03.010>

Conti, P., Kempuraj, D., Kandere, K., Gioacchino, M. Di, Barbacane, R.C., Castellani,

- M.L., Felaco, M., Boucher, W., Letourneau, R., Theoharides, T.C., 2003. IL-10, an inflammatory/inhibitory cytokine, but not always. *Immunol. Lett.* 86, 123–129. [https://doi.org/10.1016/S0165-2478\(03\)00002-6](https://doi.org/10.1016/S0165-2478(03)00002-6)
- Cuesta, A., Meseguer, J., Esteban, M. Angeles, 2008. The antimicrobial peptide hepcidin exerts an important role in the innate immunity against bacteria in the bony fish gilthead seabream. *Mol. Immunol.* 45, 2333–2342. <https://doi.org/10.1016/j.molimm.2007.11.007>
- Cunningham, M.D., Bajorath, J., Somerville, J.E., Darveau, R.P., 1999. *Escherichia coli* and *Porphyromonas gingivalis* lipopolysaccharide interactions with CD14: Implications for myeloid and nonmyeloid cell activation. *Clin. Infect. Dis.* 28, 497–504. <https://doi.org/10.1086/515158>
- Daemi, H., Barikani, M., 2012. Synthesis and characterization of calcium alginate nanoparticles, sodium homopolymannuronate salt and its calcium nanoparticles. *Sci. Iran.* 19, 2023–2028. <https://doi.org/10.1016/j.scient.2012.10.005>
- Dawood, M.A.O., Koshio, S., 2016. Recent advances in the role of probiotics and prebiotics in carp aquaculture: A review. *Aquaculture* 454, 243–251. <https://doi.org/10.1016/j.aquaculture.2015.12.033>
- Delamare-Deboutteville, J., Kawasaki, M., Zoccola, E., Heath, C.M., Bowater, R.O., Barnes, A.C., 2019. Interactions of head-kidney leucocytes from giant grouper, *Epinephelus lanceolatus*, with pathogenic *Streptococcus agalactiae* strains from marine and terrestrial origins. *Fish Shellfish Immunol.* 90, 250–263. <https://doi.org/10.1016/j.fsi.2019.04.058>
- Dietrich, C.P., Fariasa, G.G.M., Abreu, L.R.D. De, Leitea, E.L., Silva, L.F., Naderb, H.B., 1995. A new approach for the characterization of polysaccharides from algae: presence of four main acidic polysaccharides in three species of the class Phaeophyceae. *Plant Sci.* 108, 143–153. [https://doi.org/https://doi.org/10.1016/0168-9452\(95\)04142-H](https://doi.org/https://doi.org/10.1016/0168-9452(95)04142-H)
- DKP Prov. Jawa Tengah, 2012. Laporan akhir permohonan pelepasan induk nila putih Janti (SS) jantan dan induk nila hitam Janti (GG) betina sebagai induk unggul.
- Doan, H. Van, Hoseinifar, S.H., Tapingkae, W., Khamtavee, P., 2017. The effects of dietary kefir and low molecular weight sodium alginate on serum immune parameters, resistance against *Streptococcus agalactiae* and growth performance in Nile tilapia (*Oreochromis niloticus*). *Fish Shellfish Immunol.* 62, 139–146. <https://doi.org/10.1016/j.fsi.2017.01.014>
- Doan, H. Van, Hoseinifar, S.H., Tapingkae, W., Tonghiri, S., Khamtavee, P., 2016a.

- Combined administration of low molecular weight sodium alginate boosted immunomodulatory, disease resistance and growth enhancing effects of *Lactobacillus plantarum* in Nile tilapia (*Oreochromis niloticus*). *Fish Shellfish Immunol.* 58, 678–685. <https://doi.org/10.1016/j.fsi.2016.10.013>
- Doan, H. Van, Tapingkae, W., Moonmanee, T., Seepai, A., 2016b. Effects of low molecular weight sodium alginate on growth performance, immunity, and disease resistance of tilapia, *Oreochromis niloticus*. *Fish Shellfish Immunol.* 55, 186–194. <https://doi.org/10.1016/j.fsi.2016.05.034>
- Dolcet, X., Llobet, D., Pallares, J., Matias-Guiu, X., 2005. NF- κ B in development and progression of human cancer. *Virchows Arch.* 446, 475–482. <https://doi.org/10.1007/s00428-005-1264-9>
- Dotta, G., de Andrade, J.I.A., Tavares Gonçalves, E.L., Brum, A., Mattos, J.J., Maraschin, M., Martins, M.L., 2014. Leukocyte phagocytosis and lysozyme activity in Nile tilapia fed supplemented diet with natural extracts of propolis and *Aloe barbadensis*. *Fish Shellfish Immunol.* 39, 280–284. <https://doi.org/10.1016/j.fsi.2014.05.020>
- Draget, K.I., Smidsrot, D., Skajak-Braek, G., 2005. Alginates from algae. Wiley-VCH Verlag GmbH & Co. KgaA. Weinheim. 1-30.
- Ellis, A.E., 2001. Innate host defense mechanisms of fish against viruses and bacteria. *Dev. Comp. Immunol.* 25, 827–839. [https://doi.org/10.1016/S0145-305X\(01\)00038-6](https://doi.org/10.1016/S0145-305X(01)00038-6)
- Ellis, A.E., 1990. Lysozyme Assays. In: Stolen, J.S., Fletcher, T.C., Anderson, D.P., Roberson, B.S. and Van Muiswinkel, W.B., Eds., *Techniques in Fish Immunology*, SOS Publications, Fair Haven, 101–103.
- Evans, J.J., Bohnsack, J.F., Klesius, P.H., Whiting, A.A., Garcia, J.C., Shoemaker, C.A., Takahashi, S., 2008. Phylogenetic relationships among *Streptococcus agalactiae* isolated from piscine, dolphin, bovine and human sources: A dolphin and piscine lineage associated with a fish epidemic in Kuwait is also associated with human neonatal infections in Japan. *J. Med. Microbiol.* 57, 1369–1376. <https://doi.org/10.1099/jmm.0.47815-0>
- Falkeborg, M., Cheong, L.Z., Gianfico, C., Sztukiel, K.M., Kristensen, K., Glasius, M., Xu, X., Guo, Z., 2014. Alginate oligosaccharides: Enzymatic preparation and antioxidant property evaluation. *Food Chem.* 164, 185–194. <https://doi.org/10.1016/j.foodchem.2014.05.053>
- Faure, E., Equils, O., Sieling, P.A., Thomas, L., Zhang, F.X., Kirschning, C.J.,

- Polentarutti, N., Muzio, M., Arditi, M., 2000. Bacterial lipopolysaccharide activates NF- κ B through toll-like receptor 4 (TLR-4) in cultured human dermal endothelial cells: Differential expression of TLR-4 and TLR-2 in endothelial cells. *J. Biol. Chem.* 275, 11058–11063. <https://doi.org/10.1074/jbc.275.15.11058>
- Feng, L., Gan, L., Jiang, W.-D., Wu, P., Liu, Y., Jiang, J., Tang, L., Kuang, S.-Y., Tang, W.-N., Zhang, Y.-A., Zhou, X.-Q., 2017a. Gill structural integrity changes in fish deficient or excessive in dietary isoleucine: Towards the modulation of tight junction protein, inflammation, apoptosis and antioxidant defense via NF- κ B, TOR and Nrf2 signaling pathways. *Fish Shellfish Immunol.* 63, 127–138. <https://doi.org/http://dx.doi.org/10.1016/j.fsi.2017.02.010>
- Feng, L., Ni, P.J., Jiang, W.D., Wu, P., Liu, Y., Jiang, J., Kuang, S.Y., Tang, L., Tang, W.N., Zhang, Y.A., Tang, X., Shi, H.Q., Zhou, X.Q., 2017b. Decreased enteritis resistance ability by dietary low or excess levels of lipids through impairing the intestinal physical and immune barriers function of young grass carp (*Ctenopharyngodon idella*). *Fish Shellfish Immunol.* 67, 493–512. <https://doi.org/10.1016/j.fsi.2017.06.041>
- Filippov, M.P., Kohn, R., 1974. Determination of composition of alginates by infrared spectroscopic method. *Chem. Zvesti* 28, 817–819.
- Fujiki, K., Matsuyama, H., Yano, T., 1994. Protective effect of sodium alginates against bacterial infection in common carp, *Cyprinus carpio* L. *J. Fish Dis.* 17, 349–355. <https://doi.org/10.1111/j.1365-2761.1994.tb00230.x>
- Fujiki, K., Yano, T., 1997. Effects of sodium alginate on the non-specific defence system of the common carp (*Cyprinus carpio* L.). *Fish Shellfish Immunol.* 7, 417–427. <https://doi.org/10.1006/fsim.1997.0095>
- Gatlin III, D.M., 2003. Nutrition and Fish Health, in: J.E. Halver, R.W. Hardy (Eds.), *Fish Nutrition*. Academic Press, pp. 671–702. <https://doi.org/10.1016/B978-012319652-1/50013-6>
- Ghaednia, B., Mehrabi, M.R., Mirbakhsh, M., Yeganeh, V., Hoseinkhezri, P., Garibi, G., Ghaffar, J.A., 2011. Effect of hot-water extract of brown seaweed *Sargassum glaucescens* via immersion route on immune responses of *Fenneropenaeus indicus*. *Iran. J. Fish. Sci.* 10, 616–630.
- Ghosh, S., May, M.J., Kopp, E.B., 1998. NF- κ B and rel proteins: Evolutionarily Conserved Mediators of Immune Responses. *Annu. Rev. Immunol.* 16, 60–225. <https://doi.org/doi:10.1146/annurev.immunol.16.1.225>
- Giuliani, M.E., Regoli, F., 2014. Identification of the Nrf2-Keap1 pathway in the

- European eel *Anguilla anguilla*: Role for a transcriptional regulation of antioxidant genes in aquatic organisms. *Aquat. Toxicol.* 150, 117–123. <https://doi.org/10.1016/j.aquatox.2014.03.003>
- Gobi, N., Ramya, C., Vaseeharan, B., Malaikozhundan, B., Vijayakumar, S., Murugan, K., Benelli, G., 2016. *Oreochromis mossambicus* diet supplementation with *Psidium guajava* leaf extracts enhance growth, immune, antioxidant response and resistance to *Aeromonas hydrophila*. *Fish Shellfish Immunol.* 58, 572–583. <https://doi.org/10.1016/j.fsi.2016.09.062>
- Gobi, N., Vaseeharan, B., Chen, J.C., Rekha, R., Vijayakumar, S., Anjugam, M., Iswarya, A., 2018. Dietary supplementation of probiotic *Bacillus licheniformis* Dahb1 improves growth performance, mucus and serum immune parameters, antioxidant enzyme activity as well as resistance against *Aeromonas hydrophila* in tilapia *Oreochromis mossambicus*. *Fish Shellfish Immunol.* 74, 501–508. <https://doi.org/10.1016/j.fsi.2017.12.066>
- Gomez, C.G., Pérez, M. V, Lozano, J.E., Rinaudo, M., Villar, M.A., 2009. Influence of the extraction–purification conditions on final properties of alginates obtained from brown algae (*Macrocystis pyrifera*). *Int. J. Biol. Macromol.* 44, 365–371. <https://doi.org/10.1016/j.ijbiomac.2009.02.005>
- Gu, D., Hu, Y., Wei, H., Zhu, Y., Mu, X., Luo, D., Xu, M., Yang, Y., 2017. Chapter 22 - Nile Tilapia *Oreochromis niloticus* (L.), Biological Invasions and Its Management in China, Volume 2. <https://doi.org/10.1007/978-981-10-3427-5>
- Guiry, M.D., Guiry, G.M., 2015. AlgaeBase. World-wide electronic publication, National University of Ireland, Galway.
- Guo, S., Li, W., Chen, F., Yang, S., Huang, Y., Tian, Y., Xu, D., Cao, N., 2021. Polysaccharide of *Atractylodes macrocephala* Koidz regulates LPS-mediated mouse hepatitis through the TLR4-MyD88-NFκB signaling pathway. *Int. Immunopharmacol.* 98, 107692. <https://doi.org/10.1016/j.intimp.2021.107692>
- Hajjar, A.M., O'Mahony, D.S., Ozinsky, A., Underhill, D.M., Aderem, A., Klebanoff, S.J., Wilson, C.B., 2001. Cutting edge: Functional interactions between toll-like receptor (TLR) 2 and TLR1 or TLR6 in response to phenol-soluble modulin. *J. Immunol.* 166, 15–19. <https://doi.org/10.4049/jimmunol.166.1.15>
- Halliwell, B., Gutteridge, J.M.C., 1999. Free radicals in biology and medicine. 3 ed. Oxford University. Oxford.
- Handayani, T., Sutarno, Setyawan, A.D., 2004. Analisis Komposisi Nutrisi Rumput Laut *Sargassum crassifolium* J. Agardh. *Biofarmasi* 2, 45–52.

<https://doi.org/10.13057/biofar/f020201>

- Harikrishnan, R., Devi, G., Van Doan, H., Balasundaram, C., Arockiaraj, J., Jagruthi, C., 2021a. Efficacy of ulvan on immune response and immuno-antioxidant gene modulation in *Labeo rohita* against columnaris disease. *Fish Shellfish Immunol.* 117, 262–273. <https://doi.org/10.1016/j.fsi.2021.08.004>
- Harikrishnan, R., Devi, G., Van Doan, H., Balasundaram, C., Thamizharasan, S., Hoseinifar, S.H., Abdel-Tawwab, M., 2021b. Effect of diet enriched with *Agaricus bisporus* polysaccharides (ABPs) on antioxidant property, innate-adaptive immune response and pro-anti inflammatory genes expression in *Ctenopharyngodon idella* against *Aeromonas hydrophila*. *Fish Shellfish Immunol.* 114, 238–252. <https://doi.org/10.1016/j.fsi.2021.04.025>
- Harikrishnan, R., Kim, M.C., Kim, J.S., Han, Y.J., Jang, I.S., Balasundaram, C., Heo, M.S., 2011. Immunomodulatory effect of sodium alginate enriched diet in kelp grouper *Epinephelus bruneus* against *Streptococcus iniae*. *Fish Shellfish Immunol.* 30, 543–549. <https://doi.org/10.1016/j.fsi.2010.11.023>
- Hay, N., Sonenberg, N., 2004. Upstream and downstream of mTOR. *Genes Dev.* 18, 1926–1945. <https://doi.org/10.1101/gad.1212704>
- Henderson, B., Poole, S., Wilson, M., 1996. Bacterial modulins: A novel class of virulence factors which cause host tissue pathology by inducing cytokine synthesis. *Microbiol. Rev.* 60, 316–341. <https://doi.org/10.1128/membr.60.2.316-341.1996>
- Hindu, S.V., Thanigaivel, S., Vijayakumar, S., Chandrasekaran, N., Mukherjee, A., Thomas, J., 2018. Effect of microencapsulated probiotic *Bacillus vireti* 01-polysaccharide extract of *Gracilaria folifera* with alginate-chitosan on immunity, antioxidant activity and disease resistance of *Macrobrachium rosenbergii* against *Aeromonas hydrophila* infection. *Fish Shellfish Immunol.* 73, 112–120. <https://doi.org/10.1016/j.fsi.2017.12.007>
- Hirschfeld, M., Weis, J.J., Toshchakov, V., Salkowski, C.A., Cody, M.J., Ward, D.C., Qureshi, N., Michalek, S.M., Vogel, S.N., 2001. Signaling by toll-like receptor 2 and 4 agonists results in differential gene expression in murine macrophages. *Infect. Immun.* 69, 1477–1482. <https://doi.org/10.1128/IAI.69.3.1477-1482.2001>
- Holland, M.C.H., Lambris, J.D., 2002. The complement system in teleosts. *Fish Shellfish Immunol.* 12, 399–420. <https://doi.org/10.1006/fsim.2001.0408>
- Honda, K., Takaoka, A., Taniguchi, T., 2006. Type I Inteferon Gene Induction by the Interferon Regulatory Factor Family of Transcription Factors. *Immunity* 25, 349–

360. <https://doi.org/10.1016/j.immuni.2006.08.009>

Hoseinifar, S.H., Ahmadi, A., Khalili, M., Raeisi, M., Van Doan, H., Caipang, C.M., 2017. The study of antioxidant enzymes and immune-related genes expression in common carp (*Cyprinus carpio*) fingerlings fed different prebiotics. *Aquac. Res.* 48, 5447–5454. <https://doi.org/10.1111/are.13359>

Hoseinifar, S.H., Esteban, M.Á., Cuesta, A., Sun, Y.Z., 2015. Prebiotics and Fish Immune Response: A Review of Current Knowledge and Future Perspectives. *Rev. Fish. Sci. Aquac.* 23, 315–328. <https://doi.org/10.1080/23308249.2015.1052365>

Hoseinifar, S.H., Fazelan, Z., Bayani, M., Yousefi, M., Doan, H. Van, Yazici, M., 2022. Dietary red macroalgae (*Halopithys incurva*) improved systemic and mucosal immune and antioxidant parameters and modulated related gene expression in zebrafish (*Danio rerio*). *Fish Shellfish Immunol.* 123, 164–171. <https://doi.org/https://doi.org/10.1016/j.fsi.2022.02.047>

Hoyle, I., Shaw, B.J., Handy, R.D., 2007. Dietary copper exposure in the African walking catfish, *Clarias gariepinus*: Transient osmoregulatory disturbances and oxidative stress. *Aquat. Toxicol.* 83, 62–72. <https://doi.org/10.1016/j.aquatox.2007.03.014>

Hubert, J.J., 1992. Bioassay. Dubuque, Iowa: Kendall/Hunt Pub. Co.

Huisling, M.O., Stet, R.J.M., Savelkoul, H.F.J., Kemenade, B.M.L.V., 2004. The molecular evolution of the interleukin-1 family of cytokines; IL-18 in teleost fish. *Dev. Comp. Immunol.* 28, 395–413. <https://doi.org/10.1016/j.dci.2003.09.005>

Immanuel, G., Sivagnanavelmurugan, M., Marudhupandi, T., Radhakrishnan, S., Palavesam, A., 2012. The effect of fucoidan from brown seaweed *Sargassum wightii* on WSSV resistance and immune activity in shrimp *Penaeus monodon* (Fab). *Fish Shellfish Immunol.* 32, 551–564. <https://doi.org/10.1016/j.fsi.2012.01.003>

Isnansetyo, A., Fikriyah, A., Kasanah, N., Murwantoko, 2016. Non-specific immune potentiating activity of fucoidan from a tropical brown algae (Phaeophyceae), *Sargassum cristaefolium* in tilapia (*Oreochromis niloticus*). *Aquac. Int.* 24, 465–477. <https://doi.org/DOI 10.1007/s10499-015-9938-z>

Isnansetyo, A., Irpani, H.M., Wulansari, T.A., Kasanah, N., 2014. Oral administration of alginate from a tropical brown seaweed, *Sargassum sp.* to enhance non-specific defense in walking catfish (*Clarias sp.*), in: *Aquaculture Indonesia*. pp. 73–80. <https://doi.org/10.21534/ai.v15i1.29>

- Jaglarz, A., Gurgul, A., Leigh, W.J., Costa, J.Z., Thompson, K.D., 2018. Complete genome sequences of three fish-associated *Streptococcus agalactiae* isolates. *Genome Announc* 6e00025-18. 1–2. <https://doi.org/https://doi.org/10.1128/genomeA.00025-18>
- Janeway, C.A., Medzhitov, R., 2002. Innate immune recognition. *Annu. Rev. Immunol.* 20, 197–216. <https://doi.org/10.1146/annurev.immunol.20.083001.084359>
- Jiang, J., Yin, L., Li, J.Y., Li, Q., Shi, D., Feng, L., Liu, Y., Jiang, W.D., Wu, P., Zhao, Y., Zhou, X.Q., 2017. Glutamate attenuates lipopolysaccharide-induced oxidative damage and mRNA expression changes of tight junction and defensin proteins, inflammatory and apoptosis response signaling molecules in the intestine of fish. *Fish Shellfish Immunol.* 70, 473–484. <https://doi.org/10.1016/j.fsi.2017.09.035>
- Jiang, W.-D., Tang, R.-J., Liu, Y., Wu, P., Kuang, S.-Y., Jiang, J., Tang, L., Tang, W.-N., Zhang, Y.-A., Zhou, X.-Q., Feng, L., 2017. Impairment of gill structural integrity by manganese deficiency or excess related to induction of oxidative damage, apoptosis and dysfunction of the physical barrier as regulated by NF- κ B, caspase and Nrf2 signaling in fish. *Fish Shellfish Immunol.* 70, 280–292. <https://doi.org/http://dx.doi.org/10.1016/j.fsi.2017.09.022>
- Jiang, W.D., Liu, Y., Hu, K., Jiang, J., Li, S.H., Feng, L., Zhou, X.Q., 2014. Copper exposure induces oxidative injury, disturbs the antioxidant system and changes the Nrf2/ARE (CuZnSOD) signaling in the fish brain: Protective effects of myo-inositol. *Aquat. Toxicol.* 155, 301–313. <https://doi.org/10.1016/j.aquatox.2014.07.003>
- Jiang, W.D., Wu, P., Tang, R.J., Liu, Y., Kuang, S.Y., Jiang, J., Tang, L., Tang, W.N., Zhang, Y.A., Zhou, X.Q., Feng, L., 2016. Nutritive values, flavor amino acids, healthcare fatty acids and flesh quality improved by manganese referring to up-regulating the antioxidant capacity and signaling molecules TOR and Nrf2 in the muscle of fish. *Food Res. Int.* 89, 670–678. <https://doi.org/10.1016/j.foodres.2016.09.020>
- Jin, M.S., Kim, S.E., Heo, J.Y., Lee, M.E., Kim, H.M., Paik, S.G., Lee, H., Lee, J.O., 2007. Crystal structure of the TLR1-TLR2 heterodimer induced by binding of a tri-acylated lipopeptide. *Cell* 130, 1071–1082. <https://doi.org/10.1016/j.cell.2007.09.008>
- Jork, A., ThuÈrmer, F., Cramer, H., Thu, A.J.F., Hofmann, G., Ha, P.G.K., Hahn, H.,

- Fritsch, O.J.K., Zimmermann, U., 2000. Biocompatible alginate from freshly collected *Laminaria pallida* for implantation. *Appl Microbiol Biotechnol* 53, 224–229. <https://doi.org/10.1007/s002530050012>
- Karlen, Y., Mcnair, A., Perseguers, S., Mazza, C., Mermod, N., 2007. Statistical significance of quantitative PCR. *BMC Bioinformatics* 16, 1–16. <https://doi.org/10.1186/1471-2105-8-131>
- Karmakar, P., Pujol, C.A., Damonte, E.B., Ghosh, T., Ray, B., 2010. Polysaccharides from *Padina tetrastratica*: Structural features, chemical modification and antiviral activity. *Carbohydr. Polym.* <https://doi.org/10.1016/j.carbpol.2009.12.014>
- Kayansamruaj, P., Pirarat, N., Hirono, I., Rodkhum, C., 2014. Increasing of temperature induces pathogenicity of *Streptococcus agalactiae* and the up-regulation of inflammatory related genes in infected Nile tilapia (*Oreochromis niloticus*). *Vet. Microbiol.* 172, 265–271. <https://doi.org/10.1016/j.vetmic.2014.04.013>
- Khairuman, Amri, K., 2013. *Budidaya ikan Nila*. Agromedia Pustaka. Jakarta.
- Kiadaliri, M., Firouzbakhsh, F., Deldar, H., 2020. Effects of feeding with red algae (*Laurencia caspica*) hydroalcoholic extract on antioxidant defense, immune responses, and immune gene expression of kidney in rainbow trout (*Oncorhynchus mykiss*) infected with *Aeromonas hydrophila*. *Aquaculture* 526, 735361. <https://doi.org/10.1016/j.aquaculture.2020.735361>
- Kobayashi, A., Kang, M.-I., Watai, Y., Tong, K.I., Shibata, T., Uchida, K., Yamamoto, M., 2006. Oxidative and electrophilic stresses activate Nrf2 through inhibition of ubiquitination activity of Keap1. *Mol. Cell. Biol.* 26, 221–229. <https://doi.org/10.1128/mcb.26.1.221-229.2006>
- Kobayashi, M., Li, L., Iwamoto, N., Nakajima-Takagi, Y., Kaneko, H., Nakayama, Y., Eguchi, M., Wada, Y., Kumagai, Y., Yamamoto, M., 2009. The antioxidant defense system Keap1-Nrf2 comprises a multiple sensing mechanism for responding to a wide range of chemical compounds. *Mol. Cell. Biol.* 29, 493–502. <https://doi.org/10.1128/mcb.01080-08>
- Kresno, S.B., 2013. *Imunologi: Diagnosis dan prosedur laboratorium*. Edisi kelima. Badan Penerbit Fakultas Kedokteran UI. Jakarta.
- Labh, S.N., Shakya, S.R., 2014. Application of immunostimulants as an alternative to vaccines for health management in aquaculture. *Int. J. Fish. Aquat. Stud.* 2, 153–156.

- Leal, D., Matsuhira, B., Rossi, M., Caruso, F., 2008. FT-IR spectra of alginic acid block fractions in three species of brown seaweeds. *Carbohydr. Res.* 343, 308–316. <https://doi.org/10.1016/j.carres.2007.10.016>
- Lee, K.Y., Mooney, D.J., 2012. Alginate: Properties and biomedical applications. *Prog. Polym. Sci.* 37, 106–126. <https://doi.org/10.1016/j.progpolymsci.2011.06.003>
- Lee, P.P., Lin, Y.H., Chen, M.C., Cheng, W., 2017. Dietary administration of sodium alginate ameliorated stress and promoted immune resistance of grouper *Epinephelus coioides* under cold stress. *Fish Shellfish Immunol.* 65, 127–135. <https://doi.org/10.1016/j.fsi.2017.04.007>
- Lee, P.T., Quan Tran, H.T., Huang, H.T., Nan, F.H., Lee, M.C., 2020. *Sargassum horneri* extracts stimulate innate immunity, enhance growth performance, and upregulate immune genes in the white shrimp *Litopenaeus vannamei*. *Fish Shellfish Immunol.* 102, 276–285. <https://doi.org/10.1016/j.fsi.2020.04.049>
- Leonardi, M., Sandino, A.M., Klempau, A., 2003. Effect of a nucleotide-enriched diet on the immune system, plasma cortisol levels and resistance to infectious pancreatic necrosis (IPN) in juvenile rainbow trout (*Oncorhynchus mykiss*). *Bull. Eur. Assoc. Fish Pathol.* 23, 52–59.
- Li, M.-Y., Guo, W.-Q., Guo, G.-L., Zhu, X.-M., Niu, X.-T., Shan, X.-F., Tian, J.-X., Wang, G.-Q., Zhang, D.-M., 2020. Effects of dietary astaxanthin on lipopolysaccharide-induced oxidative stress, immune responses and glucocorticoid receptor (GR)-related gene expression in *Channa argus*. *Aquaculture* 517, 734816. <https://doi.org/10.1016/j.aquaculture.2019.734816>
- Li, M.O., Wan, Y.Y., Sanjabi, S., Robertson, A.L., Flavell, R.A., 2006. Transforming growth factor- β regulation of immune responses. *Annu. Rev. Immunol.* 24, 99–146. <https://doi.org/10.1146/annurev.immunol.24.021605.090737>
- Li, P., Lewis, D.H., Gatlin, D.M., 2004. Dietary oligonucleotides from yeast RNA influence immune responses and resistance of hybrid striped bass (*Morone chrysops* X *Morone saxatilis*) to *Streptococcus iniae* infection. *Fish Shellfish Immunol.* 16, 561–569. <https://doi.org/10.1016/j.fsi.2003.09.005>
- Liu, C.H., Yeh, S.P., Kuo, C.M., Cheng, W., Chou, C.H., 2006. The effect of sodium alginate on the immune response of tiger shrimp via dietary administration: Activity and gene transcription. *Fish Shellfish Immunol.* 21, 442–452. <https://doi.org/10.1016/j.fsi.2006.02.003>
- Liu, H., Wang, S., Cai, Y., Guo, X., Cao, Z., Zhang, Y., Liu, S., Yuan, W., Zhu, W.,

- Zheng, Y., Xie, Z., Guo, W., Zhou, Y., 2017. Dietary administration of *Bacillus subtilis* HAINUP40 enhances growth, digestive enzyme activities, innate immune responses and disease resistance of tilapia, *Oreochromis niloticus*. *Fish Shellfish Immunol.* 60, 326–333. <https://doi.org/10.1016/j.fsi.2016.12.003>
- Liu, J., Zhang, P., Wang, B., Lu, Y., Li, L., Li, Y., Liu, S., 2022. Evaluation of the effects of *Astragalus polysaccharides* as immunostimulants on the immune response of crucian carp and against SVCV in vitro and in vivo. *Comp. Biochem. Physiol. Part C Toxicol. Pharmacol.* 253. <https://doi.org/https://doi.org/10.1016/j.cbpc.2021.109249>
- Liu, P.C., Lin, P.W., Huang, C.L., Hsu, C.H., Chen, J.C., 2019. Long-term administration of diets containing *Gracilaria tenuistipitata* extract induce the expression of immune-related genes and increase the immune response and resistance against *Vibrio harveyi* in white shrimp *Litopenaeus vannamei*. *Gene Reports* 15, 100378. <https://doi.org/10.1016/j.genrep.2019.100378>
- Livak, K.J., Schmittgen, T.D., 2001. Analysis of Relative Gene Expression Data Using Real- Time Quantitative PCR and the $2^{-\Delta\Delta CT}$ Method. *Methods* 25, 402–408. <https://doi.org/doi:https://doi.org/10.1006/meth.2001.1262>
- Loiselle, P.V., 1994. *The Cichlid Aquarium*. Tetra Press.
- Ma, Q., 2013. Role of Nrf2 in oxidative stress and toxicity. *Annu. Rev. Pharmacol. Toxicol.* 53, 401–426. <https://doi.org/10.1146/annurev-pharmtox-011112-140320>
- Mackenzie, S., Planas, J. V, Goetz, F.W., 2003. LPS-stimulated expression of a tumor necrosis factor-alpha mRNA in primary trout monocytes and in vitro differentiated macrophages. *Dev. Comp. Immunol.* 27, 393–400. [https://doi.org/10.1016/s0145-305x\(02\)00135-0](https://doi.org/10.1016/s0145-305x(02)00135-0)
- Madigan, M.T., Martinko, J.M., 2000. *Brock biology of microorganisms*. Upper Saddle River, New Jersey, USA: Prentice Hall, Inc.
- Magnadóttir, B., 2006. Innate immunity of fish (overview). *Fish Shellfish Immunol.* 20, 137–151. <https://doi.org/10.1016/j.fsi.2004.09.006>
- Magnadóttir, B., Lange, S., Gudmundsdóttir, S., Børgwald, J., Dalmo, R.A., 2005. Ontogeny of humoral immune parameters in fish. *Fish Shellfish Immunol.* 19, 429–439. <https://doi.org/10.1016/j.fsi.2005.03.010>
- Maheswaran, M.L., Padmavathy, S., Gunalan, B., 2013. Screening and Characterization of Marine Seaweeds and its Antimicrobial Potential against Fish Pathogens. *Int. J. Fish. Aquat. Stud.* 1, 1–13.

- Mariano, G., Stilo, R., Terrazzano, G., Coccia, E., Vito, P., Varricchio, E., Paolucci, M., 2013. Effects of recombinant trout leptin in superoxide production and NF- κ B/MAPK phosphorylation in blood leukocytes. *Peptides* 48, 59–69. <https://doi.org/10.1016/j.peptides.2013.07.026>
- Martínez-Álvarez, R.M., Morales, A.E., Sanz, A., 2005. Antioxidant defenses in fish: Biotic and abiotic factors. *Rev. Fish Biol. Fish.* 15, 75–88. <https://doi.org/10.1007/s11160-005-7846-4>
- Mathlouthi, M., Koenig, J.L., 1987. Vibrational spectra of carbohydrates. *Adv. Carbohydr. Chem. Biochem.* 44, 7–89. [https://doi.org/10.1016/S0065-2318\(08\)60077-3](https://doi.org/10.1016/S0065-2318(08)60077-3)
- Means, T.K., E, L., A, Y., S, W., D.T., G., M.J., F., 1999. The CD14 ligands lipoarabinomannan and lipopolysaccharide differ in their requirement for toll-like receptors. *J. Immunol.* 163, 6748–6755.
- Medzhitov, R., 2008. Origin and physiological roles of inflammation. *Nature* 454, 428–435. <https://doi.org/10.1038/nature07201>
- Medzhitov, R., 2007. Recognition of microorganisms and activation of the immune response. *Nature* 449, 819–826. <https://doi.org/10.1038/nature06246>
- Medzhitov, R., 2001. Toll-like receptors and innate immunity. *Nat. Rev. Immunol.* 1, 135–145. <https://doi.org/https://doi.org/10.1038/35100529>
- Medzhitov, R., Janeway, C., 2000. Innate Immunity. *Adv. Immunol.* 338–344. <https://doi.org/10.1056/NEJM200008033430506>
- Menshova, R. V., Ermakova, S.P., Rachidi, S.M., Zvyagintseva, T.N., Kanaan, H.M., 2012. Seasonal variation of the composition, structural features, and antitumor properties of polysaccharides from *Padina pavonica* (Lebanon) as a function of composition. *Chem. Nat. Compd.* 47, 764–769. <https://doi.org/10.1007/s10600-012-0091-x>
- Mian, G.F., Godoy, D.T., Leal, C.A.G., Yuhara, T.Y., Costa, G.M., Figueiredo, H.C.P., 2009. Aspects of the natural history and virulence of *S. agalactiae* infection in Nile tilapia. *Vet. Microbiol.* 136, 180–183. <https://doi.org/10.1016/j.vetmic.2008.10.016>
- Miandare, H.K., Farvardin, S., Shabani, A., Hoseinifar, S.H., Ramezanpour, S.S., 2016. The effects of galactooligosaccharide on systemic and mucosal immune response, growth performance and appetite related gene transcript in goldfish (*Carassius auratus gibelio*). *Fish Shellfish Immunol.* 55, 479–483. <https://doi.org/10.1016/j.fsi.2016.06.020>

- Mulero, V., Jose Meseguer, 1998. Functional characterisation of a macrophage-activating factor produced by leucocytes of gilthead seabream (*Sparus aurata* L.). *Fish Shellfish Immunol.* 8, 143–156. <https://doi.org/https://doi.org/10.1006/fsim.1997.0127>
- Musa, Najiah, Wei, L.S., Musa, Nadirah, Hamdan, R.H., Leong, L.K., Wee, W., Amal, M.N., Kutty, B.M., Abdullah, S.Z., 2009. Streptococcosis in red hybrid tilapia (*Oreochromis niloticus*) commercial farms in Malaysia. *Aquac. Res.* 40, 630–632. <https://doi.org/10.1111/j.1365-2109.2008.02142.x>
- Mushollaeni, W., 2011. The physicochemical characteristics of sodium alginate from Indonesian brown seaweeds. *African J. Food Sci.* 5, 349–352.
- Mushollaeni, W., Rusdiana, E., 2011. Characterization of sodium alginate from *Sargassum sp.*, *Turbinaria sp.* and *Padina sp.* *J. Teknol. dan Ind. Pangan XXII*, 26–32.
- Na-Phatthalung, P., Teles, M., Voravuthikunchai, S.P., Tort, L., Fierro-Castro, C., 2018. Immune-related gene expression and physiological responses in rainbow trout (*Oncorhynchus mykiss*) after intraperitoneal administration of *Rhodomyrtus tomentosa* leaf extract: A potent phytoimmunostimulant. *Fish Shellfish Immunol.* 77, 429–437. <https://doi.org/10.1016/j.fsi.2018.03.035>
- Nayak, S.K., 2010. Probiotics and immunity: A fish perspective. *Fish Shellfish Immunol.* 29, 2–14. <https://doi.org/10.1016/j.fsi.2010.02.017>
- Neumann, N.F., Stafford, J.L., Barreda, D., Ainsworth, A.J., Belosevic, M., 2001. Antimicrobial mechanisms of fish phagocytes and their role in host defense. *Dev. Comp. Immunol.* 25, 807–825. [https://doi.org/10.1016/S0145-305X\(01\)00037-4](https://doi.org/10.1016/S0145-305X(01)00037-4)
- Newman, S.G., 1999. A Review of the Use of Non Specific Immune-Stimulants to Reduce the Impact of the WSSV. *Pap. Present. Fifth Ecuadorian Aquac. Conf.* 19–25.
- Nojima, H., Tokunaga, C., Eguchi, S., Oshiro, N., Hidayat, S., Yoshino, K.I., Hara, K., Tanaka, N., Avruch, J., Yonezawa, K., 2003. The mammalian target of rapamycin (mTOR) partner, raptor, binds the mTOR substrates p70 S6 kinase and 4E-BP1 through their TOR signaling (TOS) motif. *J. Biol. Chem.* 278, 15461–15464. <https://doi.org/10.1074/jbc.C200665200>
- Nontji, A., 1993. *Laut Nusantara*. Djambatan. Jakarta.
- Obluchinskaia, E.D., Voskoboïnikov, G.M., Galyntkin, V.A., 2002. Content of alginic acid and fucoidan in fucus algae of the Barents sea. *Prikl Biokhim Mikrobiol* 38, 213–216.

- Ortuno, J., Esteban, M.A., Meseguer, J., 2002. Effects of phenoxyethanol on the innate immune system of gilthead seabream (*Sparus aurata* L.) exposed to crowding stress. *Vet. Immunol. Immunopathol.* 89, 29–36. [https://doi.org/10.1016/s0165-2427\(02\)00183-6](https://doi.org/10.1016/s0165-2427(02)00183-6)
- Ozinsky, A., Underhill, D.M., Fontenot, J.D., Hajjar, A.M., Smith, K.D., Wilson, C.B., Schroeder, L., Aderem, A., 2000. The repertoire for pattern recognition of pathogens by the innate immune system is defined by cooperation between toll-like receptors. *Proc. Natl. Acad. Sci. U. S. A.* 97, 13766–13771. <https://doi.org/10.1073/pnas.250476497>
- Parthiban, C., Parameswari, K., Saranya, C., Hemalatha, A., 2012. Production of sodium alginate from selected seaweeds and their physicochemical and biochemical properties. *Asian Pacific J. Trop. Biomed.* 1–4.
- Pawar, S.N., Edgar, K.J., 2012. Alginate derivatization: A review of chemistry, properties and applications. *Biomaterials* 33, 3279–3305. <https://doi.org/10.1016/j.biomaterials.2012.01.007>
- Phuoc, N.N., Linh, N.T.H., Crestani, C., Zadoks, R.N., 2021. Effect of strain and environmental conditions on the virulence of *Streptococcus agalactiae* (Group B Streptococcus; GBS) in red tilapia (*Oreochromis sp.*). *Aquaculture* 534, 736256. <https://doi.org/10.1016/j.aquaculture.2020.736256>
- Plant, K.P., Lapatra, S.E., 2011. Advances in fish vaccine delivery. *Dev. Comp. Immunol.* 35, 1256–1262. <https://doi.org/10.1016/j.dci.2011.03.007>
- Playfair, J.H., Chain, B.M., 2009. *Immunology: At a glance imunologi*, 9th ed. Blackwell Publishing. UK.
- Plumb, J.A., Hanson, L.A., 1999. Tilapia bacterial diseases, in: *Health Maintenance and Principal Microbial Diseases of Cultured Fishes*. Wiley-Blackwell, pp. 445–463.
- Radhika, C, V., R, P., A, M., 2014. A Comparative Study of Biopotential of Crude and Fractionated Extracts of Some Sea Weeds from Tuticorin Coast. *Int. J. Phytopharm.* 3, 27–30.
- Rajendran, P., Subramani, P.A., Michael, D., 2016. Polysaccharides from marine macroalga, *Padina gymnospora* improve the nonspecific and specific immune responses of *Cyprinus carpio* and protect it from different pathogens. *Fish Shellfish Immunol.* 58, 220–228. <https://doi.org/10.1016/j.fsi.2016.09.016>
- Reda, R.M., Mahmoud, R., Selim, K.M., El-Araby, I.E., 2016. Effects of dietary acidifiers on growth, hematology, immune response and disease resistance of

- Nile tilapia, *Oreochromis niloticus*. *Fish Shellfish Immunol.* 50, 255–262.
<https://doi.org/10.1016/j.fsi.2016.01.040>
- Redaa, R.M., Selim, K.M., Mahmoud, R., El-Araby, I.E., Reda, R.M., Selim, K.M., Mahmoud, R., El-Araby, I.E., 2018. Effect of dietary yeast nucleotide on antioxidant activity, non-specific immunity, intestinal cytokines, and disease resistance in Nile Tilapia. *Fish Shellfish Immunol.* 80, 281–290.
<https://doi.org/10.1016/j.fsi.2018.06.016>
- Reverter, M., Bontemps, N., Lecchini, D., Banaigs, B., Sasal, P., 2014. Use of plant extracts in fish aquaculture as an alternative to chemotherapy: Current status and future perspectives. *Aquaculture* 433, 50–61.
<https://doi.org/10.1016/j.aquaculture.2014.05.048>
- Riche, M., 2007. Analysis of refractometry for determining total plasma protein in hybrid striped bass (*Morone chrysops* × *M. saxatilis*) at various salinities. *Aquaculture* 264, 279–284. <https://doi.org/10.1016/j.aquaculture.2006.12.018>
- Roberts, R.J., Rodger, H.D., 2012. The Pathophysiology and Systematic Pathology of Teleosts. *Fish Pathol.* Fourth Ed. 62–143.
<https://doi.org/10.1002/9781118222942.ch3>
- Rodkhum, C., Kayansamruaj, P., Pirarat, N., 2011. Effect of water temperature on susceptibility to *Streptococcus agalactiae* serotype ia infection in Nile tilapia (*Oreochromis niloticus*). *Thai J. Vet. Med.* 41, 309–314.
- Sakai, M., 1999. Current research status of fish immunostimulants. *Aquaculture* 172, 63–92. [https://doi.org/10.1016/S0044-8486\(98\)00436-0](https://doi.org/10.1016/S0044-8486(98)00436-0)
- Salah, A.S., El Nahas, A.F., Mahmoud, S., 2017. Modulatory effect of different doses of β -1,3/1,6-glucan on the expression of antioxidant, inflammatory, stress and immune-related genes of *Oreochromis niloticus* challenged with *Streptococcus iniae*. *Fish Shellfish Immunol.* 70, 204–213.
<https://doi.org/10.1016/j.fsi.2017.09.008>
- Saralahti, A., Rämetsä, M., 2015. Zebrafish and Streptococcal infections. *Scand. J. Immunol.* 82, 174–183. <https://doi.org/10.1111/sji.12320>
- Saunders, N.A., 2009. Introduction to the application of real time PCR in J. Logan, K. Edwards and N. Saunders (eds): Real Time PCR. Current technology and applications. Caister Academic Press. 105-10.
- Saurabh, S., Sahoo, P.K., 2008. Lysozyme: An important defence molecule of fish innate immune system. *Aquac. Res.* 39, 223–239.
<https://doi.org/10.1111/j.1365-2109.2007.01883.x>

- Schroder, K., Tschopp, J., 2010. The Inflammasomes. *Cell* 140, 821–832.
<https://doi.org/10.1016/j.cell.2010.01.040>
- Schwandner, R., Dziarski, R., Wesche, H., Rothe, M., Kirschning, C.J., 1999. Peptidoglycan- and lipoteichoic acid-induced cell activation is mediated by toll-like receptor 2. *J. Biol. Chem.* 274, 17406–17409.
<https://doi.org/10.1074/jbc.274.25.17406>
- Secombes, C.J., Fletcher, T.C., 1992. The role of phagocytes in the protective mechanisms of fish. *Annu. Rev. Fish Dis.* 2, 53–71. [https://doi.org/10.1016/0959-8030\(92\)90056-4](https://doi.org/10.1016/0959-8030(92)90056-4)
- Selim, K.M., Reda, R.M., 2015. Improvement of immunity and disease resistance in the Nile tilapia, *Oreochromis niloticus*, by dietary supplementation with *Bacillus amyloliquefaciens*. *Fish Shellfish Immunol.* 1–8.
<https://doi.org/10.1016/j.fsi.2015.03.004>
- Setyawan, A., Isnansetyo, A., Murwantoko, Indarjulianto, S., Handayani, C.R., 2018. Comparative immune response of dietary fucoidan from three Indonesian brown algae in white shrimp *Litopenaeus vannamei*. *AAFL Bioflux* 11, 1707–1723.
- Shakibaei, M., John, T., Schulze-Tanzil, G., Lehmann, I., Mobasheri, A., 2007. Suppression of NF- κ B activation by curcumin leads to inhibition of expression of cyclo-oxygenase-2 and matrix metalloproteinase-9 in human articular chondrocytes: Implications for the treatment of osteoarthritis. *Biochem. Pharmacol.* 73, 1434–1445. <https://doi.org/10.1016/j.bcp.2007.01.005>
- Shiau, S., Gabaudan, J., Lin, Y., 2015. Dietary nucleotide supplementation enhances immune responses and survival to *Streptococcus iniae* in hybrid tilapia fed diet containing low fish meal. *Aquac. Reports* 2, 77–81.
<https://doi.org/10.1016/j.aqrep.2015.08.002>
- Silva, J., Alves, C., Pinteus, S., Horta, A., Pedrosa, R., 2013. High antioxidant activity of *Sargassum muticum* and *Padina pavonica* collected from Peniche coast (Portugal). *Curr. Opin. Biotechnol.* 24, S116.
<https://doi.org/10.1016/j.copbio.2013.05.361>
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., Bryce, D.L., 2014. *Spectrometric Identification of Organic Compounds*, 8th Edition. Wiley, USA.
- Singh, M., Subramanian, M., Kumaraguru, A., 2014. In Vitro Antibacterial Activity of Selected Brown Marine Macroalgae Extracts collected from the Pudumadam Coast of “Gulf of Manna ” region against Fish Pathogens. *Int. J. Hum. Genet. Med. Biotechnol. Microbiol. Stud.* 1.

- Skjeremo, J., Bergh, 2004. High-M alginate immunostimulation of Atlantic halibut (*Hippoglossus hippoglossus* L.) larvae using *Artemia* for delivery, increases resistance against vibriosis. *Aquaculture* 238, 107–113. <https://doi.org/10.1016/j.aquaculture.2004.05.038>
- Sohn, K.S., Kim, M.K., Kim, J.D., Han, I.K., 2000. The Role of Immunostimulants in Monogastric Animal and Fish - Review -. *Asian Australas. J. Anim. Sci.* 13, 1178–1187. <https://doi.org/10.5713/ajas.2000.1178>
- Song, Z.-X., Jiang, W.-D., Liu, Y., Wu, P., Jiang, J., Zhou, X.-Q., Kuang, S.-Y., Tang, L., Tang, W.-N., Zhang, Y.-A., Feng, L., 2017. Dietary zinc deficiency reduced growth performance, intestinal immune and physical barrier functions related to NF- κ B, TOR, Nrf2, JNK and MLCK signaling pathway of young grass carp (*Ctenopharyngodon idella*). *Fish Shellfish Immunol.* 66, 497–523. <https://doi.org/http://dx.doi.org/10.1016/j.fsi.2017.05.048>
- Suanyuk, N., Kong, F., Ko, D., Gilbert, G.L., Supamattaya, K., 2008. Occurrence of rare genotypes of *Streptococcus agalactiae* in cultured red tilapia *Oreochromis sp.* and Nile tilapia *O. niloticus* in Thailand-Relationship to human isolates? *Aquaculture* 284, 35–40. <https://doi.org/10.1016/j.aquaculture.2008.07.034>
- Sudaryono, A., Haditomo, A.H.C., Isnansetyo, A., 2015. Evaluation of dietary supplementation of aqueous extract of brown algae *Sargassum cristaefolium* on growth performance and feed utilization of juvenile white shrimp *Litopenaeus vannamei*. *AAFL Bioflux*.
- Susanto, T., Rakhmadiono, S., Mujianto, 2001. Karakterisasi ekstrak aliginat dari *Padina sp.* *J. Teknol. Pertan.* 2, 96–109.
- Takeuchi, O., Akira, S., 2010. Pattern recognition receptors and inflammation. *Cell* 140, 805–820. <https://doi.org/10.1016/j.cell.2010.01.022>
- Takeuchi, O., Hoshino, K., Kawai, T., Sanjo, H., Takada, H., Ogawa, T., Takeda, K., Akira, S., 1999. Differential roles of TLR2 and TLR4 in recognition of gram-negative and gram-positive bacterial cell wall components. *Immunity* 11, 443–451. [https://doi.org/10.1016/S1074-7613\(00\)80119-3](https://doi.org/10.1016/S1074-7613(00)80119-3)
- Takeuchi, O., Kaufmann, A., Grote, K., Kawai, T., Hoshino, K., Morr, M., Mühlradt, P.F., Akira, S., 2000. Cutting edge: Preferentially the R-stereoisomer of the mycoplasmal lipopeptide macrophage-activating lipopeptide-2 activates immune cells through a toll-like receptor 2- and MyD88-dependent signaling pathway. *J. Immunol.* 164, 554–557. <https://doi.org/10.4049/jimmunol.164.2.554>
- Takeuchi, O., Kawai, T., Mühlradt, P.F., Morr, M., Radolf, J.D., Zychlinsky, A., Takeda,

- K., Akira, S., 2001. Discrimination of bacterial lipoproteins by toll-like receptor 6. *Int. Immunol.* 13, 933–940. <https://doi.org/10.1093/intimm/13.7.933>
- Takeuchi, O., Sato, S., Horiuchi, T., Hoshino, K., Takeda, K., Dong, Z., Modlin, R.L., Akira, S., 2002. Cutting edge: Role of toll-like receptor 1 in mediating immune response to microbial lipoproteins. *J. Immunol.* 169, 10–14. <https://doi.org/10.4049/jimmunol.169.1.10>
- Tang, J., Cai, J., Liu, R., Wang, J., Lu, Y., Wu, Z., Jian, J., 2014. Immunostimulatory effects of artificial feed supplemented with a Chinese herbal mixture on *Oreochromis niloticus* against *Aeromonas hydrophila*. *Fish Shellfish Immunol.* 39, 401–406. <https://doi.org/10.1016/j.fsi.2014.05.028>
- Tassanakajon, A., Somboonwiwat, K., Supungul, P., Tang, S., 2013. Discovery of immune molecules and their crucial functions in shrimp immunity. *Fish Shellfish Immunol.* 34, 954–967. <https://doi.org/10.1016/j.fsi.2012.09.021>
- Thanigaivel, S., Chandrasekaran, N., Mukherjee, A., John Thomas, 2015. Investigation of seaweed extracts as a source of treatment against bacterial fish pathogen. *Aquaculture* 448, 82–86. <https://doi.org/10.1016/j.aquaculture.2015.05.039>
- Thannickal, V.J., Fanburg, B.L., 2000. Reactive oxygen species in cell signaling. *Am. J. Physiol. - Lung Cell. Mol. Physiol.* 279. <https://doi.org/10.1152/ajplung.2000.279.6.I1005>
- Tian, W., De La Vega, M.R., Schmidlin, C.J., Ooi, A., Zhang, D.D., 2018. Kelch-like ECH-Associated protein 1 (KEAP1) differentially regulates nuclear factor erythroid-2-related factors 1 and 2 (NRF1 and NRF2). *J. Biol. Chem.* 293, 2029–2040. <https://doi.org/10.1074/jbc.RA117.000428>
- Tiengtam, N., Khempaka, S., Paengkoum, P., Boonanuntanasarn, S., 2015. Effects of inulin and Jerusalem artichoke (*Helianthus tuberosus*) as prebiotic ingredients in the diet of juvenile Nile tilapia (*Oreochromis niloticus*). *Anim. Feed Sci. Technol.* 207, 120–129. <https://doi.org/10.1016/j.anifeedsci.2015.05.008>
- Ting, C., Chen, Y., Chen, J., 2018. Nile tilapia fry fed on antimicrobial peptide Epinecidin-1-expressing *Artemia* cyst exhibit enhanced immunity against acute bacterial infection. *Fish Shellfish Immunol.* 81, 37–48. <https://doi.org/10.1016/j.fsi.2018.07.008>
- Tipping, P.G., 2006. Toll-Like Receptors: The Interface between Innate and Adaptive Immunity. *J Am Soc Nephrol* 17, 1769–1771. <https://doi.org/10.1681/ASN.2006050489>

- Traifalgar, R., Serrano, A., Corre, V., Kira, H., Tung, H., Michael, F., Kader, M., Laining, A., Yokoyama, S., Ishikawa, M., Koshio, S., 2009. Evaluation of dietary fucoidan supplementation effects on growth performance and Vibriosis resistance of *Penaeus monodon* postlarvae. *Aquac. Sci.* 57, 167–174. <https://doi.org/10.11233/aquaculturesci.57.167>
- Trewavas, E., 1983. Tilapiine fishes of the genera *Sarotherodon*, *Oreochromis* and *Danakilia*. British Museum (Natural History), London.
- Tul'chinsky, V.M., Zurabyan, Z.E., Asankoshoev, K.A., Kogan, G.A., Khorlin, A.Y., 1976. Study of the infrared spectra of oligosaccharides in the region 1,000-40 cm⁻¹. *Carbohydrate Res.* 51, 1–8. [https://doi.org/https://doi.org/10.1016/S0008-6215\(00\)84031-8](https://doi.org/10.1016/S0008-6215(00)84031-8)
- Udayangani, R.M.C., Dananjaya, S.H.S., Fronte, B., Kim, C.H., Lee, J., De Zoysa, M., 2017. Feeding of nano scale oats β -glucan enhances the host resistance against *Edwardsiella tarda* and protective immune modulation in zebrafish larvae. *Fish Shellfish Immunol.* 60, 72–77. <https://doi.org/10.1016/j.fsi.2016.11.035>
- Underhill, D.M., Ozinsky, A., Hajjar, A.M., Stevens, A., Wilson, C.B., Bassetti, M., Aderem, A., 1999. The toll-like receptor 2 is recruited to macrophage phagosomes and discriminates between pathogens. *Nature* 401, 811–815. <https://doi.org/10.1038/44605>
- Uribe, C., Folch, H., Enriquez, R., Moran, G., 2011. Innate and adaptive immunity in teleost fish: a review. *Vet. Med. (Praha)*. 56, 486–503. <https://doi.org/10.17221/3294-VETMED>
- Vassalli, P., 1992. The pathophysiology of tumor necrosis factors. *Annu. Rev. Immunol.* 10, 411–452. <https://doi.org/10.1146/annurev.immunol.10.1.411>
- Vazquez, L., Alpuche, J., Maldonado, G., Agundis, C., Pereyra-Morales, A., Zenteno, E., 2009. Review: Immunity mechanisms in crustaceans. *Innate Immun.* 15, 179–188. <https://doi.org/10.1177/1753425909102876>
- Vollstad, D., Børgwald, J., Gåserød, O., Dalmo, R.A., 2006. Influence of high-M alginate on the growth and survival of Atlantic cod (*Gadus morhua* L.) and spotted wolffish (*Anarhichas minor* Olafsen) fry. *Fish Shellfish Immunol.* 20, 548–561. <https://doi.org/10.1016/j.fsi.2005.07.004>
- Wang, T., Secombes, C.J., 2013. The cytokine networks of adaptive immunity in fish. *Fish Shellfish Immunol.* 35, 1703–1718. <https://doi.org/10.1016/j.fsi.2013.08.030>
- Watzke, J., Schirmer, K., Scholz, S., 2007. Bacterial lipopolysaccharides induce genes involved in the innate immune response in embryos of the zebrafish

(*Danio rerio*). Fish Shellfish Immunol. 23, 901–905.

<https://doi.org/10.1016/j.fsi.2007.03.004>

Webster, C.D., Lim, C., 2006. Tilapia: Biology, culture, and nutrition. CRC Press, Florida, USA.

Wedemeyer, G.A., Yasutake, W.T., 1977. Clinical methods for the assesment of the effects of environmental stress on fish health. United States Department Of The Interior Fish And Wildlife Service. 89, 1–25.

Weichhart, T., Costantino, G., Poglitsch, M., Rosner, M., Zeyda, M., Stuhlmeier, K.M., Kolbe, T., Stulnig, T.M., Hörl, W.H., Hengstschläger, M., Müller, M., Säemann, M.D., 2008. The TSC-mTOR Signaling Pathway Regulates the Innate Inflammatory Response. Immunity 29, 565–577. <https://doi.org/10.1016/j.immuni.2008.08.012>

Weissensteiner, T., Griffin, H.G., Griffin, A., 2003. PCR technology: Curent innovations. ed 2. Boca Roton. Florida, CRC Press.

Wenger, M., Sattler, U., Goldschmidt-Clermont, E., Segner, H., 2011. 17Beta-estradiol affects the response of complement components and survival of rainbow trout (*Oncorhynchus mykiss*) challenged by bacterial infection. Fish Shellfish Immunol. 31, 90–97. <https://doi.org/10.1016/j.fsi.2011.04.007>

Werts, C., Tapping, R.I., Mathison, J.C., Chuang, T.H., Kravchenko, V., Saint Girons, I., Haake, D.A., Godowski, P.J., Hayashi, F., Ozinsky, A., Underhill, D.M., Kirschning, C.J., Wagner, H., Aderem, A., Tobias, P.S., Ulevitch, R.J., 2001. Leptospiral lipopolysaccharide activates cells through a TLR2-dependent mechanism. Nat. Immunol. 2, 346–352. <https://doi.org/10.1038/86354>

Wiegertjes, G.F., Stet, R.J., Parmentier, H.K., Muiswinkel, W.B. van, 1996. Immunogenetics of disease resistance in fish: a comparable approach. Dev. Comp. Immunol. 20, 365–381. [https://doi.org/10.1016/s0145-305x\(96\)00032-8](https://doi.org/10.1016/s0145-305x(96)00032-8)

Winarsi, H., 2007. Antioksidan Alami dan Radikal Bebas. Kanisius. Yogyakarta.

Wiradharma, D., Pusparini, Alvina, 2015. Konsep imunologi dasar. Sagung Seto. Jakarta. p 76- 79.

Wu, B., Xu, Z., Cao, J., Wang, Q., Mei, J., Xie, J., 2022. Effects of β -1,3-glucan and ascorbic acid on the nutritional-immune response and antioxidant signaling pathways of live tiger grouper during simulated transport. Aquac. Fish. 1–8. <https://doi.org/https://doi.org/10.1016/j.aaf.2022.03.001>

Wu, Y. rui, Gong, Q. fang, Fang, H., Liang, W. wen, Chen, M., He, R. jie, 2013. Effect of *Sophora flavescens* on non-specific immune response of tilapia (GIFT

- Oreochromis niloticus*) and disease resistance against *Streptococcus agalactiae*. Fish Shellfish Immunol. 34, 220–227. <https://doi.org/10.1016/j.fsi.2012.10.020>
- Xie, S., Zhou, W., Tian, L., Niu, J., Liu, Y., 2016. Effect of N-acetyl cysteine and glycine supplementation on growth performance, glutathione synthesis, anti-oxidative and immune ability of Nile tilapia, *Oreochromis niloticus*. Fish Shellfish Immunol. 55, 233–241. <https://doi.org/10.1016/j.fsi.2016.05.033>
- Xu, J., Wu, P., Jiang, W.D., Liu, Y., Jiang, J., Kuang, S.Y., Tang, L., Tang, W.N., Zhang, Y.A., Zhou, X.Q., Feng, L., 2016. Optimal dietary protein level improved growth, disease resistance, intestinal immune and physical barrier function of young grass carp (*Ctenopharyngodon idella*). Fish Shellfish Immunol. 55, 64–87. <https://doi.org/10.1016/j.fsi.2016.05.021>
- Xu, L., Ran, C., He, S., Zhang, J., Hu, J., Yang, Yalin, Du, Z., Yang, Yanou, Zhou, Z., 2015. Effects of dietary yeast nucleotides on growth, non-specific immunity, intestine growth and intestinal microbiota of juvenile hybrid tilapia *Oreochromis niloticus* ♀ x *Oreochromis aureus* ♂. Anim. Nutr. 1, 244–251. <https://doi.org/10.1016/j.aninu.2015.08.006>
- Ye, X., Li, J., Lu, M., Deng, G., Jiang, X., Tian, Y., Quan, Y., Jian, Q., 2011. Identification and molecular typing of *Streptococcus agalactiae* isolated from pond-cultured tilapia in China. Fish. Sci. 77, 623–632. <https://doi.org/10.1007/s12562-011-0365-4>
- Yeh, M.S., Lai, C.Y., Liu, C.H., Kuo, C.M., Cheng, W., 2009. A second proPO present in white shrimp *Litopenaeus vannamei* and expression of the proPOs during a *Vibrio alginolyticus* injection, molt stage, and oral sodium alginate ingestion. Fish Shellfish Immunol. 26, 49–55. <https://doi.org/10.1016/j.fsi.2008.10.003>
- Yeh, S.-P., Chang, C.A., Chang, C.Y., Liu, C.H., Cheng, W., 2008. Dietary sodium alginate administration affects fingerling growth and resistance to *Streptococcus* sp. and iridovirus, and juvenile non-specific immune responses of the orange-spotted grouper, *Epinephelus coioides*. Fish Shellfish Immunol. 25, 19–27. <https://doi.org/10.1016/j.fsi.2007.11.011>
- Yeh, S.-T., Lee, C.S., Chen, J.C., 2006. Administration of hot-water extract of brown seaweed *Sargassum duplicatum* via immersion and injection enhances the immune resistance of white shrimp *Litopenaeus vannamei*. Fish Shellfish Immunol. 20, 332–345. <https://doi.org/10.1016/j.fsi.2005.05.008>
- Yeh, S., Lee, C., Chen, J., 2006. Administration of hot-water extract of brown seaweed

- Sargassum duplicatum* via immersion and injection enhances the immune resistance of white shrimp *Litopenaeus vannamei*. *Fish Shellfish Immunol.* 20, 332–345. <https://doi.org/10.1016/j.fsi.2005.05.008>
- Yilmaz, S., 2019. Effects of dietary blackberry syrup supplement on growth performance, antioxidant, and immunological responses, and resistance of Nile tilapia, *Oreochromis niloticus* to *Plesiomonas shigelloides*. *Fish Shellfish Immunol.* 84, 1125–1133. <https://doi.org/10.1016/j.fsi.2018.11.012>
- Yousefi, S., Hoseinifar, S.H., Paknejad, H., Hajimoradloo, A., 2018. The effects of dietary supplement of galactooligosaccharide on innate immunity, immune related genes expression and growth performance in zebrafish (*Danio rerio*). *Fish Shellfish Immunol.* 73, 192–196. <https://doi.org/10.1016/j.fsi.2017.12.022>
- Yu, Z., Zhao, L., Zhao, J.-L., Xu, W., Guo, Z., Zhang, A.-Z., Li, M.-Y., 2022. Dietary *Taraxacum mongolicum* polysaccharide ameliorates the growth, immune response, and antioxidant status in association with NF- κ B, Nrf2 and TOR in Jian carp (*Cyprinus carpio* var. Jian). *Aquaculture* 547. <https://doi.org/https://doi.org/10.1016/j.aquaculture.2021.737522>
- Yudiati, E., Isnansetyo, A., 2017. Characterizing the Three Different Alginate Type of *Sargassum siliquosum*. *ILMU Kelaut. Indones. J. Mar. Sci.* 22, 7. <https://doi.org/10.14710/ik.ijms.22.1.7-14>
- Yudiati, E., Isnansetyo, A., Murwantoko, Ayuningtyas, Triyanto, Handayani, C.R., 2016. Innate immune-stimulating and immune genes up-regulating activities of three types of alginate from *Sargassum siliquosum* in Pacific white shrimp, *Litopenaeus vannamei*. *Fish Shellfish Immunol.* 54, 46–53. <https://doi.org/http://dx.doi.org/10.1016/j.fsi.2016.03.022>
- Yuwono, T., 2005. *Biologi Molekuler*. Erlangga. Jakarta.
- Zahran, E., Risha, E., Abdelhamid, F., Mahgoub, H.A., Ibrahim, T., 2014. Effects of dietary *Astragalus polysaccharides* (APS) on growth performance, immunological parameters, digestive enzymes, and intestinal morphology of Nile tilapia (*Oreochromis niloticus*). *Fish Shellfish Immunol.* 1–9. <https://doi.org/10.1016/j.fsi.2014.03.002>
- Zhang, J., Kong, X., Zhou, C., Li, L., Nie, G., Li, X., 2014. Toll-like receptor recognition of bacteria in fish: Ligand specificity and signal pathways. *Fish Shellfish Immunol.* 41, 380–388. <https://doi.org/10.1016/j.fsi.2014.09.022>
- Zhou, K., Cui, T.T., Li, P.L., Liang, N.J., Liu, S.C., Ma, C.W., Peng, Z.H., 2008. Modelling and predicting the effect of temperature, water activity and pH on

growth of *Streptococcus iniae* in Tilapia. *J. Appl. Microbiol.* 105, 1956–1965.

<https://doi.org/10.1111/j.1365-2672.2008.03969.x>

Zhu, L. yun, Nie, L., Zhu, G., Xiang, L. xing, Shao, J. zhong, 2013. Advances in research of fish immune-relevant genes: A comparative overview of innate and adaptive immunity in teleosts. *Dev. Comp. Immunol.* 39, 39–62.
<https://doi.org/10.1016/j.dci.2012.04.001>

Zubia, M., Payri, C., Deslandes, E., 2008. Alginate, mannitol, phenolic compounds and biological activities of two range-extending brown algae, *Sargassum mangarevense* and *Turbinaria ornata* (Phaeophyta: Fucales), from Tahiti (French Polynesia). *J Appl Phycol* 20, 1033–1043.
<https://doi.org/10.1007/s10811-007-9303-3>