



DAFTAR PUSTAKA

- Alcaraz, L., López Fernández, A., García-Díaz, I., & López, F. A. (2018). Preparation and characterization of activated carbons from winemaking wastes and their adsorption of methylene blue. *Adsorption Science and Technology*, 36(5–6), 1331–1351. <https://doi.org/10.1177/0263617418770295>
- Ariyanto, T., Masruroh, K., Pambayun, G. Y. S., Mukti, N. I. F., Cahyono, R. B., Prasetya, A., & Prasetyo, I. (2021). Improving the Separation of CO₂/CH₄ Using Impregnation of Deep Eutectic Solvents on Porous Carbon. *ACS Omega*, 6(29), 19194–19201. <https://doi.org/10.1021/acsomega.1c02545>
- Ariyanto, T., Sarwendah, R., Amimmal, Y. (2019) ‘Modifying nanoporous carbon through hydrogen peroxide oxidation for removal of metronidazole antibiotics from simulated wastewater’, *Processes*, 7(11), pp. 1–9. doi: 10.3390/pr7110835.
- Atkins PW. 1999. *Kimia Fisik*. Edisi ke-4. Irma IK Penerjemah, Erlangga, Jakarta
- Azizah, E. and Hartana, A. (2018) ‘Pemanfaatan daun harendong (Melastoma malabathricum) sebagai pewarna alami untuk kain katun’, *Dinamika Kerajinan dan Batik: Majalah Ilmiah*, 35(1), p. 1. doi: 10.22322/dkb.v35i1.3490.
- Baunsele, A. B., & Missa, H. (2020). Kajian Kinetika Adsorpsi Metilen Biru Menggunakan Adsorben Sabut Kelapa. *Akta Kimia Indonesia*, 5(2), 76. <https://doi.org/10.12962/j25493736.v5i2.7791>
- Cano, C. F., Azar, C.O., & Speisky, H. (2013). Structural and Thermodynamic Factors on The Adsorption Process of Phenolic Compounds onto Polyvinylpolypyrrolidone, Colloids and Surfaces A: Physicochemical and Engineering Aspects, 418, 105-111
- Çeçen, F. and Aktaş, Ö. (2011) ‘Activated Carbon for Water and Wastewater Treatment: Integration of Adsorption and Biological Treatment’, *Activated Carbon for Water and Wastewater Treatment: Integration of Adsorption and Biological Treatment*, (May 2014), pp. 2011–2013. doi: 10.1002/9783527639441.
- Do, D. D. (1998). *Adsorption Analysis: Equilibria and Kinetics* (Vol. 2). Imperial College Press.



Do, Duong D. (2008) ‘Adsorption Analysis: Equilibria and Kinetics’, Singapore: World Scientific Publishing Co.

Dos Santos, K. De Souza Dos Santos,G., De Sa, I. (2019) ‘Syagrus oleracea–activated carbon prepared by vacuum pyrolysis for methylene blue adsorption’, *Environmental Science and Pollution Research*, 26(16), pp. 16470–16481. doi: 10.1007/s11356-019-05083- 4.

Dwijayanti, U., Gunawan, Widodo,D. (2020) ‘Adsorpsi methylene blue (MB) menggunakan abu layang batubara teraktivasi larutan NaOH’, *Analit: Analytical and Environmental Chemistry*, 5(1), pp. 1–14.

Efiyanti, L.,Indrawan, D., Hastuti, N. (2020) ‘The activated carbon produced from mayan bamboo (*Gigantochloa robusta Kurz*) and its application as dye removal’, *IOP Conference Series: Materials Science and Engineering*, 935(1), pp. 0–8. doi: 10.1088/1757-899X/935/1/012018.

Elmorsi, T. M. (2011). Equilibrium Isotherms and Kinetic Studies of Removal of Methylene Blue Dye by Adsorption onto Miswak Leaves as a Natural Adsorbent. *Journal of Environmental Protection*, 02(06), 817–827. <https://doi.org/10.4236/jep.2011.26093>

Fernianti, D. (2013) ‘Analisis Kemampuan Adsorpsi Karbon Aktif Dari Ampas Kopi Bubuk Yang Sudah Diseduh’, *Berkala Teknik*, 3(2), p. 563. Available at: <https://jurnal.um-palembang.ac.id/berkalateknik/article/view/361>.

Fransina, E. G., dan Tanasale M. F. J. D. P. 2007. Studi Kimia Adsorpsi Biru Metilena pada Kitin dan Kitosan. *Jurnal Sains MIPA*. 13(3): 171-178.

Garg, A., Mainrai, M., Bulasara, VK, Barman, S. 2015. Penyelidikan eksperimental pada adsorpsi zat warna amido black 10B pada zeolit yang disintesis dari fly ash. *Bahan kimia Komunikasi Rekayasa*, 202(1), 123-130.

Hafiyah, S. (2013). Kinetika Adsorpsi Zat Warna Rhodamin B Menggunakan Karbon Aktif Sekam Padi (*Oryza Sativa L.*). *Journal of Chemical Information and Modeling*, 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>

Hameed, B.H., Ahmad, A.A., Aziz, N. (2007) ‘Isotherm, kinetics and thermodynamics



of acid dye adsorption on activated palm ash', *ChemicalEngineering Science*, 133, pp. 193–203.

Han, Q., Wang, J., Goodman, B. A., Xie, J., & Liu, Z. (2020). High adsorption of methylene blue by activated carbon prepared from phosphoric acid treated eucalyptus residue. *Powder Technology*, 366, 239–248.
<https://doi.org/10.1016/j.powtec.2020.02.013>

Hashemian, S., Ardakani, M. K., & Salehifar, H. (2013). *Kinetics and Thermodynamics of Adsorption Methylene Blue onto Tea Waste / CuFe 2 O 4 Composite*. 2013(July), 1–7.

Hasrianti, 2012, *Adsorbsi Ion Cd²⁺ dan Cr⁶⁺ pada Limbah Cair menggunakan Kulit Singkong*, Universitas Hassanudin, Makasar.

Hayati, G. I., Pertiwi, B. and Ristianingsih, Y. (2018) ‘Pengaruh variasi konsentrasi adsorben biji trembesi terhadap penurunan kadar logam kromium (Cr) total pada limbah industri sasirangan’, *Konversi*, 5(2), p. 1. doi: 10.20527/k.v5i2.4760.

Helbyarti, D. (2017) ‘Pembuatan Karbon AKtif dari Tandan Kosong Pisang Kepok dengan Bantuan Gelombang Ultrasonik’, *J. PSN Kimia*, 97, pp. 97–100.

Hendra, D. (2012). Rekayasa Pembuatan Mesin Pelet dan Pengujian Hasilnya. *Jurnal Penelitian Hasil Hutan*, 30(2), 144-154

Hossain, M. a, Ngo, H. H., Guo, W. S., & Nguyen, T. . (2012) ‘Removal Of Copper From Water By Adsorption Onto Banana Peel As Bioadsorbent International Journal of Geomate’, *Japan*, 2(2), pp. 227–234.

Hua S, Yu X, Li F, Duan J, Ji H, L. W. (2017) ‘Hydrogen titanate nanosheets with both adsorptive and photocatalytic properties used for organic dyes removal’, *Colloids Surf A Physicochem Eng Asp*, 516, pp. 211–218.

Hwang, L. L., Chen, J. C., & Wey, M. Y. (2013). The properties and filtration efficiency of activated carbon polymer composite membranes for the removal of humic acid. *Desalination*, 313, 166–175. <https://doi.org/10.1016/j.desal.2012.12.019>

Iftekhar, Sidra, Deepika Lakshmi Ramasamy, Varsha Srivastava, Muhammad Bilal Asif, and Mika Sillanpää. 2018. “Understanding the Factors Affecting the Adsorption



of Lanthanum Using Different Adsorbents: A Critical Review.” *Chemosphere* 204:413–30.

Istiana, S. and Prasetya, T. (2020) ‘Preparasi Arang Aktif Trembesi Magnetit Untuk Adsorpsi Senyawa Tannin Dalam Limbah Cair’, *Indonesian Journal of Chemical Science*, 9(1), pp. 17–23.

Jamilatun, S., Setyawan, M., Salamah, S., Purnama, D. A. A., & Putri, R. U. M. (2015). Pembuatan Arang Aktif dari Tempurung Kelapa dengan Aktivasi Sebelum dan Sesudah Pirolisis. *Seminar Nasional Sains Dan Teknologi*, 0258, 1–8.

Jia, Z., Li, Z., Li, S., Li, Y., & Zhu, R. (2016). Adsorption performance and mechanism of methylene blue on chemically activated carbon spheres derived from hydrothermally-prepared poly(vinyl alcohol) microspheres. *Journal of Molecular Liquids*, 220, 56–62. <https://doi.org/10.1016/j.molliq.2016.04.063>

Jia YF, T. K. (2000) ‘Adsorption of Cadmium Ions in Oxygen Surface Site in Activated Carbon’, *Langmuir*, 16(3), pp. 1114–1122.

Karago, S. (2008). *Activated carbons from waste biomass by sulfuric acid activation and their use on methylene blue adsorption*. 99, 6214–6222. <https://doi.org/10.1016/j.biortech.2007.12.019>

Khanday, W., Marrakchi, F., Asif, M. (2017) ‘Mesoporous zeolite–activated carbon composite from oil palm ash as an effective adsorbent for methylene blue’, *Journal of the Taiwan Institute of Chemical Engineers*, 70, pp. 32–41. doi: 10.1016/j.jtice.2016.10.029.

Lanjar L, L., Fatma, I., I. (2018) ‘Kesetimbangan Adsorbsi Zat Warna Metil Violet oleh Karbon Aktif Berbasis Limbah Daun Nanas (Ananas Comus L)’, *J. Metana*, 14(2), pp. 31–36.

Lempang, M. (2014) ‘Pembuatan Dan Kegunaan Arang Aktif’, *Info Teknis EBONI*, 11(2), pp. 66–71.

Lestari, J., Fahyuan, H. D. and Ngatijo, N. (2018) ‘Pengaruh doping Al terhadap TiO₂ sebagai pendegradasi limbah tekstil methylene blue’, *Journal Online of Physics*, 3(2), pp. 15–20. doi: 10.22437/jop.v3i2.5147.



Li, W., Mu, B., & Yang, Y. (2019). Feasibility of industrial-scale treatment of dye wastewater via bio-adsorption technology. *Bioresource Technology*, 277(January), 157–170. <https://doi.org/10.1016/j.biortech.2019.01.002>

Marsh, Harry and Francisco Rodriguez-Reinoso.(2006) ‘Activated Carbon’, Elsevier Ltd, Oxford UK.

Meisrilestari, D. (2013) ‘Pembuatan Arang Aktif Dari Cangkang Kelapa Sawit Dengan Aktivasi Secara Fisika, Kimia dan Fisika-Kimia’, *Konversi*, 2(1).

Mutuma, B. K., Rodrigues, R., Ranganathan, K., Matsoso, B., Wamwangi, D., Hümmelgen, I. A., & Coville, N. J. (2017). Hollow carbon spheres and a hollow carbon sphere/polyvinylpyrrolidone composite as ammonia sensors. *Journal of Materials Chemistry A*, 5(6), 2539–2549. <https://doi.org/10.1039/c6ta09424d>

Njoku, V., Foo, K., Asif, M., Hameed, B. 2014. Pembuatan karbon aktif dari kulit rambutan (*Nephelium lappaceum*) dengan aktivasi KOH yang diinduksi microwave untuk adsorpsi zat warna asam kuning 17. *Jurnal Teknik Kimia*, 250, 198-204

Om Prakash, M., Gujjala, R., Panchal, M., & Ojha, S. (2020). Mechanical characterization of arhar biomass based porous nano activated carbon polymer composites. *Polymer Composites*, 41(8), 3113–3123. <https://doi.org/10.1002/pc.25602>

Prasetyo, I., Mukti, N. I. F., Cahyono, R. B., Prasetya, A., & Ariyanto, T. (2020). Nanoporous Carbon Prepared from Palm Kernel Shell for CO₂/CH₄ Separation. *Waste and Biomass Valorization*, 11(10), 5599–5606. <https://doi.org/10.1007/s12649-020-01006-4>

Prasetyo, I., Rochmadi, Ariyanto, T. and Yunanto, R. (2013) ‘Simple method to produce nanoporous carbon for various applications by pyrolysis of specially synthesized phenolic resin’, *Indones. J. Chem*, 13, pp. 95–100.

PubChem (2013). Biru metilen. basis data Pubchem. Pusat Informasi Bioteknologi Nasional. Tersedia dari:<https://pubchem.ncbi.nlm.nih.gov/> [data daring]

Rafatullah, M., Sulaiman, O., Hashim, R., & Ahmad, A. (2010). Adsorption of methylene



blue on low-cost adsorbents : A review. *Journal of Hazardous Materials*, 177(1–3), 70–80. <https://doi.org/10.1016/j.jhazmat.2009.12.047>

Rahmayani, F., dan Siswarsi,M.Z., 2013, Pemanfaatan Limbah Batang Jagung sebagai Adsorben Alternatif pada Pengurangan Kadar Klorin dalaam Air Olahan (Treated Water), *Jurnal Teknik Kimia Universitas Sumatra Utara*, Medan.

Rashidi, N. A., & Yusup, S. (2017). Potential of palm kernel shell as activated carbon precursors through single stage activation technique for carbon dioxide adsorption. *Journal of Cleaner Production*, 168, 474–486. <https://doi.org/10.1016/j.jclepro.2017.09.045>

Rosi, Iskandar, Abdullah., 2013, Sintesis Nanopori Karbon dengan Variasi Jumlah NaOH dan Aplikasinya sebagai Superkapasitor, Penelitian, Institut Teknologi Bandung, Bandung.

Ruthven, D. M., 1984. Principle of adsorption and Adsorption Process. John Wiley and Sons: New York, 124-141.

Şahin, Ö., Kaya, M., Saka, C. 2015. Modifikasi Permukaan Plasma pada Lempung Bentonit Menjadi Meningkatkan Kinerja Adsorpsi Metilen Biru. Ilmu Tanah Liat Terapan, 116, 46-53.

Saraswati, I. G. (2015) ‘Fotodegradasi Zat Warna Tekstil metilen blue Dengan Fotokatalis Zno-Arang Aktif Dan Sinar Ultraviolet (Uv)’, *Jurnal kimia*, IX(2), p. 175.

Schwantes, D., Alfonso C.G., Gustavo F.C., Marcelo A.C., Douglas C.D., Cesar R.T., Allison J.M., and Eduardo A.V., 2016, Chemical Modifications of Cassava Peel as Adsorbent Material for Metals Ions from waste Water, *Journal of Chemistry*, 2(1)

Sen, T. K., Afroze, S., & Ang, H. (2011). Equilibrium, Kinetics and Mechanism of Removal of Methylene Blue from Aqueous Solution by Adsorption onto Pine Cone Biomass of Pinus Radiata. *Water, Air, & Soil Pollution*, 218(1–4),499–515.

Sivakumar, R., & Lee, N. Y. (2022). Adsorptive Removal of Organic Pollutant Methylene Blue Using Polysaccharide-Based Composite Hydrogels. *Chemosphere*, 286(P3), 131890. <https://doi.org/10.1016/j.chemosphere.2021.131890>



Smallman, dan Bishop. (2000) ‘Metalurgi Fisik Modern dan Rekayasa Material’, Erlangga, Jakarta

Sulistiyono, Y. A., Rofi’ah, F., Suwardiyanto, Nugraha, A. S., Zulfikar, & Sunnardianto, G.

K. (2020). Isothermal and kinetic adsorption of anionic dye onto impregnated silica gels with aluminum. *Environmental Engineering and Management Journal*, 19(8), 1299–1308. <https://doi.org/10.30638/eemj.2020.123>

Tan, K. B., Vakili, M., Horri, B. A., Poh, P. E., Abdullah, A. Z., & Salamatinia, B. (2015).

Adsorption of Dyes by Nanomaterials: Recent Developments and Adsorption Mechanisms. *Separation and Purification Technology*, 150, 229–242. <https://doi.org/10.1016/j.seppur.2015.07.009>

Ulfah, M., Raharjo, S., Hastuti, P., & Darmadji, P. (2016). The potential of palm kernel shell activated carbon as an adsorbent for β -carotene recovery from crude palm oil. *AIP Conference Proceedings*, 1755(July 2016). <https://doi.org/10.1063/1.4958560>

Wanassi, B., Hariz, I., Ghimbeu, C. (2017) ‘Green Carbon Composite-Derived Polymer Resin and Waste Cotton Fibers for the Removal of Alizarin Red S Dye’, *Energies*, 10(9). doi: 10.3390/en10091321.

Wanchanthuek, R. dan Thapol, A. (2011) ‘Kinetic Study of Methylene Blue Adsorption Over MgO from PVA Template Preparation’, *J. Environ.Sci.Tech*, pp. 552–559.