

DAFTAR PUSTAKA

- Agarwal, S., & Mehotra, R, 2016, An overview of molecular docking. *Journal SciMed Chemistry*, 4.(2) : 1024-1028.
- Alam, A., Kowal, J., Broude, E., Roninson, I., & Locher, K. P., 2019, Structural insight into substrate and inhibitor discrimination by human P-glycoprotein. *Science*, 363(6428): 753-756.
- Anjarsari, E.Y., Kristina, N., Larasati, Y.A., Putri, D.D.P. and Meiyanto, E., 2013, Synergistic Effect of Cinnamon Essential Oil (*Cinnamomum burmannii*) and Doxorubicin on T47D Cells Correlated with Apoptosis Induction, *Indonesian Journal of Cancer Chemoprevent.*, 4(1) : 450-456.
- Barbuti AM, Chen ZS, 2015, Paclitaxel Through the Ages of Anticancer Therapy: Exploring Its Role in Chemoresistance and Radiation Therapy. *Cancers (Basel)*.7(4): 2360-71.
- Bajusz, D., Rácz, A. dan Héberger, K, 2015, Why is Tanimoto index an appropriate choice for fingerprint-based similarity calculations? *Journal of Cheminformatics*, 7(1): 20.
- Baquero MT, Lostritto K, Gustavson MD, Bassi KA, Appia F, Camp RL, et al. , 2011, Evaluation of prognostic and predictive value of microtubule associated protein tau in two independent cohorts .
- Bayat, A. , 2002, Bioinformatics.(Science, Medicine, and the Future). *British Medical Journal*, 324(7344): 1018-1023.
- Bishop, James F., et al. , 1997, Paklitaksel as first-line treatment for metastatic breast cancer. The Taksol Investigational Trials Group, Australia and New Zealand." *Oncology (Williston Park, NY)* 11, 4(3): 19-23.
- Capecchi, A., Probst, D., & Reymond, J. L, 2020, One molecular fingerprint to rule them all: drugs, biomolecules, and the metabolome. *Journal of cheminformatics*, 12(1):1-15.
- Chahal, M. , 2016, Information Retrieval using Dice Similarity Coefficient. *International Journal of Advanced Research in Computer Science and Software Engineering*, 6(6): 72-75.
- Chen, V. B., Arendall, W. B., Headd, J. J., Keedy, D. A., Immormino, R. M., Kapral, G. J., & Richardson, D. C. , 2010, MolProbity: all-atom structure validation for macromolecular crystallography. *Acta Crystallographica Section D: Biological Crystallography*, 66(1): 12-21.
- Chen, Y., Azman, S. N., Kerishnan, J. P., Zain, R. B., Chen, Y. N., Wong, Y. L., & Gopinath, S. C. , 2014, Identification of host-immune response protein candidates in the sera of human oral squamous cell carcinoma patients. *PLoS One*, 9(10): e109012.
- Cvejić, J., Bursać, M., & Atanacković, M. , 2012, Phytoestrogens: “estrogene-like” phytochemicals. *Studies in Natural Products Chemistry*, 38: 1-35.

- Dar, A.M & Mir, S. ,2017, Molecular docking: approaches, types, applications, and basic challenges. *Journal of Analytical & Bioanalytical Technology*, 8(2) : 1-3.
- Davies, M., Nowotka, M., Papadatos, G., Dedman, N., Gaulton, A., Atkinson, F., ... & Overington, J. P. ,2015,. ChEMBL web services: streamlining access to drug discovery data and utilities. *Nucleic acids research*, 43(W1) : W612-W620.
- Desai, P. V., Raub, T. J., & Blanco, M. J. ,2012, How hydrogen bonds impact P-glycoprotein transport and permeability. *Bioorganic & medicinal chemistry letters*, 22(21) : 6540-6548.
- Dina, S., Siregar, M. F. G., Jusuf, N. K., Hasibuan, P. A., Andrijono, A., Bachtiar, A., ... & Nasution, I. P. ,2022, Anticancer Potential of Cinnamon Bark Extract (*Cinnamomum burmannii*) with Cisplatin Combination against P-Glikoprotein and Apoptotic Influx Biomarkers. *Open Access Macedonian Journal of Medical Sciences*, 10 (A): 958-964.
- Durazzo, A., Lucarini, M., Camilli, E., Marconi, S., Gabrielli, P., Lisciani, S., ... & Marletta, L, 2018, Dietary lignans: definition, description and research trends in databases development. *Molecules*, 23(12) : 3251.
- Du, J., Li, M., Yuan, Z., Guo, M., Song, J., Xie, X., & Chen, Y. ,2016, A decision analysis model for KEGG pathway analysis. *BMC bioinformatics*, 17(1) : 1-12.
- Dvir, H., Silman, I., Harel, M., Rosenberry, T.L. and Sussman, J.L., 2010. Acetylcholinesterase: from 3D structure to function. *Chemico-biological interactions*, 187(1-3) : 10-22.
- Fajar, A., Ammar, G. A., Hamzah, M., Manurung, R., & Abduh, M. Y. ,2019, Effect of tree age on the yield, productivity, and chemical composition of essential oil from *Cinnamomum burmannii*. *Current Research on Biosciences and Biotechnology*, 1 ,1: 17-22.
- Filimonov, D. A., Lagunin, A. A., Gloriovova, T. A., Rudik, A. V., Druzhilovskii, D. S., Pogodin, P. V., & Poroikov, V. V. , 2014, Prediction of the biological activity spectra of organic compounds using the PASS online web resource. *Chemistry of Heterocyclic Compounds*, 50(3) : 444-457.
- Filimonov, D., & Poroikov, V., 2008, Probabilistic approaches in activity prediction (pp. 182-216). Royal Society of Chemistry, Cambridge, UK.
- Filimonov, D., Poroikov, V., Borodina, Y., & Gloriovova, T. ,1999, Chemical similarity assessment through multilevel neighborhoods of atoms: definition and comparison with the other descriptors. *Journal of chemical information and computer sciences*, 39(4): 666-670.
- F.L. Theodoulou, I.D. Kerr, 2015, ABC transporter research: going strong 40 years on, *Biochem. Soc. Trans.* 43 (5) : 1033–1040.

- Fletcher, J. I., Haber, M., Henderson, M. J., & Norris, M. D. ,2010, ABC transporters in cancer: more than just drug efflux pumps. *Nature Reviews Cancer*, 10(2): 147-156.
- Ganesan, M., Kanimozhi, G., Pradhapsingh, B., Khan, H. A., Alhomida, A. S., Ekhzaimy, A., ... & Prasad, N. R. , 2021, Phytochemicals reverse P-glycoprotein mediated multidrug resistance via signal transduction pathways. *Biomedicine & Pharmacotherapy*, 139: 111632.
- García-Ayllón, M. S., Small, D. H., Avila, J., & Sáez-Valero, J. , 2011, Revisiting the role of acetylcholinesterase in Alzheimer's disease: cross-talk with P-tau and β -amyloid. *Frontiers in molecular neuroscience*, 4: 22.
- Gottesman, M. M. How Cancer Cells Evade Chemotherapy: Sixteenth Richard and Hinda Rosenthal Foundation Award Lecture, 1993, *Cancer Res.*, 53: 747- 754
- Hasanah M, Nuryani Y, Djisbar A, Mulyono E, Wikardi E, Asman A., 2003, Indonesian cassia (Indonesian cinnamon). In: Ravindran PN, Babu NK, Shylaja M (editors). *Cinnamon and cassia: the genus of Cinnamomum. Chemical Rubber Company Press LLC*, 201–14.
- Huang, C. , 2004, Virtual Labs: E-Learning for Tomorrow. *Public Library of Science Biology*, 2 : e157.
- H.M. Abdallah, A.M. Al-Abd, R.S. El-Dine, A.M. El-Halawany, 2015, P-Glikoprotein inhibitors of natural origin as potential tumor chemo-sensitizers: a review, *J. Adv. Res.* 6 (1): 45–62.
- Hwang AW, Trzeciakiewicz H, Friedmann D, Yuan C-X, Marmorstein R, Lee VMY, et al. ,2016, Conserved Lysine Acetylation within the Microtubule-Binding Domain Regulates MAP2/Tau Family Members. *Public Library of Science One* 11:e0168913.
- Ikeda H, Taira N, Hara F, Fujita T, Yamamoto H, Soh J, et al., 2010, The estrogen receptor influences microtubule-associated protein tau P-Glycoprotein expression and the selective estrogen receptor inhibitor fulvestrant downregulates P-Glycoprotein and increases the sensitivity to taxane in breast cancer cells.
- Irshad S, Gillett C, Pinder SE, A'hern RP, Dowsett M, Ellis IO, et al., 2014, Assessment of microtubule- associated protein (MAP)-Tau expression as a predictive and prognostic marker in TACT; a trial assessing substitution of sequential docetaxel for FEC as adjuvant chemotherapy for early breast cancer. *Breast Cancer Research and Treatment*, 144(3): 31–41.
- Iqbal K, Liu F, Gong C-X., 2015, Tau and neurodegenerative disease: the story so far. *Nature Reviews Neurology*, 12(15).
- Jain, A. N., 2006, . Scoring functions for protein-ligand docking. *Current Protein and Peptide Science*, 7(5): 407-420.
- Jo, Y., Choi, N., Kim, K., Koo, H. J., Choi, J., & Kim, H. N., 2018, Chemoresistance of cancer cells: requirements of tumor microenvironment-mimicking in vitro models in anti-cancer drug development. *Theranostics*, 8(19): 5259.

- Kar, S., Fan, J., Smith, M. J., Goedert, M., & Amos, L. A., 2003, Repeat motifs of tau bind to the insides of microtubules in the absence of taksol. *The European Molecular Biology Organization Journal*, 22(1): 70-77.
- Kim, T. K., 2015, T test as a parametric statistic. *Korean journal of anesthesiology*, 68(6): 540-546.
- Kitchen, D.B., Decornez, H., Furr, J.R., & Bajorath, J., 2004, Docking and scoring in virtual skringing for drug discovery : methods and applications. *Nature reviews Drug Discovery*, 3(11): 935-949.
- Kitphati, W., Wattanakamolkul, K., Lomarat, P., Phanthong, P., Anantachoke, N., Nukoolkam. , 2012, Anticholinesterase of essential oil and their constituents from Thai medicinal plants purified and selular enzymes, *JAASP*, 1: 58 – 62.
- Korb, O., Stützle, T., & Exner, T. E., 2007, An ant colony optimization approach to flexible protein–ligand docking. *Swarm Intelligence*, 1(2): 115-134.
- Korb, O., Stutzle, T., & Exner, T. E., 2009, Empirical scoring functions for advanced protein– ligand docking with PLANTS. *Journal of Chemical Information and Modeling*, 49(1): 84-96.
- K.M.R. Srivalli, P.K. Lakshmi, 2012, Overview of P-Glikoprotein inhibitors: a rational outlook, *Braz. J. Pharm.* 48 (2012) : 353–367.
- Kroemer, R. T., 2007, Structure-based drug design: docking and scoring. *Current Protein and Peptide Science*, 8(4): 312-328.
- Kumar, A. and Zhang, K.Y., 2016, A pose prediction approach based on ligand 3D shape similarity. *Journal of computer-aided molecular design*, 30(6): 457-469.
- Li, J., Liu, G., Zhen, Z., Shen, Z., Li, S., & Li, H., 2022, Molecular docking for ligand-receptor binding process based on heterogeneous computing. *Scientific Programming*, 2022.
- Lin Y-W, Raj EN, Liao W-S, Lin J, Liu K-K, Chen T-H, et al., 2017, Co-delivery of paklitaksel and cetuximab by nanodiamond enhances mitotic catastrophe and tumor inhibition. *Scientific Reports*, 7.
- Lin H, Zheng L, Li S, Xie B, Cui B, Xia A, et al, 2018, Cytotoxicity of Tanshinone IIA combined with Taksol on drug-resist breast cancer cells MCF-7 through inhibition of Tau. *Phytother Research*, 32 (6): 67–71.
- Löscher, W., & Potschka, H., 2005, Drug resistance in brain diseases and the role of drug efflux transporters. *Nature Reviews Neuroscience*, 6(8): 591-602.
- Loo, T. W., & Clarke, D. M., 2015, The transmission interfaces contribute asymmetrically to the assembly and activity of human P-Glikoprotein. *Journal of Biological Chemistry*, 290(27): 16954-16963.
- Makrides V, Massie MR, Feinstein SC, Lew J., 2004, Evidence for two distinct binding sites for tau on microtubules. *Proceedings of National Academy of Sciences USA*, 101(67): 46–51.
- Mansoori, B., Mohammadi, A., Davudian, S., Shirjang, S., & Baradaran, B., 2017, The different mechanisms of cancer drug resistance: a brief review. *Advanced pharmaceutical bulletin*, 7(3): 339.
- McCormick, J. W., Vogel, P. D., & Wise, J. G., 2015, Multiple drug transport pathways through human P-glycoprotein. *Biochemistry*, 54(28) : 4374-4390.

- Melo AM, Coraor J, Alpha-Cobb G, Elbaum-Garfinkle S, Nath A, Rhoades E. , 2016, A functional role for intrinsic disorder in the tau-tubulin complex. *Proceedings of National Academy of Sciences USA*, 113(143) : 36–41.
- Meng, X.Y., Zhang, H.X., Mezei, M. dan Cui, M., 2011, Molecular docking: a powerful approach for structure-based drug discovery. *Current Computer-Aided Drug Design*. 7 (2): 146-157.
- Menzer, W. M., Xie, B., & Minh, D. D., 2020, On Restraints in End-Point Protein–Ligand Binding Free Energy Calculations. *Journal of computational chemistry*, 41(6): 573-586.
- Mishra, N., & Srivastava, R., 2022, Therapeutic and pharmaceutical potential of cinnamon. In *Research Anthology on Recent Advancements in Ethnopharmacology and Nutraceuticals* ,IGI Global, 698-710.
- Morris, G. M., & Lim-Wilby, M., 2008, Molecular docking. In *Molecular Modeling of Proteins*. Humana Press (pp. 365-382).
- Narloch, P. H., & Dorn, M., 2019, Rosetta ligand-protein docking with self-adaptive differential evolution. In *2019 IEEE 19th International Conference on Bioinformatics and Bioengineering (BIBE)* (pp. 23-30). IEEE.
- Nosol, K., Romane, K., Irobalieva, R. N., Alam, A., Kowal, J., Fujita, N., & Locher, K. P., 2020, Cryo-EM structures reveal distinct mechanisms of inhibition of the human multidrug transporter ABCB1. *Proceedings of the National Academy of Sciences*, 117(42): 26245-26253.
- Patil, R., Das, S., Stanley, A., Yadav, L., Sudhakar, A., & Varma, A. K., 2010, Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of drug-designing. *PloS one*, 5(8) : e12029.
- Petsko, G. dan Ringe, D., 2008, Protein Structure and Function, Primers in Biology. *Oxford University Press*. United Kingdom.
- Purnomo, H., 2022, Molecular Docking Parasetamol dan Analognya Menggunakan Plants. *Rapha Publishing*. Indonesia.
- R. Callaghan, F. Luk, M. Bebawy, 2014, Inhibition of the multidrug resistance PGlikoprotein: time for a change of strategy? *Drug Metab. Dispos.* 42 (4):623–631.
- Ray, S., Koshy, N.R., Reddy, P.J., Srivastava, S. , 2012, Virtual Labs in proteomics: New E-learning tools. *Journal of Proteomics*, 75 : 2515–2525.
- Ramírez, D., & Caballero, J., 2018, Is it reliable to take the molecular docking top scoring position as the best solution without considering available structural data?. *Molecules*, 23(5): 1038.
- Robinson, K., & Tiriveedhi, V., 2020, Perplexing role of P-Glikoprotein in tumor microenvironment. *Frontiers in Oncology*, 10:265.
- Rogers, D., & Hahn, M., 2010, Extended-connectivity fingerprints. *Journal of chemical information and modeling*, 50(5) : 742-754.
- Rouzier R, Rajan R, Wagner P, Hess KR, Gold DL, Stec J, et al., 2005, Microtubule-associated protein tau : A marker of paklitaksel sensitivity in breast cancer, *Proceedings of National Academy of Sciences USA* ,102(83): 15–20.

- Sandercock, Josie, et al., 2002, "First-line treatment for advanced ovarian cancer: paklitaksel, platinum and the evidence." *British Journal of Cancer*, 87(8): 815-824.
- SaraJliJa, H., Čukelj, N., Mršić, G. N. D., Brnčić, M., & Ćurić, D., 2012, Preparation of flaxseed for lignan determination by gas chromatography-mass spectrometry method. *Czech Journal of Food Sciences*, 30(1): 45-52.
- Schinkel, A.H.; Mayer, U.; Wagenaar, E.; Mol, C.A.; van Deemter, L.; Smit, J.J.; van der Valk, M.A.; Voordouw, A.C.; Spits, H.; van Tellingen, O.; et al., 1997, Normal viability and altered pharmacokinetics in mice lacking *mdr1*-type (drug-transporting) P-Glikoproteins. *Proc. Natl. Acad. Sci. USA*, 94: 4028–4033.
- Seebacher, N. A., Richardson, D. R., & Jansson, P. J., 2016, A mechanism for overcoming P-glycoprotein-mediated drug resistance: novel combination therapy that releases stored doxorubicin from lysosomes via lysosomal permeabilization using Dp44mT or DpC. *Cell death & disease*, 7(12): e2510-e2510.
- Seelig, A., 2020, P-Glikoprotein: one mechanism, many tasks and the consequences for pharmacotherapy of cancers. *Frontiers in oncology*, 10: 576559.
- Silva, M. L., 2015, *Beneficial effects of Cinnamomum burmannii in the treatment of diabetes mellitus* (Doctoral dissertation, University of Central Lancashire).
- Smoter M, Bodnar L, Duchnowska R, Stec R, Grala B, Szczylik C., 2011, The role of Tau protein in resistance to paklitaksel. *Cancer Chemotherapy and Pharmacology*, 68(55): 3–7.
- Sola, M., Magrin, C., Pedrioli, G., Pinton, S., Salvadè, A., Papin, S., & Paganetti, P., 2020, Tau affects P53 function and cell fate during the DNA damage response. *Communications Biology*, 3(1): 1-15.
- Stella, F., Radanovic, M., Canineu, P. R., de Paula, V. J., & Forlenza, O. V., 2015, Anti-dementia medications: current prescriptions in clinical practice and new agents in progress. *Therapeutic advances in drug safety*, 6(4): 151-165.
- Sydow, D., Wichmann, M., Rodríguez-Guerra, J., Goldmann, D., Landrum, G., Volkamer, A., 2019, TeachOpenCADD-KNIME: A Teaching Platform for Computer-Aided Drug Design Using KNIME Workflows. *Journal of Chemical Information and Modelling*, 59: 4083–4086.
- Teng, Y. N., Huang, B. H., Huang, S. Y., Wu, I. T., Wu, T. S., Lee, T. E., & Hung, C. C., 2021, Cinnamophilin overcomes cancer multi-drug resistance via allosterically modulating human P-Glikoprotein on both drug binding sites and ATPase binding sites. *Biomedicine & Pharmacotherapy*, 144: 112379.
- Waghay, D.; Zhang, Q., 2018, Inhibit or evade multidrug resistance P-Glikoprotein in cancer treatment. *J. Med. Chem*, 61: 5108–5121
- Webb, A. L., & McCullough, M. L., 2005, *Dietary Lignans: Potential Role in Cancer Prevention. Nutrition and Cancer*, 51: 2.

- Yang, Z., Zhou, Q., Mok, L., Singh, A., Swartz, D. J., Urbatsch, I. L., & Brouillette, C. G., 2017, Interactions and cooperativity between P-Glikoprotein structural domains determined by thermal unfolding provides insights into its solution structure and function. *Biochimica et Biophysica Acta (BBA)-Biomembranes*, 1859(1) : 48-60.
- Yusuf, R. Z., et al., 2003, Paklitaksel resistance: molecular mechanisms and pharmacologic manipulation." *Current Cancer Drug Targets* , 3(1): 1-19.
- Zha G-B, Shen M, Gu X-S, Yi S., 2016, Changes in microtubule-associated protein tau during peripheral nerve injury and regeneration. *Neural Regeneration Research*, 11(15): 6–11.
- Zhang D, Yang R, Wang S, Dong Z., 2014, Paklitaksel : new uses for an old drug. *Drug Design, Development, and Therapy*. 20(82): 79-84.