



DAFTAR PUSTAKA

- Al-Ansari, F. and Ksiksi, T. 2016. A quantitative assessment of germination parameters: the case of crotalaria persica and tephrosia apollines. *The Open Ecology Journal*. 9, 13-21.
- Al-shareef, N.O. and Tester, M. 2019. *Plant Salinity Tolerance*. In eLS , John Wiley & Sons, Ltd (Ed.).
- Arif, Y., Singh, P., Siddiqui, H., Bajguz, A., and Hayat, S. 2020. Salinity induced physiological and biochemical changes in plants: An omic approach towards salt stress tolerance. *Plant Physiology and Biochemistry*. 156, 64-77.
- Araujo, G., Paula, S., Pinheiro, S., Miguel, E., Lopes, L., Marques, E., Carvalho, H., Gomes-Filho, E. 2021. H₂O₂ priming promotes salt tolerance in maize by protecting chloroplasts ultrastructure and primary metabolites modulation. *Plant Science*. 303.
- Ashraf, M. and Harris, P.J.C. 2013. Photosynthesis under stressful environments: An overview. *Photosynthetica* 51, 163–190.
- Ayala, Antonio & Muñoz, Mario & Argüelles, Sandro. 2014. Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. *Oxidative Medicine and Cellular Longevity*.
- Balai Besar Penelitian Tanaman Padi (BB Padi). 2018. *Deskripsi Varietas Unggul Baru Padi 2018*. Subang, Balai Besar Penelitian Tanaman Padi, Kementerian Pertanian.
- Banerjee J., Das A., Vahedi M., and Gantait S. 2019. Advances in Functional Genomics in Investigating Salinity Tolerance in Plants. In: Wani S. (eds) *Recent Approaches in Omics for Plant Resilience to Climate Change*. Springer, Cham.
- Batista, R., Fonseca, C., Planchon, S., Negrao, S., Renaut, J., and Oliveira, M.M.. 2017. Environmental stress is the major cause of transcriptomic and proteomic changes in GM and non-GM plants. *Sci Rep*, 7 (10624).
- BB Biogen, 2015. Status Koleksi SDG Tanaman Pangan pada Bank Gen Balitbangtan di BB Biogen, <<http://biogen.litbang.pertanian.go.id/?p=57710>>, (diakses 1 April 2021).
- Buti, M., Baldoni, E., Formentin, E., Milc, J., Frugis, G., Lo Schiavo, F., Genga, A., and Francia, E. 2019. A meta-analysis of comparative transcriptomic data reveals a set of key genes involved in the tolerance to abiotic stresses in rice. *International journal of molecular sciences*, 20(22), 5662.



- Chang, T.T., 1988. The ethnobotany of rice in island Southeast Asia. *Asian Perspective*, 26 (1), 69-76.
- Cheng, J., Ling, W., Peng, Z., Yongqi, H., Rong, Z., Hongsheng, Z., and Zhoufei, W. 2016. Identification of genes involved in rice seed *priming* in the early imbibition stage. *Plant Biology*. 19.
- Conrath, U., Beckers, G., Langenbach, C., and Jaskiewicz, M. 2015. *Priming* for enhanced defense. *Annual review of phytopathology*. 53.
- Dwiatmini, K. and Afza, H. 2018. Karakterisasi kadar antosianin varietas lokal padi warna sebagai sdg pangan fungsional. *Buletin Plasma Nutfah*. 24, 125.
- FAO. 2020. Crop Statistics. <<http://www.fao.org/faostat/en/#data/QC>>, (diakses 1 April 2021).
- Förster, H., Sterzel, T., Pape, C., Moneo-Lain, M., Flachsbarth, I., Boer, R., and Kropp, J. 2011. Sea-level rise in Indonesia: On adaptation priorities in the agricultural sector. *Regional Environmental Change*. 11, 893-904.
- Fu, L., Shen, Q., Kuang, L., Yu, J., Wu, D., and Zhang, G.P. 2018. Metabolite profiling and gene expression of Na/K transporter analyses reveal mechanisms of the difference in salt tolerance between barley and rice. *Plant Physiology and Biochemistry*. 130, 248-257.
- Gupta, P. & De, B. 2017. Metabolomics analysis of rice responses to salinity stress revealed elevation of serotonin, and gentisic acid levels in leaves of tolerant varieties. *Plant Signaling & Behavior*. 12(7).
- Gong, P., Luo, Y., Huang, F., Chen, Y., Zhao, C., Wu, X., Li, K., Yang, X., Cheng, F., Xiang, X., Wu, C., & Pan, G. 2019. Disruption of a Upf1-like helicase-encoding gene OsPLS2 triggers light-dependent premature leaf senescence in rice. *Plant molecular biology*, 100(1-2), 133–149.
- Han, M., Kim, C. Y., Lee, J., Lee, S. K., & Jeon, J. S. 2014. OsWRKY42 represses OsMT1d and induces reactive oxygen species and leaf senescence in rice. *Molecules and cells*. 37(7).
- Harborne J.B. 1973. Nitrogen Compounds. In: *Phytochemical Methods*. Springer, Dordrecht, pp. 205-206.
- Harborne, J.B. 1984. *Phytochemical Methods. 2nd Edition*, Chapman and Hall, New York, pp. 214-216.



- Harijanti, D. 2019. Efek asam salisilat terhadap pertumbuhan dan ketahanan oksidatif *Oryza sativa* L. ‘Cempo Ireng’ pada cekaman salinitas. *Tesis*. Universitas Gadjah Mada.
- Herwibawa, B. dan Kusmiyati, F. 2020. Kontribusi genomika dalam penemuan gen toleran salinitas tanaman padi. *Vegetalika*. 9, 572-586.
- Hidayah, A. 2020. Toleransi padi hitam (*Oryza sativa* Linn.) Cempo Ireng Pendek terhadap cekaman salinitas berdasarkan level ekspresi gen transporter dan metabolit compatible solute. *Tesis*. Universitas Gadjah Mada
- Hidayah A, Nisak RR, Susanto FA, Nuringtyas TR, Yamaguchi N, Purwestri YA. (2022). Seed Halopriming Improves Salinity Tolerance of Some Rice Cultivars During Seedling Stage. *Bot Stud*. 63(1):24.
- Hussain, S., Ali, Bharat., Ren, X., Chen, X., Li, Q., Saqib, M., and Ahmad, N. 2021. Recent progress in understanding salinity tolerance in plants: Story of Na⁺/K⁺ balance and beyond. *Plant Physiology and Biochemistry*. 160.
- Jiang, J., Ma, S., Ye, N., Jiang, M., Cao, J., and Zhang, J. 2017. WRKY transcription factors in plant responses to stresses. *J Integr Plant Biol*. 59, 86–101,
- Johnson, R. and Puthur, J. 2021. Seed priming as a cost effective technique for developing plants with cross tolerance to salinity stress. *Plant Physiology and Biochemistry*. 162.
- Karolinoerita, V. dan Yusuf, W.A. 2020. Salinisasi lahan dan permasalahannya di Indonesia. *Jurnal Sumberdaya Lahan*, 14(2), 91-100.
- Kong, W., Zhong, H., Gong, Z., Fang, X., Sun, T., Deng, X., & Li, Y. 2019. Meta-Analysis of Salt Stress Transcriptome Responses in Different Rice Genotypes at the Seedling Stage. *Plants*. 8(64).
- Kristamtini, S. W., Sutarno, dan Sudarmaji. 2015. Keragaman genetik lima kultivar lokal padi beras hitam asal yogyakarta berdasarkan sifat morfologi. *Prosiding Seminar Nasional Sumber Daya Genetik Pertanian*, hal. 91-100.
- Kumar, J., Singh, S., Singh, M., Srivastava, P.K., Mishra, R.K., Singh, V.P., and Prasad, S.M. 2017. Transcriptional regulation of salinity stress in plants: a short review. *Plant Gene*, 11, 160-169.
- Kurniasih, N.S., Susandarini, R., Susanto, F.A., Nuringtyas, T.R., Jenkins, G., Purwestri, Y.A. 2019. Characterization of Indonesian pigmented rice (*Oryza sativa*) based on morphology and Single Nucleotide Polymorphisms. *Biodiversitas*, 20 (4): 1208 -1214.



- Li, J., Besseau, S., Törönen, P., Sipari, N., Kollist, H., Holm, L., dan Palva, E. 2013. Defense-related transcription factors WRKY70 and WRKY54 modulate osmotic stress tolerance by regulating stomatal aperture in *Arabidopsis*. *The New phytologist*. 200.
- Li, W., Pang, S., Lu, Z., and Jin, B. 2020. Function and Mechanism of WRKY Transcription Factors in Abiotic Stress Responses of Plants. *Plants (Basel)*. 8; 9(11):1515.
- Livak, K. J and Thomas D. Schmittgen. 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the $2^{\Delta\Delta CT}$ Method. *Methods* 25, pp. 402–408.
- Lutts, S., Benincasa, P., Wojtyla, L., Kubala, S., Pace, R., Lechowska, K., Garnczarska, M. 2016. Seed Priming: New Comprehensive Approaches for an Old Empirical Technique. In *New Challenges in Seed Biology - Basic and Translational Research Driving Seed Technology*. InTech.
- Mbanjo, E., Kretzschmar, T., Jones, H., Ereful, N., Blanchard, C., Boyd, L. A., & Sreenivasulu, N. 2020. The genetic basis and nutritional benefits of pigmented rice grain. *Frontiers in genetics*, 11, 229.
- Mirdar Mansuri, R., Shobbar, Z. S., Babaeian Jelodar, N., Ghaffari, M., Mohammadi, S. M., & Daryani, P. 2020. Salt tolerance involved candidate genes in rice: an integrative meta-analysis approach. *BMC plant biology*, 20(1), 452.
- Mishra M, Wungrampha S, Kumar G, Singla-Pareek SL, and Pareek A. 2020. How do rice seedlings of landrace Pokkali survive in saline fields after transplantation? Physiology, biochemistry, and photosynthesis. *Photosynth Res*.
- Munns, Rana and Tester, Mark. 2008. Mechanisms of Salinity Tolerance. *Annual review of plant biology*. 59, 651-81.
- Munns, R. and Gillham, M. 2015. Salinity tolerance of crops – what is the cost?. *New Phytol*. 208, 668-673.
- Nisak, R.R. 2019. Respons biokimiawi dan ekspresi gen OsSOS1, OsNHX1 dan OsHKT1 terhadap cekaman salinitas pada padi (*Oriza sativa L. ‘Merah’*) Kalimantan Selatan. *Tesis*. Universitas Gadjah Mada.
- Niu, F., Cui, X., Zhao, P., Sun, M., Yang, B., Deyholos, M., Li, Y., Zhao, X., and Jiang, Y. 2020. WRKY42 transcription factor positively regulates leaf



senescence through modulating SA and ROS synthesis in *Arabidopsis thaliana*. *The Plant Journal*. doi:104. 10.1111/tpj.14914.

Paul, S., and Roychoudhury, A. 2017. Effect of seed *priming* with spermine/spermidine on transcriptional regulation of stress-responsive genes in salt-stressed seedlings of an aromatic rice cultivar. *Plant Gene*. 11.

Pillai, S.E., Kumar, C., Patel, H.K., and Sonti, R.V. 2018. Overexpression of a cell wall damage induced transcription factor, OsWRKY42, leads to enhanced callose deposition and tolerance to salt stress but does not enhance tolerance to bacterial infection. *BMC Plant Biol*. 18(1):177.

Prasetyo, A. 2020. Ekspresi gen WAK, ERF, WRKY76, dan WRKY70 terkait ketahanan penyakit blas pada tanaman padi hitam kultivar Cempo Ireng yang terinfeksi *Pyricularia grisea* ras 173. *Tesis*. Universitas Gadjah Mada.

Pratiwi, R. and Purwestri, Y. A. 2017. Black rice as a functional food in Indonesia. *Functional Foods in Health and Disease*. 7, 182-194.

Qiu, Y., Jing, S. J., Fu, J., Li, L. and Yu, D. 2004. Cloning and analysis of expression profile of 13 WRKY genes in rice. *Chinese Science Bulletin*, 49(20), 2159–2168.

Rachman, A., Dariah, A., dan Sutomo, S. 2018. *Pengelolaan sawah salin ber kadar garam tinggi*. Jakarta. IAARD Press, hal. 4-7

Razzaque, S., Elias, S., Haque, T., Biswas, S., Jewel, A., Nurnabi, G.M., Rahman, S., & Weng, X., Ismail, A., Walia, H., Juenger, T., & Seraj, Z. 2019. Gene Expression analysis associated with salt stress in a reciprocally crossed rice population. *Scientific Reports*. 9.

Refli, R. and Purwestri, Y. A. 2016. The responses of antioxidant genes in rice (*Oryza sativa* L.) seedling Cv. Cempo Ireng under drought and salinity stresses. *Proceeding of the 4th International Conference on Biological Science*.

Rushton, P.J., Somssich, I.E., Ringler, P., and Shen, Q.J. 2010. WRKY transcription factors. *Trends Plant Sci*. 15, 247-258.

Salsinha, Y., Indradewa, D., Purwestri, Y. A., dan Rachmawati, D. 2019. Selection of drought-tolerant local rice cultivars from East Nusa Tenggara, Indonesia during vegetative stage. *Biodiversitas Journal of Biological Diversity*. 21.

Samyor, D., Das, A., and Deka, S. 2017. Pigmented rice a potential source of bioactive compounds: A review. *International Journal of Food Science & Technology*. 52 (5): 1073-1081.



- Savvides, A., Ali, S., Tester, M., and Fotopoulos, V. 2016. Chemical *Priming* of Plants Against Multiple Abiotic Stresses: Mission Possible?. *Trends in Plant Science*. 21, 329-340.
- Sembiring, H., Subekti, N. A., Erythrina, Nugraha, D., Priatmojo, B., and Stuart, A. M. 2019. Yield gap management under seawater intrusion areas of Indonesia to improve rice productivity and resilience to climate change. *Agriculture*, 10, 1-13.
- Sen, A. and Puthur, J. 2020. Seed *priming*-induced physiochemical and molecular events in plants coupled to abiotic stress tolerance: An overview. In book: *Priming-Mediated Stress and Cross-Stress Tolerance in Crop Plants*. Academic Press. pp. 303-316.
- Shankar, R., Bhattacharjee, A. and Jain, M. 2016. Transcriptome analysis in different rice cultivars provides novel insights into desiccation and salinity stress responses. *Sci Rep* 6, 23719.
- Shen, H., Liu, C., Zhang, Y., Meng, X., Zhou, X., Chu, C., and Wang, X. 2012. OsWRKY30 is activated by MAP kinases to confer drought tolerance in rice. *Plant molecular biology*. 80, 241-253.
- Singh, R. K., Gregorio, G., and Ismail, A. 2008. Breeding rice varieties with tolerance to salt stress. *Journal of the Indian Society of Coastal Agricultural Research*, 26, 16–21.
- Sitaresmi, T., Wening, R. H., Rakhmi, A. T., Yunani, N., dan Susanto, U. 2013. Pemanfaatan plasma nutfah padi varietas lokal dalam perakitan varietas unggul. *Iptek Tanaman Pangan*, 8 (1), 22-30.
- Suhartini, T., Somantri, I. H., dan Abdullah, B. 2003. Rejuvenasi dan karakterisasi plasma nutfah spesies padi liar. *Buletin Plasma Nutfah*, 9 (1), 16-25.
- Sukarman, Mulyani, A., Purwanto, S. 2018. Modifikasi metode evaluasi kesesuaian lahan berorientasi perubahan iklim. *Jurnal Sumberdaya Lahan*, 12(1), 1-11.
- Susanto, F., Wijayanti, P., Fauzia, A., Komalasari, R., Nuringtyas, T., Purwestri, Y. A.. 2020. Establishment of a plant tissue culture system and genetic transformation for agronomic improvement of Indonesian black rice (*Oryza sativa* L.). *Plant Cell, Tissue and Organ Culture (PCTOC)*. 141.
- Sutrisno, S., Susanto, F., Wijayanti, P., Retnoningrum, M., Nuringtyas, T., Joko, T., and Purwestri, Y. A. 2018. Screening of resistant Indonesian black rice cultivars against bacterial leaf blight. *Euphytica*. 214.



- Vaktabhai, C.K. and Kumar, S. 2017. Seedling invigouration by halo *priming* in tomato against salt stres. *Journal of Pharmacognosy and Phytochemistry*. 6(6), 716-722.
- Wahyuni, I. M. 2022. Pengaruh seed halopriming terhadap level ekspresi gen antioksidan dan total reactive oxygen species (ROS) pada padi (*Oryza sativa*) berpigmen ‘Cempo Ireng Pendek’ dan ‘Merah Kalimantan Selatan’ selama cekaman salinitas. *Tesis*. Universitas Gadjah Mada.
- Waqas, M., Korres, N., Khan, D., Nizami, A., Deeba, F., Ali, I., and Hussain, H. 2019. Advances in the Concept and Methods of Seed *Priming*. In book: *Priming and Pretreatment of Seeds and Seedlings*. Springer Nature Singapore Pte Ltd. pp. 11-43.
- Xie, Z., Zhang, Z-L., Zou, X., Yang, G., Komatsu, S., and Shen, Q.J. 2006. Interactions of two abscisic-acid induced WRKY genes in repressing gibberellin signaling in aleurone cells. *The Plant Journal*, 46(2) , 231–242.
- Yuwono, T. 2005. *Biologi Molekuler*. Penerbit Erlangga. Jakarta, hal. 180, 185.
- Zang, L., Gu, L., Ringler, P., Smith, S., Rushton, P.J. and Shen, Q.J. 2015. Three WRKY transcription factors additively repress abscisic acid and gibberellin signaling in elleurone cells. *Plant Sci.* 236, 214-222.
- Zhang Y and Wang L. 2005. The WRKY transcription factor superfamily: Its origin in eukaryotes and expansion in plants. *BMC Evol Biol.* 5: 1