



DAFTAR PUSTAKA

- Abiola, M., Favier, M., Christodoulou-Vafeiadou, E., Pichard, A.L., Martelly, I., Guillet-Deniau, I., 2009. Activation of Wnt/β-catenin signaling increases insulin sensitivity through a reciprocal regulation of Wnt10B and SREBP-1c in skeletal muscle cells. *PLoS One* 4. <https://doi.org/10.1371/journal.pone.0008509>
- Ali, S., Garcia, J.M., 2014. Sarcopenia, Cachexia and Aging: Diagnosis, Mechanisms and Therapeutic Options. *Gerontology* 60, 294–305. <https://doi.org/10.1159/000356760>.
- Alves Motta, M.H., Santos, T.M., De Alencar, G.G., Gonçalves De Freitas, R.K., De Siqueira, G.R., 2020. Association between body composition and fat infiltration in the lumbar multifidus in young adults. *Rev. Bras. Med. do Esporte* 26, 39–42. <https://doi.org/10.1590/1517-869220202601186237>
- Alyarnezhad, C., Majalan, A.S., 2021. Comparison of the Effect of Eight Week Training Program Schedule With Two Different Stretching Patterns Strengthening on Changes in the Status of Lower Cross Syndrome. *J Sport Biomech* 7, 108–121. <https://doi.org/10.32598/biomechanics.7.2.3>
- Andersson, G.B.J., 1999. Epidemiological features of chronic low-back pain in. *Lancet* 581–85. <https://doi.org/10.1016/b978-0-7236-0490-7.50029-x>
- Andini, F., 2015. Risk factors of low back pain in workers. *Med. J. Lampung Univ.* 4, 12–19.
- Andreasen, M.L., Langhoff, L., Jensen, T.S., Albert, H.B., 2007. Reproduction of the Lumbar Lordosis: A Comparison of Standing Radiographs Versus Supine Magnetic Resonance Imaging Obtained with Straightened Lower Extremities. *J. Manipulative Physiol. Ther.* 30, 26–30. <https://doi.org/10.1016/j.jmpt.2006.11.009>
- Arshad, R., Pan, F., Reitmaier, S., Schmidt, H., 2019. Effect of age and sex on lumbar lordosis and the range of motion. A systematic review and meta-analysis. *J. Biomech.* 82, 1–19. <https://doi.org/10.1016/j.jbiomech.2018.11.022>
- Bailey, J.F., Miller, S.L., Khieu, K., O'Neill, C.W., Healey, R.M., Coughlin, D.G., Sayson, J. V., Chang, D.G., Hargens, A.R., Lotz, J.C., 2018. From the international space station to the clinic: how prolonged unloading may disrupt lumbar spine stability. *Spine J.* 18, 7–14. <https://doi.org/10.1016/j.spinee.2017.08.261>
- Barker, K.L., Shamley, D.R., Jackson, D., 2004. Changes in the cross-sectional area of multifidus and psoas in patients with unilateral back pain: the relationship to pain and disability. *Spine (Phila. Pa. 1976)*. 29, 515–519. <https://doi.org/10.1097/01.brs.0000144405.11661.eb>
- Battaglia, P.J., Maeda, Y., Welk, A., Hough, B., Kettner, N., 2014. Reliability of



- the Goutallier classification in quantifying muscle fatty degeneration in the lumbar multifidus using magnetic resonance imaging. *J. Manipulative Physiol. Ther.* 37, 190–197. <https://doi.org/10.1016/j.jmpt.2013.12.010>
- Been, E., Kalichman, L., 2013. Lumbar Lordosis. *Spine J.*
- Belavý, D.L., Armbrecht, G., Richardson, C.A., Felsenberg, D., Hides, J.A., 2011. Muscle atrophy and changes in spinal morphology: Is the lumbar spine vulnerable after prolonged bed-rest? *Spine (Phila. Pa. 1976)*. 36, 137–145. <https://doi.org/10.1097/BRS.0b013e3181cc93e8>
- Bennett, C.N., Longo, K.A., Wright, W.S., Suva, L.J., Lane, T.F., Hankenson, K.D., MacDougald, O.A., 2005. Regulation of osteoblastogenesis and bone mass by Wnt10b. *Can. Entomol.* 102, 3324–3329. <https://doi.org/10.1073/pnas.0408742102>
- Bierry, G., Kremer, S., Kellner, F., Abu Eid, M., Bogorin, A., Dietemann, J.L., 2008. Disorders of paravertebral lumbar muscles: From pathology to cross-sectional imaging. *Skeletal Radiol.* 37, 967–977. <https://doi.org/10.1007/s00256-008-0494-8>
- Birbrair, A., Zhang, T., Wang, Z.-M., Messi, M.L., Enikolopov, G.N., Mintz, A., Delbono, O., 2013. Role of Pericytes in Skeletal Muscle Regeneration and Fat Accumulation Alexander. *Stem Cells Dev.* 22, 2298–2314.
- Bonvicini, D., Boscolo-Berto, R., De Cassai, A., Negrello, M., Macchi, V., Tiberio, I., Boscolo, A., De Caro, R., Porzionato, A., 2021. Anatomical basis of erector spinae plane block: a dissection and histotopographic pilot study. *J. Anesth.* 35, 102–111. <https://doi.org/10.1007/s00540-020-02881-w>
- Bundy, J., Hernandez, T., Zhou, H., Chutkan, N., 2010. The effect of body mass index on lumbar lordosis on the Mizuho OSI Jackson spinal table. *Evid. Based. Spine. Care. J.* 1, 35–40. <https://doi.org/10.1055/s-0028-1100891>
- Chen, Y.Y., Pao, J.L., Liaw, C.K., Hsu, W.L., Yang, R. Sen, 2014. Image changes of paraspinal muscles and clinical correlations in patients with unilateral lumbar spinal stenosis. *Eur. Spine J.* 23, 999–1006. <https://doi.org/10.1007/s00586-013-3148-z>
- Crawford, R.J., Filli, L., Elliott, J.M., Nanz, D., Fischer, M.A., Marcon, M., Ulbrich, E.J., 2016. Age- and level-dependence of fatty infiltration in lumbar paravertebral muscles of healthy volunteers. *Am. J. Neuroradiol.* 37, 742–748. <https://doi.org/10.3174/ajnr.A4596>
- Danneels, L., Vanderstraeten, G., Cambier, D., Witvrouw, E., De Cuyper, H., 2000. CT imaging of trunk muscles. *Eur Spine J* 9, 266–272.
- Dreischarf, M., Albiol, L., Rohlmann, A., Pries, E., Bashkuev, M., Zander, T., Duda, G., Druschel, C., Strube, P., Putzier, M., Schmidt, H., 2014. Age-related loss of lumbar spinal lordosis and mobility - A study of 323 asymptomatic volunteers. *PLoS One* 9, 1–19. <https://doi.org/10.1371/journal.pone.0116186>
- Fortin, M., Lazáry, Á., Varga, P.P., Battié, M.C., 2017. Association between



- paraspinal muscle morphology, clinical symptoms and functional status in patients with lumbar spinal stenosis. *Eur. Spine J.* 26, 2543–2551. <https://doi.org/10.1007/s00586-017-5228-y>
- Fortin, M., Videman, T., Gibbons, L.E., Battié, M.C., 2014. Paraspinal muscle morphology and composition: A 15-yr longitudinal magnetic resonance imaging study. *Med. Sci. Sports Exerc.* 46, 893–901. <https://doi.org/10.1249/MSS.0000000000000179>
- Goubert, D., De Pauw, R., Meeus, M., Willems, T., Cagnie, B., Schouppe, S., Van Oosterwijck, J., Dhondt, E., Danneels, L., 2017. Lumbar muscle structure and function in chronic versus recurrent low back pain: a cross-sectional study. *Spine J.* 17, 1285–1296. <https://doi.org/10.1016/j.spinee.2017.04.025>
- Goutallier, D., Postel, J.M., Bernageau, J., Lavau, L., Voisin, M.C., 1994. Fatty muscle degeneration in cuff ruptures: Pre- and postoperative evaluation by CT scan. *Clin. Orthop. Relat. Res.* 304, 78–83.
- Hamrick, M.W., McGee-Lawrence, M.E., Frechette, D.M., 2016. Fatty Infiltration of Skeletal Muscle: Mechanisms and Comparisons with Bone Marrow Adiposity. *Front. Endocrinol. (Lausanne)*. 7, 1–7. <https://doi.org/10.3389/fendo.2016.00069>
- Han, G., Wang, W., Yue, L., Fan, Z., Li, Z., Li, J., Sun, Z., Li, W., 2022. Age-Dependent Differences of Paraspinal Muscle Endurance and Morphology in Chinese Community Population Without Chronic Low Back Pain. *Glob. Spine J.* 0, 1–9. <https://doi.org/10.1177/21925682221103507>
- Harris, R.B.S., 2013. Direct and Indirect Effects of Leptin on Adipocyte Metabolism. *Biochim Biophys Acta* 1842, 414–423. <https://doi.org/10.1016/j.bbadi.2013.05.009>
- Hebert, J.J., Fritz, J.M., Thackeray, A., Koppenhaver, S.L., Teyhen, D., 2015. Early multimodal rehabilitation following lumbar disc surgery: A randomised clinical trial comparing the effects of two exercise programmes on clinical outcome and lumbar multifidus muscle function. *Br. J. Sports Med.* 49, 100–106. <https://doi.org/10.1136/bjsports-2013-092402>
- Hicks, G.E., Simonsick, E.M., Harris, T.B., Newman, A.B., Weiner, D.K., Nevitt, M.A., Tylavsky, F.A., 2005. Trunk muscle composition as a predictor of reduced functional capacity in the health, aging and body composition study: The moderating role of back pain. *Journals Gerontol. - Ser. A Biol. Sci. Med. Sci.* 60, 1420–1424. <https://doi.org/10.1093/gerona/60.11.1420>
- Hildebrandt, M., Fankhauser, G., Meichtry, A., Luomajoki, H., 2017. Correlation between lumbar dysfunction and fat infiltration in lumbar multifidus muscles in patients with low back pain. *BMC Musculoskelet. Disord.* 18, 1–9. <https://doi.org/10.1186/s12891-016-1376-1>
- Hyun, J.K., Lee, J.Y., Lee, S.J., Jeon, J.Y., 2007. Asymmetric atrophy of multifidus muscle in patients with unilateral lumbosacral radiculopathy. *Spine (Phila. Pa. 1976)*. 32, 598–602. <https://doi.org/10.1097/BRS.0b013e318155837b>



Jun, H.S., Kim, J.H., Ahn, J.H., Chang, I.B., Song, J.H., Kim, T.H., Park, M.S., Chan Kim, Y., Kim, S.W., Oh, J.K., Yoon, D.H., 2016. The Effect of Lumbar Spinal Muscle on Spinal Sagittal Alignment: Evaluating Muscle Quantity and Quality. *Neurosurgery* 79, 847–855.
<https://doi.org/10.1227/NEU.00000000000001269>

Kalichman, L., Carmeli, E., Been, E., 2017. The Association between Imaging Parameters of the Paraspinal Muscles, Spinal Degeneration, and Low Back Pain. *Biomed Res. Int.* 2017. <https://doi.org/10.1155/2017/2562957>

Kalichman, L., Kim, D.H., Li, L., Guermazi, A., Hunter, D.J., 2010. Computed tomography-evaluated features of spinal degeneration: prevalence, intercorrelation, and association with self-reported low back pain. *Spine J.* 10, 200–208. <https://doi.org/10.1016/j.spinee.2009.10.018>

Kalichman, L., Klindukhov, A., Li, L., Linov, L., 2016. Indices of Paraspinal Muscles Degeneration: Reliability and Association with Facet Joint Osteoarthritis: Feasibility Study. *Clin. Spine Surg.* 29, 465–470. <https://doi.org/10.1097/BSD.0b013e31828be943>

Keller, A., Brox, J.I., Gunderson, R., Holm, I., Friis, A., Reikerås, O., 2004. Trunk Muscle Strength, Cross-sectional Area, and Density in Patients with Chronic Low Back Pain Randomized to Lumbar Fusion or Cognitive Intervention and Exercises. *Spine (Phila. Pa. 1976)* 29, 3–8. <https://doi.org/10.1097/01.BRS.0000103946.26548.EB>

Khodair, S.A., Ghieda, U.E., Eltomey, M.A., 2014. Relationship of lumbosacral spine morphometrics and lumber disc degenerative disease in young adults using magnetic resonance imaging. *Egypt. J. Radiol. Nucl. Med.* 45, 461–466. <https://doi.org/10.1016/j.ejrm.2014.02.005>

Kim, D.H., Jung, Y.J., Song, Y.E., Hwang, D.H., Ko, C.-Y., Kim, H.S., 2015. 1C5-1 Measurement of Characteristic Change using MyotonPRO in Low Back Muscles during a Long-term Driving; Pilot Study. *Japanese J. Ergon.* 51, S450–S453. <https://doi.org/10.5100/jje.51.s450>

Kim, H.J., Chung, S., Kim, Sungsoo, Shin, H., Lee, J., Kim, Sehyun, Song, M.Y., 2006. Influences of trunk muscles on lumbar lordosis and sacral angle. *Eur. Spine J.* 15, 409–414. <https://doi.org/10.1007/s00586-005-0976-5>

Kim, W.H., Lee, S.H., Lee, D.Y., 2011. Changes in the cross-sectional area of multifidus and psoas in unilateral sciatica caused by lumbar disc herniation. *J. Korean Neurosurg. Soc.* 50, 201–204. <https://doi.org/10.3340/jkns.2011.50.3.201>

Kindler, J.M., Lewis, R.D., Hamrick, M.W., 2015. Skeletal muscle and pediatric bone development. *Curr. Opin. Endocrinol. Diabetes Obes.* 22, 467–474. <https://doi.org/10.1097/MED.0000000000000201>

Kjaer, P., Bendix, T., Sorensen, J.S., Korsholm, L., Leboeuf-Yde, C., 2007. Are MRI-defined fat infiltrations in the multifidus muscles associated with low back pain? *BMC Med.* 5, 1–10. <https://doi.org/10.1186/1741-7015-5-2>



- Komolka, K., Albrecht, E., Wimmers, K., Michal, J.J., Maak, S., 2013. Molecular Heterogeneities of Adipose Depots - Potential Effects on Adipose-Muscle Cross-Talk in Humans, Mice and Farm Animals. *J. Genomics* 2, 31–44. <https://doi.org/10.7150/jgen.5260>
- Le Huec, J.C., Mathews, H., Basso, Y., Aunoble, S., Hoste, D., Bley, B., Friesem, T., 2005. Clinical results of Maverick lumbar total disc replacement: Two-year prospective follow-up. *Orthop. Clin. North Am.* 36, 315–322. <https://doi.org/10.1016/j.ocl.2005.02.001>
- Lee, J.-H., Hoshino, Y., Nakamura, K., Kariya, Y., Saita, K., Ito, K., 1999. Trunk Muscle Weakness as a Risk Factor for Low Back Pain. *Spine (Phila. Pa. 1976)*. <https://doi.org/10.1097/00007632-19990101-00013>
- Lee, J.C., Cha, J.G., Kim, Yongdai, Kim, Yon Il, Shin, B.J., 2008. Quantitative analysis of back muscle degeneration in the patients with the degenerative lumbar flat back using a digital image analysis: Comparison with the normal controls. *Spine (Phila. Pa. 1976)*. 33, 318–325. <https://doi.org/10.1097/BRS.0b013e318162458f>
- Leskinen, T., Sipilä, S., Kaprio, J., Kainulainen, H., Alen, M., Kujala, U.M., 2013. Physically active vs. inactive lifestyle, muscle properties, and glucose homeostasis in middle-aged and older twins. *Age (Omaha)*. 35, 1917–1926. <https://doi.org/10.1007/s11357-012-9486-7>
- Lin, R., Jour, I., Yu, C., 1992. Lumbar Lordosis: Normal Adults. *J. Formos. Med. Assoc.* 91, 329–333.
- Liu, Yang, Liu, Yuzeng, Hai, Y., Li, G., Liu, T., Wang, Y., 2020. Lumbar lordosis reduction and disc bulge may correlate with multifidus muscle fatty infiltration in patients with single-segment degenerative lumbar spinal stenosis. *Clin. Neurol. Neurosurg.* 189, 105629. <https://doi.org/10.1016/j.clineuro.2019.105629>
- Lönn, L., Starck, G., Alpsten, M., Ekholm, S., Sjöström, L., 1999. Determination of tissue volumes a comparison between CT and MR imaging. *Acta radiol.* 40, 314–321. <https://doi.org/10.3109/02841859909175560>
- Mandelli, F., Nüesch, C., Zhang, Y., Halbeisen, F., Schären, S., Mündermann, A., Netzer, C., 2021. Assessing Fatty Infiltration of Paraspinal Muscles in Patients With Lumbar Spinal Stenosis: Goutallier Classification and Quantitative MRI Measurements. *Front. Neurol.* 12, 1–12. <https://doi.org/10.3389/fneur.2021.656487>
- Mannion, A.F., 1999. Fibre type characteristics and function of the human paraspinal muscles: Normal values and changes in association with low back pain. *J. Electromyogr. Kinesiol.* 9, 363–377. [https://doi.org/10.1016/S1050-6411\(99\)00010-3](https://doi.org/10.1016/S1050-6411(99)00010-3)
- Mannion, A.F., Käser, L., Weber, E., Rhyner, A., Dvorak, J., Müntener, M., 2000. Influence of age and duration of symptoms on fibre type distribution and size of the back muscles chronic low back pain patients. *Eur. Spine J.* 9, 273–281.



<https://doi.org/10.1007/s005860000189>

Masaki, M., Ikezoe, T., Fukumoto, Y., Minami, S., Tsukagoshi, R., Sakuma, K., Ibuki, S., Yamada, Y., Kimura, M., Ichihashi, N., 2015. Association of sagittal spinal alignment with thickness and echo intensity of lumbar back muscles in middle-aged and elderly women. *Arch. Gerontol. Geriatr.* 61, 197–201. <https://doi.org/10.1016/j.archger.2015.05.010>

McCarthy, M.H., Lafage, R., Smith, J.S., Bess, S., Ames, C.P., Klineberg, E.O., Kim, H.J., Shaffrey, C.I., Burton, D.C., Mundis, G.M., Gupta, M.C., Schwab, F.J., Lafage, V., 2022. How Much Lumbar Lordosis does a Patient Need to Reach their Age-Adjusted Alignment Target? A Formulated Approach Predicting Successful Surgical Outcomes. *Glob. Spine J.* 0, 1–8. <https://doi.org/10.1177/21925682221092003>

Meakin, J.R., Fulford, J., Seymour, R., Welsman, J.R., Knapp, K.M., 2013. The relationship between sagittal curvature and extensor muscle volume in the lumbar spine. *J. Anat.* 222, 608–614. <https://doi.org/10.1111/joa.12047>

Menezes-Reis, R., Bonugli, G.P., Herrero, C.F.P. da S., Defino, H.L.A., Nogueira-Barbosa, M.H., 2016. The Association Between Lumbar Spine Sagittal Alignment And L4-L5 Disc Degeneration Among Asymptomatic Young Adults. *Spine (Phila. Pa. 1976)*. 3, 80–91.

Menezes-Reis, R., Bonugli, G.P., Salmon, C.E.G., Mazoroski, D., Da Silva Herrero, C.F.P., Nogueira-Barbosa, M.H., 2018. Relationship of spinal alignment with muscular volume and fat infiltration of lumbar trunk muscles. *PLoS One* 13, 1–16. <https://doi.org/10.1371/journal.pone.0200198>

Mitsiopoulos, N., Baumgartner, R.N., Heymsfield, S.B., Lyons, W., Gallagher, D., Ross, R., 1998. Cadaver validation of skeletal muscle measurement by magnetic resonance imaging and computerized tomography. *J. Appl. Physiol.* 85, 115–122. <https://doi.org/10.1152/jappl.1998.85.1.115>

Miura, K., Kadone, H., Asada, T., Koda, M., Funayama, T., Takahashi, H., Noguchi, H., Mataki, K., Shibao, Y., Sato, K., Eto, F., Kono, M., Suzuki, K., Yamazaki, M., 2021. The fatty degeneration of the lumbar erector spinae muscles affects dynamic spinal compensation ability during gait in adult spinal deformity. *Sci. Rep.* 11, 1–7. <https://doi.org/10.1038/s41598-021-97358-5>

Okpala, F.O., 2018. Comparison of four radiographic angular measures of lumbar lordosis. *J. Neurosci. Rural Pract.* 9, 298–304. https://doi.org/10.4103/jnrp.jnrp_508_17

Pannérec, A., Formicola, L., Besson, V., Marazzi, G., Sassoon, D.A., 2013. Defining skeletal muscle resident progenitors and their cell fate potentials. *Dev.* 140, 2879–2891. <https://doi.org/10.1242/dev.089326>

Parenteau, C.S., Lau, E.C., Campbell, I.C., Courtney, A., 2021. Prevalence of spine degeneration diagnosis by type, age, gender, and obesity using Medicare data. *Sci. Rep.* 11, 5389. <https://doi.org/10.1038/s41598-021-84724-6>

Peng, X., Li, X., Xu, Z., Wang, L., Cai, W., Yang, S., Liao, W., Cheng, X., 2020.



Age-related fatty infiltration of lumbar paraspinal muscles: A normative reference database study in 516 Chinese females. Quant. Imaging Med. Surg. 10, 1590–1601. <https://doi.org/10.21037/QIMS-19-835>

Pezolato, A., De Vasconcelos, E.E., Defino, H.L.A., Defino, A., Nogueira-Barbosa, M.H., 2012. Fat infiltration in the lumbar multifidus and erector spinae muscles in subjects with sway-back posture. Eur. Spine J. 21, 2158–2164. <https://doi.org/10.1007/s00586-012-2286-z>

Phoenix, J., Betal, D., Roberts, N., Helliwell, T.R., Edwards, R.H.T., 1996. Objective quantification of muscle and fat in human dystrophic muscle by magnetic resonance image analysis. Muscle and Nerve 19, 302–310. [https://doi.org/10.1002/\(SICI\)1097-4598\(199603\)19:3<302::AID-MUS4>3.0.CO;2-H](https://doi.org/10.1002/(SICI)1097-4598(199603)19:3<302::AID-MUS4>3.0.CO;2-H)

Ploumis, A., Michailidis, N., Christodoulou, P., Kalaitzoglou, I., Gouvas, G., Beris, A., 2011. Ipsilateral atrophy of paraspinal and psoas muscle in unilateral back pain patients with monosegmental degenerative disc disease. Br. J. Radiol. 84, 709–713. <https://doi.org/10.1259/bjr/58136533>

Rivas, D.A., McDonald, D.J., Rice, N.P., Haran, P.H., Dolnikowski, G.G., Fielding, R.A., 2016. Diminished anabolic signaling response to insulin induced by intramuscular lipid accumulation is associated with inflammation in aging but not obesity. Am. J. Physiol. - Regul. Integr. Comp. Physiol. 310, R561–R569. <https://doi.org/10.1152/ajpregu.00198.2015>

Rossi, A., Zoico, E., Goodpaster, B.H., Sepe, A., Di Francesco, V., Fantin, F., Pizzini, F., Corzato, F., Vitali, A., Micciolo, R., Harris, T.B., Cinti, S., Zamboni, M., 2010. Quantification of intermuscular adipose tissue in the erector spinae muscle by MRI: Agreement with histological evaluation. Obesity 18, 2379–2384. <https://doi.org/10.1038/oby.2010.48>

Russell, B.S., Muhlenkamp-Wermert, K.A., Hoiriis, K.T., 2020. Measurement of Lumbar Lordosis: A Comparison of 2 Alternatives to the Cobb Angle. J. Manipulative Physiol. Ther. 43, 760–767. <https://doi.org/10.1016/j.jmpt.2020.05.009>

Saccone, V., Consalvi, S., Giordani, L., Mozzetta, C., Barozzi, I., Sandoná, M., Ryan, T., Rojas-Muñoz, A., Madaro, L., Fasanaro, P., Borsellino, G., De Bardi, M., Frigè, G., Termanini, A., Sun, X., Rossant, J., Bruneau, B.G., Mercola, M., Minucci, S., Puri, P.L., 2014. HDAC-regulated myomiRs control BAF60 variant exchange and direct the functional phenotype of fibro-adipogenic progenitors in dystrophic muscles. Genes Dev. 28, 841–857. <https://doi.org/10.1101/gad.234468.113>

Sagittal alignment of the spine [WWW Document], 2022. URL https://www.anatomystandard.com/Columna_Vertebralis/Sagittal_Alignment.html (diakses 9.28.22).

Samagh, S.P., Kramer, E.J., Melkus, G., Laron, D., Bodendorfer, B.M., Natsuhara, K., Kim, H.T., Liu, X., Feeley, B.T., 2013. MRI quantification of fatty infiltration and muscle atrophy in a mouse model of rotator cuff tears. J.



Orthop. Res. 31, 421–426. <https://doi.org/10.1002/jor.22233>

Sandor, Z., Rathonyi, G.K., Dinya, E., 2020. Assessment of Lumbar Lordosis Distribution with a Novel Mathematical Approach and Its Adaptation for Lumbar Intervertebral Disc Degeneration. Comput. Math. Methods Med. 2020. <https://doi.org/10.1155/2020/7312125>

Sasaki, T., Yoshimura, N., Hashizume, H., Yamada, H., Oka, H., Matsudaira, K., Iwashashi, H., Shinto, K., Ishimoto, Y., Nagata, K., Teraguchi, M., Kagotani, R., Muraki, S., Akune, T., Tanaka, S., Kawaguchi, H., Nakamura, K., Minamide, A., Nakagawa, Y., Yoshida, M., 2017. MRI-defined paraspinal muscle morphology in Japanese population: The Wakayama Spine Study. PLoS One 12, 1–15. <https://doi.org/10.1371/journal.pone.0187765>

Schilder, A., Hoheisel, U., Magerl, W., Benrath, J., Klein, T., Treede, R.D., 2014. Sensory findings after stimulation of the thoracolumbar fascia with hypertonic saline suggest its contribution to low back pain. Pain 155, 222–231. <https://doi.org/10.1016/j.pain.2013.09.025>

Shahidi, B., Parra, C.L., Berry, D.B., Hubbard, J.C., Gombatto, S., Zlomislic, V., Allen, R.T., Hughes-Austin, J., Garfin, S., Ward, S.R., 2017. Contribution of Lumbar Spine Pathology and Age to Paraspinal Muscle Size and Fatty Infiltration. Spine (Phila. Pa. 1976). 42, 616–623. <https://doi.org/10.1097/BRS.0000000000001848>

Skaf, G.S., Ayoub, C.M., Domloj, N.T., Turbay, M.J., El-Zein, C., Hourani, M.H., 2011. Effect of Age and Lordotic Angle on the Level of Lumbar Disc Herniation. Adv. Orthop. 2011, 1–6. <https://doi.org/10.4061/2011/950576>

Sorensen, S.J., Kjaer, P., Jensen, S.T., Andersen, P., 2006. Low-field magnetic resonance imaging of the lumbar spine: Reliability of qualitative evaluation of disc and muscle parameters. Acta radiol. 47, 947–953. <https://doi.org/10.1080/02841850600965062>

Sparrey, C.J., Bailey, J.F., Safaee, M., Clark, A.J., Lafage, V., Schwab, F., Smith, J.S., Ames, C.P., 2014. Etiology of lumbar lordosis and its pathophysiology: A review of the evolution of lumbar lordosis, and the mechanics and biology of lumbar degeneration. Neurosurg. Focus 36. <https://doi.org/10.3171/2014.1.FOCUS13551>

Suzuki, K., Hasebe, Y., Yamamoto, M., Saita, K., Ogihara, S., 2022. Risk Factor Analysis for Fat Infiltration in the Lumbar Paraspinal Muscles in Patients With Lumbar Degenerative Diseases. Geriatr. Orthop. Surg. Rehabil. 13. <https://doi.org/10.1177/21514593211070688>

Takayama, K., Kita, T., Nakamura, H., Kanematsu, F., Yasunami, T., Sakanaka, H., Yamano, Y., 2016. New predictive index for lumbar paraspinal muscle degeneration associated with aging. Spine (Phila. Pa. 1976). 41, E84–E90. <https://doi.org/10.1097/BRS.0000000000001154>

Tamai, K., Chen, J., Stone, M., Arakelyan, A., Paholpak, P., Nakamura, H., Buser, Z., Wang, J.C., 2018. The evaluation of lumbar paraspinal muscle quantity and



- quality using the Goutallier classification and lumbar indentation value. *Eur. Spine J.* 27, 1005–1012. <https://doi.org/10.1007/s00586-018-5485-4>
- Taweetanalarp, S., Purepong, N., 2015. Comparison of lumbar spinal angle between normal body mass index and overweight young adults. *J. Phys. Ther. Sci.* 27, 2343–2346. <https://doi.org/10.1589/jpts.27.2343>
- Teichtahl, A.J., Urquhart, D.M., Wang, Y., Wluka, A.E., Wijethilake, P., O’Sullivan, R., Cicuttini, F.M., 2015. Fat infiltration of paraspinal muscles is associated with low back pain, disability, and structural abnormalities in community-based adults. *Spine J.* 15, 1593–1601. <https://doi.org/10.1016/j.spinee.2015.03.039>
- Urrutia, J., Besa, P., Lobos, D., Campos, M., Arrieta, C., Andia, M., Uribe, S., 2018. Lumbar paraspinal muscle fat infiltration is independently associated with sex, age, and inter-vertebral disc degeneration in symptomatic patients. *Skeletal Radiol.* 47, 955–961. <https://doi.org/10.1007/s00256-018-2880-1>
- Vialle, R., Court, C., Khouri, N., Olivier, E., Miladi, L., Tassin, J.L., Defives, T., Dubousset, J., 2005. Anatomical study of the paraspinal approach to the lumbar spine. *Eur. Spine J.* 14, 366–371. <https://doi.org/10.1007/s00586-004-0802-5>
- Wang, W., Wang, W., Sun, Z., Li, W., Chen, Z., 2020. The effect of paraspinal muscle on functional status and recovery in patients with lumbar spinal stenosis. *J. Orthop. Surg. Res.* 15, 1–6. <https://doi.org/10.1186/s13018-020-01751-1>
- Ward, S.R., Kim, C.W., Eng, C.M., Gottschalk IV, L.J., Tomiya, A., Garfin, S.R., Lieber, R.L., 2009. Architectural analysis and intraoperative measurements demonstrate the unique design of the multifidus muscle for lumbar spine stability. *J. Bone Jt. Surg.* 91, 176–185. <https://doi.org/10.2106/JBJS.G.01311>
- Wendra, Pratesya, L.A., Mardianti, D., 2021. Correlation Between Obesity and the Depth of Lumbar Lordosis in Obesity-Typed Women in Internal Medicine Clinic Dustira Military Hospital Cimahi. *Proc. 12th Annu. Sci. Meet. Med. Fac. Univ. Jenderal Achmad Yani, Int. Symp. “Emergency Prep. Disaster Response Dur. COVID 19 Pandemic” (ASMC 2021)* 37, 42–44. <https://doi.org/10.2991/ahsr.k.210723.011>
- Williams, S.A., Zeng, I., Paton, G.J., Yelverton, C., Dunham, C., Ostrofsky, K.R., Shukman, S., Avilez, M. V, Eyre, J., Loewen, T., Prang, T.C., Meyer, M.R., 2022. Inferring lumbar lordosis in Neandertals and other hominins. *PNAS Nexus* 1. <https://doi.org/10.1093/pnasnexus/pgab005>
- Wu, Z., Zhu, Y., Xu, W., Liang, J., Guan, Y., Xu, X., 2020. Analysis of Biomechanical Properties of the Lumbar Extensor Myofascia in Elderly Patients with Chronic Low Back Pain and That in Healthy People. *Biomed Res. Int.* 2020. <https://doi.org/10.1155/2020/7649157>
- Xu, Y., Hammerick, K.E., James, A.W., Carre, A.L., Leucht, P., Giaccia, A.J., Longaker, M.T., 2009. Inhibition of histone deacetylase activity in reduced



oxygen environment enhances the osteogenesis of mouse adipose-derived stromal cells. *Tissue Eng.* - Part A 15, 3697–3707. <https://doi.org/10.1089/ten.tea.2009.0213>

Yang, Q., Yan, D., Wang, L., Li, K., Liang, W., Zhang, W., Dong Liu, Y., Li, X.M., Blake, G.M., Konerth, N., Cheng, X., Tian, W., Hind, K., 2022. Muscle fat infiltration but not muscle cross-sectional area is independently associated with bone mineral density at the lumbar spine. *Br. J. Radiol.* 95. <https://doi.org/10.1259/bjr.20210371>

Yanik, B., Keyik, B., Conkbayir, I., 2013. Fatty degeneration of multifidus muscle in patients with chronic low back pain and in asymptomatic volunteers: Quantification with chemical shift magnetic resonance imaging. *Skeletal Radiol.* 42, 771–778. <https://doi.org/10.1007/s00256-012-1545-8>

Yiallouris, A., Tsiotis, C., Agapidaki, E., Zafeiri, M., Agouridis, A.P., Ntourakis, D., Johnson, E.O., 2019. Adrenal aging and its implications on stress responsiveness in humans. *Front. Endocrinol. (Lausanne)*. 10, 1–12. <https://doi.org/10.3389/fendo.2019.00054>

Zhang, Y., Mandelli, F., Mündermann, A., Nüesch, C., Kovacs, B., Schären, S., Netzer, C., 2021. Association between fatty infiltration of paraspinal muscle, sagittal spinopelvic alignment and stenosis grade in patients with degenerative lumbar spinal stenosis. *North Am. Spine Soc. J.* 5, 100054. <https://doi.org/10.1016/j.xnsj.2021.100054>