

DAFTAR PUSTAKA

- Adedayo, M. R. *et al.* (2011) ‘Single Cell Proteins: As Nutritional Enhancer’, *Advances in Applied Science Research*, 2(5), pp. 396–406. Available at: <http://pelagiaresearchlibrary.com/advances-in-applied-science/vol2-iss5/AASR-2011-2-5-396-409.pdf>.
- Anschau, A. (2017) *Lipids from oleaginous yeasts: production and encapsulation, Nutrient Delivery*. Elsevier Inc. doi: 10.1016/b978-0-12-804304-2.00020-2.
- Audinah, L. (2022) *Optimization of Medium for Lipid Production from Lipomyces maratuensis InaCC Y720 Using Statistical Experiment Design*. Universitas Gadjah Mada.
- Bligh E.G and Dyer W.J (1959) ‘Canadian Journal of Biochemistry and Physiology Issued by The National Research Council Of Canada A Rapid Method Of Total Lipid Extraction And Purification1’, *Canadian Journal of Biochemistry and Physiology*, 37(8), pp. 911–917. Available at: www.nrcresearchpress.com.
- Boekhout, T. *et al.* (2022) *Trends in yeast diversity discovery, Fungal Diversity*. Springer Netherlands. doi: 10.1007/s13225-021-00494-6.
- Chan-u-Tit, P. *et al.* (2013) ‘High level ethanol production by nitrogen and osmoprotectant supplementation under very high gravity fermentation conditions’, *Energies*, 6(2), pp. 884–899. doi: 10.3390/en6020884.
- Donaldson, J. D. (1991) ‘Cobalt and Cobalt Compounds (IARC Summary)’, *Ullmann’s Encyclopedia of Industrial Chemistry*, 9, pp. 429–464. doi: 10.1002/14356007.a07.
- Donzella, S. *et al.* (2019) ‘Engineering cytoplasmic acetyl-CoA synthesis decouples lipid production from nitrogen starvation in the oleaginous yeast *Rhodospiridium azoricum*’, *Microbial Cell Factories*. BioMed Central, 18(1), pp. 1–10. doi: 10.1186/s12934-019-1250-6.
- Emerson, S. and Hedges, J. I. (1988) ‘Processes controlling the organic carbon content of open ocean sediments’, *Paleoceanography*, 3(5), pp. 621–634. doi: 10.1029/PA003i005p00621.
- Feldmann, H. (2012) *Yeast: Molecular and Cell Biology: Second Edition, Yeast: Molecular and Cell Biology: Second Edition*. doi: 10.1002/9783527659180.
- Fukuzawa, M. *et al.* (2008) ‘Possible involvement of long chain fatty acids in the

spores of *Ganoderma lucidum* (Reishi Houshi) to its anti-tumor activity', *Biological and Pharmaceutical Bulletin*, 31(10), pp. 1933–1937. doi: 10.1248/bpb.31.1933.

Gomar-Alba, M., Morcillo-Parra, M. Á. and del Olmo, M. lí (2015) 'Response of yeast cells to high glucose involves molecular and physiological differences when compared to other osmostress conditions', *FEMS Yeast Research*, 15(5), pp. 1–14. doi: 10.1093/femsyr/fov039.

H, S. *et al.* (2018) 'Effect of Time, C/N Ratio and Molasses Concentration on *Saccharomyces cerevisiae* Biomass Production', *Journal of Veterinary and Animal Research*, 1(1), pp. 1–7. doi: 10.18875/2639-7315.1.104.

Van Hoek, P., Van Dijken, J. P. and Pronk, J. T. (2000) 'Regulation of fermentative capacity and levels of glycolytic enzymes in chemostat cultures of *Saccharomyces cerevisiae*', *Enzyme and Microbial Technology*, 26(9–10), pp. 724–736. doi: 10.1016/S0141-0229(00)00164-2.

Hogg, S. (2005) *Essential Microbiology*. First. Germany: Wiley. Available at: <https://www.ptonline.com/articles/how-to-get-better-mfi-results>.

Holdsworth, J. E. and Ratledge, C. (1988) 'Lipid Turnover in Oleaginous Yeasts', *Microbiology*, 134(2), pp. 339–346. doi: 10.1099/00221287-134-2-339.

Huang, X. F. *et al.* (2016) 'Culture strategies for lipid production using acetic acid as sole carbon source by *Rhodospiridium toruloides*', *Bioresource Technology*. Elsevier Ltd, 206, pp. 141–149. doi: 10.1016/j.biortech.2016.01.073.

Huang, X. feng *et al.* (2018) 'Enhancement of extracellular lipid production by oleaginous yeast through preculture and sequencing batch culture strategy with acetic acid', *Bioresource Technology*. Elsevier, 247(July 2017), pp. 395–401. doi: 10.1016/j.biortech.2017.09.096.

Irvine, R. L. *et al.* (1985) 'n', 57(8), pp. 847–853.

Jiru, T. M. *et al.* (2016) 'Oleaginous yeasts from Ethiopia', *AMB Express*. Springer Berlin Heidelberg, 6(1). doi: 10.1186/s13568-016-0242-8.

Juanssilfero, A. B. *et al.* (2021) 'Microbial lipid production by the yeast *Lipomyces starkeyi* InaCC Y604 grown on various carbon sources', *IOP Conference Series: Earth and Environmental Science*, 762(1). doi: 10.1088/1755-1315/762/1/012073.

Karamerou, E. E. and Webb, C. (2019) 'Cultivation modes for microbial oil

production using oleaginous yeasts – A review’, *Biochemical Engineering Journal*. Elsevier, 151(July), p. 107322. doi: 10.1016/j.bej.2019.107322.

Kayikci, Ö. and Nielsen, J. (2015) ‘Glucose repression in *Saccharomyces cerevisiae*’, *FEMS Yeast Research*, 15(6), pp. 1–8. doi: 10.1093/femsyr/fov068.

‘Kepmen ESDM - Uji Coba B30.pdf’ (no date).

Kurtzman, C. P., Fell, J. W. and Boekhout, T. (2011) *Definition, classification and nomenclature of the yeasts*, *The Yeasts*. Elsevier B.V. doi: 10.1016/B978-0-444-52149-1.00001-X.

Lestari, A. D. (2022) *Optimasi Produksi Lipid *Lipomyces maratuensis* InaCC Y720 dengan Mutagenesis Acak Sinar UV*. Universitas Gadjah Mada.

Lim, H. C. and Shin, H. S. (2013) ‘Principles and Applications of Semi-Batch Bioreactors’, in *Fed-Batch Cultures*. Cambridge University Press, pp. 1–18. doi: 10.1017/CBO9781139018777.002.

Lin, J. *et al.* (2011) ‘Lipid production by *Lipomyces starkeyi* cells in glucose solution without auxiliary nutrients’, *Journal of Biotechnology*. Elsevier B.V., 152(4), pp. 184–188. doi: 10.1016/j.jbiotec.2011.02.010.

Liu, J. *et al.* (2016) ‘Bioconversion of volatile fatty acids derived from waste activated sludge into lipids by *Cryptococcus curvatus*’, *Bioresource Technology*. Elsevier Ltd, 211, pp. 548–555. doi: 10.1016/j.biortech.2016.03.146.

Lorenz, E. *et al.* (2017) ‘Systematic development of a two-stage fed-batch process for lipid accumulation in *Rhodotorula glutinis*’, *Journal of Biotechnology*. Elsevier B.V., 246, pp. 4–15. doi: 10.1016/j.jbiotec.2017.02.010.

Mamatha (2009) *Polyunsaturated Fatty Acids (PUFAs) of *Mucor* sp. with Special Reference to Gamma Linolenic Acid (GLA)*. University of Mysore.

Mancini, A. *et al.* (2015) ‘Biological and nutritional properties of palm oil and palmitic acid: Effects on health’, *Molecules*, 20(9), pp. 17339–17361. doi: 10.3390/molecules200917339.

Martínez, L. *et al.* (2015) ‘Myristic acid potentiates palmitic acid-induced lipotoxicity and steatohepatitis associated with lipodystrophy by sustaining de novo ceramide synthesis’, *Oncotarget*, 6(39), pp. 41479–41496. doi: 10.18632/oncotarget.6286.

- Muñoz-Huerta, R. F. *et al.* (2013) 'A review of methods for sensing the nitrogen status in plants: Advantages, disadvantages and recent advances', *Sensors (Switzerland)*, 13(8), pp. 10823–10843. doi: 10.3390/s130810823.
- Nakata, S. *et al.* (2020) 'Polyunsaturated fatty acids-enriched lipid from reduced sugar alcohol mannitol by marine yeast *Rhodospiridiobolus fluvialis* Y2', *Biochemical and Biophysical Research Communications*. Elsevier Ltd, 526(4), pp. 1138–1142. doi: 10.1016/j.bbrc.2020.04.032.
- Nasional, D. E. (2020) *Neraca Energi Nasional 2019, Laporan Kajian Penelahaan Neraca Energi Nasional 2020*. Jakarta.
- Papanikolaou, S. and Aggelis, G. (2011) 'Lipids of oleaginous yeasts. Part I: Biochemistry of single cell oil production', *European Journal of Lipid Science and Technology*, 113(8), pp. 1031–1051. doi: 10.1002/ejlt.201100014.
- Perli, T. *et al.* (2020) 'Vitamin requirements and biosynthesis in *Saccharomyces cerevisiae*', *Yeast*, 37(4), pp. 283–304. doi: 10.1002/yea.3461.
- Poontawee, R. *et al.* (2023) 'Oleaginous yeasts: Biodiversity and cultivation', *Fungal Biology Reviews*. British Mycological Society, 44, p. 100295. doi: 10.1016/j.fbr.2022.11.003.
- Poontawee, R., Yongmanitchai, W. and Limtong, S. (2017) 'Efficient oleaginous yeasts for lipid production from lignocellulosic sugars and effects of lignocellulose degradation compounds on growth and lipid production', *Process Biochemistry*. Elsevier Ltd, 53, pp. 44–60. doi: 10.1016/j.procbio.2016.11.013.
- Purwoko, Tjahjadi.2007. *Fisiologi Mikroba*. Jakarta:Bumi Aksara.
- Ratledge, C. (2004) 'Fatty acid biosynthesis in microorganisms being used for Single Cell Oil production', *Biochimie*, 86(11), pp. 807–815. doi: 10.1016/j.biochi.2004.09.017.
- Ratledge, C. and Wynn, J. P. (2002) 'The biochemistry and molecular biology of lipid accumulation in oleaginous microorganisms', *Advances in Applied Microbiology*, 51, pp. 1–52. doi: 10.1016/S0065-2164(02)51000-5.
- Restasari, A. *et al.* (2019) 'Pengaruh Dioctyl Adipate Terhadap Sifat Rheologikal Htpb Terplastisasi (Effect of Dioctyl Adipate on the Rheological Properties of Plasticized Htpb)', *Jurnal Teknologi Dirgantara*, 16(2), p. 139. doi: 10.30536/j.tjd.2018.v16.a3003.

- Rizki, M. A. A. H. and Ilmi, M. (2021) 'The Potential of Oleaginous Filamentous Fungi Isolated from Soil of Baturraden Botanical Garden, Central Java, Indonesia', *IOP Conference Series: Earth and Environmental Science*, 736(1). doi: 10.1088/1755-1315/736/1/012060.
- Rossi, M. *et al.* (2010) '2011_ InTech-Getting_lipids_for_biodiesel_production_from_oleaginous_fungi.pdf'.
- Salsabila, R. and Ilmi, M. (2021) 'Lipid production from *Zygosaccharomyces siamensis* AP1 using sequencing batch method with acetic acid as carbon source', *IOP Conference Series: Earth and Environmental Science*, 743(1). doi: 10.1088/1755-1315/743/1/012096.
- Santos, J., Sousa, M. J. and Leão, C. (2012) 'Ammonium is toxic for aging yeast cells, inducing death and shortening of the chronological lifespan', *PLoS ONE*, 7(5). doi: 10.1371/journal.pone.0037090.
- Shields-Menard, S. A. *et al.* (2018) 'A review on microbial lipids as a potential biofuel', *Bioresource Technology*, 259, pp. 451–460. doi: 10.1016/j.biortech.2018.03.080.
- Singh, G. *et al.* (2020) 'High density cultivation of oleaginous yeast isolates in "mandi" waste for enhanced lipid production using sugarcane molasses as feed', *Fuel*. Elsevier, 276(November 2019), p. 118073. doi: 10.1016/j.fuel.2020.118073.
- Sitepu, I. R. *et al.* (2014) 'Identification of oleaginous yeast strains able to accumulate high intracellular lipids when cultivated in alkaline pretreated corn stover', *Applied Microbiology and Biotechnology*, 98(17), pp. 7645–7657. doi: 10.1007/s00253-014-5944-8.
- Starkey, R. L. (1946) 'Lipid Production by a Soil Yeast', *Journal of Bacteriology*, 51(1), pp. 33–50. doi: 10.1128/jb.51.1.33-50.1946.
- Suryani (2008) *Penentuan Lipid dalam Khamir Rhodotorula dari Taman Nasional Gunung Halimun*. Universitas Indonesia. Available at: https://lib.ui.ac.id/file?file=digital/124081-BIO.001-08-Penentuan_lipid-Literatur.pdf.
- Sutanto, S. *et al.* (2018) 'Lipomyces starkeyi: Its current status as a potential oil producer', *Fuel Processing Technology*. Elsevier, 177(April), pp. 39–55. doi: 10.1016/j.fuproc.2018.04.012.
- Syafila, M. *et al.* (1996) 'Biodegradasi Glukosa Konsentrasi Tinggi Dalam Sequencing Batch Reactor Pada Tahap Asidogenesis Biodegradation of

High Concentrated Glucose in Sequencing Batch Reactor During Acidogenic Phase', pp. 19–24.

Yamazaki, A., Kanti, A. and Kawasaki, H. (2017) 'Three novel lipomycetaceous yeasts, *Lipomyces maratuensis* sp. nov., *Lipomyces tropicalis* sp. nov., and *Lipomyces kalimantanensis* f.a., sp. nov. isolated from soil from the Maratua and Kalimantan Islands, Indonesia', *Mycoscience*. Elsevier B.V, 58(6), pp. 413–423. doi: 10.1016/j.myc.2017.06.002.

Zapata-Vélez, A. M. and Trujillo-Roldán, M. A. (2010) 'The lack of a nitrogen source and/or the C/N ratio affects the molecular weight of alginate and its productivity in submerged cultures of *Azotobacter vinelandii*', *Annals of Microbiology*, 60(4), pp. 661–668. doi: 10.1007/s13213-010-0111-7.

Zhang, J. *et al.* (2011) 'Microbial lipid production by the oleaginous yeast *Cryptococcus curvatus* O3 grown in fed-batch culture', *Biomass and Bioenergy*. Elsevier Ltd, 35(5), pp. 1906–1911. doi: 10.1016/j.biombioe.2011.01.024.

Zulkarnaen, I. ., Tira, H. . and Padang, Y. . (2016) 'Pengaruh Rasio Karbon Dan Nitrogen (C / N Ratio) Pada Kotoran Sapi Terhadap Produksi Biogas Dari Proses Anaerob', *Teknik Mesin Fakultas Teknik Universitas Mataram*, 1(1), pp. 1–16.