

DAFTAR PUSTAKA



Eliminasi Gas H₂S Dalam Biogas dengan Rangkaian Kolom Bahan Isian Karbon Berpori Biji Salak dan Zeolit

Abbas
UNIVERSITAS
GADJAH MADA

EVITA MAULIDATURAHMA, Chandra Wahyu Purnomo, S.T., M.E., M.Eng., D.Eng., IPM., D.Eng., Ir. Teguh Ariyanti
Universitas Gadjah Mada, 2023. Diunduh dari <http://etd.repository.ugm.ac.id/>

control and energy generation - An overview. *Renewable and Sustainable Energy Reviews* 16(5), pp. 3228–3242. Available at: <http://dx.doi.org/10.1016/j.rser.2012.02.046>.

Abdehagh, N., Taghinejad Namini, M., Heydarian, S.M., Bonakdarpour, B. and Zare, D. 2011. Performance of a biotrickling filter employing thiobacillus thioparus immobilized on polyurethane foam for hydrogen sulfide removal. *Iranian Journal of Environmental Health Science and Engineering* 8(3), pp. 245–254.

Abdullah, A.H., Mat, R., Aziz, A.S.A. and Roslan, F. 2017. Use of kaolin as adsorbent for removal of hydrogen sulphide from biogas. *Chemical Engineering Transactions* 56(2014), pp. 763–768. doi: 10.3303/CET1756128.

Airgas 2017. Safety Data Sheet for Hydrogen Sulfide., pp. 1–12.

Ajmani, A., Patra, C., Subbiah, S. and Narayanasamy, S. 2020. Packed bed column studies of hexavalent chromium adsorption by zinc chloride activated carbon synthesized from *Phanera vahlii* fruit biomass. *Journal of Environmental Chemical Engineering* 8(4), p. 103825. Available at: <https://doi.org/10.1016/j.jece.2020.103825>.

Aksu, Z. and Gönen, F. 2006. Binary biosorption of phenol and chromium(VI) onto immobilized activated sludge in a packed bed: Prediction of kinetic parameters and breakthrough curves. *Separation and Purification Technology* 49(3), pp. 205–216. doi: 10.1016/j.seppur.2005.09.014.

Alonso-Vicario, A., Ochoa-Gómez, J.R., Gil-Río, S., Gómez-Jiménez-Aberasturi, O., Ramírez-López, C.A., Torrecilla-Soria, J. and Domínguez, A. 2010. Purification and upgrading of biogas by pressure swing adsorption on synthetic and natural zeolites. *Microporous and Mesoporous Materials* 134(1–3), pp. 100–107. Available at: <http://dx.doi.org/10.1016/j.micromeso.2010.05.014>.

Alothman, Z.A. 2012. A review: Fundamental aspects of silicate mesoporous materials. *Materials* 5(12), pp. 2874–2902. doi: 10.3390/ma5122874.

Angelidaki, I., Treu, L., Tsapekos, P., Luo, G., Campanaro, S., Wenzel, H. and Kougias, P.G. 2018. Biogas upgrading and utilization: Current status and perspectives. *Biotechnology Advances* 36(2), pp. 452–466. Available at: <http://dx.doi.org/10.1016/j.biotechadv.2018.01.011>.

Apriliani, A. 2010. Pemanfaatan Arang Ampas Tebu sebagai Adsorben Ion Logam Cd, Cr, Cu dan Pb dalam Air Limbah. *Repositoy UIN*, pp. 1–91.

Budiman, A., Dewi, R., Suryo, Y., dan Ayu, L. 2018. Biodiesel : Bahan Baku, Proses, dan Teknologi. UGM Press. Yogyakarta

Astuti, D.W., Mudasir and Aprilita, N.H. 2019. Preparation and characterization adsorbent

berbasis zeolit dari Klaten, Central Java, Indonesia. *Journal of Physics: Conference Series* 1150, 012011. doi: 10.1088/1755-1397/1150/1/012011

Eliminasi Gas H₂S Dalam Biogas dengan Rangkaian Kolom Bahan Isian Karbon Berpori Biji Salak dan Zeolit

EVITA MAULIDATURAHMA, Chandra Wahyu Purnomo, S.T., M.E., M.Eng., D.Eng., IPM. ; Dr.-Ing. Ir. Teguh Ariyanti

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Axelsson, L., Franzén, M., Ostwald, M., Berndes, G., Lakshmi, G. and Ravindranath, N.H.

2012. Perspective: Jatropha cultivation in southern India: Assessing farmers' experiences. *Biofuels, Bioproducts and Biorefining* 6(3), pp. 246–256. doi: 10.1002/bbb.

Babinszki, B., Sebestyén, Z., Jakab, E., Kóhalmi, L., Bozi, J., Várhegyi, G., Wang, L., and Skreiberg Czégény, Zs. 2021. Effect of slow pyrolysis conditions on biocarbon yield and properties: Characterization of the volatiles. *Bioresource Technology* 338. doi: 10.1016/j.biortech.2021.125567.

Bacsik, Z., Cheung, O., Vasiliev, P. and Hedin, N. 2016. Selective separation of CO₂ and CH₄ for biogas upgrading on zeolite NaKA and SAPO-56. *Applied Energy* 162, pp. 613–621. doi: 10.1016/j.apenergy.2015.10.109.

Bauer, F., Hulteberg, C., Persson, T. and Tamm, D. 2013. Biogas upgrading – Review of commercial technologies. (June)

Bayu, Asep., Nandiyanto, Dani., Chelvina, Gabriela., Girsang, Santiuly., Maryanti, Rina., Ragadhita, Risti., Anggraeni, Sri., Fauzi, Miraz., Sakinah, Putri., Astuti, Asita Puji., Usdiyana, Dian., Fiandini, Meli., Dewi, Wantika., and Al-Obaidi, Sh Mahdi. 2020. COMMUNICATIONS IN SCIENCE AND TECHNOLOGY Isotherm adsorption characteristics of carbon microparticles prepared from pineapple peel waste. *Communications in Science and Technology* 5(1), pp. 31–39.

BIRU, 2022, Program BIRU Di Indonesia, <https://www.biru.or.id>. (Diakses pada tanggal 27 Oktober 2022).

BPS, 2020-2021, Rata-Rata Konsumsi Perkapita Di Indonesia, <https://www.bps.go.id>. (Diakses pada Tanggal 20 Oktober 2022).

Burris, L.E. and Juenger, M.C.G. 2020. Effect of calcination on the reactivity of natural clinoptilolite zeolites used as supplementary cementitious materials. *Construction and Building Materials* 258, p. 119988. Available at: <https://doi.org/10.1016/j.conbuildmat.2020.119988>.

Can, M. 2015. Studies of the kinetics for rhodium adsorption onto gallic acid derived polymer: The application of nonlinear regression analysis. *Acta Physica Polonica A* 127(4), pp. 1308–1310. doi: 10.12693/APhysPolA.127.1308.

Chen, W.H. and Lin, B.J. 2016. Characteristics of products from the pyrolysis of oil palm fiber and its pellets in nitrogen and carbon dioxide atmospheres. *Energy* 94, pp. 569–578. Available at: <http://dx.doi.org/10.1016/j.energy.2015.11.027>.

Chisti, Y. 2008. Biodiesel from microalgae beats bioethanol. *Trends in Biotechnology* 26(3),

Eliminasi Gas H₂S Dalam Biogas dengan Rangkaian Kolom Bahan Isian Karbon Berpori Biji Salak dan Zeolit

EVITA WATI DITURAPIMA, Chandrawati Purnomo, SYTO, CENG, Meng, OPEN, 4PWO, Dusing Ir. Teguh Ariyanti

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

artificial neural network and adaptive neuro-fuzzy inference system. *Chinese Journal of Chemical Engineering* 28(7), pp. 1847–1859. Available at: <https://doi.org/10.1016/j.cjche.2020.02.022>.

Choo, H.S., Lau, L.C., Mohamed, A.R. and Lee, K.T. 2013. Hydrogen sulfide adsorption by alkaline impregnated coconut shell activated carbon. *Journal of Engineering Science and Technology* 8(6), pp. 741–753.

David, G.F., Pereira, S. de P.S., Fernandes, S.A., Cubides-Roman, D.C., Siqueira, R.K., Perez, V.H. and Lacerda, V. 2021. Fast pyrolysis as a tool for obtaining levoglucosan after pretreatment of biomass with niobium catalysts. *Waste Management* 126, pp. 274–282. Available at: <https://doi.org/10.1016/j.wasman.2021.03.016>.

Do, D.D. 1998. *Fundamentals of Diffusion and Adsorption in Porous Media*. doi: 10.1142/9781860943829_0007.

Dumont, E. and Andrès, Y. 2010. Evaluation of innovative packing materials for the biodegradation of H₂S: A comparative study. *Journal of Chemical Technology and Biotechnology* 85(3), pp. 429–434. doi: 10.1002/jctb.2334.

Gao, S., Bo, C., Li, J., Niu, C. and Lu, X. 2020. Multi-objective optimization and dynamic control of biogas pressurized water scrubbing process. *Renewable Energy* 147, pp. 2335–2344. Available at: <https://doi.org/10.1016/j.renene.2019.10.022>.

Georgiadis, A.G., Charisiou, N.D., Gaber, S., Polychronopoulou, K., Yentekakis, I. V. and Goula, M.A. 2021. Adsorption of hydrogen sulfide at low temperatures using an industrial molecular sieve: An experimental and theoretical study. *ACS Omega* 6(23), pp. 14774–14787. doi: 10.1021/acsomega.0c06157.

Hariastuti, N., Purwanti and Istadi 2014. Kajian Penggunaan Karbon Aktif dan Zeolit secara Terintegrasi dalam Pembuatan Biomethane Berbasis Biogas. *Jurnal Riset Industri* 8(1), pp. 65–72.

Hoang, A.T., Le, V.V., Al-Tawaha, A.R.M.S., Nguyen, D.N., Noor, M.M. and Pham, V.V. 2018. An absorption capacity investigation of new absorbent based on polyurethane foams and rice straw for oil spill cleanup. *Petroleum Science and Technology* 36(5), pp. 361–370. Available at: <https://doi.org/10.1080/10916466.2018.1425722>.

Hoang, A.T., Ong, H.C., Fattah, I.M.R., Chong, C.T., Cheng, C.K., Sakthivel, R. and Ok, Y.S. 2021. Progress on the lignocellulosic biomass pyrolysis for biofuel production toward environmental sustainability. *Fuel Processing Technology* 223(August), p. 106997. Available at: <https://doi.org/10.1016/j.fuproc.2021.106997>.



Hozairi, Bakir, dan B. 2012. Pemanfaatan kotoran hewan menjadi energi biogas untuk

eliminasi Gas H₂S Dalam Biogas dengan Rangkaian Kolom Bahan Isian Karbon Berpori Biji Salak dan Zeolit

Huboy, E. V. I. A. M. A. D. A. T. U. R. H. M. A. O. N. A. d. a. n. W. a. n. y. u. P. U. R. N. O. R. H. S. I. T. I. N. G. I. E. M. E. N. G. J. D. E. N. G. I. P. M. O. D. I. N. G. Ir. Teguh Ariyanti

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Adsorption of Sulfidic Acid Gases Using Wet Banana Plant Adsorbent (*Musa* spp.).

Journal of Engineering and Technological Sciences 54(1). doi: 10.5614/j.eng.technol.sci.2022.54.1.10.

Igbokwe, P.K., Okolomike, R.O. and Nwokolo, S.O. 2008. Zeolite for Drying of Ethanol-Water and Methanol-Water Systems From a Nigerian Clay Resource., pp. 109–112.

Iheanacho, O.C., Nwabanne, J.T., Obi, C.C. and Onu, C.E. 2021. Packed bed column adsorption of phenol onto corn cob activated carbon: linear and nonlinear kinetics modeling. *South African Journal of Chemical Engineering* 36(February), pp. 80–93. Available at: <https://doi.org/10.1016/j.sajce.2021.02.003>.

Juma, G. 2020. *Removal of hydrogen sulfide from biogas using sweet potato 's leaves derived activated carbon*.

Khan, I.U., Othman, Mohd Hafiz Dzarfan Hashim, H., Matsuura, T., Ismail, A.F., Rezaei-DashtArzhandi, M. and Wan Azelee, I. 2017. Biogas as a renewable energy fuel – A review of biogas upgrading, utilisation and storage. *Energy Conversion and Management* 150(May), pp. 277–294. doi: 10.1016/j.enconman.2017.08.035.

Kyotani, T. 2003. *Porous Carbon Pad*. Elsevier Ltd. Available at: <http://dx.doi.org/10.1016/B978-0-08-044163-4.50007-3>.

Laeli kurniasari, Mohammad Djaeni, A.P. 2011. Prospek Aplikasi Produk Berbasis Zeolit untuk Slow Release Substances (SRS) dan Membran. *Artikel Badan Pengkajian dan Penerapan Teknologi Indonesia*, ISSN 13(3), pp. 178–184.

Lestari, D.Y. 2010. Kajian Modifikasi dan Karakterisasi Zeolit Alam dari Berbagai Negara. *Prosiding Seminar Nasional Kimia dan Pendidikan Kimia 2010*, p. 6.

Lestari, R., Ebert, G. and Huyskens-Keil, S. 2013. Fruit Quality Changes of Salak “Pondoh” Fruits (*Salacca zalacca* (Gaertn.) Voss) during Maturation and Ripening. *Journal of Food Research* 2(1), p. 204. doi: 10.5539/jfr.v2n1p204.

Lestari, R.A.S., dan Sediawan, W.B. 2017. PENGHILANGAN ASAM SULFIDA DALAM BIOGAS MENGGUNAKAN BIOFILTER DENGAN BAHAN PENYANGGA BIJI SALAK. disertasi Universitas Gadjah Mada. Yogyakarta.

Lestari, R.A.S., Sediawan, W.B., Syamsiah, S., Sarto and Teixeira, J.A. 2016. Hydrogen sulfide removal from biogas using a salak fruit seeds packed bed reactor with sulfur oxidizing bacteria as biofilm. *Journal of Environmental Chemical Engineering* 4(2), pp. 2370–2377. Available at: <http://dx.doi.org/10.1016/j.jece.2016.04.014>.

Lien, C.-C., Lin, J.-L. and Ting, C.-H. 2014. Water Scrubbing for Removal of Hydrogen Sulfide (H₂S) Inbiogas from Hog Farms. *Journal of*



M. 2016. Activated Carbon from Rubber Wood Sawdust by Carbon Dioxide Activation. *Procedia Engineering* 148, pp. 530–537. Available at: <http://dx.doi.org/10.1016/j.proeng.2016.06.549>.

Md Zaini, M.S. and Hassan, S.S.A.S. 2018. Comparative Effects of Activation by CO₂, Steam and Their Sequential Combinations on the Pore Structure of Carbon Material Produced from ZnCl₂-Treated Oil Palm Kernel Shell. *Recent Innovations in Chemical Engineering (Formerly Recent Patents on Chemical Engineering)* 11(April). doi: 10.2174/2405520411666180427112212.

Mekonnen, D.T., Alemayehu, E. and Lennartz, B. 2021. Fixed-bed column technique for the removal of phosphate from water using leftover coal. *Materials* 14(19). doi: 10.3390/ma14195466.

Mergenthal, M., Tawai, A., Amornraksa, S., Roddecha, S. and Chuetor, S. 2022. Methane enrichment for biogas purification using pressure swing adsorption techniques. *Materials Today: Proceedings* 2022(xxxx). Available at: <https://doi.org/10.1016/j.matpr.2022.08.003>.

Molino, G., Gandiglio, M., Fiorilli, S., Lanzini, A., Drago, D. and Papurello, D. 2022. Design and Performance of an Adsorption Bed with Activated Carbons for Biogas Purification. *Molecules* 27(22). doi: 10.3390/molecules27227882.

Patel, H. 2019. Fixed-bed column adsorption study: a comprehensive review. *Applied Water Science* 9(3). Available at: <https://doi.org/10.1007/s13201-019-0927-7>.

Paul T. Williams and Seril Besler. 1996. 1481(96), pp. 6–7.

Piekarski, J., Dąbrowski, T. and Ignatowicz, K. 2021. Effect of bed height on efficiency of adsorption of odors from sewage sludge using modified biochars from organic waste materials as an adsorbent. *Desalination and Water Treatment* 218, pp. 252–259. doi: 10.5004/dwt.2021.26975.

Polprasert, C. 2015. *Organic Waste Recycling*. doi: 10.2166/9781780402024.

Prasetyo, I., Mukti, N.I.F., Cahyono, R.B., Prasetya, A. and Ariyanto, T. 2020. Nanoporous Carbon Prepared from Palm Kernel Shell for CO₂/CH₄ Separation. *Waste and Biomass Valorization* 11(10), pp. 5599–5606. Available at: <https://doi.org/10.1007/s12649-020-01006-4>.

Purnomo, C.W., Putri, N., Perdana, I. and Hinode, H. 2017. Ethanol Purification Using Activated Natural Zeolite. *Makara Journal of Technology* 21(2), p. 93. doi: 10.7454/mst.v21i2.3086.

Qili, H. 2019. Modifications of Breakthrough Models for Fixed-bed Column and Insights



ENVY ACADEMIA, Vol. 4, No. 1, March 2022, pp. 1-10, DOI: <https://doi.org/10.24054/ENVY.V4I1.10>

modelling study in binary CO₂/CH₄ mixture. *Journal of Environmental Chemical*

<https://doi.org/10.1016/j.jece.2021.106256>.

Sisani, E., Cinti, G., Discepoli, G., PENCHINI, D., Desideri, U. and Marmottini, F. 2014. Adsorptive removal of H₂S in biogas conditions for high temperature fuel cell



- systems. *International Journal of Hydrogen Energy* 39(36), pp. 21753–21766. Available at: <http://dx.doi.org/10.1016/j.ijhydene.2014.07.173>
- Eliminasi Gas H₂S Dalam Biogas dengan Rangkaian Kolom Bahan Isian Karbon Berpori Biji Salak dan Zeolit**
STEFANI MAULIDATURAHMA, Chandrapanyu Purnomo, Vichame, M.Eng., DENG, IPM, Dr. and Ir. Teguh Ariyanti
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>
- Lappas, A.A. 2014. A study of lignocellulosic biomass pyrolysis via the pyrolysis of cellulose, hemicellulose and lignin. *Journal of Analytical and Applied Pyrolysis* 105, pp. 143–150. Available at: <http://dx.doi.org/10.1016/j.jaap.2013.10.013>.
- Sugiarto, S., Oerbandono, T., Widhiyanuriyawan, D. and Permana Putra, F.S. 2013. Purifikasi Biogas Sistem Kontinyu Menggunakan Zeolit. *Rekayasa Mesin* 4(1), pp. 1–10. doi: 10.21776/ub.jrm.
- Sujan, A.R. et al. 2018. High-Temperature Activation of Zeolite-Loaded Fiber Sorbents. *Industrial and Engineering Chemistry Research* 57(34), pp. 11757–11766. doi: 10.1021/acs.iecr.8b02210.
- Sun, Q., Hu, X., Zheng, S., Sun, Z., Liu, S. and Li, H. 2015. Influence of calcination temperature on the structural, adsorption and photocatalytic properties of TiO₂ nanoparticles supported on natural zeolite. *Powder Technology* 274, pp. 88–97. Available at: <http://dx.doi.org/10.1016/j.powtec.2014.12.052>.
- Supriyadi, Suhardi, Suzuki, M., Yoshida, K., Muto, T., Fujita, A. and Watanabe, N. 2002. Changes in the Volatile Compounds and in the Chemical and Ponds during Maturation. *Journal of Agriculture and Food Chemistry* 50(26), pp. 7627–7633.
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J.P., Rodriguez-Reinoso, F., Rouquerol, J. and Sing, K.S.W. 2015. Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and Applied Chemistry* 87(9–10), pp. 1051–1069. doi: 10.1515/pac-2014-1117.
- Tien, C. 2019. *INTRODUCTION TO ADSORPTION Basics, Analysis, and Applications*. doi: 10.1016/b978-0-12-816446-4.09991-7.
- Wahono, S.K. and Rizal, W.A. 2014. Biogas filter based on local natural zeolite materials. *International Journal of Renewable Energy Development* 3(1), pp. 1–5. doi: 10.14710/ijred.3.1.1-5.
- Wahono, S.K., Stalin, J., Addai-Mensah, J., Skinner, W., Vinu, A. and Vasilev, K. 2020. Physico-chemical modification of natural mordenite-clinoptilolite zeolites and their enhanced CO₂ adsorption capacity. *Microporous and Mesoporous Materials* 294(June 2019), p. 109871. Available at: <https://doi.org/10.1016/j.micromeso.2019.109871>.
- Wang, J., Wu, F.A., Wang, M., Qiu, N., Liang, Y., Fang, S.Q. and Jiang, X. 2010. Preparation of activated carbon from a renewable agricultural residue of pruning mulberry shoot. *African Journal of Biotechnology* 9(19), pp. 2762–2767. doi: 10.4314/ajb.v9i19.

Wang, S., Nam, H. and Nam, H. 2020. Preparation of activated carbon from peanut shell with

Eliminasi Gas H₂S Dalam Biogas dengan Rangkaian Kolom Bahan Isian Karbon Berpori Biji Salak dan Zeolit

EVITA MAULIDATURAHMA, Chandra Wahyu Purnomo, S.T., M.E., M.Eng., D.Eng., IPM. ; Dr.-Ing. Ir. Teguh Ariyanti
<https://doi.org/10.1016/j.jtcc.2020.103683>
<https://ojs.umsida.ac.id/index.php/ijcc/article/view/103683>
<https://repository.ugm.ac.id/>

Wantz, E., Benizri, D., Dietrich, N. and Hébrard, G. 2022. Rate-based modeling approach for High Pressure Water Scrubbing with unsteady gas flowrate and multicomponent absorption applied to biogas upgrading. *Applied Energy* 312(October 2021). doi: 10.1016/j.apenergy.2022.118754.

Weitkamp, J. 2000. Defense Technical Information Center Compilation Part Notice solid Zeolites and catalysis. *Solid State Ionics* (131), pp. 175–188. Available at: <https://www.sciencedirect.com/science/article/abs/pii/S0167273800006329>.

Wibowo, W.A., Paryanto, P., Lutfiani, R.A. and Putra, R.M. 2020. Pemurnian Biogas Dari Gas H₂S Menggunakan Karbon Aktif Dari Buah Mangrove. *Jurnal Inovasi Teknik Kimia* 5(1), pp. 2–5. doi: 10.31942/inteka.v5i1.3393.

Xiong, S., Zhuo, J., Zhang, B. and Yao, Q. 2013. Effect of moisture content on the characterization of products from the pyrolysis of sewage sludge. *Journal of Analytical and Applied Pyrolysis* 104(March 2018), pp. 632–639. Available at: <http://dx.doi.org/10.1016/j.jaap.2013.05.003>.

Xu, Z., Cai, J. and Pan, B. 2013. Mathematically modeling fixed-bed adsorption in aqueous systems *. 14(3), pp. 155–176. doi: 10.1631/jzus.A1300029.

Zhang, D., Lin, X., Zhang, Q., Ren, X., Yu, W. and Cai, H. 2020. Catalytic pyrolysis of wood-plastic composite waste over activated carbon catalyst for aromatics production: Effect of preparation process of activated carbon. *Energy* 212, p. 118983. Available at: <https://doi.org/10.1016/j.energy.2020.118983>.

Zhang, T., Walawender, W.P., Fan, L.T., Fan, M., Daugaard, D. and Brown, R.C. 2004. Preparation of activated carbon from forest and agricultural residues through CO₂ activation. *Chemical Engineering Journal* 105(1–2), pp. 53–59. doi: 10.1016/j.cej.2004.06.011.

Zietzschmann, F. 2021. Adsorptive Removal of Pharmaceutically Active Compounds from Wastewater. *Handbook of Environmental Chemistry* 108, pp. 239–267. doi: 10.1007/698_2020_687.

Zulkefli, Nurul Noramelya., Shahbudin, Mohd., Id, Masdar., Nor, Wan., Wan, Roslam., Jahim, Jamaliah., Rejab, Syahril Anuar., and Lye, Chew Chien. 2019. ‘Removal of Hydrogen Sulfide from a Biogas Mimic by Using Impregnated Activated Carbon Adsorbent’, *PlusOne*. doi :10.1371/journal.pone.0211713.