

TABLE OF CONTENTS

TITLE PAGE	i
APPROVAL SHEET	ii
STATEMENT	iii
PREFACE	iv
TABLE OF CONTENTS	v
LIST OF TABLES	vii
LIST OF FIGURES	viii
LIST OF SUPPLEMENTARY MATERIALS	x
LIST OF SYMBOLS AND ABBREVIATIONS	xi
ABSTRACT	xii
CHAPTER I. INTRODUCTION	1
1.1 Background	1
1.2 Objectives	4
1.3 Originality	5
CHAPTER II. LITERATURE REVIEW	6
2.1 Literature Review	6
2.1.1 <i>Phytophthora nicotianae</i>	6
2.1.2 Heart rot in pineapple	8
2.1.3 Population genetics analysis	10
2.2 Theoretical Framework	14
2.3 Hypothesis	15
CHAPTER III. MATERIALS AND METHODS	16
3.1 Sampling Methods	16
3.2 Laboratory Research Methods	17
3.2.1 <i>Phytophthora nicotianae</i> isolation procedure	17
3.2.1.a. Direct isolation from soil	17

3.2.1.b. Soil baiting methods	18
3.2.1.c. Direct isolation from infected tissue.....	18
3.2.2 Morphological identification	19
3.2.3 DNA extraction	19
3.2.4 Molecular Identification	19
3.2.5 Microsatellite marker development	21
3.2.5.a In silico primer design	21
3.2.5.b DNA amplification and sequencing	21
3.2.6 Microsatellite genotyping	22
3.3 Data Analysis	23
3.3.1 Phylogenetic analysis	23
3.3.2 Population clustering analysis	23
3.4 Research Flow	25
CHAPTER IV. RESULTS AND DISCUSSION	26
4.1 <i>Phytophthora</i> sp. Isolation and Identification	26
4.2 Microsatellite Marker Development	37
4.3 Genetic Diversity Analysis	39
CHAPTER V. CONCLUSION AND RECOMMENDATION	49
5.1 Conclusion	49
5.2 Recommendation	49
REFERENCES	51
SUPPLEMENTARY MATERIALS	57

LIST OF TABLES

Table 1. The morphological characteristics of isolates collected in this study ...	27
Table 2. BLAST search results of isolates collected in this study	31
Table 3. Primers constructed for microsatellite analysis	37
Table 4. Selection of microsatellite marker used in this study	39
Table 5. Allelic pattern across population and genotypic diversity statistic of <i>P. nicotianae</i> isolates used in this study	41
Table 6. Multi Locus Genotype (MLG) Frequencies per Population	41
Table 7. Summary of Analysis Molecular Variance	43

LIST OF FIGURES

Figure 1. The morphological characteristics of <i>Phytophthora nicotianae</i>	7
Figure 2. Life cycle of <i>Phytophthora nicotianae</i> (Gallup, et al., 2006).....	8
Figure 3. Pineapple heart rot caused by <i>Phytophthora nicotianae</i> compared by health plants (Green and Nelson, 2015).....	10
Figure 4. Central of pineapple production which use as sampling sites for this study	16
Figure 5. Methods for direct isolation of <i>Phytophthora nicotianae</i> from soil....	17
Figure 6. Methods of isolation of <i>Phytophthora nicotianae</i> using bait leaf.	18
Figure 7. Methods for direct isolation of <i>Phytophthora nicotianae</i> from infected tissue.....	18
Figure 8. Research flow	25
Figure 9. soil baiting method for collecting <i>Phytophthora</i> by submerge the soil in the water and put various kinds of leaves to attract <i>Phytophthora</i> species.....	26
Figure 10. The infected pineapple condition in field showing symptoms of heart rot	27
Figure 11. Morphological characteristics of <i>P. nicotianae</i> . (a) Spherical papillate sporangia; (b) Oogonia with amphigynous antheridia; (c) Hyphal swelling	30
Figure 12. Phylogenetic tree constructed using maximum likelihood algorithm in MEGA X confirmed the identity of collected isolates	38
Figure 13. Phylogenetic analyses of <i>P. nicotianae</i> constructed with Neighbor Joining Algorithm using MEGA X was showed 3 major clades	44
Figure 14. The population structure constructed as minimum spanning network.....	46
Figure 15. (a)Bayesian clustering of <i>P. nicotianae</i> population genotypes based on the admixture ancestry model using STRUCTURE v.2.3.4 estimated population	

structure of *P. nicotianae* on $K = 2$ according to geographical locations. (1)

Central

Lampung, (2) Central Java, (3) Blitar, (4) Pemalang, (5) Punggur, (6) Subang.

(b) Mean likelihood value and delta K plots for each inferred cluster K using

Evanno's method (Evanno et al., 2005). 47

LIST OF SUPPLEMENTARY MATERIALS

S1. NARM media composition (Morita & Tojo, 2007)	58
S2. CMA media composition	59
S3. Infected leaf from soil baiting method after 7 days of incubation	60
S4. Direct isolation from infected tissue	61
S5. Flanking region of microsatellite loci from Tandem Repeat Finder	62
S6. TOPO TA cloning protocol	78
S7. Colony of <i>E. coli</i> carrying plasmid	78
S8. Microsatellite genotype data	79