

References

- Anderson, J. M., Pegg, K. G., Scott, C., Drenth, A., 2012, “Phosphonate applied as a pre-plant dip controls *Phytophthora cinnamomi* root and heart rot in susceptible pineapple hybrids”, *Australasian Plant Pathology*, 41, pp 59–68. doi: 10.1007/s13313-011-0090-6
- Bala, K., Robideau, G.P., Lévesque, C.A., Cock, A.W.A.M., Abad, Z.G., Lodhi, A.M., Shahzad, S., Ghaffar, A. and Coffey, M.D., 2010, “Fungal planet 49. *Phytophthora sindhum*, gen. et sp. nov”. *Persoonia*, 24, pp.136-137.
- Bartolome, A. P., Ruperez, P., Foster, C., 1994, “Pineapple fruit: morphological characteristics, chemical composition and sensory analysis of Red Spanish and Smooth Cayenne cultivars”, *Food Chemistry*, 53(1995), pp. 75-79. doi: 10.1016/0308-8146(95)95790-D
- Bartholomew, D. P., Paull, R. E., Rohrbach, K. G., 2003, “The Pineapple: Botany, Production, and Uses. Departement of Tropical Plant and Soil Science”, CTAHR, University of Hawai’i
- Bebber, D P., Holmes, T., & Gurr, S. J., 2014, “The global spread of crop pests and pathogens”. *Global Ecology and Biogeography*, 23.(12) :1398–1407. doi: 10.1111/geb.12214
- Biasi, A., Martin, F. N., Cacciola, S. O., Di San Lio, G. M., Grunwald, N. J., & Schena, L., 2016, “Genetic Analysis of *Phytophthora nicotianae* Populations from Different Hosts Using Microsatellite Markers”, *Phytopathology*, 106 (9), 1006–1014. doi: 10.1094/PHYTO-11-15-0299-R
- Bikandi, J., San Millán, R., Rementeria, A., and Garaizar, J, 2004, “In Silico analysis of complete bacterial genomes: PCR, AFLP-PCR, and endonuclease restriction”, *Bioinformatics*, 20, pp. 798- 799. doi: 10.1093/bioinformatics/btg491
- Blaha, G., Hall, G., Warokka., J. S., Concibido, E., Ortiz-Garcia, C., 1994, “*Phytophthora* isolates from coconut plantations in Indonesia and Ivory Coast: characterization and identification by morphology and isozymes analysis”. *Mycological Research*. 98. pp. 1379-1389. doi: [10.1016/S0953-7562\(09\)81067-8](https://doi.org/10.1016/S0953-7562(09)81067-8)
- Bonnet, Ph., Lacourt, I., Venard, P., and Ricci, P., 1994, “Diversity in Pathogenicity to Tobacco and in Elicitin Production ang Isolates of *Phytophthora parasitica*”. *Journal of Phytopathology*, 141(1), pp. 25–37 doi: 10.1111/j.1439-0434.1994.tb01442.x
- Bruberg, M. B., Elameen, A., Le, V. H., Naestrad, R., Hermansen, A., Lehtinen, A., Hannukkala, A., Nielsen, B., Hansen, J., Andersson, B., & Yuen, J., 2011, “Genetic Analysis of *Phytophthora infestans* populations in the Nordic European countries reveals high genetic variability”, *Fungal Biology*, 115, pp. 335–324. doi: 10.1016/j.funbio.2011.01.003

- Burgess, T. I., Edwards, J., Drenth, A., Massenbauer, T., Cunnington, J., Mostowfizadeh-Ghahamfarsa, R., Dinh, Q., Liew, E. C. Y., White, D., Scott, P., Barver, P. A., O’Gara, E., Ciampini, J., McDougall, K. L., Tan, Y. P., 2021, “Current status of *Phytophthora* in Australia”, *Persoonia*, 2021: 151-177.
- Charlesworth, B., 2015, “What Use Is Population Genetics?”, *Genetics*, 200, 667–669; doi: 10.1534/genetics.115.178426
- Colas, V., Lacourt, I., Ricci, P., Valenberghe-Masutti, F., Venard, P., Poupet, A., and Panabières, F., 1998, “Diversity of virulence in *Phytophthora parasitica* on tobacco, as reflected by nuclear RFLPs”, *Phytopathology*, 88, pp. 205–212. doi: 10.1094/PHYTO.1998.88.3.205
- Dunstan, W. A., Howard, K., Grigg, A., Shaw, C., Burgess, T. I., Haedy, G. E. St. J., 2020, “Towards Eradication of *Phytophthora cinnamomi* Using a Fallow Approach in a Mediterranean Climate”, *Forest*, 11,1101. doi: 10.3390/f11101101
- Earl, D. A., and Von Holdt, B. M., 2012, “STRUCTURE HARVESTER: a website and program for visualizing STRUCTURE output and implementing the Evanno method”, *Conservation Genetics Resources*, 4, pp. 359–361. doi: 10.1007/s12686-011-9548-7
- Erwin, D. C., and Ribeiro, O. K., 1996, *Phytophthora Disease Worldwide*, Minnesota: APS Press.
- Fry, W. E., and Grünwald, N. J., 2010, “Introduction to Oomycetes”. The Plant Health Instructor. DOI:10.1094/PHI-I-2010-1207-01
- Falush, D., Stephens, M., Pritchard, J. K., 2003, “Inference of Population Structure Using Multilocus Genotype Data: Linked Loci and Correlated Allele Frequencies”, *Genetics*, 164, pp. 1567- 1587. doi: 10.1093/genetics/164.4.1567
- Falush, D., Stephens, M., Pritchard, J. K., 2007, “Inference of population structure using multilocus genotype data: dominant markers and null alleles”, *Molecular Ecology Notes*, 7(4), pp. 574- 578
- Gallup C.A., Sullivan, M., and Shew, H. D., 2006, “Black Shank of tobacco”. Plant Health Instructor doi: 10.1094/PHII-2006-0717-01.
- Gao, F., Chen, C., Li, B., Weng, Q., Chen, Q., 2020, “The Gene Flow Direction of Geographically Distinct *Phytophthora infestans* Populations in China Corresponds With the Route of Seed Potato Exchange *Frontiers in Microbiology*, 11-2020. doi: 10.3389/fmicb.2020.01077
- Green, J., and Nelson, S, 2015, “Heart and root rots of pineapple”. Plant Disease. Collage of Tropical Agriculture and Human Resources University of Hawai’i
- Hadiati, S., dan Indriyani, N. L. P., 2008, *Petunjuk Teknis Budidaya Nenas*, Solok: Balai Penelitian Tanaman Buah Tropika.
- Hall, G., 1993, “An integrated approach to the analysis of variation in *Phytophthora nicotianae* and a redescription of the species”. *Mycological Research*. 97 (5), pp. 559-574. doi: [10.1016/S0953-7562\(09\)81179-9](https://doi.org/10.1016/S0953-7562(09)81179-9)

- Henuk, J. B. D., Sinaga, M. S., and Hidayat, S. H., 2017, "Morphology and molecular identification of fungal pathogens causing gummosis disease of *Citrus* spp. in Indonesia", *Biodiversitas*, 18 (3), pp: 1100-1108. doi: 10.13057/biodiv/d180330
- Hong, C., and Moorman, G., 2005, "Plant pathogens in irrigation water: Challenges and opportunity", *Critical Reviews in Plant Sciences*, 24(3), pp. 189-208
- Hubisz, M. J., Falush, D., Stephens, M., Pritchard, J.K., 2009, "Inferring weak population structure with the assistance of sample group information", *Molecular Ecology Resources*, 9, pp. 1322- 1322. doi: 10.1111/j.1755-0998.2009.02591.x
- Joy, P. P., and Sindhu, G. (2016). Diseases of pineapple (*Annanas comosus*) and their management in *Insect Pests Management of Fruit Crops*, Pandey, A. K., and Mall, P. (eds). New Delhi: Biotech.
- Jakobsson, M., and Rosenberg, N. A., 2007, "CLUMP: a cluster matching and permutation program for dealing with label switching and multimodality in analysis of population structure", *Bioinformatics*, 23(14), pp. 1801–1806. doi: 10.1093/bioinformatics/btm233
- Kamvar, Z. N., Tabima, J. F., and Grünwald, N. J., 2014, "Poppr: an R package for genetic analysis of populations with clonal, partially clonal, and/or sexual reproduction", *Peer J*, 2:e281. doi: 10.7717/peerj.281
- Lee, S. C., Ni, M., Li, W., Shertz, C., and Heitman, J., 2010, "The Evolution of Sex: a Prespective from the Fungal Kingdom", *Microbiology and Molecular Biology Reviews*, 74 (2), pp. 298–340, doi: 10.1128/MMBR.00005-10
- Lees, A. K., Wattier, R., Shaw, D. S., Sullivan, L., Williams, N. A., and Cooke, D. E. L., 2006, "Novel microsatellite markers for the analysis of *Phytophthora infestans* populations", *Plant Pathology*, 55, pp. 311–319. doi: 10.1111/j.1365-3059.2006.01359.x
- Lestari, F. W., Suharjono, Arumingtyas, E. L., 2013, "Phylogenetic Identification of Pathogenic Fungi from Apple in Batu City, Malang, Indonesia", *Advances in Microbiology*, 2013 (3), pp. 69-75
- Lévesque, C. A., and De Cock, A. W. A. M., 2004, "Molecular phylogeny and taxonomy of the genus *Pythium*", *Mycological Research*, 108(12), pp. 1363-1383, doi: 10.1017/S0953756204001431
- Malézieux, E. & Bartholomew, D. P., 2003, In: D. P. Bartholomew, R. Paul & K.G. Rohrbach (Eds.), *The Pineapple: Botany, Production and Uses*. Wallingford, UK: CABI Publishing
- Mammella, M. A., Martin, F. N., Cacciola, S. O., Coffet, M. D., Faedda, R., and Schena, L., 2013, "Analyses of the population structure in a global collection of *Phytophthora nicotianae* isolates inferred from mitochondrial and nuclear DNA sequences", *Phytopathology*, 103 (6), pp. 610–622. doi: 10.1094/PHYTO-10-12-0263-R
- Martin, F. N., and Tooley, P. W., 2003, "Phylogenetic relation-ships among *Phytophthora* species inferred from sequence analysis of the

- mitochondrially encoded cytochrome oxidase I and II genes”, *Mycologia*, 95(2), pp. 269–284.
- Marpaung, A. E, Silalahi, F. H., Purba, E. I. Y., 2010, “Identification of pathogen caused stem rot in citrus in Tanah Karo”, *Jurnal Hortikultura*. 20.
- Maseko, B., Burgess, T., Coutinho, T., and Wingfield., M., 2001, “First report of *Phytophthora nicotianae* associated with *Eucalyptus* die-back in South Africa”, *Plant Pathology*, 50:3, doi: [10.1046/j.1365-3059.2001.00578.x](https://doi.org/10.1046/j.1365-3059.2001.00578.x)
- [McDonald, B. A., and McDermott, J. M., 1993, “Population Genetics of Plant Pathogenic Fungi: Electrophoretic markers give unprecedented precision to analyses of genetics structure of populations”, *BioScience*, 43\(5\), pp. 311-319, doi: 10.2307/1312063](#)
- Milgroom, M. G., and Peever, T. L., 2003, “Population Biology of Plant Pathogens: The Synthesis of Plant Disease Epidemiology and Population Genetics”, *Plant disease*, 87(6), pp. 608–617.
- Meng, Y., Zhang, Q., Ding, W., and Shan, W., 2014, “*Phytophthora parasitica*: a model oomycete plant pathogen”, *Mycology*, 5 (2), pp. 43-51. doi: 10.1080/21501203.2014.917734
- Morita, Y., & Tojo, M., 2007, “Modification of PARP medium using fluazinam, miconazole, and nystatin for detection of *Pythium* spp. in soil”, *Plant Disease*, 91(12), pp. 1591–1599. doi: 10.1094/PDIS-91-12-1591
- Oculi, J., Bua, B., Ocwa, A, 2020, “Reactions of pineapple cultivars to pineapple heart rot disease in central Uganda”, *Crop Protection*, 135, 105213. doi: 10.1016/j.cropro.2020.105213
- Panabières, F., Ali, G. S., Allagui, M. B., Dalio, R. J. D., Gumedstad, N. C., Kuhn, M. L., Guharoy, S., Schena, L., & Zampounis, A., 2016, “*Phytophthora nicotianae* diseases worldwide: new knowledge of a long-recognised pathogen”, *Phytopathologia Mediterranea*, 55(1), pp. 20–40. doi: 10.14601/Phytopathol_Mediterr-16423
- Peakall, R., and Smouse, P. E., 2006, “GENALEX 6.5: genetic analysis in EXCEL. Population genetic software for teaching and research”. *Molecular Ecology Resources*, 6(1), pp. 288–295. doi: 10.1111/j.1471-8286.2005.01155.x
- Peakall, R., & Smouse, P.E., 2012, “GENALEX 6.5: genetic analysis in EXCEL. Population genetic software for teaching and research – an update”. *Bioinformatics*, 28, pp. 2537–2539. doi: 10.1093/bioinformatics/bts460
- Peever, T. L., Olsen, L., Ibañez, A., and Timmer, L. W, 2000, “Genetic Differentiation and host Specificity Among Populations of *Alternaria* spp. Causing Brown Spot of Grapefruit and Tangerine x Grapefruit Hybrids in Florida”, *Phytopathology*, 90 (4), pp. 407–414, doi: 10.1094/PHYTO.2000.90.4.407.
- Ploetz R. C., 2015, “Fusarium wilt od Banana”, *Phytopathology*, 105 (12), pp. 1212-1521, doi: 10.1094/PHYTO-04-15-0101-RVW
- Pritchard, J. K., Stephens, M., and Donnelly, P., 2000, “Inference of population structure using multilocus genotype data”, *Genetics*, 7, pp. 574–578

- Robideau, G. P., de Cock, A. W. A. M., Coffey, M. D., Voglmayr, H., Brouwer, H., Bala, K., Chitty, D. W., Desaulniers, N., Eggertson, Q. A., Gachon, C. M. M., Hu, C., Kupper, F. C., Rintoul, T. L., Sarhan, E., Verstappen, E. C. P., Zhang, Y., Bonants, P. J. M., Ristaino, J. B., and Levesque, C. A., 2011, "DNA barcoding of oomycetes with cytochrome c oxidase subunit I and internal transcribed spacer", *Molecular Ecology Resources*, 11, pp. 1002–1011. doi: 10.1111/j.1755-0998.2011.03041.x.
- Rohrbach, K. G., and Schenck, S., 1985, "Control of pineapple heart rot caused by *Phytophthora parassitica*, *P. cinnamomi*, with metalaxyl, fosetyl Al, and phosphorus acid", *Plant Disease*. 69. 320-323.
- Rodriguez, Y., Mosqueda, M., Campanioni, B., Arzola, M., Borrás, O, Perez, M. C., Lorenzo, J. C., Santos R. 2002. "Bioassay For In Vitro Differentiation Of Pineapple Cultivar Resistance Levels To Heart Rot Disease", *In Vitro Cellular and Developmental Biology—Plant*, 38. Pp. 613-616. doi: 10.1079/IVP2002346
- Rosenberg, N. A., 2004, "DISTRUCT: a program for the graphical display of population structure", *Molecular Ecology Notes*, 4, pp. 137–138. doi: 10.1046/j.1471-8286.2003.00566.x
- Sangchote, S., Poonlpolgul, S., Sdoode, R., Kanjanamaneesathian, M., Baothong, T., and Lumyong, P., 2004, *Phytophthora* diseases in Thailand. In *Diversity and Management of Phytophthora in Southeast Asia*, Drenth, A., and Guest, D. I. (eds), Australian Centre for International Agricultural Research.
- Sjoholm, L., 2012, *How sexual Reproduction Affects the Population Biology of Phytophthora infestans*, Swedish University of Agricultural Sciences, Uppsala.
- Shen, H. F., and Lin, B. R., 2013, "First report of pineapple heart rot caused by *Phytophthora nicotianae* in Hainan Province China", *Plant Disease*, 97(4), pp. 560-560. doi: <http://dx.doi.org/10.1094/PDIS-11-12-1017-PDN>
- Shew, D. and Gallup, C., 2005, "PROTOCOL 01-05.1: Isolation of *Phytophthora nicotianae* from soil, in *Laboratory Protocols for Phytophthora Species*, Ivors, K.L.(ed), Minesota: APS Publication.
- Selkoe, K. A., & Toonen, R. J., 2006, "Microsatellites for ecologist: a practical guide to using and evaluating microsatellite markers", *Ecology Letters*, 9, pp. 615–629. doi: 10.1111/j.14610248.2006.00889.x
- Sunnucks, P., 2000, "Efficient genetic markers for population biology". *Trends in Ecology and Evolution*, 15, 199–203. doi: 10.1016/S0169-5347(00)01825-5
- Susanti, A., 2015. "Outlook Agricultural Commodity in Horticultural Subsector: Pineapple", Center of Data and Agricultural Information, Indonesia Ministry of Agriculture (in Indonesian)
- Tamura. K., Stecher, G., Kumar, S., 2021, "MEGA 11: Molecular Evolutionary Genetics Analysis Version 11", *Molecular Biology and Evolution*, 38(6), pp. 3022- 3027. doi: 10.1093/molbev/msab120
- Thanh, D. V. T., Vien, N. V., and Drenth, A., 2004, *Phytophthora* diseases in Vietnam. In *Diversity and Management of Phytophthora in Southeast Asia*,

- Drenth, A., and Guest, D. I. (eds). Australian Centre for International Agricultural Research.
- Tomura, T., Molii, S. D., Murata, R., Ojika, M., 2017, "Universality of the *Phytophthora* mating hormones and diversity of their production profile", Scientific reports, 7, 5007. doi: 10.1038/s41598-017-05380-3
- Vannini, A., Brown, A., Brasier, C., and Vettraino, A. M., 2009, "The search for *Phytophthora* centers of origin: *Phytophthora* species in mountain ecosystems in Nepal", *Phytophthoras in Forests and Natural Ecosystems*. Pp. 54-55.
- Vermeulen, H., and Bustamam, M., 1977. "Association of *Pythium splendens* with wilting and root rot of Chinese cabbage in Indonesia". Bulletin penelitian hortikultura, pp. 13-17.
- Wang, XL., Yang, RH., Yao, YJ., 2011, "Development of microsatellite markers for *Ophiocordyceps sinensis* (Ophiocordycipitaceae) using an ISSR-TAIL-PCR method", *American Journal of Botany*, 98(12). doi: 10.3732/ajb.1100176
- Ye, J., Coulouris, G., Zaretskaya, I., Cutcutache, I., Rozen, S., Madden, T. L., 2012, "PRIMER BLAST: A tool to design target-specific primers for polymerase chain reaction", *BMC Bioinformatics*, 13 (134), pp. 1-11. doi: 10.1186/1471-2105-13-134
- Yin-Ling, Zhou, W., Motohashi, K., Suga, H., Fukui, H., Kageyama, K., 2009, "Development of microsatellite markers for *Pythium helicoides*: RESEARCH LETTER". *FEMS Microbiology Letter*, 293, pp. 85-91. 10.1111/j.1574-6968.2009.01518.x
- Zhan, J., 2016, "Population Genetics of Plant Pathogens", John Wiley & Sons, Ltd, NJ.