



## DAFTAR PUSTAKA

- Ansari, R., Seyghali, B., Mohammad-khah, A., and Zanjanchi, M.A., 2012, Application of Nano Surfactant Modified Biosorbent as an Efficient Adsorbent for Dye Removal, *Sep. Sci. Technol.*, 47, 1802–1812.
- Anush, S.M. and Vishalakshi, B., 2019, Modified chitosan gel incorporated with magnetic nanoparticle for removal of Cu(II) and Cr(VI) from aqueous solution, *Int. J. Biol. Macromol.*, 133, 1051–1062.
- Bagherian, G., Arab Chamjangali, M., Shariati Evari, H., and Ashrafi, M., 2019, Determination of copper(II) by flame atomic absorption spectrometry after its preconcentration by a highly selective and environmentally friendly dispersive liquid–liquid microextraction technique, *J. Anal. Sci. Technol.*, 10.
- Bo, S., Luo, J., An, Q., Xiao, Z., Wang, H., Cai, W., Zhai, S., and Li, Z., 2020, Efficiently selective adsorption of Pb(II) with functionalized alginate-based adsorbent in batch/column systems: Mechanism and application simulation, *J. Clean. Prod.*, 250, 119585.
- Bombuwala Dewage, N., Fowler, R.E., Pittman, C.U., Mohan, D., and Mlsna, T., 2018, Lead ( $Pb^{2+}$ ) sorptive removal using chitosan-modified biochar: Batch and fixed-bed studies, *RSC Adv.*, 8, 25368–25377.
- Borja-Urzola, A. del C., García-Gómez, R.S., Bernal-González, M., and Durán-Domínguez-de-Bazúa, M. del C., 2021, Chitosan-calcite from shrimp residues: A low-cost adsorbent for three triazines removal from aqueous media, *Mater. Today Commun.*, 26.
- Buszewski, B. and Szultka, M., 2012, Past, Present, and Future of Solid Phase Extraction: A Review, *Crit. Rev. Anal. Chem.*, 42, 198–213.
- Cai, W., Zhu, F., Liang, H., Jiang, Y., Tu, W., Cai, Z., Wu, J., and Zhou, J., 2019, Preparation of thiourea-modified magnetic chitosan composite with efficient removal efficiency for Cr(VI), *Chem. Eng. Res. Des.*, 144, 150–158.
- Camel, V., 2003, *Solid phase extraction of trace elements*, 58, 1177–1233.
- Chen, S., Yan, J., Liu, Y., Wang, C., and Lu, D., 2021, Determination of Mn(II) and Mn(VII) in beverage samples using magnetic dispersive micro-solid phase extraction coupled with solidified floating organic drop microextraction followed by graphite furnace atomic absorption spectrometry, *Food Chem.*, 359, 129958.
- Chitosan, S., Piyamongkala, K., Mekasut, L., and Pongstabodee, S., 2008, Cutting Fluid Effluent Removal by Adsorption on Chitosan and, 16, 492–502.
- Crini, G. and Badot, P.M., 2008, Application of chitosan, a natural aminopolysaccharide, for dye removal from aqueous solutions by adsorption processes using batch studies: A review of recent literature, *Prog. Polym. Sci.*, 33, 399–447.



- Djerahov, L., Vasileva, P., Karadjova, I., Kurakalva, R.M., and Aradhi, K.K., 2016, Chitosan film loaded with silver nanoparticles-sorbent for solid phase extraction of Al(III), Cd(II), Cu(II), Co(II), Fe(III), Ni(II), Pb(II) and Zn(II), *Carbohydr. Polym.*, 1–20.
- Djozan, D., Ali, M., Mohammad, S., and Baheri, T., 2012, Molecularly imprinted-solid phase extraction combined with simultaneous derivatization and dispersive liquid – liquid microextraction for selective extraction and preconcentration of methamphetamine and ecstasy from urine samples followed by gas chromatog, *J. Chromatogr. A*, 1248, 24–31.
- Fadel, M.A., Elmasry, D.M.A., Mohamed, F.H., Badawy, A.M., and Elsamadony, H.A., 2022, Development and validation of UV chromatographic method for quantification of copper and copper nanoparticles in different matrices and pharmaceutical products, *PeerJ Anal. Chem.*, 4, 14.
- Faraji, M., Yamini, Y., and Gholami, M., 2019, Recent Advances and Trends in Applications of Solid-Phase Extraction Techniques in Food and Environmental Analysis, Springer Berlin Heidelberg.
- Fei, J. jun, Wu, X. hong, Sun, Y. lun, Zhao, L. yu, Min, H., Cui, X. bing, Chen, Y. jun, Liu, S., Lian, H. zhen, and Li, C., 2021, Preparation of a novel amino functionalized ion-imprinted hybrid monolithic column for the selective extraction of trace copper followed by ICP-MS detection, *Anal. Chim. Acta*, 1162, 338477.
- Gyu, H., Won, T., Yun, M., and Yoo, I., 2007, Activated carbon-containing alginate adsorbent for the simultaneous removal of heavy metals and toxic organics, 42, 1371–1377.
- Hamid, S.A., Azha, S.F., Sellaoui, L., Bonilla-Petriciolet, A., and Ismail, S., 2020, Adsorption of copper (II) cation on polysulfone/zeolite blend sheet membrane: Synthesis, characterization, experiments and adsorption modelling, *Colloids Surfaces A Physicochem. Eng. Asp.*, 601.
- Haripriyan, U., Gopinath, K.P., and Arun, J., 2022, Chitosan based nano adsorbents and its types for heavy metal removal : A mini review, *Mater. Lett.*, 312, 131670.
- Hosseinzadeh, H. and Ramin, S., 2018, Effective removal of copper from aqueous solutions by modified magnetic chitosan/graphene oxide nanocomposites, *BIOMAC* 9250, 1–33.
- Imran, K., Harinath, Y., Ramesh Naik, B., Sathish Kumar, N., and Seshaiah, K., 2019, A new hybrid sorbent 2,2'-pyridil functionalized SBA-15 (Pyl-SBA-15) synthesis and its applications in solid phase extraction of Cu(II) from water samples, *J. Environ. Chem. Eng.*, 7, 103170.
- Indah, D.R. and Safnowandi, S., 2020, Karakterisasi Karbon Baggase Teraktivasi dan Aplikasinya untuk Adsorpsi Logam Tembaga, *Hydrog. J. Kependidikan Kim.*, 7, 46.



- Indirawati, S., 2017, Pollution of Pb and Cd and Health Complaints to Communities in the Belawan Coastal Area, *J. Jumantik*, 2, 54–60.
- Ji, W., Sun, R., Duan, W., Wang, X., Wang, T., Mu, Y., and Guo, L., 2017, Talanta Selective solid phase extraction of chloroacetamide herbicides from environmental water samples by amphiphilic magnetic molecularly imprinted polymers, *Talanta*, 170, 111–118.
- Jiang, S., Qiao, C., Wang, X., Li, Z., and Yang, G., 2022, Structure and properties of chitosan/sodium dodecyl sulfate composite films, *RSC Adv.*, 12, 3969–3978.
- Jiang, X., An, Q. Da, Xiao, Z.Y., Zhai, S.R., and Shi, Z., 2019, Versatile core/shell-like alginate@polyethylenimine composites for efficient removal of multiple heavy metal ions ( $Pb^{2+}$ ,  $Cu^{2+}$ ,  $CrO_4^{2-}$ ): Batch and fixed-bed studies, *Mater. Res. Bull.*, 118, 110526.
- Josephine, G., Octavianti, N., and Nur, A., 2021, Optimising factors affecting solid phase extraction performances of molecular imprinted polymer as recent sample preparation technique, *Helijon*, 7, 05934.
- Kong, A., He, B., Liu, G., Lu, X., Hao, Y., Bao, X., Yan, F., and Li, J., 2018, A novel green biosorbent from chitosan modified by sodium phytate for copper (II) ion removal, *Polym. Adv. Technol.*, 29, 285–293.
- Kuang, Y., Zhang, X., and Zhou, S., 2020, Adsorption of Methylene Blue in Water onto Activated Carbon by Surfactant Modification, *J. Water*, 1–19.
- Kumar, R., Barakat, M.A., Taleb, M., and Seliem, M.K., 2020, A recyclable multifunctional graphene oxide/SiO<sub>2</sub> polyaniline microspheres composite for Cu(II) and Cr(VI) decontamination from wastewater, *J. Clean. Prod.*, 122290.
- Li, Defu, Ye, Y., Li, Derong, Li, X., and Mu, C., 2016, Biological properties of dialdehyde carboxymethyl cellulose crosslinked gelatin – PEG composite hydrogel fibers for wound dressings, 137, 508–514.
- Liu, S., Tokura, R., Thanh Nguyen, M., Tsukamoto, H., and Yonezawa, T., 2020, Surfactant-stabilized copper particles for low-temperature sintering: Paste preparation using a milling with small zirconia beads: Effect of pre-treatment with the disperse medium, *Adv. Powder Technol.*, 31, 4570–4575.
- Liu, Y., Chen, M., and Yongmei, H., 2013, Study on the adsorption of Cu(II) by EDTA functionalized Fe<sub>3</sub>O<sub>4</sub> magnetic nano-particles, *Chem. Eng. J.*, 218, 46–54.
- De Luna, M.D.G., Capito, J.A., Vilando, A.C., and Lu, M.C., 2020, Effect of EDTA and CH<sub>2</sub>O on copper recovery from simulated electroless copper plating spent rinse water by unseeded fluidized-bed granulation process, *Sep. Purif. Technol.*, 253, 117460.
- Manzoor, K., Ahmad, M., Ahmad, S., and Ikram, S., 2019, Removal of Pb(II) and Cd(II) from wastewater using arginine cross-linked chitosan-carboxymethyl



- cellulose beads as green adsorbent, *RSC Adv.*, 9, 7890–7902.
- Masykur, A., Santosa, S.J., Siswanta, D., and Jumina, 2014, Synthesis of Pb(II) imprinted carboxymethyl chitosan and the application as sorbent for Pb(II) ion, *Indones. J. Chem.*, 14, 152–159.
- Mursida, Tasir, and Sahriawati, 2018, Efektifitas Larutan Alkali pada Proses Deasetilasi, *Jphpi*, 21, 356–366.
- Nadeem, M., Shabbir, M., Abdullah, M.A., Shah, S.S., and Mckay, G., 2009, Sorption of cadmium from aqueous solution by surfactant-modified carbon adsorbents, 148, 365–370.
- Negm, Nabel A, H.E.A., 2010, Modification of heavy metal uptake efficiency by modified chitosan / anionic surfactant systems, *Eng LIfc Sci.*, 10, 218–224.
- Ngeontae, W., Aeungmaitrepirom, W., and Tuntulani, T., 2007, Chemically modified silica gel with aminothioamidoanthraquinone for solid phase extraction and preconcentration of Pb(II), Cu(II), Ni(II), Co(II) and Cd(II), 71, 1075–1082.
- Nicomed, N.R., Otero-Gonzalez, L., Williamson, A., Ok, Y.S., Van Der Voort, P., Hennebel, T., and Du Laing, G., 2022, Selective copper recovery from ammoniacal waste streams using a systematic biosorption process, *Chemosphere*, 286, 8–9.
- Niraula, T.P., Bhattacharai, A., and Chatterjee, S.K., 2014, Sodium dodecylsulphate : A very useful Surfactant for Scientific Investigations Biochemistry, *J. Knowl. Innov.*, 2, 2012–2014.
- Ozdemir, S., Kilinc, E., and Oner, E.T., 2019, Preconcentrations and determinations of copper, nickel and lead in baby food samples employing Coprinus silvaticus immobilized multi-walled carbon nanotube as solid phase sorbent, *Food Chem.*, 276, 174–179.
- Pal, P. and Pal, A., 2017, Surfactant-modified chitosan beads for cadmium ion adsorption, *Int. J. Biol. Macromol.*, 1–8.
- Pan, L., Wang, Z., Zhao, X., and He, H., 2019, Efficient removal of lead and copper ions from water by enhanced strength-toughness alginate composite fibers, *Int. J. Biol. Macromol.*, 134, 223–229.
- Petrović, M., Šoštarić, T., Stojanović, M., Milojković, J., Mihajlović, M., Stanojević, M., and Stanković, S., 2016, Removal of Pb<sup>2+</sup> ions by raw corn silk (*Zea mays* L.) as a novel biosorbent, *J. Taiwan Inst. Chem. Eng.*, 58, 407–416.
- Rohyami, Y., 2013, Penentuan Cu, Cd, dan Pb dengan AAS Menggunakan Solid Phase Extraction, *J. Inov. dan Kewirausahaan*, 2, 19–25.
- Sanagi, M.M., Salleh, S., Ibrahim, W.A.W., Naim, A.A., Hermawan, D., Miskam, M., Hussain, I., and Aboul-Enein, H.Y., 2013, Molecularly imprinted polymer solid-phase extraction for the analysis of organophosphorus



- pesticides in fruit samples, *J. Food Compos. Anal.*, 32, 155–161.
- Sarkar, M. and Majumdar, P., 2011, Application of response surface methodology for optimization of heavy metal biosorption using surfactant modified chitosan bead, *Chem. Eng. J.*, 175, 376–387.
- Shahraki, S., Delarami, H.S., and Khosravi, F., 2019, Synthesis and characterization of an adsorptive Schiff base-chitosan nanocomposite for removal of Pb(II) ion from aqueous media, *Int. J. Biol. Macromol.*, 139, 577–586.
- Shen, X., Qiu, G., Yue, C., Guo, M., and Zhang, M., 2017, Multiple copper adsorption and regeneration by zeolite 4A synthesized from bauxite tailings, *Env. Sci Pollut Res*, 1–7.
- Su, C.K. and Lin, J.Y., 2020, 3D-Printed Column with Porous Monolithic Packing for Online Solid-Phase Extraction of Multiple Trace Metals in Environmental Water Samples, *Anal. Chem.*, 92, 9640–9648.
- Tang, S., Lin, L., Wang, X., Yu, A., and Sun, X., 2021, Interfacial interactions between collected nylon microplastics and three divalent metal ions ( Cu(II), Ni(II), Zn(II) ) in aqueous solutions, *J. Hazard. Mater.*, 403, 123548.
- Tanheita, S.; Zaharah, T.A.; Destiarti, L., 2016, Modifikasi Kitosan dengan Kaolin dan Aplikasinya sebagai Adsorben Timbal(II), *J. JKK*, 5, 33–42.
- Taylor, A.A., Tsuji, J.S., Garry, M.R., Mcardle, M.E., Goodfellow, W.L., Adams, W.J., and Menzie, C.A., 2020, Critical Review of Exposure and Effects : Implications for Setting Regulatory Health Criteria for Ingested Copper, *Environ. Manage.*, 131–159.
- Tokay, F. and Bağdat, S., 2019, Solid phase extraction and preconcentration of some metal ions using Schiff base immobilized silica gel followed by ICP-OES, *Int. J. Environ. Anal. Chem.*, 99, 1528–1539.
- Tu, Z., Lu, S., Chang, X., Li, Z., Hu, Z., Zhang, L., and Tian, H., 2011, Selective solid-phase extraction and separation of trace gold, palladium and platinum using activated carbon modified with ethyl-3-(2-aminoethylamino)-2-chlorobut-2-enoate, *Microchim. Acta*, 173, 231–239.
- Uruş, S., Purtaş, S., Ceyhan, G., and Tümer, F., 2013, Solid phase extraction of Pb(II), Cu(II), Cd(II) and Cr(III) with syringe technique using novel silica-supported bis(diazoimine) ligands, *Chem. Eng. J.*, 220, 420–430.
- Wang, J. and Zhuang, S., 2017, Removal of various pollutants from water and wastewater by modified chitosan adsorbents, *Crit. Rev. Environ. Sci. Technol.*, 47, 2331–2386.
- Wang, Jing, Yang, Q., Zhang, L., Liu, M., Hu, N., Zhang, W., Zhu, W., Wang, R., Suo, Y., and Wang, Jianlong, 2018, A hybrid monolithic column based on layered double hydroxide-alginate hydrogel for selective solid phase extraction of lead ions in food and water samples, *Food Chem.*, 257, 155–162.



UNIVERSITAS  
GADJAH MADA

Sintesis Kitosan Film Termodifikasi Surfaktan Untuk Prekonsentrasi Logam Cu(II) Menggunakan Metode

**Ekstraksi Fasa Padat**

DINI NUR NUHA, Drs. Dwi Siswanta, M.Eng., Ph.D; Dr.rer.nat. Nurul Hidayat Aprilita, S.Si., M.Si

Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Wang, Z., Liao, Y., Liu, J., and Huang, X., 2022, On-site separation and enrichment of heavy metal ions in environmental waters with multichannel in-tip microextraction device based on chitosan cryogel, *Microchem. J.*, 175, 107107.
- Wu, C.Y., Chen, J.R., and Su, C.K., 2021, 4D-Printed Temperature-Controlled Flow-Actuated Solid-Phase Extraction Devices, *Anal. Chem.*, 93, 11497–1505.
- Zhang, L., Zeng, Y., and Cheng, Z., 2016, Removal of heavy metal ions using chitosan and modified chitosan : A review, *J. Mol. Liq.*, 214, 175–191.
- Zhao, Y., Ren, Y., Wang, Xingzu, Xiao, P., Tian, E., Wang, Xiao, and Li, J., 2016, An initial study of EDTA complex based draw solutes in forward osmosis process, *DES*, 378, 28–36.
- Zou, X., Pan, J., Ou, H., Wang, X., Guan, W., Li, C., Yan, Y., and Duan, Y., 2011, Adsorptive removal of Cr(III) and Fe(III) from aqueous solution by chitosan/attapulgite composites: Equilibrium, thermodynamics and kinetics, *Chem. Eng. J.*, 167, 112–121.
- Zu, S., Ahmad, N., Norharyati, W., Salleh, W., Fauzi, A., Yusof, N., Zamri, M., Yusop, M., and Aziz, F., 2020, Chemosphere Adsorptive removal of heavy metal ions using graphene-based nanomaterials : Toxicity, roles of functional groups and mechanisms, *Chemosphere*, 248, 126008.
- Zwir-Ferenc, A. and Biziuk, M., 2006, Solid phase extraction technique - Trends, opportunities and applications, *Polish J. Environ. Stud.*, 15, 677–690.