

DAFTAR PUSTAKA

- Abdelrahman, S. M., R. H. Li, M. Elnahr, M. H. Farouk, and Y. Lou. 2019. Effects of different levels of eucalyptus oil on methane production under *in vitro* conditions. Polish J. Environ. Stud. 28:1031–1042. doi:10.15244/pjoes/86117.
- Al-Suwaiegh, S. B., S. A. Morshedy, A. T. Mansour, M. H. Ahmed, S. M. Zahran, T. M. Alnemr, and S. M. A. Sallam. 2020. Effect of an essential oil blend on dairy cow performance during treatment and post-treatment periods. Sustain. 12:1–16. doi:10.3390/su12219123.
- Angane, M., S. Swift, K. Huang, C. A. Butts, and S. Y. Quek. 2022. Essential oils and their major components: an updated review on antimicrobial activities, mechanism of action and their potential application in the food industry. Foods. 11. doi:10.3390/foods11030464.
- Araujo, R. C., A. V. Pires, G. B. Mourão, A. L. Abdalla, and S. M. A. Sallam. 2011. Use of blanks to determine *in vitro* net gas and methane production when using rumen fermentation modifiers. Anim. Feed Sci. Technol. 166–167:155–162. doi:10.1016/j.anifeedsci.2011.04.009.
- Arisya, W., R. Ridwan, M. Ridla, and A. Jayanegara. 2019. Tannin treatment for protecting feed protein degradation in the rumen *in vitro*. J. Phys. Conf. Ser. 1360:10–15. doi:10.1088/1742-6596/1360/1/012022.
- Aschenbach, J. R., N. B. Kristensen, S. S. Donkin, H. M. Hammon, and G. B. Penner. 2010. Gluconeogenesis in dairy cows: The secret of making sweet milk from sour dough. IUBMB Life. 62:869–877. doi:10.1002/iub.400.
- Astuti, A., Rochijan, B. P. Widyobroto, and C. T. Noviandi. 2022. Nutrient status, hematological and blood metabolite profile of mid-lactating dairy cows during wet and dry seasons raised under Indo tropical environmental conditions. J. Anim. Behav. Biometeorol. 10:1–6. doi:10.31893/jabb.22007.
- Bach, A., S. Calsamiglia, and M. D. Stern. 2005. Nitrogen metabolism in the rumen. J. Dairy Sci. 88:E9–E21. doi:10.3168/jds.S0022-0302(05)73133-7.
- Bakry, A. M., S. Abbas, B. Ali, H. Majeed, M. Y. Abouelwafa, A. Mousa, and L. Liang. 2016. Microencapsulation of oils: a comprehensive review of benefits, techniques, and applications. Compr. Rev. Food Sci. Food Saf. 15:143–182. doi:10.1111/1541-4337.12179.
- Baraz, H., H. Jahani-Azizabadi, and O. Azizi. 2021. Effects of thyme essential oil and disodium fumarate alone or in combination on performance, blood metabolites, ruminal fermentation and microbial communities in holstein Dairy Cows. Iran. J. Appl. Anim. Sci. 11:261–270.
- Baser, K.H.C., & Buchbauer, G. (Eds.). (2015). Handbook of essential oils: Science, Technology, and Applications, Second Edition (2nd ed.).
- Benchaar, C. 2021. Diet supplementation with thyme oil and its main component thymol failed to favorably alter rumen fermentation, improve nutrient utilization, or enhance milk production in dairy cows. J. Dairy Sci. 104:324–336. doi:10.3168/jds.2020-18401.

- Benchaar, C., S. Calsamiglia, A. V. Chaves, G. R. Fraser, D. Colombatto, T. A. McAllister, and K. A. Beauchemin. 2008. A review of plant-derived essential oils in ruminant nutrition and production. *Anim. Feed Sci. Technol.* 145:209–228. doi:10.1016/j.anifeedsci.2007.04.014.
- Benchaar, C., A. Lettat, F. Hassanat, W. Z. Yang, R. J. Forster, H. V Petit, and P. Y. Chouinard. 2012. Eugenol for dairy cows fed low or high concentrate diets : Effects on digestion , ruminal fermentation characteristics , rumen microbial populations and milk fatty acid profile. *Anim. Feed Sci. Technol.* 178:139–150. doi:10.1016/j.anifeedsci.2012.10.005.
- Benchaar, C., H. V. Petit, R. Berthiaume, D. R. Ouellet, J. Chiquette, and P. Y. Chouinard. 2007. Effects of essential oils on digestion, ruminal fermentation, rumen microbial populations, milk production, and milk composition in dairy cows fed alfalfa silage or corn silage. *J. Dairy Sci.* 90:886–897. doi:10.3168/jds.S0022-0302(07)71572-2.
- Bharanidharan, R., S. Arokiyaraj, E. B. Kim, C. H. Lee, Y. W. Woo, Y. Na, D. Kim, and K. H. Kim. 2018. Ruminal methane emissions, metabolic, and microbial profile of Holstein steers fed forage and concentrate, separately or as a total mixed ration. *PLoS One.* 13:1–19. doi:10.1371/journal.pone.0202446.
- Bi, Y., S. Zeng, R. Zhang, Q. Diao, and Y. Tu. 2018. Effects of dietary energy levels on rumen bacterial community composition in Holstein heifers under the same forage to concentrate ratio condition. *BMC Microbiol.* 18:1–11. doi:10.1186/s12866-018-1213-9.
- Björkman, C., and K. Forslund. 1986. Volatile fatty acids in adult and young ruminants: an evaluation of a gas chromatographic method. *J. Dairy Sci.* 69:998–1003. doi:10.3168/jds.S0022-0302(86)80494-5.
- Blanch, M., M. D. Carro, M. J. Ranilla, A. Viso, M. Vázquez-Añón, and A. Bach. 2016. Influence of a mixture of cinnamaldehyde and garlic oil on rumen fermentation, feeding behavior and performance of lactating dairy cows. *Anim. Feed Sci. Technol.* 219:313–323.
- Bokulich, N. A., S. Subramanian, J. J. Faith, D. Gevers, I. Gordon, R. Knight, D. A. Mills, and J. G. Caporaso. 2013. Quality-filtering vastly improves diversity estimates from Illumina amplicon sequencing. 10:57–59. doi:10.1038/nmeth.2276.Quality-filtering.
- Braun, H. S., K. T. Schrapers, K. Mahlkow-Nerge, F. Stumpff, and J. Rosendahl. 2019. Dietary supplementation of essential oils in dairy cows: Evidence for stimulatory effects on nutrient absorption. *Animal.* 13:518–523. doi:10.1017/S1751731118001696.
- Broderick, G. A., and M. K. Clayton. 1997. A statistical evaluation of animal and nutritional factors influencing concentrations of milk urea nitrogen . 2964–2971.
- Buccioni, A., M. Decandia, S. Minieri, G. Molle, and A. Cabiddu. 2012. Lipid metabolism in the rumen: New insights on lipolysis and biohydrogenation with an emphasis on the role of endogenous plant factors. *Anim. Feed Sci. Technol.* 174:1–25. doi:10.1016/j.anifeedsci.2012.02.009.

- Burt, S. 2004. Essential oils: Their antibacterial properties and potential applications in foods - A review. *Int. J. Food Microbiol.* 94:223–253. doi:10.1016/j.ijfoodmicro.2004.03.022.
- Busquet, M., S. Calsamiglia, A. Ferret, and C. Kamel. 2005. Screening for effects of plant extracts and active compounds of plants on dairy cattle rumen microbial fermentation in a continuous culture system. 124:597–613. doi:10.1016/j.anifeedsci.2005.03.008.
- Calsamiglia, S., M. Busquet, P. W. Cardozo, L. Castillejos, and A. Ferret. 2007a. Invited review: Essential oils as modifiers of rumen microbial fermentation. *J. Dairy Sci.* 90:2580–2595. doi:10.3168/jds.2006-644.
- Calsamiglia, S., M. Busquet, P. W. Cardozo, L. Castillejos, and A. Ferret. 2007b. Invited review: Essential oils as modifiers of rumen microbial fermentation. *J. Dairy Sci.* 90:2580–2595. doi:10.3168/jds.2006-644.
- Calsamiglia, S., M. Busquet, P. W. Cardozo, L. Castillejos, and A. Ferret. 2007c. Invited review: Essential oils as modifiers of rumen microbial fermentation. *J. Dairy Sci.* 90:2580–2595. doi:10.3168/jds.2006-644.
- Calsamiglia, S., A. Ferret, C. K. Reynolds, N. B. Kristensen, and A. M. Van Vuuren. 2010. Strategies for optimizing nitrogen use by ruminants. *Animal.* 4:1184–1196. doi:10.1017/S1751731110000911.
- Candelaria-Dueñas, S., R. Serrano-Parrales, M. Ávila-Romero, S. Meraz-Martínez, J. Orozco-Martínez, J. G. Ávila-Acevedo, A. M. García-Bores, C. L. Cespedes-Acuña, I. Peñalosa-Castro, and T. Hernandez-Delgado. 2021. Evaluation of the antimicrobial activity of some components of the essential oils of plants used in the traditional medicine of the tehuacán-cuicatlán valley, puebla, méxico. *Antibiotics.* 10:1–15. doi:10.3390/antibiotics10030295.
- Capetti, F., C. Cagliero, A. Marengo, C. Bicchi, P. Rubiolo, and B. Sgorbini. 2020. Bio-guided fractionation driven by *in vitro* α -amylase inhibition assays of essential oils bearing specialized metabolites with potential hypoglycemic activity. *Plants.* 9:1–17. doi:10.3390/plants9091242.
- Cardoso, I. C., M. J. Nakamura, V. G. Correia, H. M. G. Pereira, M. D. Behrens, and M. R. R. Tappin. 2018. Development, optimization and validation of a GC method by polarity phase constants and statistical design of experiments for the determination of monoterpenes in alpinia zerumbet essential oil. *J. Braz. Chem. Soc.* 29:2254–2265. doi:10.21577/0103-5053.20180102.
- Cavalheiro Junior, E. R., C. C. Serafim, E. R. Rodrigues, G. L. Guerra, J. P. M. do Carmo, T. F. dos Santos, S. M. Simonelli, A. R. Poveda Parra, I. Y. Mizubuti, and O. P. Prado Calixto. 2021. Effect of supplying rosemary (*Rosmarinus officinalis* L.) and garlic (*Allium sativum* L.) essential oils to feedlot lambs on *in vitro* ruminal fermentation. *Front. Anim. Sci.* 2:1–8. doi:10.3389/fanim.2021.764048.
- Chamberlin, A., and JM Wilkinson. 2009. Feeding the dairy cow. 4th ed. Chalcombe publications, UNited Kongdom.
- Chaves, A. V., M. L. He, W. Z. Yang, A. N. Hristov, T. A. McAllister, and C. Benchaar. 2008. Effects of essential oils on proteolytic, deaminative and methanogenic activities of mixed ruminal bacteria. *Can. J. Anim. Sci.* 88:117–122.

doi:10.4141/CJAS07061.

- Chen, X. B., and M. J. Gomes. 1992. Estimation of microbial protein supply to sheep and cattle based on urinary excretion of purine derivatives -an overview of the technical details. 20.
- Chilliard, Y., A. Ferlay, R. M. Mansbridge, and M. Doreau. 2000. Ruminant milk fat plasticity: Nutritional control of saturated, polyunsaturated, trans and conjugated fatty acids. *Anim. Res.* 49:181–205. doi:10.1051/animres:2000117.
- Chouchen, R., K. Attia, C. Darej, and N. Moujahed. 2018. Potential of eucalyptus (*Eucalyptus camaldulensis*) essential oil to modify *in vitro* rumen fermentation in sheep. *J. Appl. Anim. Res.* 46:1220–1225. doi:10.1080/09712119.2018.1486318.
- Cieslak, A., M. Szumacher-Strabel, A. Stochmal, and W. Oleszek. 2013. Plant components with specific activities against rumen methanogens. *Animal*. 7 Suppl 2:253–265. doi:10.1017/S1751731113000852.
- Cobellis, G., A. Petrozzi, C. Forte, G. Acuti, M. Orrù, M. C. Marcotullio, A. Aquino, A. Nicolini, V. Mazza, and M. Trabalza-Marinucci. 2015. Evaluation of the effects of mitigation on methane and ammonia production by using *Origanum vulgare* L. and *Rosmarinus officinalis* L. essential oils on *in vitro* rumen fermentation systems. *Sustain.* 7:12856–12869. doi:10.3390/su70912856.
- Cobellis, G., M. Trabalza-Marinucci, M. C. Marcotullio, and Z. Yu. 2016a. Evaluation of different essential oils in modulating methane and ammonia production, rumen fermentation, and rumen bacteria *in vitro*. 2 3. Available from: <http://www.elsevier.com/open-access/userlicense/1.0/2>
- Cobellis, G., M. Trabalza-Marinucci, M. C. Marcotullio, and Z. Yu. 2016b. Evaluation of different essential oils in modulating methane and ammonia production, rumen fermentation, and rumen bacteria *in vitro*. *Anim. Feed Sci. Technol.* 215:25–36. doi:10.1016/j.anifeedsci.2016.02.008.
- Cobellis, G., Z. Yu, C. Forte, G. Acuti, and M. Trabalza-Marinucci. 2016c. Dietary supplementation of *Rosmarinus officinalis* L. leaves in sheep affects the abundance of rumen methanogens and other microbial populations. *J. Anim. Sci. Biotechnol.* 7:1–8. doi:10.1186/s40104-016-0086-8.
- Colombini, S., A. Rota, P. Parma, M. Iriti, S. Vitalini, C. Sarnataro, and M. Spanghero. 2021. Evaluation of dietary addition of 2 essential oils from *Achillea moschata*, or their components (bornyl acetate, camphor, and eucalyptol) on *in vitro* ruminal fermentation and microbial community composition. *Anim. Nutr.* doi:10.1016/j.aninu.2020.11.001.
- Conte, G., R. Ciampolini, M. Cassandro, E. Lasagna, L. Calamari, U. Bernabucci, and F. Abeni. 2018. Feeding and nutrition management of heat-stressed dairy ruminants. *Ital. J. Anim. Sci.* 17:604–620. doi:10.1080/1828051X.2017.1404944.
- Cox, S. D., C. M. Mann, and J. L. Markham. 2001. Interactions between components of the essential oil of *Melaleuca alternifolia*. doi:10.1046/j.1365-2672.2001.01406.x.
- Cozma, A., D. Miere, L. Filipip, S. Andrei, R. Banc, and F. Loghin. 2013. A review

- of the metabolic origins of milk fatty acids. *Not. Sci. Biol.* 5:270–274. doi:10.15835/nsb539120.
- Danesh Mesgaran, M., M. R. Nazari, A. R. Vakili, J. Falahatizow, and S. Fadaee. 2016. Dose-response effects of various rumen microbial modifier essential oils on protein degradation using *in vitro* gas production technique. *Iran. J. Appl. Anim. Sci.* 6:535–542.
- Danielsson, R., J. Dicksved, L. Sun, H. Gonda, B. Müller, A. Schnürer, and J. Bertilsson. 2017. Methane production in dairy cows correlates with rumen methanogenic and bacterial community structure. 8:1–15. doi:10.3389/fmicb.2017.00226.
- Dewanckele, L., P. G. Toral, B. Vlaeminck, and V. Fievez. 2020. Invited review: Role of rumen biohydrogenation intermediates and rumen microbes in diet-induced milk fat depression: An update. *J. Dairy Sci.* 103:7655–7681. doi:10.3168/jds.2019-17662.
- Domingues, D., M. Mario, D. B. Arrigoni, R. Dias, and L. Pacheco. 2016. *Rumenology*. (M. D. B. A. Danilo Domingues Millen and R. D. L. Pacheco, editors.). Springer Nature, Switzerland.
- Dorman, H. J. D., and S. G. Deans. 2000. Antimicrobial agents from plants: Antibacterial activity of plant volatile oils. *J. Appl. Microbiol.* 88:308–316. doi:10.1046/j.1365-2672.2000.00969.x.
- Duval, S. M., N. R. McEwan, R. C. Graham, R. J. Wallace, and C. J. Newbold. 2007. Effect of a blend of essential oil compounds on the colonization of starch-rich substrates by bacteria in the rumen. *J. Appl. Microbiol.* 103:2132–2141. doi:10.1111/j.1365-2672.2007.03455.x.
- Dziba, L. E., J. O. Hall, and F. D. Provenza. 2006. Feeding behavior of lambs in relation to kinetics of 1,8-cineole dosed intravenously or into the rumen. *J. Chem. Ecol.* 32:391–408. doi:10.1007/s10886-005-9009-4.
- Edgar, R. C. 2004. MUSCLE: Multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Res.* 32:1792–1797. doi:10.1093/nar/gkh340.
- Edgar, R. C. 2013. UPARSE: Highly accurate OTU sequences from microbial amplicon reads. *Nat. Methods.* 10:996–998. doi:10.1038/nmeth.2604.
- Edgar, R. C., B. J. Haas, J. C. Clemente, C. Quince, and R. Knight. 2011. UCHIME improves sensitivity and speed of chimera detection. *Bioinformatics.* 27:2194–2200. doi:10.1093/bioinformatics/btr381.
- Elcoso, G., B. Zweifel, and A. Bach. 2019. Effects of a blend of essential oils on milk yield and feed efficiency of lactating dairy cows. *Appl. Anim. Sci.* 35:304–311. doi:10.15232/aas.2018-01825.
- Erickson, P. S., and K. F. Kalscheur. 2019. Nutrition and feeding of dairy cattle. *Anim. Agric. Sustain. Challenges Innov.* 157–180. doi:10.1016/B978-0-12-817052-6.00009-4.
- Evangelopoulou, G., N. Solomakos, A. Ioannidis, A. Pexara, and A. R. Burriel. 2019. A comparative study of the antimicrobial activity of oregano, rosemary and thyme essential oils against *Salmonella spp.* *Biomed. Res. Clin. Pract.* 4:1–7. doi:10.15761/brcp.1000197.

- Firkins, J. L., Z. Yu, and M. Morrison. 2007. Ruminant nitrogen metabolism: Perspectives for integration of microbiology and nutrition for dairy. *J. Dairy Sci.* 90:E1–E16. doi:10.3168/jds.2006-518.
- Flour-Paneri, P., and E. C. and I. Giannenas. 2019. *Feed Additives (Aromatic Plants and Herbs in Animal Nutrition and Health)*. 1st ed. Academic Press, Elsevier, 125 London wall, London, United Kingdom. Available from: www.elsevier.com/permissions
- Fouts, D. E., S. Szpakowski, J. Purushe, M. Torralba, R. C. Waterman, M. D. MacNeil, L. J. Alexander, and K. E. Nelson. 2012. Next generation sequencing to define prokaryotic and fungal diversity in the bovine rumen. *PLoS One*. 7. doi:10.1371/journal.pone.0048289.
- Gao, W., A. Chen, B. Zhang, P. Kong, C. Liu, and J. Zhao. 2015. Rumen degradability and post-ruminal digestion of dry matter, nitrogen and amino acids of three protein supplements. *Asian-Australasian J. Anim. Sci.* 28:485–493. doi:10.5713/ajas.14.0572.
- Gebeyehu, A., and Y. Mekasha. 2013. Defaunation: effects on feed intake, digestion, rumen metabolism and weight gain. *Wudpecker J. Agric. Res.* ISSN. 2:2315–7259.
- Giannenas, I., J. Skoufos, C. Giannakopoulos, M. Wiemann, O. Gortzi, S. Lalas, and I. Kyriazakis. 2011. Effects of essential oils on milk production, milk composition, and rumen microbiota in Chios dairy ewes. *J. Dairy Sci.* 94:5569–5577. doi:10.3168/jds.2010-4096.
- Giller, K., T. Rilko, E. Manzocchi, S. Hug, R. Bolt, and M. Kreuzer. 2020. Effects of mixed essential oils from eucalyptus, thyme and anise on composition, coagulation properties and antioxidant capacity of the milk of dairy cows. *J. Anim. Feed Sci.* 29:3–10. doi:10.22358/JAFS/118208/2020.
- Gonçalves, S., E. Moreira, C. Grosso, P. B. Andrade, P. Valentão, and A. Romano. 2017. Phenolic profile, antioxidant activity and enzyme inhibitory activities of extracts from aromatic plants used in Mediterranean diet. *J. Food Sci. Technol.* 54:219–227. doi:10.1007/s13197-016-2453-z.
- Griffin, S. G., S. G. Wyllie, J. L. Markham, and D. N. Leach. 1999. The role of structure and molecular properties of terpenoids in determining their antimicrobial activity { . 332:322–332.
- Gunal, M., A. Ishlak, A. A. Abughazaleh, and W. Khattab. 2014. Essential oils effect on rumen fermentation and biohydrogenation under *in vitro* conditions. 2014:450–459.
- Günel, M., B. Pinski, and A. A. AbuGhazaleh. 2017. Evaluating the effects of essential oils on methane production and fermentation under *in vitro* conditions. *Ital. J. Anim. Sci.* 16:500–506. doi:10.1080/1828051X.2017.1291283.
- Haas, B. J., D. Gevers, A. M. Earl, M. Feldgarden, D. V. Ward, G. Giannoukos, D. Ciulla, D. Tabbaa, S. K. Highlander, E. Sodergren, B. Methé, T. Z. DeSantis, J. F. Petrosino, R. Knight, and B. W. Birren. 2011. Chimeric 16S rRNA sequence formation and detection in Sanger and 454-pyrosequenced PCR

amplicons. *Genome Res.* 21:494–504. doi:10.1101/gr.112730.110.

Hadianto, I., L. M. Yusiati, Z. Bachruddin, B. Suhartanto, and C. Hanim. 2019. Effect of cinnamon bark meal (*Cinnamomum burmanni* Ness ex Bl) addition as cinnamaldehyde source on *in vitro* nutrient digestibility. *IOP Conf. Ser. Earth Environ. Sci.* 387. doi:10.1088/1755-1315/387/1/012058.

Hadianto, I., L. M. Yusiati, Z. Bachrudin, B. Suhartanto, C. Hanim, and A. Kurniawati. 2020. Effect of cinnamon bark meal (*Cinnamomun burmanni ness ex bl*) on *in vitro* methane production and rumen methanogens Diversity. *IOP Conf. Ser. Earth Environ. Sci.* 478. doi:10.1088/1755-1315/478/1/012027.

Harrold, M. W., and R. M. Zavod. 2014. Basic concepts in medicinal chemistry. *Drug Dev. Ind. Pharm.* 40:988–988. doi:10.3109/03639045.2013.789908.

Hart, E. H., C. J. Creevey, T. Hitch, and A. H. Kingston-Smith. 2018. Meta-proteomics of rumen microbiota indicates niche compartmentalisation and functional dominance in a limited number of metabolic pathways between abundant bacteria. *Sci. Rep.* 8:1–11. doi:10.1038/s41598-018-28827-7.

Hart, K. J., H. G. Jones, K. E. Waddams, H. J. Worgan, B. Zweifel, and C. J. Newbold. 2019. An essential oil blend decreases methane emissions and increases milk yield in dairy cows. 259–267. doi:10.4236/ojas.2019.93022.

Hartinger, T., N. Gresner, and K. H. Südekum. 2018. Does intra-ruminal nitrogen recycling waste valuable resources? A review of major players and their manipulation. *J. Anim. Sci. Biotechnol.* 9. doi:10.1186/s40104-018-0249-x.

Hassan, F. U., M. A. Arshad, H. M. Ebeid, M. S. ur Rehman, M. S. Khan, S. Shahid, and C. Yang. 2020. Phytogenic additives can modulate rumen microbiome to mediate fermentation kinetics and methanogenesis through exploiting diet–microbe interaction. *Front. Vet. Sci.* 7. doi:10.3389/fvets.2020.575801.

Henke, A., U. Dickhoefer, E. Westreicher-Kristen, K. Knappstein, J. Molkentin, M. Hasler, and A. Susenbeth. 2017. Effect of dietary Quebracho tannin extract on feed intake, digestibility, excretion of urinary purine derivatives and milk production in dairy cows. *Arch. Anim. Nutr.* 71:37–53. doi:10.1080/1745039X.2016.1250541.

Hosseini Jahani-Azizabadi. 2011. Effect of various medicinal plant essential oils obtained from semi-arid climate on rumen fermentation characteristics of a high forage diet using *in vitro* batch culture. *African J. Microbiol. Res.* 5. doi:10.5897/ajmr11.575.

Hristov, A. N., and J. K. Ropp. 2003. Effect of dietary carbohydrate composition and availability on utilization of ruminal ammonia nitrogen for milk protein synthesis in dairy cows. *J. Dairy Sci.* 86:2416–2427. doi:10.3168/jds.S0022-0302(03)73836-3.

Irawan, A., C. Hidayat, A. Jayanegara, and A. Ratriyanto. 2021. Essential oils as growth-promoting additives on performance, nutrient digestibility, cecal microbes, and serum metabolites of broiler chickens: a meta-analysis. 34:1499–1513.

Ishler, V., J. Heinrichs, and G. Varga. 1996. From Feed To Milk: Rumen Function. 1–20 <http://extension.psu.edu/animals/dairy/nutrition/nutrition-and->

feeding/rumen-function/from-feed-to-milk-understanding-rumen-function

- Jafari, S., M. Ebrahimi, Y. M. Goh, M. A. Rajion, M. F. Jahromi, and W. S. Al-Jumaili. 2019. Manipulation of rumen fermentation and methane gas production by plant secondary metabolites (saponin, tannin and essential oil) - A review of ten-year studies. *Ann. Anim. Sci.* 19:3–29. doi:10.2478/aoas-2018-0037.
- Jain, S., A. Caforio, and A. J. M. Driessen. 2014. Biosynthesis of *Archaeal* membrane ether lipids. *Front. Microbiol.* 5:1–16. doi:10.3389/fmicb.2014.00641.
- Jami, E., B. A. White, and I. Mizrahi. 2014. Potential role of the bovine rumen microbiome in modulating milk composition and feed efficiency. *PLoS One*. 9. doi:10.1371/journal.pone.0085423.
- Janssen, P. H., and M. Kirs. 2008. Structure of the archaeal community of the rumen. *Appl. Environ. Microbiol.* 74:3619–3625. doi:10.1128/AEM.02812-07.
- Jarrell, K. F., Y. Ding, D. B. Nair, and S. Siu. 2013. Surface appendages of archaea: Structure, function, genetics and assembly. *Life*. 3:86–117. doi:10.3390/life3010086.
- Jayanegara, A. 2013. Ruminal biohydrogenation pattern of poly-unsaturated fatty acids. 23:2007–2013.
- Jensen, R. G. 2002. The composition of bovine milk lipids: January 1995 to December 2000. *J. Dairy Sci.* 85:295–350. doi:10.3168/jds.S0022-0302(02)74079-4.
- Joch, M., V. Kudrna, J. Hakl, M. Božik, P. Homolka, J. Illek, Y. Tyrolová, and A. Výborná. 2019. *In vitro* and *in vivo* potential of a blend of essential oil compounds to improve rumen fermentation and performance of dairy cows. *Anim. Feed Sci. Technol.* 251:176–186.
- Joch, M., J. Mrázek, E. Skřivanová, L. Čermák, and M. Marounek. 2018. Effects of pure plant secondary metabolites on methane production, rumen fermentation and rumen bacteria populations *in vitro*. *J. Anim. Physiol. Anim. Nutr. (Berl)*. 102:869–881. doi:10.1111/jpn.12910.
- Jouany, J. P., and D. P. Morgavi. 2007. Use of “natural” products as alternatives to antibiotic feed additives in ruminant production. *Animal*. 1:1443–1466. doi:10.1017/S1751731107000742.
- Kahvand, M., and M. Malecky. 2018. Dose-response effects of sage (*Salvia officinalis*) and yarrow (*Achillea millefolium*) essential oils on rumen fermentation *in vitro*. *Ann. Anim. Sci.* 18:125–142. doi:10.1515/aoas-2017-0024.
- Khateri, N., O. Azizi, and H. Jahani-Azizabadi. 2017. Effects of a specific blend of essential oils on apparent nutrient digestion, rumen fermentation and rumen microbial populations in sheep fed a 50:50 alfalfa hay:concentrate diet. *Asian-Australasian J. Anim. Sci.* 30:370–378. doi:10.5713/ajas.15.0865.
- Kholif, A. E., A. A. Hassan, G. M. El Ashry, M. H. Bakr, H. M. El-Zaiat, O. A. Olafadehan, O. H. Matloup, and S. M. A. Sallam. 2020. Phytogetic feed additives mixture enhances the lactational performance, feed utilization and ruminal fermentation of Friesian cows. *Anim. Biotechnol.* 0:1–11.

- Kholif, A. E., O. H. Matloup, T. A. Morsy, M. M. Abdo, A. A. A. Elella, U. Y. Anele, and K. C. Swanson. 2019. Rosemary and lemongrass herbs as phytogenic feed additives to improve efficient feed utilization, manipulate rumen fermentation and elevate milk production of Damascus goats. *Livest. Sci.* 204:39–46. doi:10.1016/j.livsci.2017.08.001.
- Kim, H., E. Jung, H. G. Lee, B. Kim, S. Cho, S. Lee, I. Kwon, and J. Seo. 2019. Essential oil mixture on rumen fermentation and microbial community - An *in vitro* study. *Asian-Australasian J. Anim. Sci.* 32:808–814.
- Kim, J. N., C. Méndez–García, R. R. Geier, M. Iakiviak, J. Chang, I. Cann, and R. I. Mackie. 2017. Metabolic networks for nitrogen utilization in *Prevotella ruminicola* 23. *Sci. Rep.* 7:1–11. doi:10.1038/s41598-017-08463-3.
- Kim, M. J., U. S. Jung, S. W. Jeon, J. S. Lee, W. S. Kim, S. B. Lee, Y. C. Kim, B. Y. Kim, T. Wang, and H. G. Lee. 2016. Improvement of milk fatty acid composition for production of functional milk by dietary phytoncide oil extracted from discarded pine nut cones (*Pinus koraiensis*) in holstein dairy cows. *Asian-Australasian J. Anim. Sci.* 29:1734–1741.
- Klevenhusen, F., A. Muro-Reyes, R. Khiaosa-ard, B. U. Metzler-Zebeli, and Q. Zebeli. 2012. A meta-analysis of effects of chemical composition of incubated diet and bioactive compounds on *in vitro* ruminal fermentation. *Anim. Feed Sci. Technol.* 176:61–69. doi:10.1016/j.anifeedsci.2012.07.008.
- Klop, G., J. Dijkstra, K. Dieho, W. H. Hendriks, and A. Bannink. 2017. Enteric methane production in lactating dairy cows with continuous feeding of essential oils or rotational feeding of essential oils and lauric acid. *J. Dairy Sci.* 100:3563–3575. doi:10.3168/jds.2016-12033.
- Kong, F., S. Wang, Z. Cao, Y. Wang, S. Li, and W. Wang. 2022a. *In vitro* fermentation and degradation characteristics of rosemary extract in total mixed ration of lactating dairy cows. *fermentation*. 8. doi:10.3390/fermentation8090461.
- Kong, F., S. Wang, D. Dai, Z. Cao, Y. Wang, S. Li, and W. Wang. 2022b. Preliminary investigation of the effects of rosemary extract supplementation on milk production and rumen fermentation in high-producing dairy cows. *Antioxidants*. 11:1715. doi:10.3390/antiox11091715.
- Koniev, O., and A. Wagner. 2015. Developments and recent advancements in the field of endogenous amino acid selective bond forming reactions for bioconjugation. *Chem. Soc. Rev.* 44:5495–5551. doi:10.1039/c5cs00048c.
- Kurniawati, A., W. E. Saputra, L. Mahardillah, C. Hanim, and L. M. Yusiati. 2020. Nutrient digestibility on ruminal fermentation *in vitro* with addition of rumen modifier based on Clove (*Syzygium aromaticu* . L.) and Fennel (*Foeniculum vulgare* . Mill.) essential oil . *IOP Conf. Ser. Earth Environ. Sci.* 425:012085. doi:10.1088/1755-1315/425/1/012085.
- Kurniawati, A., W. Widodo, W. T. Artama, and L. M. Yusiati. 2018. Effects of four essential oils on nutrients digestibility of *in vitro* ruminal fermentation. *Bul. Peternak*. 42:122–126. doi:10.21059/buletinpeternak.v42i2.33522.
- Larry R. Engelking. 2015. Textbook of veterinary physiological chemistry. I. Elsevier, School of Veterinary Medicine Tufts University.

- Le, T. B., C. Beaufay, N. Bonneau, M.-P. Mingeot-Leclercq, and J. Quetin-Leclercq. 2018. Anti-protozoal activity of essential oils and their constituents against *Leishmania*, *Plasmodium* and *Trypanosoma*. *Phytochimie*. 18–1:1–33. Available from: <https://www.openscience.fr/Activite-anti-protozoaire-des-huiles-essentiell-es-et-de-leurs-constituants>
- Lee, S. S., D. H. Kim, D. H. V. Paradhita, H. J. Lee, H. Yoon, Y. H. Joo, A. T. Adesogan, and S. C. Kim. 2020. Effects of wormwood (*Artemisia montana*) essential oils on digestibility, fermentation indices, and microbial diversity in the rumen. *Microorganisms*. 8:1–16. doi:10.3390/microorganisms8101605.
- Lely, N., F. Nurhasana, and M. Azizah. 2017. Aktivitas Antibakteri Minyak Atsiri Rimpang Lengkuas Merah (*Alpinia purpurata* K. Schum) Terhadap Bakteri Penyebab Diare. *Sci. J. Farm. dan Kesehat*. 7:42.
- Lennarz, W. J. 1966. Lipid metabolism in the bacteria. Academic press inc. Available from: <http://dx.doi.org/10.1016/B978-1-4831-9940-5.50012-0>
- Li, L., Z. W. Li, Z. Q. Yin, Q. Wei, R. Y. Jia, L. J. Zhou, J. Xu, X. Song, Y. Zhou, Y. H. Du, L. C. Peng, S. Kang, and W. Yu. 2014. Antibacterial activity of leaf essential oil and its constituents from *Cinnamomum longepaniculatum*. *Int. J. Clin. Exp. Med*. 7:1721–1727.
- Lio, J., and T. Wang. 2012. Solid-state fermentation of soybean and corn processing coproducts for potential feed improvement. *J. Agric. Food Chem*. 60:7702–7709. doi:10.1021/jf301674u.
- Liu, J., C. Du, H. T. Beaman, and M. B. B. Monroe. 2020. Characterization of phenolic acid antimicrobial and antioxidant structure–property relationships. *Pharmaceutics*. 12. doi:10.3390/pharmaceutics12050419.
- Lock, A. L., and D. E. Bauman. 2004. Modifying milk fat composition of dairy cows to enhance fatty acids beneficial to human health. *Lipids*. 39:1197–1206. doi:10.1007/s11745-004-1348-6.
- Lock, A. L., K. J. Harvatine, J. K. Drackley, and D. E. Bauman. 2006. Concepts in fat and fatty acid digestion in ruminants. *Proc Intermt. Nutr Conf*. 85–100. http://www.ansci.cornell.edu/bauman/cia/conference_proceedings/articles/2006_Lock_et_al_InMtNC.pdf
- Lourenço, M., P. W. Cardozo, S. Calsamiglia, and V. Fievez. 2008. Effects of saponins, quercetin, eugenol, and cinnamaldehyde on fatty acid biohydrogenation of forage polyunsaturated fatty acids in dual-flow continuous culture fermenters. *J. Anim. Sci*. 86:3045–3053. doi:10.2527/jas.2007-0708.
- Lourenço, M., E. Ramos-Morales, and R. J. Wallace. 2010a. The role of microbes in rumen lipolysis and biohydrogenation and their manipulation. *Animal*. 4:1008–1023. doi:10.1017/S175173111000042X.
- Lourenço, M., E. Ramos-Morales, and R. J. Wallace. 2010b. The role of microbes in rumen lipolysis and biohydrogenation and their manipulation. *Animal*. 4:1008–1023. doi:10.1017/S175173111000042X.
- Machado, M., A. M. Dinis, M. Santos-Rosa, V. Alves, L. Salgueiro, C. Cavaleiro, and M. C. Sousa. 2014. Activity of *Thymus capitellatus* volatile extract, 1,8-cineole and borneol against *Leishmania* species. *Vet. Parasitol*. 200:39–49.

- Macheboeuf, D., D. P. Morgavi, Y. Papon, J. L. Mousset, and M. Arturo-Schaan. 2008. Dose-response effects of essential oils on *in vitro* fermentation activity of the rumen microbial population. *Anim. Feed Sci. Technol.* 145:335–350. doi:10.1016/j.anifeedsci.2007.05.044.
- Maglione, G., I. National, and D. Wilson. 1992. Properties of a Genetically Reconstructed *Prevotella ruminicola* Endoglucanase. doi:10.1128/AEM.58.11.3593-3597.1992.
- Magoč, T., and S. L. Salzberg. 2011. FLASH: Fast length adjustment of short reads to improve genome assemblies. *Bioinformatics.* 27:2957–2963. doi:10.1093/bioinformatics/btr507.
- Mahae, N., and S. Chaiseri. 2009. Antioxidant Activities and Antioxidative Components in Extracts of *Alpinia galanga* (L.) Sw. *Kasetsart J. - Nat. Sci.* 43:358–369.
- Mahanani, M. M. P., A. Kurniawati, C. Hanim, M. A. Anas, and L. M. Yusiati. 2020. Effect of (*leucaena leucocephala*) leaves as tannin source on rumen microbial enzyme activities and *in vitro* gas production kinetics. *IOP Conf. Ser. Earth Environ. Sci.* 478. doi:10.1088/1755-1315/478/1/012088.
- Mair, B., M. Drillich, D. Klein-Jöbstl, P. Kanz, S. Borchardt, L. Meyer, I. Schwendenwein, and M. Iwersen. 2016. Glucose concentration in capillary blood of dairy cows obtained by a minimally invasive lancet technique and determined with three different hand-held devices. *BMC Vet. Res.* 12:1–12. doi:10.1186/s12917-016-0662-3.
- McDonald, P., R. A. Edwards, J. F. D. Greenhalgh, C. A. Morgan, L. A. Sinclair, and R. G. Wilkinson. 2010. *Animal Nutrition*. 7th ed. Pearson, Edinburg, UK.
- Mendoza, G. D. 2003. Starch digestion and glucose metabolism in the ruminant: a review Starch digestion in the ruminant jaguar management and conservation in northeast méxico view project growth parameters of black spiny-tailed iguana (*Ctenosaura pectinata*). View project. Available from: <https://www.researchgate.net/publication/236587932>
- Menon, A. N. 2006. Chemical composition of the volatile oils of alpinia galanga plant parts from Kerala. *J. Essent. Oil-Bearing Plants.* 9:277–282. doi:10.1080/0972060X.2006.10643504.
- Ministry of Trade, R. I. 2011. *Indonesian Essential Oils : The Scents of Natural Life*. Indonesia. *Essent. Oil Secents Nat. Life.* 1st:52.
- Moharrery, A., and T. K. Das. 2001. Correlation between microbial enzyme activities in the rumen fluid of sheep under different treatments. *Reprod. Nutr. Dev.* 41:513–529. doi:10.1051/rnd:2001106.
- Munyanenza, N., J. Niyukuri, and Y. El Hachimi. 2017. Milk urea nitrogen as an indicator of nitrogen metabolism efficiency in dairy cows: a review. *Theriogenology Insight - An Int. J. Reprod. all Anim.* 7:145..
- Nafikov, R. A., and D. C. Beitz. 2007. Carbohydrate and lipid metabolism in farm animals. *J. Nutr.* 137:702–705. doi:10.1093/jn/137.3.702.
- Naldi, Y., and I. S. Aisah. 2015. Perbandingan efektivitas lengkuas merah (*Alpinia purpurata k schum*) dan lengkuas putih (*Alpinia galanga*) terhadap

pertumbuhan jamur *Candida albicans* secara *in vitro*. Tunas medika Jurnal kedokteran dan kesehatan. Vol 1. No.2

- De Nardi, R., G. Marchesini, S. Li, E. Khafipour, K. J. C. Plaizier, M. Gianesella, R. Ricci, I. Andrighetto, and S. Segato. 2016. Metagenomic analysis of rumen microbial population in dairy heifers fed a high grain diet supplemented with dicarboxylic acids or polyphenols. *BMC Vet. Res.* 12. doi:10.1186/s12917-016-0653-4.
- Nehme, R., S. Andrés, R. B. Pereira, M. Ben Jemaa, S. Bouhallab, F. Ceciliani, S. López, F. Z. Rahali, R. Ksouri, D. M. Pereira, and L. Abdennebi-najar. 2021. Essential oils in livestock: From health to food quality. *Antioxidants*. 10:1–42. doi:10.3390/antiox10020330.
- Newbold, C. J., G. De la Fuente, A. Belanche, E. Ramos-Morales, and N. R. McEwan. 2015. The role of ciliate protozoa in the rumen. *Front. Microbiol.* 6:1–14. doi:10.3389/fmicb.2015.01313.
- Newbold, C J, F. M. McIntosh, P. Williams, R. Losa, and R. J. Wallace. 2004. Effects of a specific blend of essential oil compounds on rumen fermentation. 114:105–112. doi:10.1016/j.anifeedsci.2003.12.006.
- Newbold, C. J., F. M. McIntosh, P. Williams, R. Losa, and R. J. Wallace. 2004. Effects of a specific blend of essential oil compounds on rumen fermentation. *Anim. Feed Sci. Technol.* 114:105–112.
- Nooriyan Soroor, M. E., and Y. Rouzbehan. 2017. Effect of essential oils of eucalyptus (*Eucalyptus globulus labill*) and angelica (*Heracleum persicum desf. ex fischer*) on *in vitro* ruminal fermentation, protozoal population and methane emission using afshari sheep inoculum. *J. Agric. Sci. Technol.* 19:553–567.
- Nousiainen, J., K. J. Shingfield, and P. Huhtanen. 2004. Evaluation of milk urea nitrogen as a diagnostic of protein feeding. *J. Dairy Sci.* 87:386–398. doi:10.3168/jds.S0022-0302(04)73178-1.
- Oh, J., M. Harper, and A. N. Hristov. 2019. Effects of lowering crude protein supply alone or in a combination with essential oils on productivity, rumen function and nutrient utilization in dairy cows. *Animal*. 13:2510–2518. doi:10.1017/S1751731119001083.
- Oharrerya, A. M., and T. K. D. Asb. 2002. Original article Correlation between microbial enzyme activities in the rumen fluid of sheep under different treatments. 41:513–529.
- Osorio, J. S., J. Lohakare, and M. Bionaz. 2016. Biosynthesis of milk fat, protein, and lactose: Roles of transcriptional and posttranscriptional regulation. *Physiol. Genomics*. 48:231–256. doi:10.1152/physiolgenomics.00016.2015.
- Owens, F. N., and M. Basalan. 2016. Ruminal fermentation. In: Danilo Domingues Millen, Mario De Beni Arrigoni, and Rodrigo Dias Lauritano Pacheco, editors. *Rumenology*. Vol. 1. 1st ed. Springer International Publishing, Switzerland. p. 63–102.
- Özgüven, M., G. Gülseren, and J. Müller. 2019. Investigation of the efficiency of drying conditions for essential oil production from aromatic plants. *Makara J. Sci.* 23. doi:10.7454/mss.v23i3.11262.

- Park, T., H. Mao, and Z. Yu. 2019. Inhibition of rumen protozoa by specific inhibitors of lysozyme and peptidases *in vitro*. *Front. Microbiol.* 10:1–13. doi:10.3389/fmicb.2019.02822.
- Pastorini, M., N. Pomiés, J. L. Repetto, A. Mendoza, and C. Cajarville. 2019. Productive performance and digestive response of dairy cows fed different diets combining a total mixed ration and fresh forage. *J. Dairy Sci.* 102:4118–4130. doi:10.3168/jds.2018-15389.
- Patra, A. K. 2012. Dietary phytochemicals and microbes. *Diet. Phytochem. Microbes.* 9789400739:1–400. doi:10.1007/978-94-007-3926-0.
- Patra, A. K., and Z. Yu. 2015. Essential oils affect populations of some rumen bacteria *in vitro* as revealed by microarray (RumenBactArray) analysis. *Front. Microbiol.* 6:1–13. doi:10.3389/fmicb.2015.00297.
- Pereira, A. M., M. de Lurdes Nunes Enes Dapkevicius, and A. E. S. Borba. 2022. Alternative pathways for hydrogen sink originated from the ruminal fermentation of carbohydrates: Which microorganisms are involved in lowering methane emission? *Anim. Microbiome.* 4:1–13. doi:10.1186/s42523-021-00153-w.
- Plumeriastuti, H., B. Budiastuti, M. Effendi, and B. Budiarto. 2019. Identification of bioactive compound of the essential oils of *Cinnamomum burmannii* from several areas in Indonesia by gas chromatography-mass spectrometry method for antidiabetic potential. *Natl. J. Physiol. Pharm. Pharmacol.* 9:1. doi:10.5455/njppp.2019.9.1236702022019.
- Prakatthagomol, W., S. Klayraung, and S. Okonogi. 2011. Bactericidal action of *Alpinia galanga* essential oil on food-borne bacteria. *Drug Discov. Ther.* 5:84–89. doi:10.5582/ddt.2011.v5.2.84.
- Qin, L., W. C. Li, L. Liu, J. Q. Zhu, X. Li, B. Z. Li, and Y. J. Yuan. 2016. Inhibition of lignin-derived phenolic compounds to cellulase. *Biotechnol. Biofuels.* 9:1–10. doi:10.1186/s13068-016-0485-2.
- Raina, V. K., S. K. Srivastava, and K. V. Syamasunder. 2002. The essential oil of “greater galangal” [*Alpinia galanga* (L.) Willd.] from the lower Himalayan region of India. *Flavour Fragr. J.* 17:358–360. doi:10.1002/ffj.1105.
- Rajkumari, S., and K. Sanatombi. 2018. Nutritional value, phytochemical composition, and biological activities of edible *Curcuma* species: A review. *Int. J. Food Prop.* 20:S2668–S2687. doi:10.1080/10942912.2017.1387556.
- Rana, V. S., M. Verdeguer, and M. A. Blazquez. 2010. GC and GC/MS Analysis of the volatile constituents of the oils of *Alpinia galanga* (L.) Willd and *A. Officinarum* Hance Rhizomes. *J. Essent. Oil Res.* 22:521–524.
- Ravindran, P. N., G. S. Pillai, I. Balachandran, and M. Divakaran. 2012. Galangal. *Handb. Herbs Spices Second Ed.* 2:303–318. doi:10.1533/9780857095688.303.
- Rawel, H. M., K. Meidtner, and J. Kroll. 2005. Binding of selected phenolic compounds to proteins. *J. Agric. Food Chem.* 53:4228–4235. doi:10.1021/jf0480290.
- Ren, H., X. Su, H. Bai, Y. Yang, H. Wang, Z. Dan, J. Lu, S. Wu, C. Cai, Y. Cao, X.

- Lei, and J. Yao. 2019. Specific enrichment of microbes and increased ruminal propionate production: the potential mechanism underlying the high energy efficiency of Holstein heifers fed steam-flaked corn. *AMB Express*. 9. doi:10.1186/s13568-019-0937-8.
- Righi, F., M. Simoni, A. Foskolos, V. Beretti, A. Sabbioni, and A. Quarantelli. 2017. *In vitro* ruminal dry matter and neutral detergent fibre digestibility of common feedstuffs as affected by the addition of essential oils and their active compounds. *J. Anim. Feed Sci.* 26:204–212. doi:10.22358/jafs/76754/2017.
- Rottini, M. M., A. C. F. Amaral, J. L. P. Ferreira, J. R. de A. Silva, N. N. Taniwaki, C. da S. F. de Souza, L. N. d'Escoffier, F. Almeida-Souza, D. de J. Hardoim, S. C. Gonçalves da Costa, and K. da S. Calabrese. 2015. *In vitro* evaluation of (-)- α -bisabolol as a promising agent against *Leishmania amazonensis*. *Exp. Parasitol.* 148:66–72. doi:10.1016/j.exppara.2014.10.001. Available from: <http://dx.doi.org/10.1016/j.exppara.2014.10.001>
- Saad, N. Y., C. D. Muller, and A. Lobstein. 2013. Major bioactivities and mechanism of action of essential oils and their components. *Flavour Fragr. J.* 28:269–279. doi:10.1002/ffj.3165.
- Safwan Shiyab. 2012. Influence of developmental stage on yield and composition of *Origanum syriacum* L. oil by multivariate analysis. *J. Med. Plants Res.* 6. doi:10.5897/jmpr11.1368.
- Sahoo, S., R. Parida, S. Singh, R. N. Padhy, and S. Nayak. 2014. Evaluation of yield, quality and antioxidant activity of essential oil of *in vitro* propagated *Kaempferia galanga* Linn. *J. Acute Dis.* 3:124–130. doi:10.1016/s2221-6189(14)60028-7.
- Sahraei, M., R. Pirmohammadi, and S. Payvastegan. 2014. The effect of rosemary (*Rosmarinus officinalis* L.) essential oil on digestibility, ruminal fermentation and blood metabolites of Ghezel sheep fed barley-based diets. *Spanish J. Agric. Res.* 12:448–454. doi:10.5424/sjar/2014122-4805.
- Schären, M., C. Drong, K. Kiri, S. Riede, M. Gardener, U. Meyer, J. Hummel, T. Urich, G. Breves, and S. Dänicke. 2017. Differential effects of monensin and a blend of essential oils on rumen microbiota composition of transition dairy cows. *J. Dairy Sci.* 100:2765–2783. doi:10.3168/jds.2016-11994.
- Schwab, C. G., and G. A. Broderick. 2017. A 100-Year Review: Protein and amino acid nutrition in dairy cows. *J. Dairy Sci.* 100:10094–10112. doi:10.3168/jds.2017-13320.
- Serbest, U., M. Çinar, A. Ceyhan, H. Erdem, M. Görgülü, H. R. Kutlu, L. B. Çelik, O. Yücel, and P. W. Cardozo. 2012. Effect of essential oil combination on performance, milk composition, blood parameters and pregnancy rate in early lactating dairy cows during heat exposure. *J. Anim. Plant Sci.* 22:556–563.
- Setiawati, T., A. Susilawati, A. Z. Mutaqin, M. Nurzaman, Annisa, R. Partasasmita, and Karyono. 2018. Morpho-anatomy and physiology of red galangal (*Alpinia purpurata*) and white galangal (*Alpinia galanga*) under some salinity stress levels. *Biodiversitas.* 19:759–765. doi:10.13057/biodiv/d190308.
- Shingfield, K. J., M. Bonnet, and N. D. Scollan. 2013. Recent developments in

- altering the fatty acid composition of ruminant-derived foods. *Animal*. 7:132–162. doi:10.1017/S1751731112001681.
- Shingfield, K. J., Y. Chilliard, V. Toivonen, P. Kairenius, and D. I. Givens. 2008. Trans fatty acids and bioactive lipids in ruminant milk. *Adv. Exp. Med. Biol.* 606:3–65. doi:10.1007/978-0-387-74087-4_1.
- Shingfield, K. J., and N. W. Offer. 1998. Evaluation of milk allantoin excretion as an index of microbial protein supply in lactating dairy cows. *Anim. Sci.* 67:371–385. doi:10.1017/S135772980003277X.
- Shwerab, A.M. M.S. Khalel, A.A. Hassan, A. A. K. and M. H. Y. 2014. The act of eucalyptus leaves as source of essential oils on dairy cows performance. *Egypt. J. Nutr. Feed.* 17:207–224.
- Sikka, P., N. K. Saxena, R. Gupta, R. K. Sethi, and D. Lall. 2001. Studies on milk allantoin and uric acid in relation to feeding regimens and production performance in buffaloes. *Asian-Australasian J. Anim. Sci.* 14:1634–1637. doi:10.5713/ajas.2001.1634.
- Simitzis, P. E. 2017. Enrichment of animal diets with essential oils—a great perspective on improving animal performance and quality characteristics of the derived products. *Medicines*. 4:35. doi:10.3390/medicines4020035.
- Smeti, S., N. Atti, M. Mahouachi, and L. Kef. 2013. Effects of rosemary extracts incorporation on Barbarine lamb's growth and carcass characteristics. 107:219–222.
- Soltan, Y. A., A. S. Natel, R. C. Araujo, A. S. Morsy, and A. L. Abdalla. 2018. Progressive adaptation of sheep to a microencapsulated blend of essential oils: Ruminal fermentation, methane emission, nutrient digestibility, and microbial protein synthesis. *Anim. Feed Sci. Technol.* 237:8–18. doi:10.1016/j.anifeedsci.2018.01.004.
- Sosaa, I., L. Leytona, E. Coreaa, and J. Elizondo-Salazar. 2009. The correlation between milk and blood urea nitrogen in high and low yielding dairy cows. *FAO/IAEA Int. Symp. Sustain. Improv. Anim. Prod. Heal.* 62–63. Available from: <http://www-naweb.iaea.org/nafa/aph/BookOfExtendedSynopses.pdf>
- Sova, A. D., S. J. LeBlanc, B. W. McBride, and T. J. DeVries. 2014. Accuracy and precision of total mixed rations fed on commercial dairy farms. *J. Dairy Sci.* 97:562–571. doi:10.3168/jds.2013-6951.
- Stevanović, Z. D., J. Bošnjak-Neumüller, I. Pajić-Lijaković, J. Raj, and M. Vasiljević. 2018. Essential Oils as Feed Additives-Future Perspectives. *Molecules*. 23. doi:10.3390/molecules23071717.
- Strucken, E. M., Y. C. S. M. Laurenson, and G. A. Brockmann. 2015. Go with the flow-biology and genetics of the lactation cycle. *Front. Genet.* 6. doi:10.3389/fgene.2015.00118.
- Sukardi, H. Y. Setyawan, M. H. Pulungan, and I. T. Ariy. 2021. Ekstraksi minyak atsiri rimpang lengkuas merah (*Alpinia purpurata*, K.Schum.) metode destilasi uap dan air. *Teknol. Pangan Media Inf. dan Komun. Ilm. Teknol. Pertan.* 13:19–28. doi:10.35891/tp.v13i1.2741.
- Sun, Y., X. Cai, J. Cao, Z. Wu, and D. Pan. 2018. Effects of 1,8-cineole on

- carbohydrate metabolism related cell structure changes of *Salmonella*. *Front. Microbiol.* 9:1–11. doi:10.3389/fmicb.2018.01078.
- Swamy, M. K., M. S. Akhtar, and U. R. Sinniah. 2016. Antimicrobial properties of plant essential oils against human pathogens and their mode of action: An updated review. *Evidence-based Complement. Altern. Med.* 2016. doi:10.1155/2016/3012462.
- Sytar, O., Z. Cai, M. Brestic, A. Kumar, M. N. V Prasad, N. Taran, S. Iryna, and A. Faculty. 2013. Garlic oil reduces ruminal fatty acid biohydrogenation *in vitro*. *October*. 1–21.
- T. G. Nagaraja. 2016. *Rumenology*. 1st ed. (D. D. Millen, M. De Beni Arrigoni, and R. D. Lauritano Pacheco, editors.). Springer International Publishing, Switzerland .
- Tager, L. R., and K. M. Krause. 2011. Effects of essential oils on rumen fermentation, milk production, and feeding behavior in lactating dairy cows. *J. Dairy Sci.* 94:2455–2464. doi:10.3168/jds.2010-3505.
- Tamminga, S. 1992. Nutrition Management of Dairy Cows as a Contribution. *J. Dairy Sci.* 75:345–357. doi:10.3168/jds.S0022-0302(92)77770-4.
- Tang, X., C. Xu, Y. Yagiz, A. Simonne, and M. R. Marshall. 2018. Phytochemical profiles, and antimicrobial and antioxidant activities of greater galangal [*Alpinia galanga* (Linn.) Swartz.] flowers. *Food Chem.* 255:300–308. doi:10.1016/j.foodchem.2018.02.027.
- Tassoul, M. D., and R. D. Shaver. 2009. Effect of a mixture of supplemental dietary plant essential oils on performance of periparturient and early lactation dairy cows. *J. Dairy Sci.* 92:1734–1740. doi:10.3168/jds.2008-1760.
- Tekippe, J. A., R. Tacoma, A. N. Hristov, C. Lee, J. Oh, K. S. Heyler, T. W. Cassidy, G. A. Varga, and D. Bravo. 2013. Effect of essential oils on ruminal fermentation and lactation performance of dairy cows. *J. Dairy Sci.* 96:7892–7903. doi:10.3168/jds.2013-7128.
- Temmar, R., M. Rodríguez-Prado, G. Forgeard, C. Rougier, and S. Calsamiglia. 2021. Interactions among natural active ingredients to improve the efficiency of rumen fermentation *in vitro*. *Animals*. 11. doi:10.3390/ani11051205.
- Thormar, H. 2011. *Lipids and Essential Oils as Antimicrobial Agents*. Wiley, United Kingdom.
- Torres, R. N. S., D. C. Moura, C. P. Ghedini, J. M. B. Ezequiel, and M. T. C. Almeida. 2020. Meta-analysis of the effects of essential oils on ruminal fermentation and performance of sheep. *Small Rumin. Res.* 189:106148. doi:10.1016/j.smallrumres.2020.106148.
- Ultee, A., E. Kets, and J. Smid. 1999. Mechanisms of action of carvacrol on the Food-Borne pathogen *Bacillus cereus*. *Appl. Environ. Microbiol.* 65:4606–4610. doi:10.1128/aem.68.4.1561-1568.2002.
- Ungerfeld, E. M. 2020. Metabolic hydrogen flows in rumen fermentation: principles and possibilities of interventions. *Front. Microbiol.* 11. doi:10.3389/fmicb.2020.00589.
- Valadares, R. F. D., G. A. Broderick, S. C. Valadares Filho, and M. K. Clayton.

1999. Effect of replacing alfalfa silage with high moisture corn on ruminal protein synthesis estimated from excretion of total purine derivatives. *J. Dairy Sci.* 82:2686–2696. doi:10.3168/jds.S0022-0302(99)75525-6.
- Van, H. T., T. D. Thang, T. N. Luu, and V. D. Doan. 2021. An overview of the chemical composition and biological activities of essential oils from: *Alpinia* genus (*Zingiberaceae*). *RSC Adv.* 11:37767–37783. doi:10.1039/d1ra07370b.
- Vasta, V., M. Daghigho, A. Cappucci, A. Buccioni, A. Serra, C. Viti, and M. Mele. 2019. Invited review: Plant polyphenols and rumen microbiota responsible for fatty acid biohydrogenation, fiber digestion, and methane emission: Experimental evidence and methodological approaches. *J. Dairy Sci.* 102:3781–3804. doi:10.3168/jds.2018-14985.
- Vlaeminck, B., V. Fievez, A. R. J. Cabrita, A. J. M. Fonseca, and R. J. Dewhurst. 2006. Factors affecting odd- and branched-chain fatty acids in milk: A review. *Anim. Feed Sci. Technol.* 131:389–417.
- Van De Vossenberg, J. L. C. M., and K. N. Joblin. 2003. Biohydrogenation of C18 unsaturated fatty acids to stearic acid by a strain of *Butyrivibrio hungatei* from the bovine rumen. *Lett. Appl. Microbiol.* 37:424–428. doi:10.1046/j.1472-765X.2003.01421.x.
- Wallace, R., R. Wallace, A. De, I. Edp, and R. J. Wallace. 1996. The proteolytic systems of ruminal microorganisms To cite this version: HAL Id: hal-00889635. *Ann. Zootech. INRA/EDP Sci.* 45:301–308.
- Wang, B., M. Jia, L. Fang, L. Jiang, and Y. Li. 2018. Effects of eucalyptus oil and anise oil supplementation on rumen fermentation characteristics, methane emission, and digestibility in sheep. *J. Anim. Sci.* 96:3460–3470. doi:10.1093/jas/sky216.
- Wang, H., J. Zhu, H. Zhang, Q. Chen, and B. Kong. 2022. Understanding interactions among aldehyde compounds and porcine myofibrillar proteins by spectroscopy and molecular dynamics simulations. *J. Mol. Liq.* 349:118190. doi:10.1016/j.molliq.2021.118190.
- Wang, L., K. Zhang, C. Zhang, Y. Feng, X. Zhang, X. Wang, and G. Wu. 2019. Dynamics and stabilization of the rumen microbiome in yearling Tibetan sheep. *Sci. Rep.* 9. doi:10.1038/s41598-019-56206-3.
- Wang, Q., G. M. Garrity, J. M. Tiedje, and J. R. Cole. 2007. Naïve Bayesian classifier for rapid assignment of rRNA sequences into the new bacterial taxonomy. *Appl. Environ. Microbiol.* 73:5261–5267. doi:10.1128/AEM.00062-07
- Wattiaux, M. A. 2014. Protein metabolism in dairy cows. in: *babcock institute for international dairy research and development*. Babcock Institute, 1450 Linden Dr., Madison, WI 53706 USA. p. 17–20.
- Widyobroto, B. P., and Y. Y. Suranindyah. 2016. The impact of balanced energy and protein supplementation to milk production and quality in early lactating dairy cows. 41:83–90. doi:10.14710/jitaa.41.2.83-90.
- Willis, A. D. 2019. Rarefaction, alpha diversity, and statistics. *Front. Microbiol.* 10. doi:10.3389/fmicb.2019.02407.

- Wiltrout, D. W., and L. D. Satter. 1972. Contribution of propionate to glucose synthesis in the lactating and nonlactating cow. *J. Dairy Sci.* 55:307–317. doi:10.3168/jds.S0022-0302(72)85487-0.
- Wu, Y., Y. Wang, Z. H. Li, C. F. Wang, J. Y. Wei, X. L. Li, P. J. Wang, Z. F. Zhou, S. S. Du, D. Y. Huang, and Z. W. Deng. 2014. Composition of the essential oil from *alpinia galanga* rhizomes and its bioactivity on *lasioderma serricorne*. *Bull. Insectology.* 67:247–254.
- Xue, M. Y., H. Z. Sun, X. H. Wu, L. L. Guan, and J. X. Liu. 2019. Assessment of rumen bacteria in dairy cows with varied milk protein yield. *J. Dairy Sci.* 102:5031–5041. doi:10.3168/jds.2018-15974.
- Xue, M. Y., H. Z. Sun, X. H. Wu, J. X. Liu, and L. L. Guan. 2020. Multi-omics reveals that the rumen microbiome and its metabolome together with the host metabolome contribute to individualized dairy cow performance. *Microbiome.* 8. doi:10.1186/s40168-020-00819-8.
- Yang, W. Z., C. Benchaar, B. N. Ametaj, A. V. Chaves, M. L. He, and T. A. McAllister. 2007. Effects of garlic and juniper berry essential oils on ruminal fermentation and on the site and extent of digestion in lactating cows. *J. Dairy Sci.* 90:5671–5681. doi:10.3168/jds.2007-0369.
- Yilmaz, H., B. G. Subasi, H. U. Celebioglu, and T. Ozdal. 2022. Chemistry of Protein-Phenolic Interactions Toward the Microbiota and Microbial Infections. 9:1–16. doi:10.3389/fnut.2022.914118.
- Young, G. 2019. Essential oils pocket references. 8th ed. Life Science Publishing, China.
- Young, R. T. dan R. 2014. Essential oil safety- Robert Tisserand. 2nd ed. (E. M. Williamson, editor.). Elsevier B.V, London.
- Yusiati, L. M., and C. Hanim. 2013. Estimation of rumen microbial nitrogen supply based on purine derivatives excreted in the urine of Kejobong and Bligon goat feed by king grass and peanut straw. *Proc. 3rd AINI Int. Semin.* 21:96–100.
- Yusiati, L. M., A. Kurniawati, C. Hanim, and M. A. Anas. 2018. Protein Binding Capacity of Different Forages Tannin. *IOP Conf. Ser. Earth Environ. Sci.* 119. doi:10.1088/1755-1315/119/1/012007.
- Zhou, M., L. Xu, F. Zhao, and H. Liu. 2021. Regulation of milk protein synthesis by free and peptide-bound amino acids in dairy cows. *Biology (Basel).* 10. doi:10.3390/biology10101044.
- Zhou, R., J. Wu, X. Lang, L. Liu, D. P. Casper, C. Wang, L. Zhang, and S. Wei. 2020. Effects of oregano essential oil on *in vitro* ruminal fermentation, methane production, and ruminal microbial community. *J. Dairy Sci.* 103:2303–2314. doi:10.3168/jds.2019-16611.