

DAFTAR PUSTAKA

- Adetuyi FO, Ibrahim TA. (2014). Effect of fermentation time on the phenolic, flavonoid and vitamin C contents and antioxidant activities of Okra (*Abelmoschus esculentus*) seeds. *Niger Food J* 32(2):128–137
- Ahmed Z, Wang Y, Cheng Q, Imran I. (2010). *Lactobacillus acidophilus* bacteriocin, from production to their application: an overview. *Afr J Biotechnol* 9:2843-2850
- Allen SJ, Martinez EG, Gregorio GV, Dans LF. (2011). Probiotics for treating acute infectious diarrhoea. John Wiley & Sons Ltd. UK
- Andrade R, Santos E, Azoubel P, Ribeiro E..(2019), "Increased survival of *Lactobacillus rhamnosus* ATCC 7469 in guava juices with simulated gastrointestinal conditions during refrigerated storage", *Food Biosci.*2019; 32: 100470. <https://doi.org/10.1016/j.fbio.2019.100470>
- AOAC. (1996). Official Methods of Analysis (16th ed.). Washington, DC.
- Axelsson L. (2004). Lactic acid bacteria: classification and physiology. In: Salminen S, von Wright A, Ouwehand A (eds) *Lactic acid bacteria: microbiology and functional aspects*. Marcel Dekker, Inc.
- BPS. (2022). <https://www.bps.go.id/indicator/55/62/3/produksi-tanaman-buah-buahan.html>. Diakses 10 Desember 2022 pukul 15.00 WIB
- Caballero B, Finglas P, Toldra F. (2003). *Encyclopedia of food sciences and nutrition*. Academic Press, London
- Carr FJ, Chill D, Maida N. (2002). The lactic acid bacteria: a literature survey. *Crit Rev Microbiol* 28(4):281–370
- Ceng, X. (1992). *Fruit Physiology*. Beijing Agricultural University Press, Beijing.
- Charalampopoulos D., Pandiella S.S., Webb C. (2002), "Growth studies of potentially probiotic lactic acid bacteria in cereal-based substrates", *Journal of Applied Microbiology*, 92:pp 851–859.
- Chen, C.C., Paull, R.F. (2000). Sugar metabolism and pineapple flesh translucency. *Journal of American Society for Horticulture Science* 125 (5), 558–562
- Chen C, Lu Y, Yu H, Tian H. (2018). Influence of 4 lactic acid bacteria on the flavor profile of fermented apple juice. *Food Biosci* 27:30–36
- Chen W, Chen R, Chen W, Chen H, Zhang G. (2018). Comparative evaluation of the antioxidant capacities, organic acids, and volatiles of papaya juices fermented by *Lactobacillus acidophilus* and *Lactobacillus plantarum*. *J Food Qual* 2018:1–12

- Corbo, M.R.; Bevilacqua, A.; Petruzzi, L.; Casanova, F.P.; Sinigaglia, M. Functional beverages: The emerging side of functional foods commercial trends, research, and health implications. *Compr. Rev. Food Sci. Food Saf.* 2014, 13, 1192–1206.
- Corcoran, B.M.; Stanton, C.; Fitzgerald, G.F.; Ross, R.P. Survival of probiotic *Lactobacilli* in acid environments is enhanced in the presence of metabolizable sugars. *Appl. Environ. Microbiol.* 2005, 71, 3060–3067
- Cui S, Zhao N, Lu W, Zhao F, Zheng S, Wang W, Chen W. (2019). Effect of different *Lactobacillus* species on volatile and nonvolatile flavor compounds in juices fermentation. *Food Sci Nutr* 2214–2223
- Debnath, B.; Singh, W.S.; Manna, K. (2021). "A phytopharmacological review on *Ananas comosus*", *Adv. Tradit. Med*, 2021, pp 1–8.
- Di Cagno R *et al* .(2009). Effect of autochthonous lactic acid bacteria starters on health-promoting and sensory properties of tomato juices. *Int J Food Microbiol* 128(3):473–483
- Di Cagno, R., Surico, R. F., Minervini, G., Rizzello, C. G., Lovino, R., Servili, M., Giuseppe, C. (2011). Exploitation of sweet cherry (*Prunus avium* L.) puree added of stem infusion through fermentation by selected autochthonous lactic acid bacteria. *Food Microbiology*, 28(5), 900–9.
- Di Cagno R, Coda R, De Angelis M, Gobbetti M. (2013). Exploitation of vegetables and fruits through lactic acid fermentation. *Food Microbiol* 33(1):1–10
- Di Cagno R, Filannino P, Gobbetti M. (2017). Lactic acid fermentation drives the optimal volatile flavor-aroma profile of pomegranate juice. *Int J Food Microbiol* 248:56–62
- Ding, W. K. dan N.P. Shah. (2008). Survival of free and microencapsulated probiotics bacteria in orange and apple juices. *Int Food Res J.* 15, 219–232.
- Ellendersen, L.S.N.; Granato, D.; Guergoletto, B.K.; Wosiacki, G.(2012). Development and sensory profile of a prebiotic beverage from apple fermented with *Lactobacillus casei*. *Eng. Life Sci.* 2012, 12, 1–11
- Endo A, Dicks LMT. (2014). Physiology of the LAB. In: Holzapfer WH, Wood BJB, Editors. *Lactic Acid Bacteria: Biodiversity and Taxonomy*, John Wiley and Sons Ltd; 2014: pp. 13–20. doi: 10.1002/9781118655252
- FAO and WHO. (2006). Probiotics in food FOOD AND NUTRITION. *Food Nutr Pap* 85:71
- Food and Drug Administration, BAM Chapter 3: Aerobic Plate Count. (2001). FDA, Maryland, U.S., 2001.<http://www.fda.gov/Food/FoodScienceResearch/LaboratoryMethods/ucm063346.htm>

- Food and Agriculture Organization/World Health Organization. (2002), Guidelines for the Evaluation of Probiotics in Food. Joint FAO/WHO Working Group Report on Drafting Guidelines for the Evaluation of Probiotics in Food. Retrieved from WHO website: http://www.who.int/foodsafety/fs_management/en/probiotic_guidelines.pdf
- Filannino P *et al.* (2013). Exploitation of the health-promoting and sensory properties of organic pomegranate (*Punica granatum* L) juice through lactic acid fermentation. *Int J Food Microbiol* 163(2):184–192
- Filannino P *et al.* (2014). Metabolic responses of *Lactobacillus plantarum* strains during fermentation and storage of vegetable and fruit juices. *Appl Environ Microbiol* 80(7):2206–2215
- Filannino P, Bai Y, Di R, Gobbetti M, Michael GG. (2015). Metabolism of phenolic compounds by *Lactobacillus* spp. during fermentation of cherry juice and broccoli puree. *Food Microbiol* 46:272–279
- Filannino P, Di Cagno R, Crecchio C, De Virgilio C, De Angelis M, Gobbetti M. (2016). Transcriptional reprogramming and phenotypic switching associated with the adaptation of *Lactobacillus plantarum* C2 to plant niches. *Sci Rep* 6:1–16
- Filannino P, Di Cagno R, Gobbetti M. (2018). Metabolic and functional paths of lactic acid bacteria in plant foods: get out of the labyrinth. *Curr Opin Biotechnol* 49:64–72
- Filannino, P.; Tlais, A.Z.; Morozova, K.; Cavoski, I.; Scampicchio, M.; Gobbetti, M.; Di Cagno, R. (2020). Lactic Acid Fermentation Enriches the Profile of Biogenic Fatty Acid Derivatives of Avocado Fruit (*Persea Americana* Mill.). *Food Chem.* 2020, 317, 126384.
- Fitrotin lyatu, Tyas Utami, Pudji Hastuti and Umar Santoso. (2015), Antioxidant Properties of Fermented Sesame Milk Using *Lactobacillus plantarum* Dad-13, *International Research Journal of Biologica Sciences* Vol.4(6) pp 56-61, June (2015)
- Gaudreau, H.; Champagne, C.P.; Remondetto, G.E.; Bazinet, L.; Subirade, M.(2013). Effect of catechins on the growth of oxygen-sensitive probiotic bacteria. *Food Res. Int.* 2013, 53, 751±757
- Gobbetti, M.; di Cagno, R.; de Angelis, M.(2010). Functional microorganisms for functional food quality. *Crit. Rev. Food Sci. Nutr.* 2010, 50, 716-727
- Hashemi SMB, Mousavi Khaneghah A, Barba FJ, Nemati Z, Sohrabi Shokofti S, Alizadeh F. (2017). Fermented sweet lemon juice (*Citrus limetta*) using *Lactobacillus plantarum* LS5: chemical composition, antioxidant and antibacterial activities. *J Funct Foodsv* 38:409–414

- Hatanaka, Miho .Five possible health benefits of pineapple juice. <https://www.medicalnewstoday.com/articles/317061.php#Nutrition-breakdown> Accessed 05 Aug 2022
- Hounhouigan, Meneouwesso H. *et al.* (2014). Effect of Processing on the Quality of Pineapple Juice. *Food Reviews International*, 30: 112-133
- Hutkins R. (2019). *Microbiology and technology of fermented foods*, 2nd edn. Wiley, Amsterdam
- Jung, J. Y., Lee, S. H., Jin, H. M., Hahn, Y., Madsen, E. L., & Jeon, C. O. (2013). Metatranscriptomic analysis of lactic acid bacterial gene expression during kimchi fermentation. *International Journal of Food Microbiology*, 163(2–3), 171–9. <http://doi.org/10.1016/j.ijfoodmicro.2013.02.022>
- Kandyli P, Pissaridi K, Bekatorou A, Kanellaki M, Koutinas AA. (2016), Dairy and non-dairy probiotic beverages, *Curr Opin Food Sci.* 2016; 7: 58–63. <https://doi.org/10.1016/j.cofs.2015.11.012>
- Kaprasob R, Kerdchoechuen O, Laohakunjit N, Somboonpanyakul P. (2018). B vitamins and prebiotic fructooligosaccharides of cashew apple fermented with probiotic strains *Lactobacillus* spp., *Leuconostoc mesenteroides* and *Bifidobacterium longum*. *Process Biochem* 70:9–19
- KAROVIČOVÁ, J., Z. KOHAJDOVÁ. (2003). Lactic acid fermented vegetable juices, *Hort Sci (Prague)* 30(2003):pp152-158. <http://doi.org/10.17221/3878-HORTSCI>
- Kazimierczak R *et al.* (2014). Beetroot (*Beta vulgaris* L) and naturally fermented beetroot juices from organic and conventional production: metabolomics, antioxidant levels and anticancer activity. *J Sci Food Agric* 94(13):2618–2629
- Kim HJ, Kim HY, Lee SY, Seo JH, Lee E, Hong SJ .(2013). Clinical efficacy and mechanism of probiotics in allergic diseases. *Korean J Pediatr* 56:369
- Kolady DE, Kattlelmann K, Scaria J. (2019), Effects of health-related claims on millennials' willingness to pay probiotics in the US.: implications for regulations, *J Func Foods* 60:103434. <http://doi.org/10.1016/j.jff.2019.0103434>
- Leblanc JG *et al.* (2011). B-Group vitamin production by lactic acid bacteria—current knowledge and potential applications. *J Appl Microbiol* 111(6):1297–1309
- Li C, Ding Q, Nie SP, Zhang YS, Xiong T, Xie MY. (2014). Carrot juice fermented with *lactobacillus plantarum* NCU116 ameliorates type 2 diabetes in rats. *J Agric Food Chem* 62(49):11884–11891
- Li H, Cao Y. (2010). Lactic acid bacterial cell factories for gamma-aminobutyric acid. *Amino Acids* 39(5):1107–1116

- Liu Y, Chen H, Chen W, Zhong Q, Zhang G, Chen W. (2018). Beneficial effects of tomato juice fermented by *Lactobacillus plantarum* and *Lactobacillus casei*: antioxidation, antimicrobial effect, and volatile profiles. *Molecules* 23(9):1–18
- Luckow, T.; Sheehan, V.; Fitzgerald, G.; Delahunty, C. (2006). Exposure, health information and flavour-masking strategies for improving the sensory quality of probiotic juice. *Appetite* 2006, 47, 315±323.
- Lund BM .(1992). Ecosystems in vegetable foods. *J Appl Bacteriol* 73:115S–135S
- Ma, L.; Zhang, M.; Bhandari, B.; Gao, Z. (2017). Recent Developments in Novel Shelf Life Extension Technologies of Fresh-Cut Fruits and Vegetables. *Trends Food Sci. Technol.* 2017, 64, 23–38.
- Matsuyama, J., Hirata, H., Yamagishi, T., Hayashi, K. Hirano, Y., Kuwata, K., Kiyosawa, I. and Nagasawa, T. (1992). Fermentation profiles and utilization of sugars of Bifidobacteria in soymilk, *Journal of the Japanese Society for Food Science and Technology* 39: 87-893.
- Mikkili, Indira ., T. C. Venkateswarulu., K. Abraham Peele., Md. Nazneen Bobby .,S. Krupanidhi. (2019). Bioactive molecules of probiotic bacteria and their mechanism of action: a review. *Biotech.* 9:306
- Morelli L. (2007). In vitro assessment of probiotic bacteria: From survival to functionality. *Int Dairy J* 17(11):1278–1283
- Nag, A.; Das, S.(2013). Improving ambient temperature stability of probiotics with stress adaptation and fluidized bed drying. *J. Funct. Foods*2013, 5, 170-177.
- Nayak BS, Marshall JR, Isitor G, Adogwa A. (2011). Hypoglycemic and hepatoprotective activity of fermented fruit juice of *Morinda citrifolia* (noni) in diabetic rats. *Evid Based Complement Altern Med* 2011:875293
- Nematollahi A, Sohrabvandi S, Mortazavian AM, Jazaeri S. Viability of probiotic bacteria and some chemical and sensory characteristics in cornelian cherry juice during cold storage. *E J Biotechn.* (2016) 21:49–53. doi: 10.1016/j.ejbt.2016.03.001
- Nguyen BT, Bujna E, Fekete N, Tran ATM, Rezessy-Szabo JM, Prasad R, et al. (2019). Probiotic beverage from pineapple juice fermented with *Lactobacillus* and *Bifidobacterium* strains, *Front Nutr.* 2019; 6. <https://doi.org/10.3389/fnut.2019.00054> PMID: 31143765
- Nualkaekul, S.; Salmeron, I.; Charalampopoulos, D. (2001). Investigation of the factors influencing the survival of *Bifidobacterium longum* in model acidic solutions and fruit juices. *Food Chem.* 2001,129, 1037±1044.
- Pangastuti, P.M. (2010) Peningkatan stabilitas Fisik dan Aktivitas Antioksidan Minuman Sari Kacang Tanah (*Arachis hypogea* L) Terfermentasi menggunakan *Lactobacillus acidophilus* SNP2 dan *Lactobacillus plantatum*

- Dad-13. Thesis S2. Jurusan Ilmu & Teknologi Pangan Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Panghal A, Janghu S, Virkar K, Gat Y, Kumar V, Chhikara N. (2018). Potential non-dairy probiotic products—A healthy approach, *Food Biosci.* 2018; 21: 80–89. <https://doi.org/10.1016/j.fbio.2017.12.003>
- Panitsa, A.; Petsi, T.; Kandyliis, P.; Kanellaki, M.; Koutinas, A.A. (2021). Tubular Cellulose from Orange Juice By-Products as Carrier of Chemical Preservatives; Delivery Kinetics and Microbial Stability of Orange Juice. *Foods* 2021, 10, 1882.
- Parvez S, Malik KA, Ah Kang S, Kim H-Y. (2006). Probiotics and their fermented food products are beneficial for health. *J Appl Microbiol* 100(6):1171–1185
- Pereira ALF, Maciel TC, Rodrigues S. (2011). Probiotic beverage from cashew apple juice fermented with *Lactobacillus casei*, *Food Res Int.* 2011; 44: 1276–1283. <https://doi.org/10.1016/j.foodres.2010.11.035>
- Perricone, M.; Corbo, M.R.; Sinigaglia, M.; Speranza, B.; Bevilacqua, A. (2014). Viability of *Lactobacillus reuteri* in fruit juices. *J. Funct. Foods* 2014, 10, 421–426.
- Perricone, M., Bevilacqua, A., Altieri, C., Sinigaglia, M., Corbo, M.R. (2015). Challenges for the production of probiotic fruit juices. *Beverages* 1:95–103. DOI:10.3390/beverages1020095
- Plessas, S.; Nouska, C.; Karapetsas, A.; Kazakos, S.; Alexopoulos, A.; Mantzourani, I.; Chondrou, P.; Fournomiti, M.; Galanis, A.; Bezirtzoglou, E. (2017). Isolation, Characterization and Evaluation of the Probiotic Potential of a Novel *Lactobacillus* Strain Isolated from Feta-Type Cheese. *Food Chem.* 2017, 226, 102–108.
- Pontonio, E.; Montemurro, M.; Pinto, D.; Marzani, B.; Trani, A.; Ferrara, G.; Mazzeo, A.; Gobbetti, M.; Rizzello, C.G. (2019). Lactic Acid Fermentation of Pomegranate Juice as a Tool to Improve Antioxidant Activity. *Front. Microbiol.* 2019, 10.
- Prado FC, Parada JL, Pandey A, Soccol CR. (2008). Trends in non-dairy probiotic beverages. *Food Res Int.* ;41:111–123. doi: 10.1016/j.foodres.2007.10.010
- Py, C., Lacoëuihe, J.J., Teisson, C. (1987). *The Pineapple: Cultivation and Uses*. G-P. Maisonneuve and Larose, Paris
- Quigley EM. (2011). Gut microbiota and the role of probiotics in therapy. *Curr Opin Pharmacol* 11(6):593–603
- Quinto EJ, Jiménez P, Caro I, Tejero J, Mateo J, Gírbés T. (2014). Probiotic lactic acid bacteria: a review. *Food Nutr Sci* 05(18):1765–1775
- Rakin, M.; Vukasinovic, M.; Siler-Marinkovic, S.; Maksimovic, M. (2007). Contribution of lactic acid fermentation to improved nutritive quality vegetable

juices enriched with brewer's yeast autolysate. Food Chem. 2007, 100, 599-602

Ranadheera, C.S.; Prasanna, P.H.P.; Vidanarachchi, J.K. (2014). Fruit juice as probiotic carriers. In Fruit Juices: Types, Nutritional Composition and Health Benefits, 1st ed.; Elder, K.E., Ed.; Nova Science Publishers: Hauppauge, NY, USA, 2014; pp. 1±19.

Ranadheera CS, Vidanarachchi JK, Rocha RS, Cruz AG, Ajlouni S. (2017). Probiotic delivery through fermentation: dairy vs nondairy beverages. Fermentation 3(4):1–17

Rahayu ES, Cahyanto M, Windiarti L, Sutriyanto J, Kandarina T, Utami T.(2016). Effects of Consumption of Fermented Milk Containing Indigenous Probiotic *Lactobacillus Plantarum* Dad-13 on the Fecal Microbiota of Healthy Indonesian Volunteers. Int J Probiotics Prebiotics. 2016;11:91–98

Rahayu ES, Yogeswara A, Mariyatun , Windiarti L, Utami T, Watanabe K. (2016). Molecular characteristics of indigenous probiotic strains from Indonesia. Int J Probiotics Prebiotics. 2016;11:109–116.

Rahayu ES, Rusdan IH, Athennia A, Kamil RZ, Pramesi PC, Marsono Y, Utami T, Widada J. (2019). Safety Assessment of Indigenous Probiotic Strain *Lactobacillus plantarum* Dad-13 Isolated from Dadih Using Sprague Dawley Rats as a Model. Am J Pharmacol Toxicol

Ray,B. (2000). Fundamental of Food Microbiology. CRC Press, Florida

Ray, B., Arun Bhunia. (2014). Fundamentak of Food Microbiology Fitfh Edition. CRS Press : Florida.

Ricci, A.; Cirlini, M.; Levante, A.; Dall'Asta, C.; Galaverna, G.; Lazzi, C. (2018). Volatile Profile of Elderberry Juice: Effect of Lactic Acid Fermentation Using *L. Plantarum*, *L. Rhamnosus* and *L. Casei* Strains. Food Res. Int. 2018, 105, 412–422.

Roberts D *et al.* (2018). Viability of *Lactobacillus plantarum* NCIMB 8826 in fermented apple juice under simulated gastric and intestinal conditions. LWT 97:144–150

Robinson R.K & Tamime A.Y. (1995). Microbiology of fermented milks In: Robinson RK, ed. Therapeutic properties of fermented milks. London : Elsevier Applied Science.: 23-43.18.

Rodríguez H *et al.* (2009). Food phenolics and lactic acid bacteria. Int J Food Microbiol 132(2–3):79–90

Rojo, M.C.; López, F.A.; Lerena, M.C.; Mercado, L.; Torres, A.; Combina, M. (2015). Evaluation of Different Chemical Preservatives to Control *Zygosaccharomyces Rouxii* Growth in High Sugar Culture Media. Food Control 2015, 50, 349–355.

- Saarela M, Virkajärvi I, Alakomi HL, Sigvart-Mattila P, Mättö J. Stability and functionality of freeze-dried probiotic *Bifidobacterium* cells during storage in juice and milk. *Inter Dairy J.* (2006) 16:1477–82.doi: 10.1016/j.idairyj.2005.12.007
- Saarela, M.; Virkajarvi, I.; Nohynek, L.; Vaari, A.; Matto, J. (2006). Fibres as carriers for *Lactobacillus rhamnosus* during freeze-drying and storage in apple juice and chocolate-coated breakfast cereals. *Int. J. Food Microbiol.* 2006, 112, 171±178.
- Saubade F, Hemery YM, Guyot JP, Humblot C. (2017). Lactic acid fermentation as a tool for increasing the folate content of foods. *Crit Rev Food Sci Nutr* 57(18):3894–3910
- Septembre-Malaterre A, Remize F, Poucheret P. (2018). Fruits and vegetables, as a source of nutritional compounds and phytochemicals: changes in bioactive compounds during lactic fermentation. *Food Res Int* 104:86–99
- Sheehan VM, Ross P, Fitzgerald GF. Assessing the acid tolerance and the technological robustness of probiotic cultures for fortification in fruit juices. *Innov Food Sci Emerg Technol.* (2007) 8:279–84.doi: 10.1016/j.ifset.2007.01.007
- Silveira, A.C.; Aguayo, E.; Artés, F. (2013). Shelf-Life and Quality Attributes in Fresh-Cut Galia Melon Combined with Fruit Juices. *LWT-Food Sci. Technol.* 2013, 50, 343–348.
- Slavin, J.L., B. Lloyd. (2012). Health benefit of fruits and vegetables. *Advances in Nutrition* 3(4):506-516. DOI:10.3945/an.112002154.
- Smid EJ, Kleerebezem M. (2014) Production of aroma compounds in lactic fermentations. *Annu Rev Food Sci Technol* 5(1):313–326
- SNI. (2014). Minuman Sari Buah. SNI 3719:2014
- Snyder, A.B.; Worobo, R.W. (2018). The Incidence and Impact of Microbial Spoilage in the Production of Fruit and Vegetable Juices as Reported by Juice Manufacturers. *Food Control* 2018, 85, 144–150.
- Sohail, A.; Turner, M.S.; Prabawati, E.K.; Coombes, A.G.A.; Bhandari, B. (2012). Evaluation of *Lactobacillus rhamnosus* GG and *Lactobacillus acidophilus* NCFM encapsulated using a novel impinging aerosol method in fruit juice products. *Int. J. Food Microbiol.* 2012, 157, 162-166.
- Stryer, L., (1996). Biokimia, Edisi 4 Vol.2, Editor: Soebianto Z., S. dan Setiadi, E. Penerbit Buku Kedokteran EGC
- Sun, G.-M.; Zhang, X.-M.; Soler, A.; Marie-Alphonsine, P.A. (2016), “Nutritional composition of pineapple (*Ananas comosus* (L.) Merr.)”, In *Nutritional Composition of Fruit Cultivars*; Simmonds, M.S.J., Preedy, V.R., Eds.; Academic Press: London, UK, 2016; pp. 609–637.

- Sunaryanto, Rofiq., Efrida Martius., Bambang Marwoto. (2014). Uji Kemampuan *Lactobacillus Casei* Sebagai Agensia Probiotik. *Bioteknologi & Biosains Indonesia*. Vol 1 (1) hal 9 -13.
- Šušković J, Kos B, Beganović J, Pavunc AL, Habjanič K, Matoć S. (2010). Antimicrobial activity—the most important property of probiotic and starter lactic acid bacteria. *Food Technol Biotechnol* 48(3):296–307
- Swain MR, Anandharaj M, Ray RC, Parveen Rani R. (2014). Fermented fruits and vegetables of Asia: a potential source of probiotics. *Biotechnol Res Int* 2014:1–19
- Szutowski D, Ratajczak P. (2016). The relation between CSR and innovation. Model approach. *J Entrep Manag Innov* 12(2):77–94
- Teusink B, Molenaar D. (2017), Systems biology of lactic acid bacteria: For food and thought, *Curr Opin Syst Biol.* 2017; 6:7-13. doi: 10.1016/j.coisb.2017.07.005
- Tripathi, M.K.; Giri, S.K. (2014). Probiotic functional foods: Survival of probiotics during processing and storage. *J. Funct. Foods* 2014, 9, 225±241
- Ulyatu F, Pudji H, Tyas U, Umar S. (2015). “The changes of sesaminol triglucoside and antioxidant properties during fermentation of sesame milk by *Lactobacillus plantarum* Dad-13”, *Int Food Res J.* 2015; 22(5): 1945-1952.
- Utami, T., Cindarbhum, A., Khuangga, M.C., Rahayu, E.S., Cahyanto, M.N., Nurfiyanti, S., and Zulaichah, E. (2020). Preparation of indigenous lactic acid bacteria starter culture for Large scale production of fermented milk. *Digital Press Life Sciences* 2: 00010 (2020).5 : 435-442.
- Valero-Cases E, Roy NC, Frutos MJ, Anderson RC. (2017). Influence of the fruit juice carriers on the ability of *Lactobacillus plantarum* DSM20205 to improve in vitro intestinal barrier integrity and its probiotic properties. *J Agric Food Chem* 65(28):5632–5638
- Valero-cases E, Nuncio-jáuregui N, Frutos MJ. (2017). Influence of fermentation with different lactic acid bacteria and in vitro digestion on the biotransformation of phenolic compounds in fermented pomegranate juices. *J Agri Food Chem* 65(31):6488–6496
- Verón HE *et al* .(2019). Cactus pear (*Opuntia ficus-indica*) juice fermented with autochthonous *Lactobacillus plantarum* S-811. *Food Funct* 10(2):1085–1097.
- Wardani SK, Cahyanto MN, Rahayu ES, Utami T. (2017). The effect of inoculum size and incubation temperature on cell growth, acid production and curd formation during milk fermentation by *Lactobacillus plantarum* Dad-13, *Int Food Res J.* 2017;24(3): 921-926
- Wei M *et al*. (2018). Comparison of physicochemical indexes, amino acids, phenolic compounds and volatile compounds in bog bilberry juice fermented

by *Lactobacillus plantarum* under different pH conditions. J. Food Sci Technol 55(6):2240–2250

Winarno FG. (2008). Kimia pangan dan gizi. Jakarta: PT. Gramedia

Wouters, D., Bernaert, N., Anno, N., Van Droogenbroeck, B., De Loose, M., Van Bockstaele, E., & De Vuyst, L. (2013). Application and validation of autochthonous lactic acid bacteria starter cultures for controlled leek fermentations and their influence on the antioxidant properties of leek. International Journal of Food Microbiology, 165(2), 121–133. <http://doi.org/10.1016/j.ijfoodmicro.2013.04.016>

Wouters, D., Grosu-Tudor, S., Zamfir, M., & De Vuyst, L. (2013). Bacterial community dynamics, lactic acid bacteria species diversity and metabolite kinetics of traditional Romanian vegetable fermentations. Journal of the Science of Food and Agriculture, 93(February), 749–760. <http://doi.org/10.1002/jsfa.5788>

Xu X, Bao Y, Wu B, Lao F, Hu X, Wu J. (2019). Chemical analysis and flavor properties of blended orange, carrot, apple and Chinese jujube juice fermented by selenium-enriched probiotics. Food Chem 289:250–258

Yu Y, Xiao G, Xu Y, Wu J, Fu M, Wen J. (2015). Slight fermentation with *lactobacillus fermentum* improves the taste (sugar: acid ratio) of citrus (*Citrus reticulata* cv *chachiensis*) juice. J Food Sci 80(11):M2543–M2547

Zandi MM, Hashemiravan M, Berenji S. (2016). “Production of probiotic fermented mixture of carrot, beet and apple juices”, JPS 7:2008-4978

Zhang, X.-M., Du, L.-Q., Xie, J.-H., Chen, J.-Y., Gong, D.-Q., Li, W.-C. (2006). Roles of sucrose- metabolizing enzymes in accumulation of sugars in Cayenne pineapple fruit. Journal of Fruit Science 23 (5),707–710

Zhang, X.-M., Du, L.-Q., Sun, G.-M., Gong, D.-Q., Chen, J.-Y., Li, W.-C., Xie, J.-H. (2007). Changes in organic acid concentrations and the relative enzyme activities during the development of Cayenne pineapple fruit. Journal of Fruit Science 24 (3), 381–