

DAFTAR PUSTAKA

- Abd-Elgawad, A. M., Al-Rowaily, S. L., Assaeed, A. M., Ei-Amier, Y. A., El Gendy, A. E. N. G., Omer, E., Al-Dosari, D. H., Bonanomi, G., Kassem, H. S., & Elshamy, A. I. (2021). Comparative Chemical Profiles and Phytotoxic Activity of Essential Oils of Two Ecospecies of *Pulicaria undulata* (L.) C.A.Mey. *Plants*, *10*(11). <https://doi.org/10.3390/plants10112366>
- Abdel-Rahman, T., Hussein, A. S., Beshir, S., Hamed, A. R., Ali, E., & El-Tanany, S. S. (2019). Antimicrobial activity of terpenoids extracted from *Annona muricata* seeds and its endophytic *Aspergillus Niger* strain SH3 either singly or in combination. *Open Access Macedonian Journal of Medical Sciences*, *7*(19), 3127–3131. <https://doi.org/10.3889/oamjms.2019.793>
- Abdi, A., Bekele, E., Asfaw, Z., & Teshome, A. (2002). Patterns of morphological variation of *Sorghum* (*Sorghum bicolor* (L.) Moench) landraces in qualitative characters in North Shewa and Sout Welo, Ehtiopia. *Hereditas*, *137*(3), 161–172. <https://doi.org/10.1034/j.1601-5223.2002.01604.x>
- Abduselam, F., Tegene, S., Legese, Z., Tadesse, F., & Tessema, T. (2018). Evaluation of Early Maturing *Sorghum* (*Sorghum bicolor* (L.) Moench) Varieties, for Yield and Yield Components in the Lowlands of Eastern Hararghe. *Asian Journal of Plant Science and Research*, *8*(1), 40–43.
- Abreha, K. B., Enyew, M., Carlsson, A. S., Vetukuri, R. R., Feyissa, T., Motlhaodi, T., Ng'uni, D., & Geleta, M. (2022). *Sorghum* in dryland: morphological, physiological, and molecular responses of *Sorghum* under drought stress. *Planta*, *255*(1), 1–23. <https://doi.org/10.1007/s00425-021-03799-7>
- Abubacker, M. N., & Devi, P. K. (2014). In vitro antifungal potentials of bioactive compound oleic acid, 3-(octadecyloxy) propyl ester isolated from *Lepidagathis cristata* Willd. (Acanthaceae) inflorescence. *Asian Pacific Journal of Tropical Medicine*, *7*(S1), S190–S193. [https://doi.org/10.1016/S1995-7645\(14\)60230-3](https://doi.org/10.1016/S1995-7645(14)60230-3)
- Abugri, D. (2015). Comparison of Phytochemical Compositions of *Sorghum bicolor* (L) Moench Red Flour and Pale Brown Leaves. *Food Science & Nutrition*, *1*(1), 1–5. <https://doi.org/10.24966/fsn-1076/100003>
- Agbangnan, P. D. C., Tachon, C., Bonin, H., Chrostowka, A., Fouquet, E., & Sohounhloue, D. C. K. (2012). Phytochemical study of a tinctorial plant of Benin traditional pharmacopoe

- ia: The red *Sorghum* (*Sorghum caudatum*) of Benin. *Scientific Study and Research: Chemistry and Chemical Engineering, Biotechnology, Food Industry*, 13(2), 121–135.
- AID, F. (2020). Plant Lipid Metabolism. *Advances in Lipid Metabolism*. <https://doi.org/10.5772/intechopen.81355>
- Aitzetmüller, K. (1993). Capillary GLC fatty acid fingerprints of seed lipids—a tool in plant chemotaxonomy? *Journal of High Resolution Chromatography*, 16(8), 488–490. <https://doi.org/10.1002/jhrc.1240160809>
- Ajani, O. O., Owoeye, T. F., Akinlabu, K. D., Bolade, O. P., Aribisala, O. E., & Durodola, B. M. (2021). *Sorghum* extract: Phytochemical, proximate, and GC-MS analyses. *Foods and Raw Materials*, 9(2), 371–378. <https://doi.org/10.21603/2308-4057-2021-2-371-378>
- Akogou, F. U. G. (2018). *Natural food colouring with dye sorghum leaf sheaths*. [Wagenigen]. <https://edepot.wur.nl/455839>
- Al-Gara’awi, N. I., Abu-Serag, N. A., Alee Shaheed, K. A., & Bahadly, Z. K. Al. (2019). Analysis of bioactive phytochemical compound of (*Cyperus alternifolius* L.) by using gas chromatography-mass spectrometry. *IOP Conference Series: Materials Science and Engineering*, 571(1). <https://doi.org/10.1088/1757-899X/571/1/012047>
- Alfieri, M., Balconi, C., Cabassi, G., Habyarimana, E., & Redaelli, R. (2017). Antioxidant activity in a set of *Sorghum* landraces and breeding lines. *Maydica*, 62(3), 1–7.
- Andriani, A., Isnaini, M., Muhammad, I., Ratule, T., Si, M., Balai, K., Tanaman, P., Tang, H., Cuevas, H. E., Das, S., Sezen, U. U., Zhou, C., Guo, H., Goff, V. H., Ge, Z., Clemente, T. E., & Paterson, A. H. (2013). Morfologi dan Fase Pertumbuhan Sorgum. *Proceedings of the National Academy of Sciences of the United States of America*, 110(39), 15824–15829. <https://doi.org/10.1073/pnas.1305213110>
- Ann B . L . Stemler, J. R. . H. and J. M. . J. . de W. (1975). *Evolutionary History of Cultivated Sorghums (Sorghum bicolor [Linn.] Moench) of Ethiopia*. 102(6), 325–333.
- Ariani, M, Hermanto, Hardono, G. S., Sugiarto, & Wahyudi, T. W. (2013). *Kajian strategi pengembangan diversifikasi pangan lokal [Study of local food diversification development strategies]*. 137. http://pse.litbang.pertanian.go.id/ind/pdf/indfiles/anjak_2013_06.pdf
- Ariani, Mewa. (2015). Dinamika konsumsi beras, jagung, dan kedelai mendukung sasembada pangan. *Memperkuat Kemampuan Swasembada Pangan*, d, 245–265. www.litbang.pertanian.go.id

- Asare, P. A., Galyuon, I. K. A., Sarfo, J. K., & Tetteh, J. P. (2011). Morphological and molecular based diversity studies of some cassava (*Manihot esculenta* crantz) germplasm in Ghana. *African Journal of Biotechnology*, 10(63), 13900–13908. <https://doi.org/10.5897/ajb11.929>
- AuBuchon-Elder, T., Coneva, V., Goad, D. M., Allen, D. K., & Kellogg., E. A. (2018). Function of the Pedicellate Spikelet and Awn in *Sorghum* and Related Grasses. *BioRxiv*, 5135, 396473.
- Auffray, B. (2007). Protection against singlet oxygen, the main actor of sebum squalene peroxidation during sun exposure, using *Commiphora myrrha* essential oil. *International Journal of Cosmetic Science*, 29(1), 23–29. <https://doi.org/10.1111/j.1467-2494.2007.00360.x>
- Avato, P., Pesante, M. A., Fanizzi, F. P., & Aimbiré de Moraes Santos, C. (2003). Seed Oil Composition of *Paullinia cupana* var. *sorbilis* (Mart.) Ducke. *Lipids*, 38(7), 773–780. <https://doi.org/10.1007/s11745-003-1126-5>
- Avato, P., & Tava, A. (2022). Rare fatty acids and lipids in plant oilseeds: occurrence and bioactivity. *Phytochemistry Reviews*, 21(2), 401–428. <https://doi.org/10.1007/s11101-021-09770-4>
- Awika, J. M., & Rooney, L. W. (2004). *Sorghum* phytochemicals and their potential impact on human health. *Phytochemistry*, 65(9), 1199–1221. <https://doi.org/10.1016/j.phytochem.2004.04.001>
- Ayana, A., Bekele, E., & Bryngelsson, T. (2000). Genetic variation in wild *Sorghum* (*Sorghum bicolor* ssp. *verticilliflorum* (L.) Moench) germplasm from Ethiopia assessed by random amplified polymorphic DNA (RAPD). *Hereditas*, 132(3), 249–254. <https://doi.org/10.1111/j.1601-5223.2000.t01-1-00249.x>
- Badoc, A., & Lamarti, A. (1991). A chemotaxonomic evaluation of *Anethum graveolens* L. (dill) of various origins. *Journal of Essential Oil Research*, 3(4), 269–278. <https://doi.org/10.1080/10412905.1991.9697937>
- Bagci, E., Bruehl, L., Aitzetmuller, K., & Altan, Y. (2003). A Chemotaxonomic Approach to the Fatty Acid and Tocochromanol Content of *Cannabis sativa* L. (Cannabaceae). *Turkish Journal of Botany*, 27(3), 141–147.
- Basirnia, A., Darvishzadeh, R., & Abdollahi Mandoulakani, B. (2016). Retrotransposon insertional polymorphism in sunflower (*Helianthus annuus* L.) lines revealed by IRAP and REMAP markers. *Plant Biosystems*, 150(4), 641–652. <https://doi.org/10.1080/11263504.2014.970595>
- Baud, S., and Lepiniec, L. (2010). Physiological and developmental regulation of seed oil production. *Prog. Lipid Res.* 49, 235–249. doi: 10.1016/j.plipres.2010. 01.001

- Berenji, J., Dahlberg, J., Sikora, V., & Latkovi, D. (2011). *Sorghum bicolor* (L.) Moench. *Economic Botany*, 65(2), 190–208. <https://doi.org/10.1007/s12231-011-9155-2>
- Bhargava, V. V., Patel, S. C., & Desai, K. S. (2013). International Journal of Herbal Medicine Importance of Terpenoids and Essential Oils in. *International Journal of Herbal Medicine*, 1(2), 14–21.
- Bi, C., Paterson, A. H., Wang, X., Xu, Y., Wu, D., Qu, Y., Jiang, A., Ye, Q., & Ye, N. (2016). Analysis of the Complete Mitochondrial Genome Sequence of the Diploid Cotton *Gossypium raimondii* by Comparative Genomics Approaches. *BioMed Research International*, 2016. <https://doi.org/10.1155/2016/5040598>
- Blench, R. (2014). *Sorghum in Africa and onwards around the world: the contribution of linguistics to understanding its spread*. 1–32.
- Bouargalne, Y., Ben Mrid, R., Bouchmaa, N., Zouaoui, Z., Benmrid, B., Kchikich, A., El Omari, R., Kabach, I., & Mohamed, N. (2022). Genetic diversity for agromorphological traits, phytochemical profile, and antioxidant activity in Moroccan sorghum ecotypes. *Scientific Reports*, 12(1), 1–13. <https://doi.org/10.1038/s41598-022-09810-9>
- Bowman, J. M., Braxton, M. S., Churchill, M. A., Hellie, J. D., Starrett, S. J., Causby, G. Y., Ellis, D. J., Ensley, S. D., Maness, S. J., Meyer, C. D., Sellers, J. R., Hua, Y., Woosley, R. S., & Butcher, D. J. (1997). Extraction method for the isolation of terpenes from plant tissue and subsequent determination by gas chromatography. *Microchemical Journal*, 56(1), 10–18. <https://doi.org/10.1006/mchj.1996.1422>
- Branco, C. J. S., Vieira, E. A., Malone, G., Kopp, M. M., Malone, E., Bernardes, A., Mistura, C. C., Carvalho, F. I. F., & De Oliveira, C. A. (2007). IRAP and REMAP assessments of genetic similarity in rice. *Journal of Applied Genetics*, 48(2), 107–113. <https://doi.org/10.1007/BF03194667>
- Brown, P. J., Myles, S., & Kresovich, S. (2011). Genetic support for phenotype-based racial classification in *Sorghum*. *Crop Science*, 51(1), 224–230. <https://doi.org/10.2135/cropsci2010.03.0179>
- Cabrera-Ramírez, A. H., Castro-Campos, F. G., Gaytán-Martínez, M., & Morales-Sánchez, E. (2020). Relationship between the corneous and floury endosperm content and the popped *Sorghum* quality. *Journal of Cereal Science*, 95(May). <https://doi.org/10.1016/j.jcs.2020.102999>
- Cahoon, E. B., & Li-Beisson, Y. (2020). Plant unusual fatty acids: learning from the less common. *Current Opinion in Plant Biology*, 55, 66–73. <https://doi.org/10.1016/j.pbi.2020.03.007>

- Carvalho, A., Guedes-Pinto, H., Martins-Lopes, P., & Lima-Brito, J. (2010). Genetic variability of Old Portuguese bread wheat cultivars assayed by IRAP and REMAP markers. *Annals of Applied Biology*, 156(3), 337–345. <https://doi.org/10.1111/j.1744-7348.2010.00390.x>
- Chanoti, S., Katsouli, M., & Tzia, C. (2021). β -Sitosterol as a functional bioactive. *A Centum of Valuable Plant Bioactives*, January, 193–212. <https://doi.org/10.1016/b978-0-12-822923-1.00014-5>
- Chaubey, P., Parki, A., Prakash, O., Kumar, R., & Pant, A. . (2018). Comparative Study of Chemical Composition and Antioxidant Activity of Essential Oil Extracted from *Acorus calamus* L. Leaves. *Journal of Herbal Drugs*, 8(4), 203–211. <https://doi.org/10.14196/jhd.2018.203>
- Chee, H. T., Siang, H. T., Chai, L. H., Faridah, Q. Z., Othman, Y. R., Heslop-Harrison, J. S., Kalendar, R., & Schulman, A. H. (2005). Genome constitution and classification using retrotransposon-based markers in the orphan crop banana. *Journal of Plant Biology*, 48(1), 96–105. <https://doi.org/10.1007/bf03030568>
- Cheng, K., Peng, B., & Yuan, F. (2020). Volatile composition of eight blueberry cultivars and their relationship with sensory attributes. *Flavour and Fragrance Journal*, 35(4), 443–453. <https://doi.org/10.1002/ffj.3583>
- Chittapur, R., B.D, B., & P.M, S. (2015). Inheritance of Biophysical traits in rabi Sorghum. *National Academy of Agricultural Science*, 33(3), 2275–2278.
- Cisneros-López, M. E., Valencia-Botín, A. J., & Estrada-Girón, Y. (2017). *Sorghum* (*Sorghum bicolor*) pollen availability and seed set under different proportion male: Female plants in Mexican highlands. *Revista de La Facultad de Ciencias Agrarias*, 49(2), 51–66.
- Criado, M. N., Motilva, M. J., Goñi, M., & Romero, M. P. (2007). Comparative study of the effect of the maturation process of the olive fruit on the chlorophyll and carotenoid fractions of drupes and virgin oils from *Arbequina* and *Farga* cultivars. *Food Chemistry*, 100(2), 748–755. <https://doi.org/10.1016/j.foodchem.2005.10.035>
- Da Silva, M. J., Pastina, M. M., De Souza, V. F., Schaffert, R. E., Carneiro, P. C. S., Noda, R. W., Carneiro, J. E. de S., Damasceno, C. M. B., & Parrella, R. A. da C. (2017). Phenotypic and molecular characterization of sweet *Sorghum* accessions for bioenergy production. *PLoS ONE*, 12(8), 1–19. <https://doi.org/10.1371/journal.pone.0183504>
- Dahlberg, J. (2000). Classification and characterization of sorghum. In *Sorghum : origin, History, Technology and production* (pp. 99–129). <https://doi.org/10.1088/2053-2571/ab126dch2>

- Darkwa, K., Agre, P., Olasanmi, B., Iseki, K., Matsumoto, R., Powell, A., Bauchet, G., De Koeyer, D., Muranaka, S., Adebola, P., Asiedu, R., Terauchi, R., & Asfaw, A. (2020). Comparative assessment of genetic diversity matrices and clustering methods in white Guinea yam (*Dioscorea rotundata*) based on morphological and molecular markers. *Scientific Reports*, *10*(1), 1–14. <https://doi.org/10.1038/s41598-020-69925-9>
- Dash, Smrutiranjana, Ashutosh Meher, Srimanta Kumar Dash, S. (2022). 1 *. *IJPSR*, *13*(6), 2380–2394. [https://doi.org/10.13040/IJPSR.0975-8232.13\(1\).2380-94](https://doi.org/10.13040/IJPSR.0975-8232.13(1).2380-94)
- Deu, M. (1994). The genetic organization of *Sorghum*. *Agriculture et Developpement*, December. https://agritrop.cirad.fr/387426/1/document_387426.pdf
- Dial, H. I. (2012). Plant guide for *Sorghum* (*Sorghum bicolor* L.). *USDA-Natural Resources Conservation Service*, 5. <http://www.nrcs.usda.gov/>
- Diallo, C., Isaacs, K., Gracen, V., Touré, A., Weltzien Rattunde, E., Danquah, E. Y., Sidibé, M., Dzidzienyo, D. K., Rattunde, F., Nébié, B., Sylla, A., & Tongoona, P. B. (2018). Learning from farmers to improve *Sorghum* breeding objectives and adoption in Mali. *Journal of Crop Improvement*, *32*(6), 829–846. <https://doi.org/10.1080/15427528.2018.1531800>
- Dinakaran, S., Sridhar, S., & Eganathan, P. (2016). Chemical Composition and Antioxidant Activities of Black Seed Oil (*Nigella Sativa* L.). *International Journal of Pharmaceutical Sciences and Research*, *7*(11), 4473. [https://doi.org/10.13040/IJPSR.0975-8232.7\(11\).4473-79](https://doi.org/10.13040/IJPSR.0975-8232.7(11).4473-79)
- Dong, Y., & Wang, Y. Z. (2015). Seed shattering: From models to crops. *Frontiers in Plant Science*, *6*(JUNE), 1–13. <https://doi.org/10.3389/fpls.2015.00476>
- Dora, S. V., Sarada, M. N., & Sharmila, P. (2015). Phytochemical composition of wild Sorghum by GC-MS. *International Journal of Pharmaceutical Science Invention*, *4*(6), 1–6. www.ijpsi.org
- Dossou-Aminon, I., Loko, L. Y., Adjatin, A., Ewédjè, E. E. B. K., Dansi, A., Rakshit, S., Cissé, N., Patil, J. V., Agbangla, C., Sanni, A., Akoègninou, A., & Akpagana, K. (2015). Genetic divergence in northern benin *Sorghum* (*Sorghum bicolor* L. Moench) landraces as revealed by agromorphological traits and selection of candidate genotypes. *Scientific World Journal*, *2015*. <https://doi.org/10.1155/2015/916476>
- Du Plessis, J. (2008). *Sorghum* production. *Department of Agriculture Republic of South Africa*, 1–21.
- Durrishahwar. (2012). Characterization of *Sorghum* germplasm for various morphological and fodder yield parameters. *African Journal of Biotechnology*, *11*(56), 11952–11959. <https://doi.org/10.5897/ajb11.4000>

- Ejeta, G., & Grenier, C. (2005). *Sorghum* and its weedy hybrids. In *Crop ferality & Volunterism* (pp. 123–135). <https://doi.org/10.1201/9781351072564-49>
- Elango, D., Xue, W., & Chopra, S. (2020). Genome wide association mapping of epi-cuticular wax genes in *Sorghum bicolor*. *Physiology and Molecular Biology of Plants*, 26(8), 1727–1737. <https://doi.org/10.1007/s12298-020-00848-5>
- Elangovan, M., Annapurna, A., Patil, R., Pandey, S., & Pandey, C. D. (2020). Characterization of sorghum [*Sorghum bicolor* (L.) moench] germplasm for agro-morphological traits. *Indian Journal of Plant Genetic Resources*, 33(2), 172–178. <https://doi.org/10.5958/0976-1926.2020.00025.x>
- Elizabeth, R. (2015). Strategi Pencapaian Diversifikasi dan Kemandirian Pangan: Antara Harapan dan Kenyataan. *Iptek Tanaman Pangan*, 6(2), 230–242.
- Engels, J. M. M., Ebert, A. W., Thormann, I., & De Vicente, M. C. (2006). Centres of crop diversity and/or origin, genetically modified crops and implications for plant genetic resources conservation. *Genetic Resources and Crop Evolution*, 53(8), 1675–1688. <https://doi.org/10.1007/s10722-005-1215-y>
- Farhana Nazira Idris, Syamsul rizal Abd Shukor, M. M. N. (2022). Phytochemicals, Antioxidant and Antimicrobial activity of Centela asiatica extrated by Solvent-free microwave extraction. *Asean Engineering Journal*, 4, 137–144.
- Farouji, A. E., Khodayari, H., Saeidi, H., & Rahiminejad, M. R. (2015). Genetic diversity of diploid Triticum species in Iran assessed using inter-retroelement amplified polymorphisms (IRAP) markers. *Biologia (Poland)*, 70(1), 52–60. <https://doi.org/10.1515/biolog-2015-0002>
- Fedenia, L., Klein, R. R., Dykes, L., Rooney, W. L., & Klein, P. E. (2020). Phenotypic, Phytochemical, and Transcriptomic Analysis of Black *Sorghum* (*Sorghum bicolor* L.) Pericarp in Response to Light Quality. *Journal of Agricultural and Food Chemistry*, 68(37), 9917–9929. <https://doi.org/10.1021/acs.jafc.0c02657>
- Field, C. J., Blewett, H. H., Proctor, S., & Vine, D. (2009). Human health benefits of vaccenic acid. *Applied Physiology, Nutrition and Metabolism*, 34(5), 979–991. <https://doi.org/10.1139/H09-079>
- Frankowski, J., Przybylska-Balcerek, A., & Stuper-Szablewska, K. (2022). Concentration of Pro-Health Compound of Sorghum Grain-Based Foods. *Foods*, 11(2), 1–14. <https://doi.org/10.3390/foods11020216>
- Ghonaim, M., Kalendar, R., Barakat, H., Elsherif, N., Ashry, N., & Schulman, A. H. (2020). High-throughput retrotransposon-based genetic diversity of maize germplasm assessment and analysis. *Molecular Biology Reports*, 47(3), 1589–

1603. <https://doi.org/10.1007/s11033-020-05246-4>

- Gower, J. C. (1971). A General Coefficient of Similarity and Some of Its Properties. *Biometrics*, 27(4), 857–871. <https://doi.org/10.1109/ultsym.1987.199076>
- Gozukirmizi, N. (2019). Transposons Continue the Amaze. *International Journal of Science Letters*, 1(1), 1–13. <https://doi.org/10.38058/ijsl.585052>
- Gupta, R., & Gupta, G. D. (2017). Determination of Plant Constituents in Fractions of *Cordia obliqua* Willd. Leaf Methanol Extract using GC-MS Analysis. *International Journal of Pharmacognosy and Phytochemical Research*, 9(09), 1274–1279. <https://doi.org/10.25258/phyto.v9i09.10316>
- Haile, D., David, R. J., & Ian, D. G. (2016). Geographic patterns of phenotypic diversity in *Sorghum* (*Sorghum bicolor* (L.) Moench) landraces from North Eastern Ethiopia. *African Journal of Agricultural Research*, 11(33), 3111–3122. <https://doi.org/10.5897/ajar2016.11121>
- Harlan, J. R., & Wet, J. M. J. (1972). A Simplified Classification of Cultivated *Sorghum* 1. *Crop Science*, 12(2), 172–176. <https://doi.org/10.2135/cropsci1972.0011183x001200020005x>
- Harwood, J. L. (1988). Fatty acid metabolism. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 39, 101–138. doi: 10.1146/annurev.pp.39.060188.000533
- Haryono, T. (1998). Serat Centhini sebagai sumber informasi jenis makanan tradisional masa lampau. *Humaniora*, 8, 92–98.
- Hassani, S. M. R., Talebi, R., Pourdard, S. S., Naji, A. M., & Fayaz, F. (2020). Morphological description, genetic diversity and population structure of safflower (*Carthamus tinctorius* L.) mini core collection using SRAP and SSR markers. *Biotechnology and Biotechnological Equipment*, 34(1), 1043–1055. <https://doi.org/10.1080/13102818.2020.1818620>
- He M, Qin C-X, Wang X and Ding N-Z (2020) Plant Unsaturated Fatty Acids: Biosynthesis and Regulation. *Front. Plant Sci.* 11:390. doi: 10.3389/fpls.2020.00390
- Heupel, R. C. (1985). Varietal similarities and differences in the polycyclic isopentenoid composition of *Sorghum*. *Phytochemistry*, 24(12), 2929–2937. [https://doi.org/10.1016/0031-9422\(85\)80030-3](https://doi.org/10.1016/0031-9422(85)80030-3)
- Hikeezi, D. M. (2010). the Importance of *Sorghum* Grain Colour and Hardness , and Their Causes and Measurement the Importance of Determining. *International Sorghum and Millet Collaborative Research Support Program (INTSORMIL CRSP)*.
- Hillig, K. W. (2004). A chemotaxonomic analysis of terpenoid variation in

Cannabis. *Biochemical Systematics and Ecology*, 32(10), 875–891.
<https://doi.org/10.1016/j.bse.2004.04.004>

House, L. d R. . (1985). A Guide to *Sorghum* Breeding—2nd edition. In *Crops*.

Hummer, K. E., & Hancock, J. F. (2015). Vavilovian centers of plant diversity: Implications and impacts. *HortScience*, 50(6), 780–783.
<https://doi.org/10.21273/hortsci.50.6.780>

Hunter, E. L., & Anderson, I. C. (1997). Horticultural Reviews: Volume 21. *Horticultural Reviews*, 21, 73–104.

Hussein, H. M., Hameed, I. H., & Ubaid, J. M. (2016). Analysis of the secondary metabolite products of ammi majus and evaluation anti-insect activity. *International Journal of Pharmacognosy and Phytochemical Research*, 8(8), 1403–1411.

IBPGR ICRISAT. (1993). *Descriptors_Sorghum.Pdf* (pp. 1–38).
https://cropgenebank.sgrp.cgiar.org/images/file/learning_space/descriptors_sorghum.pdf

Ibrahim, H. A. H. (2012). Antibacterial carotenoids of three *Holothuria* species in Hurghada, Egypt. *Egyptian Journal of Aquatic Research*, 38(3), 185–194.
<https://doi.org/10.1016/j.ejar.2013.01.004>

Jenecius, A., Uthayakumari, F., & Mohan, V. (2012). Gc-MS Determination of Bioactive Components of *Sauropus bacciformis* Blume (Euphorbiaceae). *Journal of Current Chemical and Pharmaceutical Science*, 2(January 2012), 347–358.

Jiang, S. Y., & Ramachandran, S. (2013). Genome-Wide Survey and Comparative Analysis of LTR Retrotransposons and Their Captured Genes in Rice and *Sorghum*. *PLoS ONE*, 8(7). <https://doi.org/10.1371/journal.pone.0071118>

Jin, D., Henry, P., Shan, J., & Chen, J. (2021). Identification of Chemotypic Markers in Three Chemotype Categories of *Cannabis* Using Secondary Metabolites Profiled in Inflorescences, Leaves, Stem Bark, and Roots. *Frontiers in Plant Science*, 12(July), 1–16.
<https://doi.org/10.3389/fpls.2021.699530>

Justin, K., Edmond, S., Ally, M., & Xin, H. (2014). Plant Secondary Metabolites: Biosynthesis, Classification, Function and Pharmacological Properties. *Journal of Pharmacy and Pharmacology*, 2(July 2014), 377–392.

Kalendar, R., Flavell, A. J., Ellis, T. H. N., Sjakste, T., Moisy, C., & Schulman, A. H. (2011). Analysis of plant diversity with retrotransposon-based molecular markers. *Heredity*, 106(4), 520–530. <https://doi.org/10.1038/hdy.2010.93>

Kanatas, P., Gazoulis, I., Zannopoulos, S., Tataridas, A., Tsekoura, A.,

- Antonopoulos, N., & Travlos, I. (2021). Shattercane (*Sorghum bicolor* (L.) moench subsp. drummondii) and weedy sunflower (*Helianthus annuus* L.)—crop wild relatives (cwrs) as weeds in agriculture. *Diversity*, *13*(10). <https://doi.org/10.3390/d13100463>
- Kaplan, M., Temizgul, R., Beyzi, S. B., Kokten, K., & Karaman, K. (2018). Classification of different *Sorghum bicolor* genotypes depending on fatty acid composition with using Biplot Analysis. *Progress in Nutrition*, *20*(4), 699–705. <https://doi.org/10.23751/pn.v20i4.6181>
- Karimi, A., & Saeidi, H. (2016). Genetic diversity of *Sorghum halepense* (L.) Pers. in Iran as revealed by IRAP markers. *Plant Genetic Resources: Characterisation and Utilisation*, *14*(2), 132–141. <https://doi.org/10.1017/S1479262115000167>
- Kartal-Alacam, G., Yilmaz, S., Marakli, S., & Gozukirmizi, N. (2014). Sukkula retrotransposon insertion polymorphisms in Barley. *Russian Journal of Plant Physiology*, *61*(6), 828–833. <https://doi.org/10.1134/S1021443714060107>
- Kawahigashi, H., Nonaka, E., Mizuno, H., Kasuga, S., & Okuizumi, H. (2016). Classification of genotypes of leaf phenotype (P/tan) and seed phenotype (Y1 and Tan1) in tan sorghum (*Sorghum bicolor*). *Plant Breeding*, *135*(6), 683–690. <https://doi.org/10.1111/pbr.12426>
- Khan, K., Firdous, S., Ahmad, A., Fayyaz, N., Nadir, M., Rasheed, M., & Faizi, S. (2016). GC-MS profile of antimicrobial and antioxidant fractions from *Cordia rothii* roots. *Pharmaceutical Biology*, *54*(11), 2597–2605. <https://doi.org/10.3109/13880209.2016.1172320>
- Kim, H. U. (2020). Lipid metabolism in plants. *Plants*, *9*(7), 1–4. <https://doi.org/10.3390/plants9070871>
- Kimber, C. T., Dahlberg, J. A., & Kresovich, S. (2013). The Genepool of *Sorghum bicolor* and its improvement. *Plant Genetics and Genomics: Crops Model*, *11*(May), 1–567. <https://doi.org/10.1007/978-1-4419-5947-8>
- Knapp, S. (2002). *Floral diversity and evolution in the Solanaceae*. 267–297. <https://doi.org/10.1201/9781420024982.ch14>
- Kong, W., Jin, H., Goff, V. H., Auckland, S. A., Rainville, L. K., & Paterson, A. H. (2020). Genetic analysis of stem diameter and water contents to improve sorghum bioenergy efficiency. *G3: Genes, Genomes, Genetics*, *10*(11), 3991–4000. <https://doi.org/10.1534/g3.120.401608>
- Kovtunov, V. V., Kovtunova, N. A., & Popov, A. S. (2021). The indices of *Sorghum* seed quality in dependence on ecological and geographical origin. *IOP Conference Series: Earth and Environmental Science*, *843*(1), 4–11. <https://doi.org/10.1088/1755-1315/843/1/012007>

- Krishnamoorthy, K., & Subramaniam, P. (2014). Phytochemical Profiling of Leaf, Stem, and Tuber Parts of *Solena amplexicaulis* (Lam.) Gandhi Using GC-MS. *International Scholarly Research Notices*, 2014, 1–13. <https://doi.org/10.1155/2014/567409>
- Kumar, A. (2014). *Inheritance of Morphological Characters in*. 9(July 2011), 1653–1656.
- Kumar, A. A. (2016). *Botany, Taxonomy and Breeding*. 27–45. https://doi.org/10.1007/978-3-319-47789-3_2
- Kutty, N. N., & Mitra, A. (2019). Profiling of volatile and non-volatile metabolites in *Polianthes tuberosa* L. flowers reveals intraspecific variation among cultivars. *Phytochemistry*, 162(November 2018), 10–20. <https://doi.org/10.1016/j.phytochem.2019.02.006>
- Lavergne, F. D., Broeckling, C. D., Cockrell, D. M., Haley, S. D., Peairs, F. B., Jahn, C. E., Heuberger, A. L., Mizuno, H., Yazawa, T., Kasuga, S., Sawada, Y., Ogata, J., Ando, T., Kanamori, H., Yonemaru, J. I., Wu, J., Hirai, M. Y., Matsumoto, T., Kawahigashi, H., Chen, F. F. (2017). The genes Bm2 and Blmc that affect epicuticular wax deposition in *Sorghum* are allelic. *Phytochemistry*, 4(1), 1552–1556. <https://doi.org/10.2135/cropsci2016.11.0937>
- Lee, W. J., Pedersen, J. F., & Shelton, D. R. (2002). Relationship of *Sorghum* kernel size to physiochemical, milling, pasting, and cooking properties. *Food Research International*, 35(7), 643–649. [https://doi.org/10.1016/S0963-9969\(01\)00167-3](https://doi.org/10.1016/S0963-9969(01)00167-3)
- Leigh, F., Kalendar, R., Lea, V., Lee, D., Donini, P., & Schulman, A. H. (2003). Comparison of the utility of barley retrotransposon families for genetic analysis by molecular marker techniques. *Molecular Genetics and Genomics*, 269(4), 464–474. <https://doi.org/10.1007/s00438-003-0850-2>
- Li, J., Rao, H., Bin, Q., Fan, Y. W., Li, H. Y., & Deng, Z. Y. (2017). Linolelaidic acid induces apoptosis, cell cycle arrest and inflammation stronger than elaidic acid in human umbilical vein endothelial cells through lipid rafts. In *European Journal of Lipid Science and Technology* (Vol. 119, Issue 7). <https://doi.org/10.1002/ejlt.201600374>
- Li, Y., Kong, D., Fu, Y., Sussman, M. R., & Wu, H. (2020). The effect of developmental and environmental factors on secondary metabolites in medicinal plants. *Plant Physiology and Biochemistry*, 148(June 2019), 80–89. <https://doi.org/10.1016/j.plaphy.2020.01.006>
- Luo, X., Su, P., & Zhang, W. (2015). Advances in microalgae-derived phytosterols for functional food and pharmaceutical applications. *Marine Drugs*, 13(7), 4231–4254. <https://doi.org/10.3390/md13074231>
- Maftuchah, Febriana, L., Sulistyawati, Reswari, H. A., & Septia, E. D. (2021).

- Morphological diversity and heritability of nine local sorghum (*Sorghum bicolor*) genotypes in east java, indonesia. *Biodiversitas*, 22(3), 1310–1316. <https://doi.org/10.13057/biodiv/d220330>
- Malathi, K., Anbarasu, A., & Ramaiah, S. (2016). Ethyl iso-allochololate from a medicinal rice Karungkavuni inhibits dihydropteroate synthase in *Escherichia coli*: A molecular docking and dynamics study. *Indian Journal of Pharmaceutical Sciences*, 78(6), 780–788. <https://doi.org/10.4172/pharmaceutical-sciences.1000184>
- Mammadov, J., Aggarwal, R., Buyyarapu, R., & Kumpatla, S. (2012). SNP markers and their impact on plant breeding. *International Journal of Plant Genomics*, 2012(December). <https://doi.org/10.1155/2012/728398>
- Manninen, O., Kalendar, R., Robinson, J., & Schulman, A. H. (2000). Application of BARE-1 retrotransposon markers to the mapping of a major resistance gene for net blotch in barley. *Molecular and General Genetics*, 264(3), 325–334. <https://doi.org/10.1007/s004380000326>
- Mansour, A. (2008). Utilization of genomic retrotransposons as cladistic markers. *Journal of Cell and Molecular Biology*, 7(1), 17–28.
- Marhamati, Z., Marhamatizadeh, M. H., & Mohebbi, G. (2021). Evaluation of the Physicochemical, Antioxidant, and Antibacterial Properties of Tunichrome Released from *Phallusia nigra* Persian Gulf Marine Tunicate. *Journal of Food Quality*, 2021. <https://doi.org/10.1155/2021/5513717>
- Martiwi, I. N. A., Nugroho, L. H., Daryono, B. S., & Susandarini, R. (2020a). Genotypic variability and relationships of *Sorghum bicolor* accessions from Java island, Indonesia based on irap markers. *Biodiversitas*, 21(12), 5637–5643. <https://doi.org/10.13057/biodiv/d211220>
- Martiwi, I. N. A., Nugroho, L. H., Daryono, B. S., & Susandarini, R. (2020b). Morphological Variability and Taxonomic Relationship of *Sorghum bicolor* (L.) Moench Accessions Based on Qualitative Characters. *Annual Research & Review in Biology*, July, 40–52. <https://doi.org/10.9734/arrb/2020/v35i630234>
- Marzang, N., Mandoulakani, B. A., Shaaf, S., Ghadmizadeh, M., Bernousi, I., Holasou, H. A., & Sadeghzadeh, B. (2020). IRAP and REMAP-based genetic diversity among Iranian, Turkish, and international durum wheat (*Triticum turgidum* L.) cultivars. *Journal of Agricultural Science and Technology*, 22(1), 271–285.
- McCouch, S. (2013). Feeding the future. *Livestock Research for Rural Development*, 21(12), 3–4.
- Mehmood, S., Orhan, I., Ahsan, Z., Aslan, S., & Gulfraz, M. (2008). Fatty acid

- composition of seed oil of different *Sorghum bicolor* varieties. *Food Chemistry*, 109(4), 855–859. <https://doi.org/10.1016/j.foodchem.2008.01.014>
- Miller, W. J. (2004). *Mobile Genetic Protocols and Genomic Edited by* (Issue January 2014).
- Mindaye, T. T., Mace, E. S., Godwin, I. D., & Jordan, D. R. (2016). Heterosis in locally adapted *Sorghum* genotypes and potential of hybrids for increased productivity in contrasting environments in Ethiopia. *Crop Journal*, 4(6), 479–489. <https://doi.org/10.1016/j.cj.2016.06.020>
- Miras-Moreno, B., Sabater-Jara, A. B., Pedreno, M. A., & Almagro, L. (2016). Bioactivity of Phytosterols and Their Production in Plant in Vitro Cultures. *Journal of Agricultural and Food Chemistry*, 64(38), 7049–7058. <https://doi.org/10.1021/acs.jafc.6b02345>
- Missihoun, A. A., Adoukonou-Sagbadja, H., Ezin, V., Sedah, P., Dagba, R. A., Ahanhanzo, C., & Agbangla, C. (2015). Missihoun et al. Phenotypic variability and racial classification of landraces of sorghum (*Sorghum bicolor* (L.) Moench) collected in the Northwestern Benin. *International Journal of Agronomy and Agricultural Research (IJAAR)*, 7(4), 23–35. <http://www.innspub.net>
- Monden, Y., Fujii, N., Yamaguchi, K., Ikeo, K., Nakazawa, Y., Waki, T., Hirashima, K., Uchimura, Y., & Tahara, M. (2014). Efficient screening of long terminal repeat retrotransposons that show high insertion polymorphism via high-throughput sequencing of the primer binding site. *Genome*, 57(5), 245–252. <https://doi.org/10.1139/gen-2014-0031>
- Mongrand, S., Badoc, A., Patouille, B., Lacomblez, C., Chavent, M., & Bessoule, J. J. (2005). Chemotaxonomy of the Rubiaceae family based on leaf fatty acid composition. *Phytochemistry*, 66(5), 549–559. <https://doi.org/10.1016/j.phytochem.2004.12.021>
- Mori, C. C., Bagatini, I. L., Garcia da Silva, T., Parrish, C. C., & Henriques Vieira, A. A. (2018). Use of fatty acids in the chemotaxonomy of the family Selenastraceae (Sphaeropleales, Chlorophyceae). *Phytochemistry*, 151, 9–16. <https://doi.org/10.1016/j.phytochem.2018.03.011>
- Morina, I., Tnunay, Y., Chikmawati, T., & Article, H. (2019). *Biosaintifika*. 11(1), 47–54.
- Motlhaodi, T. M. (2016). Genetic diversity and nutritional content of sorghum [*Sorghum bicolor* (L.) Moench] accessions from Southern Africa. In *Acta Universitatis Agriculturae Sueciae* (Vol. 2).
- Mukkun, L., Lalel, H. J. D., Richana, N., Pabendon, M. B., & Kleden, S. R. (2018). The diversity of local sorghum (*Sorghum bicolor* L. Moench) in Nusa Tenggara Timur province. *IOP Conference Series: Earth and Environmental*

Science, 144(1), 6–13. <https://doi.org/10.1088/1755-1315/144/1/012065>

- Mulyaningsih, E., & Indrayani, S. (2014). Keragaman Morfologi dan Genetik Padi Gogo Lokal Asal Banten. *Jurnal Biologi Indonesia*, 10(1), 119–128.
- Nadeem, M. A., Nawaz, M. A., Shahid, M. Q., Doğan, Y., Comertpay, G., Yıldız, M., Hatipoğlu, R., Ahmad, F., Alsaleh, A., Labhane, N., Özkan, H., Chung, G., & Baloch, F. S. (2017). DNA molecular markers in plant breeding: current status and recent advancements in genomic selection and genome editing. *Biotechnology and Biotechnological Equipment*, 32(2), 261–285. <https://doi.org/10.1080/13102818.2017.1400401>
- Nephelium, L., Farmaco-chimico, D., Bari, U., Biologiche, T., & Monteroni, V. (2006). *Natural Product Communications Characterization of Seed Oil Components from*. 0–4.
- Neucere, N. J., & Gene, S. (1980). Chemical Composition of Different Varieties of Grain *Sorghum*. *Journal of Agricultural and Food Chemistry*, 28(1), 19–21. <https://doi.org/10.1021/jf60227a022>
- Nietupski, M., Ludwiczak, E., Cabaj, R., Purwin, C., & Kordan, B. (2021). Fatty acids present in wheat kernels influence the development of the grain weevil (*Sitophilus granarius* L.). *Insects*, 12(9), 1–12. <https://doi.org/10.3390/insects12090806>
- Ninkuu, V., Zhang, L., Yan, J., Fu, Z., Yang, T., & Zeng, H. (2021). Biochemistry of terpenes and recent advances in plant protection. *International Journal of Molecular Sciences*, 22(11). <https://doi.org/10.3390/ijms22115710>
- Niogret, J., Epsky, N. D., Schnell, R. J., Boza, E. J., Kendra, P. E., & Heath, R. R. (2013). Terpenoid Variations within and among Half-Sibling Avocado Trees, *Persea americana* Mill. (Lauraceae). *PLoS ONE*, 8(9). <https://doi.org/10.1371/journal.pone.0073601>
- Nugroho, L. H., Lexinta, E. C., Priyono, Y., & Susandarin, R. (2020). Short communication: Composition of terpenoid compounds in essential oils extracted from stems of eight *Piper* species and their role in taxonomic relationships. *Biodiversitas*, 21(8), 3438–3443. <https://doi.org/10.13057/biodiv/d210804>
- Ohadi, S., Littlejohn, M., Mesgaran, M., Rooney, W., & Bagavathiannan, M. (2018). Correction: Surveying the spatial distribution of feral sorghum (*Sorghum bicolor* L.) and its sympatry with johnsongrass (*S. halepense*) in South Texas (PLoS ONE (2018) 13: 4 (e0195511) DOI: 10.1371/journal.pone.0195511). *PLoS ONE*, 13(7), 1–14. <https://doi.org/10.1371/journal.pone.0200984>
- Ohlrogge, J., Thrower, N., Mhaske, V., Stymne, S., Baxter, M., Yang, W., Liu, J., Shaw, K., Shorrosh, B., Zhang, M., Wilkerson, C., & Matthäus, B. (2018).

- PlantFAdb: a resource for exploring hundreds of plant fatty acid structures synthesized by thousands of plants and their phylogenetic relationships. *Plant Journal*, 96(6), 1299–1308. <https://doi.org/10.1111/tpj.14102>
- Olatunde, A., Tijjani, H., & Ishola, A. A. (2020). Functional Foods and Nutraceuticals. In *Functional Foods and Nutraceuticals* (Issue August). <https://doi.org/10.1007/978-3-030-42319-3>
- Oros, D. R., Standley, L. J., Chen, X., & Simoneit, B. R. T. (1999). Epicuticular wax compositions of predominant conifers of western North America. *Zeitschrift Fur Naturforschung - Section C Journal of Biosciences*, 54(1–2), 17–24. <https://doi.org/10.1515/znc-1999-1-205>
- Osman, R. O., El-Gelil, F. M. A., El-Noamany, H. M., & Dawood, M. G. (2000). Oil content and fatty acid composition of some varieties of barley and sorghum grains. In *Grasas y Aceites* (Vol. 51, Issue 3). <https://doi.org/10.3989/gya.2000.v51.i3.472>
- Pabendon, M. B., Santoso, S. B., & Argosubekti, N. (2010). Prospek Sorgum Manis sebagai Bahan Baku Bioetanol. *Sorghum: Inovasi Teknologi Dan Pengembangan*, 1(House 1985), 1–15.
- Palmer, M. A., & Bowden, B. N. (1977). Variations in sterol and triterpene contents of developing *Sorghum bicolor* grains. *Phytochemistry*, 16(4), 459–463. [https://doi.org/10.1016/S0031-9422\(00\)94328-0](https://doi.org/10.1016/S0031-9422(00)94328-0)
- Parimalan, R., Mahendranath, G., & Giridhar, P. (2014). Analysis of water soluble polysaccharides as a potential chemotaxonomic marker for landraces in *Bixa orellana*. *Indian Journal of Biochemistry and Biophysics*, 51(1), 81–86.
- Passi, S., De Pità, O., Puddu, P., & Littarru, G. P. (2002). Lipophilic antioxidants in human sebum and aging. *Free Radical Research*, 36(4), 471–477. <https://doi.org/10.1080/10715760290021342>
- Paterson, A. H. (2008). Genomics of sorghum. *International Journal of Plant Genomics*, 2008. <https://doi.org/10.1155/2008/362451>
- Pontieri, P., Troisi, J., Calcagnile, M., Bean, S. R., Tilley, M., Aramouni, F., Boffa, A., Pepe, G., Campiglia, P., Giudice, F. Del, Chessa, A. L., Smolensky, D., Aletta, M., Alifano, P., & Giudice, L. Del. (2022). *Food-Grade White , Red and Black Sorghum Varieties Grown in the Mediterranean Environment*. 1–11.
- Purkrtova, Z., Jolivet, P., Miquel, M., & Chardot, T. (2008). Structure and function of seed lipid body-associated proteins. *Comptes Rendus - Biologies*, 331(10), 746–754. <https://doi.org/10.1016/j.crv.2008.07.016>
- Rahman, M. M., Hussain, A., Syed, M. A., & Ansari, A. (2011). Comparison among Clustering in Multivariate Analysis of Rice Using Morphological Traits,

- Physiological Traits and Simple Sequence Repeat Markers. *American-Eurasian Journal of Agriculture and Environmental Science*, 11(6), 876–882.
- Raj Prajapati, D., Pahuja, S. K., Verma, N. K., & Chaudhary, S. (2018). Morphological Characterization of Sorghum [*Sorghum bicolor* (L.) Moench] Germplasm for DUS Traits. *International Journal of Current Microbiology and Applied Sciences*, 7(2), 2058–2071. <https://doi.org/10.20546/ijemas.2018.702.246>
- Ramalingam, A. P., Mohanavel, W., Premnath, A., Muthurajan, R., Vara Prasad, P. V., & Perumal, R. (2021). Large-scale non-targeted metabolomics reveals antioxidant, nutraceutical and therapeutic potentials of sorghum. *Antioxidants*, 10(10). <https://doi.org/10.3390/antiox10101511>
- Ryu, J., Im, S. B., Kwon, S. J., Ahn, J. W., Jeong, S. W., & Kang, S. Y. (2016). Chemical and genetic diversity of high-seed-yield sorghum (*Sorghum bicolor* M.) germplasms. *Genetics and Molecular Research*, 15(3). <https://doi.org/10.4238/gmr.15038677>
- Saeidi, H., Rahiminejad, M. R., & Heslop-Harrison, J. S. (2008). Retroelement insertional polymorphisms, diversity and phylogeography within diploid, D-genome *Aegilops tauschii* (Triticeae, Poaceae) sub-taxa in Iran. *Annals of Botany*, 101(6), 855–861. <https://doi.org/10.1093/aob/mcn042>
- Salah, A. I., Ali, H. A. M., & Imad, H. H. (2015). Spectral analysis and anti-bacterial activity of methanolic fruit extract of *Citrullus colocynthis* using gas chromatography-mass spectrometry. *African Journal of Biotechnology*, 14(46), 3131–3158. <https://doi.org/10.5897/ajb2015.14957>
- Saleem, M. (2012). Lupeol, A Novel Anti-inflammatory and Anti-cancer Dietary Triterpen. *PMC*, 78(2), 711–716. <https://doi.org/10.1016/j.canlet.2009.04.033.Lupeol>
- Sambrook, J., E.F.Fritsch, & T.maniatis. (1989). *book3.Molecular-Cloning*.
- Sang, T., & Li, J. (2013). Cereal genomics II. In *Cereal Genomics II* (Vol. 9789400764, pp. 1–438). <https://doi.org/10.1007/978-94-007-6401-9>
- Saniaty, A., , T., & Wirnas, D. D. (2017). Keragaan Karakter Morfologi dan Agronomi Galur-Galur Sorgum pada Dua Lingkungan Berbeda. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 44(3), 271. <https://doi.org/10.24831/jai.v44i3.12907>
- Sapkota, S., Boyles, R., Cooper, E., Brenton, Z., Myers, M., & Kresovich, S. (2020). Impact of *Sorghum* racial structure and diversity on genomic prediction of grain yield components. *Crop Science*, 60(1), 132–148. <https://doi.org/10.1002/csc2.20060>

- Saski, C., Lee, S. B., Fjellheim, S., Guda, C., Jansen, R. K., Luo, H., Tomkins, J., Rognli, O. A., Daniell, H., & Clarke, J. L. (2007). Complete chloroplast genome sequences of *Hordeum vulgare*, *Sorghum bicolor* and *Agrostis stolonifera*, and comparative analyses with other grass genomes. *Theoretical and Applied Genetics*, 115(4), 591. <https://doi.org/10.1007/s00122-007-0595-0>
- Schulte, L. R., Ballard, T., Samarakoon, T., Yao, L., Vadlani, P., Staggenborg, S., & Rezac, M. (2013). Increased growing temperature reduces content of polyunsaturated fatty acids in four oilseed crops. *Industrial Crops and Products*, 51, 212–219. <https://doi.org/10.1016/j.indcrop.2013.08.075>
- Sedghi, M., Golian, A., Soleimani-Roodi, P., Ahmadi, A., & Aami-Azghadi, M. (2012). Relationship between color and tannin content in sorghum grain: Application of image analysis and Artificial Neural Network. *Revista Brasileira de Ciencia Avicola*, 14(1), 57–62. <https://doi.org/10.1590/S1516-635X2012000100010>
- Serrato-Capuchina, A., & Matute, D. R. (2018). The role of transposable elements in speciation. *Genes*, 9(5). <https://doi.org/10.3390/genes9050254>
- Şevik, H., Belkayalı, N., & Aktar, G. (2014). Change of Chlorophyll Amount in Some Landscape Plants. *Journal of Biotechnological Sciences (J. Biotechnol. Sci.)*, 2(1), 10–16. www.journal-of-biotechnological-sciences.darsgah-
- Shegro, A., Labuschagne, M. T., Biljon, A. Van, & Shargie, N. G. (2013). Assessment of genetic diversity in sorghum accessions using amplified fragment length polymorphism (AFLP) analysis. *African Journal of Biotechnology*, 12(11), 1178–1188.
- Shehzad, T., Okuizumi, H., Kawase, M., & Okuno, K. (2009). Development of SSR-based sorghum (*Sorghum bicolor* (L.) Moench) diversity research set of germplasm and its evaluation by morphological traits. *Genetic Resources and Crop Evolution*, 56(6), 809–827. <https://doi.org/10.1007/s10722-008-9403-1>
- Shirasu, K., Schulman, A. H., Lahaye, T., & Schulze-Lefert, P. (2000). A contiguous 66-kb barley DNA sequence provides evidence for reversible genome expansion. *Genome Research*, 10(7), 908–915. <https://doi.org/10.1101/gr.10.7.908>
- Shoemaker, C., & Bransby, D. (2010). The Role of *Sorghum* As A Bioenergy Feedstock. *Biofuels*, 1(4), 563–573.
- Singh, D., Rezac, M. E., & Pfromm, P. H. (2010). Partial hydrogenation of soybean oil using metal-decorated integral-asymmetric polymer membranes: Effects of morphology and membrane properties. *Journal of Membrane Science*, 348(1–2), 99–108. <https://doi.org/10.1016/j.memsci.2009.10.046>

- Singh, R. (2016). Chemotaxonomy: A Tool for Plant Classification. *Journal of Medicinal Plants Studies*, 4(2), 90–93.
- Singh, Vijay, Moreau, R. A., & Hicks, K. B. (2003). Yield and phytosterol composition of oil extracted from grain *Sorghum* and its wet-milled fractions. *Cereal Chemistry*, 80(2), 126–129. <https://doi.org/10.1094/CCHEM.2003.80.2.126>
- Singh, Vijaya, van Oosterom, E. J., Jordan, D. R., Messina, C. D., Cooper, M., & Hammer, G. L. (2010). Morphological and architectural development of root systems in *Sorghum* and maize. *Plant and Soil*, 333(1), 287–299. <https://doi.org/10.1007/s11104-010-0343-0>
- Sirappa, M. (2003). Prospect of sorghum development in Indonesia as an alternative commodity for food, feed, and industry. *J. Litbang. Pert.*, 22(4), 133–140.
- Sissoko, S., Diallo, A. G., Teme, N., Coulibaly, S. B., Coulibaly, M. M., Vernon, G., & Danquah, E. (2016). Farmers' varietal preferences, implications in improvement of sorghum (*Sorghum bicolor* (L.) Moench) and productivity in Mali. *Journal of Agriculture and Food Technology*, 6(3), 1–11. www.textroad.com
- Smith, R. M., & Martin-Smith, M. (1978). Hydrocarbons in leaf waxes of *Saccharum* and related genera. *Phytochemistry*, 17(8), 1293–1296. [https://doi.org/10.1016/S0031-9422\(00\)94577-1](https://doi.org/10.1016/S0031-9422(00)94577-1)
- Smith, S., Primomo, V., Monk, R., Nelson, B., Jones, E., & Porter, K. (2010). Genetic Diversity of Widely Used U.S. *Sorghum* Hybrids 1980–2008. *Crop Science*, 50(5), 1664–1673. <https://doi.org/10.2135/cropsci2009.10.0619>
- Sokal, R. R. (1986). Phenetic taxonomy: theory and methods. *Ann Rev Ecol Syst* 17:423–442. *Annual Review of Ecology and Systematics*, 17(November), 423–442. <http://arxiv.org/abs/0705.0910v0> <http://dx.doi.org/10.1086/519760>
- Solouki, M., Mehdikhani, H., Zeinali, H., & Emamjomeh, A. A. (2008). Study of genetic diversity in Chamomile (*Matricaria chamomilla*) based on morphological traits and molecular markers. *Scientia Horticulturae*, 117(3), 281–287. <https://doi.org/10.1016/j.scienta.2008.03.029>
- Sory, S., Toure, A., & Rattunde, F. (2019). *Agronomic Performances of Hybrid Sorghum bicolor [L.] Moench, Guinea Races Cultivated under Limited and High-Soil Phosphorus Conditions. March.*
- Stemler, A. B. L., Harlan, J. R., & de Wet, J. M. J. (1975). Evolutionary History of Cultivated Sorghums (*Sorghum bicolor* [Linn.] Moench) of Ethiopia. *Bulletin of the Torrey Botanical Club*, 102(6), 325. <https://doi.org/10.2307/2484758>
- Streeter, M. N., Wagner, D. G., Hibberd, C. A., & Owens, F. N. (1990). Comparison

- of corn with four *Sorghum* grain hybrids: site and extent of digestion in steers. *Journal of Animal Science*, 68(10), 3429–3440. <https://doi.org/10.2527/1990.68103429x>
- Sumarno & Zuraida, Nani. (2008). Pengelolaan Plasma Nutfah Tanaman terintegrasi dengan Program Pemuliaan Tanaman. *Buletin Plasma Nutfah*. Volume .14 No. 2
- Susandarini, R., Rugayah, Nugroho, L. H., & Subandiyah, S. (2016). Chemotaxonomy of Indonesian *Citrus maxima* based on leaf essential oils. *Online Journal of Biological Sciences*, 16(1), 26–33. <https://doi.org/10.3844/ojbsci.2016.26.33>
- Syafruddin, M., Harisudin, M., & Widiyanti, E. (2017). Strategi Pengembangan Sorgum Di Kabupaten Wonogiri. *SEPA: Jurnal Sosial Ekonomi Pertanian Dan Agribisnis*, 12(1), 70. <https://doi.org/10.20961/sepa.v12i1.14204>
- Tabri, F., & Zubachtirodin. (2013). Budi Daya Tanaman Sorgum. *Sorghum: Inovasi Teknologi Dan Pengembangan*, 175–187.
- Tang, H., Cuevas, H. E., Das, S., Sezen, U. U., Zhou, C., Guo, H., Goff, V. H., Ge, Z., Clemente, T. E., & Paterson, A. H. (2013). Seed shattering in a wild *Sorghum* is conferred by a locus unrelated to domestication. *Proceedings of the National Academy of Sciences of the United States of America*, 110(39), 15824–15829. <https://doi.org/10.1073/pnas.1305213110>
- Teixeira, T. R., Dos Santos, G. S., Armstrong, L., Colepicolo, P., & Deboni, H. M. (2019). Antitumor potential of seaweed derived-endophytic fungi. *Antibiotics*, 8(4), 1–24. <https://doi.org/10.3390/antibiotics8040205>
- To, N. B., 2, M. K. E., Nguyen, Y. T.-K., Moon, J. Y., & Cho, S. K. (2020). No Title Pentadecanoic Acid, an Odd-Chain Fatty Acid, Suppresses the Stemness of MCF-7/SC Human Breast Cancer Stem-Like Cells through JAK2/STAT3 Signaling. *Nutrients*, 12.
- Turki, D. A., Al Jamali, M., & Kanbar, A. (2011). Genetic variation of sorghum (*Sorghum bicolor* L. Moench) varieties assessed by ISSR markers. *Advances in Environmental Biology*, 5(11), 3504–3510.
- Turner, M. F., Heuberger, A. L., Kirkwood, J. S., Collins, C. C., Wolfrum, E. J., Broeckling, C. D., Prenni, J. E., & Jahn, C. E. (2016). Non-targeted metabolomics in diverse sorghum breeding lines indicates primary and secondary metabolite profiles are associated with plant biomass accumulation and photosynthesis. *Frontiers in Plant Science*, 7(JULY2016), 1–17. <https://doi.org/10.3389/fpls.2016.00953>
- Twining, C., Bernhardt, J. R., Derry, M. A., M. Hudson, C., Ishikawa, A., Kabeya, N., J, Kainz, M., Kitano, J., Kowarik, C., Nemiah Ladd, S., Leal, M., Scharnweber, K., Shipley, J. R., & Matthews, B. (2020). Ecology Letters -

- 2021 - Twining - The evolutionary ecology of fatty-acid variation Implications for consumer adaptation.pdf. *Ecology Letters*, 1709–1731.
- Umoh, O. T. (2020). Chemotaxonomy: The Role of Phytochemicals in Chemotaxonomic Delineation of Taxa. *Asian Plant Research Journal*, July, 43–52. <https://doi.org/10.9734/aprj/2020/v5i130100>
- Venkateswaran, K., Elangovan, M., & Sivaraj, N. (2018). Origin, domestication and diffusion of *Sorghum bicolor*. In *Breeding Sorghum for Diverse End Uses*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-101879-8.00002-4>
- Vieira, E. A., de Carvalho, F. I. F., Bertan, I., Kopp, M. M., Zimmer, P. D., Benin, G., da Silva, J. A. G., Hartwig, I., Malone, G., & de Oliveira, A. C. (2007). Association between genetic distances in wheat (*Triticum aestivum* L.) as estimated by AFLP and morphological markers. *Genetics and Molecular Biology*, 30(2), 392–399. <https://doi.org/10.1590/S1415-47572007000300016>
- Vinall, H. N., Stephens, J. C., Agronomist, A., & Martin, J. H. (1936). *IDENTIFICATION, HISTORY, AND DISTRIBUTION OF COMMON SORGHUM VARIETIES Senior Agronomist Division of Forage Crops and Diseases Senior Agronomist Division of Cereal Crops and Diseases Bureau of Plant Industry*. 506.
- Vitte, C., & Panaud, O. (2005). LTR retrotransposons and flowering plant genome size: Emergence of the increase/decrease model. *Cytogenetic and Genome Research*, 110(1–4), 91–107. <https://doi.org/10.1159/000084941>
- Wahyono, T., Indiratama, W. M., Sihono, & Human, S. (2021). White Midrib (WMR) vs Brown Midrib (BMR) sorghum: Perspective of nutrient value for ruminant forage. *IOP Conference Series: Earth and Environmental Science*, 788(1). <https://doi.org/10.1088/1755-1315/788/1/012164>
- Wang, L., Upadhyaya, H. D., Zheng, J., Liu, Y., Singh, S. K., Gowda, C. L. L., Kumar, R., Zhu, Y., Wang, Y. H., & Li, J. (2021). Genome-Wide Association Mapping Identifies Novel Panicle Morphology Loci and Candidate Genes in *Sorghum*. *Frontiers in Plant Science*, 12(October). <https://doi.org/10.3389/fpls.2021.743838>
- Wang, M. R., Li, W., Luo, S., Zhao, X., Ma, C. H., & Liu, S. X. (2018). GC-MS study of the chemical components of different *Aquilaria sinensis* (lour.) gilgorgans and agarwood from different asian countries. *Molecules*, 23(9). <https://doi.org/10.3390/molecules23092168>
- Wayman, K. A., de Lange, P. J., Larsen, L., Sansom, C. E., & Perry, N. B. (2010). Chemotaxonomy of *Pseudowintera*: Sesquiterpene dialdehyde variants are species markers. *Phytochemistry*, 71(7), 766–772. <https://doi.org/10.1016/j.phytochem.2010.01.017>

- Wet, J. M. . de, & Huckabay, J. F. (1967). *The Origin of Sorghum bicolor . II . Distribution and Domestication Author (s): J . M . J . de Wet and J . P . Huckabay Published by : Society for the Study of Evolution Stable URL : <http://www.jstor.org/stable/2406774> . 21(4), 787–802.*
- Widnyana, I. K. (2003). *Jurnal pertanian berbasis keseimbangan ekosistem 1*. 1–12.
- Xie, P., Tang, S., Chen, C., Zhang, H., Yu, F., Li, C., Wei, H., Sui, Y., Wu, C., Diao, X., Wu, Y., & Xie, Q. (2022). Natural variation in Glume Coverage 1 causes naked grains in *Sorghum*. *Nature Communications*, *13*(1), 1–13. <https://doi.org/10.1038/s41467-022-28680-3>
- Xiong, Y., Zhang, P., Warner, R. D., & Fang, Z. (2019). *Sorghum* Grain: From Genotype, Nutrition, and Phenolic Profile to Its Health Benefits and Food Applications. *Comprehensive Reviews in Food Science and Food Safety*, *18*(6), 2025–2046. <https://doi.org/10.1111/1541-4337.12506>
- Zekeya, N., Chacha, M., Shahada, F., Kidukuli, A., & African, N. M. (2014). Analysis of phytochemical composition of *Bersama abyssinica* by gas chromatography – mass spectrometry. *Journal of Pharmacognosy and Phytochemistry JPP*, *3*(34), 246–252.
- Zen, Z. (2022). *A Nutritional Survey of Local Barley Populations Based on the Mineral Bioavailability , Fatty Acid Profile , and Geographic Distribution of Fusarium Species and the Mycotoxin*.
- Zeng, T., Liu, Z., Liu, H., He, W., Tang, X., Xie, L., & Wu, R. (2019). Exploring Chemical and Biological Space of Terpenoids [Research-article]. *Journal of Chemical Information and Modeling*, *59*(9), 3667–3678. <https://doi.org/10.1021/acs.jcim.9b00443>
- Zubair, A. (2016). *SORGUM - Tanaman Multi Manfaat* (1st ed., Issue March). Unpad Press.