

Bibliography

- Agrawal, A. (2016). Clickbait detection using deep learning. *2016 2nd International Conference on Next Generation Computing Technologies (NGCT)*, 268–272. <https://doi.org/10.1109/NGCT.2016.7877426>
- Almeida, F., & Xexéo, G. (2019). Word embeddings: A survey.
- Anand, A., Chakraborty, T., & Park, N. (2016). We used neural networks to detect clickbaits: You won't believe what happened next!
- Aydođan, M., & Karci, A. (2020). Improving the accuracy using pre-trained word embeddings on deep neural networks for turkish text classification. *Physica A: Statistical Mechanics and its Applications*, 541, 123288. <https://doi.org/https://doi.org/10.1016/j.physa.2019.123288>
- Caplan, R., & Boyd, D. (2018). Isomorphism through algorithms: Institutional dependencies in the case of facebook. *Big Data Society*, 5, 205395171875725. <https://doi.org/10.1177/2053951718757253>
- Chakraborty, A., Paranjape, B., Kakarla, S., & Ganguly, N. (2016). Stop clickbait: Detecting and preventing clickbaits in online news media.
- Chawla, K., & Yang, D. (2020). Semi-supervised formality style transfer using language model discriminator and mutual information maximization. *Findings of the Association for Computational Linguistics: EMNLP 2020*, 2340–2354. <https://doi.org/10.18653/v1/2020.findings-emnlp.212>
- Cho, K., van Merriënboer, B., Bahdanau, D., & Bengio, Y. (2014). On the properties of neural machine translation: Encoder-decoder approaches.
- Chua, A. Y., Pal, A., & Banerjee, S. (2020). “this will blow your mind”: Examining the urge to click clickbaits. *Aslib Journal of Information Management*, 73, 288–303. <https://doi.org/10.1108/AJIM-07-2020-0214>
- Danescu-Niculescu-Mizil, C., Sudhof, M., Jurafsky, D., Leskovec, J., & Potts, C. (2013). A computational approach to politeness with application to social factors.
- Dey, R., & Salem, F. M. (2017). Gate-variants of gated recurrent unit (gru) neural networks. *2017 IEEE 60th International Midwest Symposium on Circuits and Systems (MWSCAS)*, 1597–1600. <https://doi.org/10.1109/MWSCAS.2017.8053243>
- Fu, Z., Tan, X., Peng, N., Zhao, D., & Yan, R. (2017). Style transfer in text: Exploration and evaluation.
- Gatt, A., & Krahmer, E. (2017). Survey of the state of the art in natural language generation: Core tasks, applications and evaluation.

- Goodfellow, I. J., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., & Bengio, Y. (2014). Generative adversarial networks.
- Grave, E., Bojanowski, P., Gupta, P., Joulin, A., & Mikolov, T. (2018). Learning word vectors for 157 languages. *CoRR*, *abs/1802.06893*. <http://arxiv.org/abs/1802.06893>
- Gu, X., Mao, Y., Han, J., Liu, J., Wu, Y., Yu, C., Finnie, D., Yu, H., Zhai, J., & Zukoski, N. (2020). Generating representative headlines for news stories. *Proceedings of The Web Conference 2020*, 1773–1784. <https://doi.org/10.1145/3366423.3380247>
- Hinton, G. E., Srivastava, N., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. R. (2012). Improving neural networks by preventing co-adaptation of feature detectors.
- Hoang, V. C. D., Koehn, P., Haffari, G., & Cohn, T. (2018). Iterative back-translation for neural machine translation. *Proceedings of the 2nd Workshop on Neural Machine Translation and Generation*, 18–24. <https://doi.org/10.18653/v1/W18-2703>
- Hovy, E. H. (1988). Generating natural language under pragmatic constraints.
- Hu, Z., Lee, R. K.-W., Aggarwal, C. C., & Zhang, A. (2020). Text style transfer: A review and experimental evaluation.
- Hu, Z., Yang, Z., Liang, X., Salakhutdinov, R., & Xing, E. P. (2017). Toward controlled generation of text.
- Jin, D., Jin, Z., Hu, Z., Vechtomova, O., & Mihalcea, R. (2020). Deep learning for text style transfer: A survey.
- Jin, D., Jin, Z., Zhou, J. T., Orii, L., & Szolovits, P. (2020). Hooks in the headline: Learning to generate headlines with controlled styles.
- Jin, Hu, Z., Vechtomova, O., Mihalcea, R., Jin, D., & Alexa, A. A. (2022). Deep learning for text style transfer: A survey under a creative commons attribution-noncommercial-nd 4.0 international (cc by-nc-nd 4.0) license. *Computational Linguistics*, 48. <https://doi.org/10.1162/COLI>
- John, V., Mou, L., Bahuleyan, H., & Vechtomova, O. (2018). Disentangled representation learning for non-parallel text style transfer.
- Jones, K. S. (1972). A statistical interpretation of term specificity and its application in retrieval. *Journal of Documentation*, 28, 11–21.
- Jurafsky, D., & Martin, J. H. (2020). *Speech and language processing (3rd edition)*. Prentice-Hall, Inc.

- Kalchbrenner, N., & Blunsom, P. (2013). Recurrent continuous translation models. *Proceedings of the 2013 Conference on Empirical Methods in Natural Language Processing*, 1700–1709. <https://aclanthology.org/D13-1176>
- Khanmohammadi, R., & Mirroshandel, S. A. (2020). Pgst: A polyglot gender style transfer method.
- Kingma, D. P., & Ba, J. (2014). Adam: A method for stochastic optimization.
- Kneser, R., & Ney, H. (1995). Improved backing-off for m-gram language modeling. *1995 International Conference on Acoustics, Speech, and Signal Processing*, 181–184. <https://doi.org/10.1109/ICASSP.1995.479394>
- Kurniawan, K., & Louvan, S. (2018). Indosum: A new benchmark dataset for indonesian text summarization.
- Landro, N., Gallo, I., & Grassa, R. L. (2020). Mixing ADAM and SGD: a combined optimization method. *CoRR, abs/2011.08042*. <https://arxiv.org/abs/2011.08042>
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521, 436–444. <https://doi.org/10.1038/nature14539>
- Lee, J. (2020). Stable style transformer: Delete and generate approach with encoder-decoder for text style transfer.
- Li, Jia, R., He, H., & Liang, P. (2018). Delete, retrieve, generate: A simple approach to sentiment and style transfer. *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long Papers)*, 1865–1874. <https://doi.org/10.18653/v1/N18-1169>
- Li, Y., Li, C., Zhang, Y., Li, X., Zheng, G., Carin, L., & Gao, J. (2020). Complementary auxiliary classifiers for label-conditional text generation. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34, 8303–8310. <https://doi.org/10.1609/aaai.v34i05.6346>
- Lin, C.-Y., & Och, F. J. (2004). Automatic evaluation of machine translation quality using longest common subsequence and skip-bigram statistics. *Proceedings of the 42nd Annual Meeting on Association for Computational Linguistics - ACL '04*, 605–es. <https://doi.org/10.3115/1218955.1219032>
- Lischka, J. A., & Garz, M. (2021). Clickbait news and algorithmic curation: A game theory framework of the relation between journalism, users, and platforms. *New Media Society*, 146144482110271. <https://doi.org/10.1177/14614448211027174>
- Liu, R., Gao, C., Jia, C., Xu, G., & Vosoughi, S. (2022). Non-parallel text style transfer with self-parallel supervision.

- Lourdusamy, R., & Abraham, S. (2018). A survey on text pre-processing techniques and tools. *International Journal of Computer Sciences and Engineering*, 06, 148–157. <https://doi.org/10.26438/ijcse/v6si3.148157>
- Luhn, H. P. (1957). A statistical approach to mechanized encoding and searching of literary information. *IBM Journal of Research and Development*, 1, 309–317. <https://doi.org/10.1147/rd.14.0309>
- Madaan, A., Setlur, A., Parekh, T., Poczos, B., Neubig, G., Yang, Y., Salakhutdinov, R., Black, A. W., & Prabhunoye, S. (2020). Politeness transfer: A tag and generate approach.
- Manjesh, S., Kanakagiri, T., Vaishak, P., Chettiar, V., & Shobha, G. (2017). Clickbait pattern detection and classification of news headlines using natural language processing. *2017 2nd International Conference on Computational Systems and Information Technology for Sustainable Solution (CSITSS)*, 1–5. <https://doi.org/10.1109/CSITSS.2017.8447715>
- McDonald, D. D., & Pustejovsky, J. D. (1985). A computational theory of prose style for natural language generation. *Proceedings of the second conference on European chapter of the Association for Computational Linguistics -*, 187–193. <https://doi.org/10.3115/976931.976958>
- Meister, C., Vieira, T., & Cotterell, R. (2020). Best-first beam search. *Transactions of the Association for Computational Linguistics*, 8, 795–809. https://doi.org/10.1162/tacl_a_00346
- Mielke, S. J., Alyafeai, Z., Salesky, E., Raffel, C., Dey, M., Gallé, M., Raja, A., Si, C., Lee, W. Y., Sagot, B., & Tan, S. (2021). Between words and characters: A brief history of open-vocabulary modeling and tokenization in nlp.
- Molina, M., Sundar, S. S., Rony, M. M. U., Hassan, N., Le, T., & Lee, D. (2021). Does clickbait actually attract more clicks? three clickbait studies you must read. *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. <https://doi.org/10.1145/3411764.3445753>
- Moradi, M., & Bahrani, M. (2015). Automatic gender identification in persian text. *Signal and Data Processing*, 83–94. <https://www.sid.ir/en/journal/ViewPaper.aspx?id=501337>
- Mueller, J., Jin, Z., Jin, D., Matthews, N., & Santus, E. (2019). Imat: Unsupervised text attribute transfer via iterative matching and translation.
- Munger, K., Luca, M., Nagler, J., & Tucker, J. A. (2018). The effect of clickbait □.
- Niu, T., & Bansal, M. (2018). Polite dialogue generation without parallel data.
- Omidvar, A., Jiang, H., & An, A. (2018). Using neural network for identifying clickbaits in online news media.

- Pang, R. Y., & Gimpel, K. (2019). Unsupervised evaluation metrics and learning criteria for non-parallel textual transfer. *Proceedings of the 3rd Workshop on Neural Generation and Translation*, 138–147. <https://doi.org/10.18653/v1/D19-5614>
- Papineni, K., Roukos, S., Ward, T., & Zhu, W.-J. (2001). Bleu. *Proceedings of the 40th Annual Meeting on Association for Computational Linguistics - ACL '02*, 311. <https://doi.org/10.3115/1073083.1073135>
- Paszke, A., Gross, S., Massa, F., Lerer, A., Bradbury, J., Chanan, G., Killeen, T., Lin, Z., Gimelshein, N., Antiga, L., Desmaison, A., Kopf, A., Yang, E., DeVito, Z., Raison, M., Tejani, A., Chilamkurthy, S., Steiner, B., Fang, L., ... Chintala, S. (2019). Pytorch: An imperative style, high-performance deep learning library. In *Advances in neural information processing systems 32* (pp. 8024–8035). Curran Associates, Inc. <http://papers.neurips.cc/paper/9015-pytorch-an-imperative-style-high-performance-deep-learning-library.pdf>
- Prabhumoye, S., Tsvetkov, Y., Salakhutdinov, R., & Black, A. W. (2018). Style transfer through back-translation. *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 866–876. <https://doi.org/10.18653/v1/P18-1080>
- Pryzant, R., Martinez, R. D., Dass, N., Kurohashi, S., Jurafsky, D., & Yang, D. (2020). Automatically neutralizing subjective bias in text. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34, 480–489. <https://doi.org/10.1609/aaai.v34i01.5385>
- Qi, T., Huang, Y., Wu, F., & Wu, C. (2020). Clickbait detection with style-aware title modeling and co-attention. In M. Sun, S. Li, Y. Zhang, Y. Liu, S. He & G. Rao (Eds.), *Chinese computational linguistics* (pp. 430–443). Springer International Publishing.
- Rao, S., & Tetreault, J. (2018). Dear sir or madam, may i introduce the gyafc dataset: Corpus, benchmarks and metrics for formality style transfer.
- Raschka, S. (2014). Naive bayes and text classification i - introduction and theory.
- Razaque, A., Alotaibi, B., Alotaibi, M., Hussain, S., Alotaibi, A., & Jotsov, V. (2022). Clickbait detection using deep recurrent neural network. *Applied Sciences (Switzerland)*, 12. <https://doi.org/10.3390/app12010504>
- Reddy, S., & Knight, K. (2016). Obfuscating gender in social media writing. *Proceedings of the First Workshop on NLP and Computational Social Science*, 17–26. <https://doi.org/10.18653/v1/W16-5603>
- Robertson, S. (2017). Nlp from scratch: Translation with a sequence to sequence network and attention¶. https://pytorch.org/tutorials/intermediate/seq2seq_translation_tutorial.html

- Rony, M. M. U., Hassan, N., & Yousuf, M. (2017). Diving deep into clickbaits: Who use them to what extents in which topics with what effects?
- Santhanam, S., & Shaikh, S. (2019). A survey of natural language generation techniques with a focus on dialogue systems - past, present and future directions.
- Scacco, J. M., & Muddiman, A. (2020). The curiosity effect: Information seeking in the contemporary news environment. *New Media Society*, 22, 429–448. <https://doi.org/10.1177/1461444819863408>
- Shen, T., Lei, T., Barzilay, R., & Jaakkola, T. (2017). Style transfer from non-parallel text by cross-alignment.
- Shu, K., Wang, S., Le, T., Lee, D., & Liu, H. (2018). Deep headline generation for clickbait detection. *2018 IEEE International Conference on Data Mining (ICDM)*, 467–476. <https://doi.org/10.1109/ICDM.2018.00062>
- Sismeiro, C., & Mahmood, A. (2018). Competitive vs. complementary effects in online social networks and news consumption: A natural experiment. *Management Science*, 64, 5014–5037. <https://doi.org/10.1287/mnsc.2017.2896>
- Smith, L. N. (2015). No more pesky learning rate guessing games. *CoRR*, *abs/1506.01186*. <http://arxiv.org/abs/1506.01186>
- Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout: A simple way to prevent neural networks from overfitting. *J. Mach. Learn. Res.*, 15(1), 1929–1958.
- Sudhakar, A., Upadhyay, B., & Maheswaran, A. (2019). “transforming” delete, retrieve, generate approach for controlled text style transfer. *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, 3267–3277. <https://doi.org/10.18653/v1/D19-1322>
- Tokpo, E. K., & Calders, T. (2022). Text style transfer for bias mitigation using masked language modeling.
- Toshevskaa, M., & Gievskaa, S. (2021). A review of text style transfer using deep learning. <https://doi.org/10.1109/TAI.2021.3115992>
- William, A., & Sari, Y. (2020). Click-id: A novel dataset for indonesian clickbait headlines. *Data in Brief*, 32, 106231. <https://doi.org/10.1016/j.dib.2020.106231>
- Wu, Wang, X., & Wang, W. Y. (2019). Extract and edit: An alternative to back-translation for unsupervised neural machine translation. *Proceedings of the 2019 Conference of the North*, 1173–1183. <https://doi.org/10.18653/v1/N19-1120>

- Xu, R., Ge, T., & Wei, F. (2019). Formality style transfer with hybrid textual annotations.
- Yang, S., Wang, Y., & Chu, X. (2020). A survey of deep learning techniques for neural machine translation. *CoRR*, *abs/2002.07526*. <https://arxiv.org/abs/2002.07526>
- Yao, Z., & Yu, H. (2021). Improving formality style transfer with context-aware rule injection. *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, 1561–1570. <https://doi.org/10.18653/v1/2021.acl-long.124>
- Ye, M. (2021). GitHub - realmichaelye/NLP-State-of-the-art-Style-Transfer: Implementing the Delete Retrieve Generate paper from scratch without looking at its code — github.com [[Accessed 01-Mar-2023]].
- Yu, J., Li, P., Chen, J., & Guo, B. (2021). Hg-news: News headline generation based on a generative pre-training model. *IEEE Access*, *9*, 110039–110046. <https://doi.org/10.1109/ACCESS.2021.3102741>
- Zarriß, S., Voigt, H., & Schüz, S. (2021). Decoding methods in neural language generation: A survey. *Information*, *12*, 355. <https://doi.org/10.3390/info12090355>
- Zhang, T., Kishore, V., Wu, F., Weinberger, K. Q., & Artzi, Y. (2019). Bertscore: Evaluating text generation with bert.
- Zhao, J., Kim, Y., Zhang, K., Rush, A. M., & LeCun, Y. (2017). Adversarially regularized autoencoders.
- Zhongyu, P., Li, Bing, L., Wei, L., & Lam, W. (2020). Saliency estimation with multi-attention learning for abstractive text summarization. <https://doi.org/10.48550/ARXIV.2004.03589>