



DAFTAR PUSTAKA

- 2022 ICD-10-CM Diagnosis Code R78.81: Bacteremia [WWW Document], 2022.
URL <https://www.icd10data.com/ICD10CM/Codes/R00-R99/R70-R79/R78-R78.81> (accessed 4.10.22).
- Ahmed, D., Nahid, M.A., Sami, A.B., Halim, F., Akter, N., Sadique, T., et al., 2017. Bacterial etiology of bloodstream infections and antimicrobial resistance in Dhaka, Bangladesh, 2005-2014. *Antimicrob. Resist. Infect. Control* 6: 1–11. doi:10.1186/S13756-016-0162-Z/FIGURES/2
- Alrawahi, A.N., Alhinai, F.A., Doig, C.J., Ball, C.G., Dixon, E., Xiao, Z., et al., 2019. The prognostic value of serum procalcitonin measurements in critically injured patients: A systematic review. *Crit. Care* 23. doi:10.1186/s13054-019-2669-1
- Araujo, M., Doi, S.Q., Palant, C.E., Nylen, E.S., & Becker, K.L., 2013. Procalcitonin induced cytotoxicity and apoptosis in mesangial cells: Implications for septic renal injury. *Inflamm. Res.* 62: 887–894. doi:10.1007/s00011-013-0646-8
- Atallah, N.J., Warren, H.M., Roberts, M.B., Elshaboury, R.H., Bidell, M.R., Gandhi, R.G., et al., 2022. Baseline procalcitonin as a predictor of bacterial infection and clinical outcomes in COVID-19: A case-control study. *PLoS One* 17. doi:10.1371/journal.pone.0262342
- Azzini, A.M., Dorizzi, R.M., Sette, P., Vecchi, M., Coledan, I., Righi, E., et al., 2020. A 2020 review on the role of procalcitonin in different clinical settings: an update conducted with the tools of the Evidence Based Laboratory Medicine. *Ann. Transl. Med.* 8: 610–610. doi:10.21037/atm-20-1855
- Baron, E.J.O., Melvin, P., Yagupsky, P., David, F., & Wilson, D.M., 2005. Blood cultures IV, Clinical Microbiology and Infection. American Society for Microbiology (ASM), Washington, D.C. doi:10.1111/j.1469-0691.1997.tb00991.x
- Bassetti, M., Trecarichi, E.M., Mesini, A., Spanu, T., Giacobbe, D.R., Rossi, M., et al., 2012. Risk factors and mortality of healthcare-associated and community-acquired *Staphylococcus aureus* bacteraemia. *Clin. Microbiol. Infect.* 18: 862–869. doi:10.1111/j.1469-0691.2011.03679.x
- Becker, K.L., Snider, R., & Nylen, E.S., 2010. Procalcitonin in sepsis and systemic inflammation: A harmful biomarker and a therapeutic target. *Br. J. Pharmacol.* doi:10.1111/j.1476-5381.2009.00433.x
- Bennouar, S., Cherif, A.B., & Abdi, S., 2022. Utility of Procalcitonin as a Diagnostic Tool for Sepsis in Intensive Care Units. *Curr Med* 1: 1–7. doi:10.55085/cm.2022.607
- Blanco, J.L., & Garcia, M.E., 2008. Immune response to fungal infections. *Vet.*



Immunol. Immunopathol. 125: 47–70. doi:10.1016/j.vetimm.2008.04.020

Caldararo, M.D., 2019. A Gram-Negative False-Negative: Normal Procalcitonin Level in a Patient with Multiple Klebsiella Pneumoniae Intra-Abdominal Abscesses: A Case Report and Literature Review. *Med. Forum* 20: 36–39. doi:10.1111/j.1755-3768.1964.tb02460.x

Chiang, H.-Y., Chen, T.-C., Lin, C.-C., Ho, L.-C., Kuo, C.-C., & Chi, C.-Y., 2021. Trend and Predictors of Short-term Mortality of Adult Bacteremia at Emergency Departments: A 14-Year Cohort Study of 14 625 Patients. *Open Forum Infect. Dis.* 8. doi:10.1093/ofid/ofab485

Christ-Crain, M., & Müller, B., 2007. Biomarkers in respiratory tract infections: Diagnostic guides to antibiotic prescription, prognostic markers and mediators. *Eur. Respir. J.* 30: 556–573. doi:10.1183/09031936.00166106

Christ-Crain, M., Schuetz, P., Huber, A.R., & Müller, B., 2008. Procalcitonin: Importance for the diagnosis of bacterial infections 1. *LaboratoriumsMedizin* 32. doi:10.1515/jlm.2008.063et

Christaki, E., & Giamarellos-Bourboulis, E.J., 2014. The complex pathogenesis of bacteremia: From antimicrobial clearance mechanisms to the genetic background of the host. *Virulence*. doi:10.4161/viru.26514

Daneman, N., Rishu, A.H., Pinto, R., Aslanian, P., Bagshaw, S.M., Carignan, A., et al., 2018. 7 versus 14 days of antibiotic treatment for critically ill patients with bloodstream infection: A pilot randomized clinical trial. *Trials* 19: 1–9. doi:10.1186/s13063-018-2474-1

Dargère, S., Cormier, H., & Verdon, R., 2018. Contaminants in blood cultures: importance, implications, interpretation and prevention. *Clin. Microbiol. Infect.* doi:10.1016/j.cmi.2018.03.030

Daubin, C., Fournel, F., Thiolière, F., Daviaud, F., Ramakers, M., Polito, A., et al., 2021. Ability of procalcitonin to distinguish between bacterial and nonbacterial infection in severe acute exacerbation of chronic obstructive pulmonary syndrome in the ICU. *Ann. Intensive Care* 11. doi:10.1186/S13613-021-00816-6

Deen, J., von Seidlein, L., Andersen, F., Elle, N., White, N.J., & Lubell, Y., 2012. Community-acquired bacterial bloodstream infections in developing countries in south and southeast Asia: A systematic review. *Lancet Infect. Dis.* 12: 480–487. doi:10.1016/S1473-3099(12)70028-2

Deku, J.G., Dakorah, M.P., Lokpo, S.Y., Orish, V.N., Ussher, F.A., Kpene, G.E., et al., 2019. The Epidemiology of Bloodstream Infections and Antimicrobial Susceptibility Patterns: A Nine-Year Retrospective Study at St. Dominic Hospital, Akwetia, Ghana. *J. Trop. Med.* 2019: 1–10. doi:10.1155/2019/Article ID 6750864

Demirdal, T., Sen, P., & Nemli, S.A., 2018. Diagnostic value of procalcitonin in



- predicting bacteremia in intensive care unit. *Indian J. Crit. Care Med.* 22: 24–30. doi:10.4103/ijccm.IJCCM_437_17 How
- Effendi, B., Pitoyo, C.W., Sinto, R., & Suwarto, S., 2022. Procalcitonin prognostic value in predicting mortality among adult patients with sepsis due to Gram-negative bacteria. *Med. J. Indones.* 31: 50–55. doi:10.13181/mji.oa.225864
- Engsbro, A.L., Israelsen, S.B., Pedersen, M., Tingsgaard, S., Lisby, G., Andersen, C., et al., 2020. Predominance of hospital-acquired bloodstream infection in patients with Covid-19 pneumonia. *Infect. Dis. (Auckl).* doi:10.1080/23744235.2020.1802062
- Fabre, V., Carroll, K.C., & Cosgrove, S.E., 2022. Blood Culture Utilization in the Hospital Setting: a Call for Diagnostic Stewardship. *J. Clin. Microbiol.* 60: 1–11. doi:10.1128/jcm.01005-21
- Friska O, Tristina N, S.N., 2010. Clinical Pathology and Majalah Patologi Klinik Indonesia dan Laboratorium Medik. *J. Indones.* 16: 55–104.
- Gai, L., Tong, Y., & Yan, B.Q., 2018. Research on the diagnostic effect of PCT level in serum on patients with sepsis due to different pathogenic causes. *Eur. Rev. Med. Pharmacol. Sci.* 22: 4238–4242. doi:10.26355/eurrev_201807_15418
- Goldman, S., Itshaki, O., Shochat, T., Gafter-Gvili, A., Yahav, D., Rubinovitch, B., et al., 2020. Risk factors and outcome of polymicrobial bacteremia: A retrospective cohort study. *Isr. Med. Assoc. J.* 22: 279–284.
- Goto, M., & Al-Hasan, M.N., 2013. Overall burden of bloodstream infection and nosocomial bloodstream infection in North America and Europe. *Clin. Microbiol. Infect.* 19: 501–509. doi:10.1111/1469-0691.12195
- Grace, E., & Turner, R.M., 2014. Use of procalcitonin in patients with various degrees of chronic kidney disease including renal replacement therapy. *Clin. Infect. Dis.* 59: 1761–1767. doi:10.1093/cid/ciu732
- Haithami, A., 2020. Analisis Profil Kultur Darah Dan Faktor-Faktor Yang Berhubungan Dengan Pola Kuman Di ICU RSUP HAM, Universitas Sumatera Utara. ISBN 1987021002.
- Hamade, B., & Huang, D.T., 2020. Procalcitonin: Where Are We Now. *Crit. Care Clin.* doi:10.1016/j.ccc.2019.08.003
- Handayani, N., Lardo, S., & Nugrohowati, N., 2022. Difference of Procalcitonin Levels in Gram-Positive and Gram-Negative Bacterial Sepsis Patients of Indonesia Army Central Hospital Gatot Soebroto in 2016. *JUXTA J. Ilm. Mhs. Kedokt. Univ. Airlangga* 13: 38. doi:10.20473/juxta.v13i12022.38-41
- Harada, T., Harada, Y., Morinaga, K., Hirosawa, T., & Shimizu, T., 2022. Bandemia as an Early Predictive Marker of Bacteremia: A Retrospective Cohort Study. *Int. J. Environ. Res. Public Health* 19.



doi:10.3390/ijerph19042275

- Heffernan, A.J., & Denny, K.J., 2021. Host Diagnostic Biomarkers of Infection in the ICU: Where Are We and Where Are We Going? *Curr. Infect. Dis. Rep.* 23. doi:10.1007/s11908-021-00747-0
- Holmes, C.L., Anderson, M.T., & Mobley, H.L.T., 2021. Pathogenesis of Gram-Negative Bacteremia. *Clin. Microbiol. Rev.* 1–27.
- Hongsuwan, M., Srisamang, P., Kanoksil, M., Luangasanatip, N., Jatapai, A., Day, N.P., et al., 2014. Increasing incidence of hospital-acquired and healthcare-associated bacteremia in northeast Thailand: A multicenter surveillance study. *PLoS One* 9. doi:10.1371/journal.pone.0109324
- Hu, R., Han, C., Pei, S., Yin, M., & Chen, X., 2020. Procalcitonin levels in COVID-19 patients. *Int. J. Antimicrob. Agents* 56: 106051. doi:10.1016/j.ijantimicag.2020.106051
- Junaidi, J., 2014. Deskripsi Data Melalui Box-Plot. *Stat. Deskriptif dengan Microsoft Excel* 1–5. doi:10.13140/RG.2.1.1057.8088
- Kan, W.C., Huang, Y.T., Wu, V.C., & Shiao, C.C., 2021. Predictive ability of procalcitonin for acute kidney injury: A narrative review focusing on the interference of infection. *Int. J. Mol. Sci.* 22. doi:10.3390/ijms22136903
- Kern, W. V, & Rieg, S., 2020. Narrative review Burden of bacterial bloodstream infectionda brief update on epidemiology and significance of multidrug-resistant pathogens. *Clin Microbiol Infect* 26: 151. doi:10.1016/j.cmi.2019.10.031
- Kilgore, M., & Brossette, S., 2008. Cost of bloodstream infections. *Am. J. Infect. Control* 36: 1–3. doi:10.1016/j.ajic.2008.10.004
- Lambregts, M.M.C., Bernards, A.T., van der Beek, M.T., Visser, L.G., & de Boer, M.G., 2019. Time to positivity of blood cultures supports early re-evaluation of empiric broad-spectrum antimicrobial therapy. *PLoS One* 14: 1–12. doi:10.1371/journal.pone.0208819
- Laupland, K.B., & Church, D.L., 2014. Population-based epidemiology and microbiology of community-onset bloodstream infections. *Clin. Microbiol. Rev.* 27: 647–664. doi:10.1128/CMR.00002-14
- Leber, A.L., 2017. Clinical Microbiology Procedures Handbook, 4th ed. ASM PRESS, Washington, DC.
- Li, H., Zhang, J., Wang, Zhiren, Yin, Y., Gao, H., Wang, R., et al., 2021. Evolution of acinetobacter baumannii in clinical bacteremia patients. *Infect. Drug Resist.* 14: 3553–3562. doi:10.2147/IDR.S320645
- Li, S., Rong, H., Guo, Q., Chen, Y., Zhang, G., & Yang, J., 2016. Serum procalcitonin levels distinguish Gram-negative bacterial sepsis from Gram-positive bacterial and fungal sepsis. *J. Res. Med. Sci.* 21: 1–8.



doi:10.4103/1735-1995.183996

- Lin, J.C., Chen, Z.H., & Chen, X.D., 2020. Elevated serum procalcitonin predicts Gram-negative bloodstream infections in patients with burns. *Burns* 46: 182–189. doi:10.1016/j.burns.2019.04.010
- Linscheid, P., Seboek, D., Nylen, E.S., Langer, I., Schlatter, M., Becker, K.L., et al., 2003. In Vitro and in Vivo Calcitonin I Gene Expression in Parenchymal Cells: A Novel Product of Human Adipose Tissue. *Endocrinology* 144: 5578–5584. doi:10.1210/en.2003-0854
- Linsenmeyer, K., Gupta, K., Strymish, J.M., Dhanani, M., Brecher, S.M., & Breu, A.C., 2016. Culture if spikes? Indications and yield of blood cultures in hospitalized medical patients. *J. Hosp. Med.* 11: 336–340. doi:10.1002/jhm.2541
- Lippi, G., & Sanchis-Gomar, F., 2017. Procalcitonin in inflammatory bowel disease: Drawbacks and opportunities. *World J. Gastroenterol.* 23: 8283–8290. doi:10.3748/wjg.v23.i47.8283
- Mangogna, A., Agostinis, C., Ricci, G., Romano, F., & Bulla, R., 2019. Overview of procalcitonin in pregnancy and in pre-eclampsia. *Clin. Exp. Immunol.* doi:10.1111/cei.13311
- Marcel, A., Dominique, G., Hervé, C., Josette, R., Jean, G., & Claude, B., 1993. High serum procalcitonin concentrations in patients with sepsis and infection. *Lancet* 341: 515–518.
- Maruna, P., Nedělníková, K., & Gürlich, R., 2000. Physiology and genetics of procalcitonin. *Physiological Research* 49.
- Meisner, M., 2014. Update on Procalcitonin Measurements. *Ann Lab Med* 34: 263–273.
- Meisner, M., 1999. Procalcitonin: Erfahrungen mit einer neuen Messgrösse für bakterielle Infektionen und systemische Inflammation. *LaboratoriumsMedizin* 23: 263–272. doi:10.1515/labm.1999.23.5.263
- Meisner, M., Lohs, T., Huettemann, E., Schmidt, J., Hueller, M., & Reinhart, K., 2001. The plasma elimination rate and urinary secretion of procalcitonin in patients with normal and impaired renal function. *Eur. J. Anaesthesiol.* 18: 79–87. doi:10.1046/j.0265-0215.2000.00783.x
- Michigan Medicine University of Michigan, 2018. Adult Procalcitonin Usage Guidelines. *Mich. Med.*
- Miniño, A.M., Sherry, M.P.H.; Murphy, L., Xu, J., & Kochanek, K.D., 2008. National Vital Statistics Reports, Volume 59, Number 10, 12/7/2010.
- Mun, S.J., Kim, S.-H., Kim, H.-T., Moon, C., & Wi, Y.M., 2022. The epidemiology of bloodstream infection contributing to mortality: the difference between community-acquired, healthcare-associated, and hospital-acquired infections.



BMC Infect. Dis. 22: 1–7. doi:10.1186/s12879-022-07267-9

- Murni, I.K., Duke, T., Daley, A.J., Kinney, S., & Soenarto, Y., 2018. True pathogen or contamination: Validation of blood cultures for the diagnosis of nosocomial infections in a developing country. *J. Trop. Pediatr.* 64: 389–394. doi:10.1093/tropej/fmx081
- Neeser, O., Branche, A., Mueller, B., & Schuetz, P., 2019. How to: implement procalcitonin testing in my practice. *Clin. Microbiol. Infect.* doi:10.1016/j.cmi.2018.12.028
- Niederman, M.S., Baron, R.M., Bouadma, L., Calandra, T., Daneman, N., DeWaele, J., et al., 2021. Initial antimicrobial management of sepsis. *Crit. Care* 25: 1–11. doi:10.1186/s13054-021-03736-w
- Nielsen, S.L., 2015. The incidence and prognosis of patients with bacteremia. *Dan. Med. J.* 62: 1–25.
- Nur, M.I., Wisudarti, C.F., & Raharjo, S., 2019. Procalcitonin Sebagai Biomarker Diagnostik Pada Pasien Sepsis Yang Dirawat Di ICU RSUP Dr. Sardjito. *Univ. Gadjah Mada* 1–2.
- Ogunkunle, T.O., Adedoyin, T.O., Ernest, S.K., Hassan-Hanga, F., Imam, A., Olaosebikan, R., et al., 2022. A Prospective Cohort Study of the Clinical Predictors of Bacteremia in Under-Five Children With Acute Undifferentiated Fever Attending a Secondary Health Facility in Northwestern Nigeria. *Front. Pediatr.* 9: 1–10. doi:10.3389/fped.2021.730082
- Pérez-Granda, M.J., Carrillo, C.S., Rabadán, P.M., Valerio, M., Olmedo, M., Muñoz, P., et al., 2022. Increase in the frequency of catheter-related bloodstream infections during the COVID-19 pandemic: a plea for control. *J. Hosp. Infect.* 119: 149–154. doi:10.1016/j.jhin.2021.09.020
- Politis, P.A., Kallstrom, G., Tan, M., & File, T.M., 2019. Early Discontinuation of Antibacterials Is Safe for Patients with Community-Acquired Pneumonia (CAP) Who Have a Positive Viral Test, Negative Tests for Bacteria, and Low Procalcitonin. *Open Forum Infect. Dis.* 6: S765–S765. doi:10.1093/ofid/ofz360.1915
- Riedel, S., Melendez, J.H., An, A.T., Rosenbaum, J.E., & Zenilman, J.M., 2011. Procalcitonin as a marker for the detection of bacteremia and sepsis in the emergency department. *Am. J. Clin. Pathol.* 135: 182–189. doi:10.1309/AJCP1MFYINQLECV2
- Rodríguez-Baño, J., Picón, E., Gijón, P., Hernández, J.R., Ruíz, M., Peña, C., et al., 2010. Community-onset bacteremia due to extended-spectrum β-lactamase-producing *Escherichia coli*: Risk factors and prognosis. *Clin. Infect. Dis.* 50: 40–48. doi:10.1086/649537
- Samsudin, I., & Vasikaran, S.D., 2017. Clinical utility and measurement of procalcitonin. *Clin. Biochem. Rev.* 38: 59–68.



Santella, B., Follieri, V., Pirofalo, G.M., Serretiello, E., Zannella, C., Moccia, G., et al., 2020. Sepsis-A Retrospective Cohort Study of Bloodstream Infections. *Antibiotics* 851. doi:10.3390/antibiotics9120851

Seifert, H., 2009. The Clinical importance of microbiological findings in the diagnosis and management of bloodstream infections. *Clin. Infect. Dis.* 48. doi:10.1086/598188

Sianipar, O., Asmara, W., Dwiprahasto, I., & Mulyono, B., 2019. Mortality risk of bloodstream infection caused by either Escherichia coli or Klebsiella pneumoniae producing extended-spectrum β-lactamase: A prospective cohort study. *BMC Res. Notes* 12: 1–7. doi:10.1186/s13104-019-4751-9

Silangcruz, K., Nishimura, Y., Czech, T., Kimura, N., & Yess, J., 2022. Procalcitonin to Predict Severity of Acute Cholangitis and Need for Urgent Biliary Decompression: Systematic Scoping Review. *J. Clin. Med.* 11. doi:10.3390/jcm11051155

Ter, S.K., Rattanavong, S., Roberts, T., Sengduangphachanh, A., Sihalath, S., Panapruksachat, S., et al., 2021. Molecular detection of pathogens in negative blood cultures in the Lao People's Democratic Republic. *Am. J. Trop. Med. Hyg.* 104: 1582–1585. doi:10.4269/ajtmh.20-1348

Tille, P.M., 2017. Bailey & Scott's Diagnostic Microbiology (Bloodstream Infections), in: Elsevier., 14th Edition, Chapter 67. Elsevier, Inc., St. Louis, Missouri, pp. 924–941.

Twe, C.W., Khoo, D.K.Y., Law, K.B., Ahmad Nordin, N.S. binti, Sathasivan, S., Lim, K.C., et al., 2022. The role of procalcitonin in predicting risk of mechanical ventilation and mortality among moderate to severe COVID-19 patients. *BMC Infect. Dis.* 22. doi:10.1186/s12879-022-07362-x

Vijayan, A.L., Ravindran, S., Saikant, R., Lakshmi, S., Kartik, R., & Manoj, G., 2017. Procalcitonin: A promising diagnostic marker for sepsis and antibiotic therapy. *J. Intensive Care* 5: 1–7. doi:10.1186/S40560-017-0246-8/FIGURES/2

Walpole, R.E., Myers, R.H., Myers, S.L., & Ye, K., 2012. Probability & Statistics for Engineers & Scientists_1.6 Statistical Modeling, Scientific Inspection, and Graphical Diagnostics, in: Pearson Education, Inc., 9th Edition. Pearson Education, Inc, pp. 18–27.

Wang, D., Tao, X., Guo, W., Liu, H., Cheng, S., & Wang, J., 2019. The diagnostic ability of procalcitonin to differentiate Gram-negative bacteria from Gram-positive bacteria and fungal bloodstream infections in critically ill patients. *Eur. J. Inflamm.* 17. doi:10.1177/2058739219841469

Weinstein, M.P., 2003. Blood culture contamination: Persisting problems and partial progress. *J. Clin. Microbiol.* 41: 2275–2278. doi:10.1128/JCM.41.6.2275-2278.2003



- Wickham, H., & Stryjewski, L., 2011. 40 Years of Boxplots. *had.co.nz* 1–17.
- Wilson, J.W., Schurr, M.J., LeBlanc, C.L., Ramamurthy, R., Buchanan, K.L., & Nickerson, C.A., 2002. Mechanisms of bacterial pathogenicity. *Postgrad. Med. J.* 78: 216–224. doi:10.1136/pmj.78.918.216
- Xu, H.G., Tian, M., & Pan, S.Y., 2022. Clinical utility of procalcitonin and its association with pathogenic microorganisms. *Crit. Rev. Clin. Lab. Sci.* 59: 93–111. doi:10.1080/10408363.2021.1988047
- Yan, S.T., Sun, L.C., Jia, H.B., Gao, W., Yang, J.P., & Zhang, G.Q., 2017. Procalcitonin levels in bloodstream infections caused by different sources and species of bacteria. *Am. J. Emerg. Med.* 35: 579–583. doi:10.1016/j.ajem.2016.12.017
- Yende, S., & Angus, D.C., 2007. Long-term outcomes from sepsis. *Curr. Infect. Dis. Rep.* doi:10.1007/s11908-007-0059-3
- Yilmaz, M., Sevindik, O.G., & Istanbullu, A., 2019. Can procalcitonin levels differentiate gram-negative bacteremia from gram-positive bacteremia. *Firat Univ. Med. J. Heal. Sci.* 33: 83–87.
- Zheng, C., Cai, J., Liu, H., Zhang, S., Zhong, L., Xuan, N., et al., 2019. Clinical characteristics and risk factors in mixed-enterococcal bloodstream infections. *Infect. Drug Resist.* 12: 3397–3407. doi:10.2147/IDR.S217905