

DAFTAR PUSTAKA

- [1] H. Li and A. V. Savkin, “An algorithm for safe navigation of mobile robots by a sensor network in dynamic cluttered industrial environments,” *Robotics and Computer-Integrated Manufacturing*, vol. 54, pp. 65–82, 2018.
- [2] F. Arvin, J. Espinosa, B. Bird, A. West, S. Watson, and B. Lennox, “Mona: an affordable open-source mobile robot for education and research,” *Journal of Intelligent & Robotic Systems*, vol. 4, pp. 761–775, 2019.
- [3] Q. Qiu, Z. Fan, Z. Meng, Q. Zhang, Y. Cong, B. Li, N. Wang, and C. Zhao, “Extended ackerman steering principle for the coordinated movement control of a four wheel drive agricultural mobile robot,” *Computers and Electronics in Agriculture*, vol. 152, pp. 40–50, 2018.
- [4] M. Al-Khawaldeh, I. Al-Naimi, X. Chen, and P. Moore, “Ubiquitous robotics for knowledge-based auto-configuration system within smart home environment,” in *2016 7th International Conference on Information and Communication Systems (ICICS)*, 2016, pp. 139–144.
- [5] J. Zhou, J. Zhou, Y. Zheng, and B. Kong, “Research on path planning algorithm of intelligent mowing robot used in large airport lawn,” in *2016 International Conference on Information System and Artificial Intelligence (ISAI)*, 2016, pp. 375–379.
- [6] T. Kanda, M. Shiomi, Z. Miyashita, H. Ishiguro, and N. Hagita, “An affective guide robot in a shopping mall,” in *2009 4th ACM/IEEE International Conference on Human-Robot Interaction (HRI)*, 2009, pp. 173–180.
- [7] C. Chen, T. Liu, and J. Chou, “A novel crowding genetic algorithm and its applications to manufacturing robots,” *IEEE Transactions on Industrial Informatics*, vol. 10, no. 3, pp. 1705–1716, 2014.
- [8] P. Corke, *Robotics, Vision and Control: Fundamental Algorithms in MATLAB*, 1st ed. Springer Publishing Company, Incorporated, 2013.
- [9] A. Koubaa, H. Bennaceur, I. Châari, S. Trigui, A. Ammar, M. Sriti, M. Alajlan, O. Cheikhrouhou, and Y. Javed, *Robot Path Planning and Cooperation - Foundations, Algorithms and Experimentations*, ser. Studies in Computational Intelligence. Springer, 2018, vol. 772.
- [10] R. Visvanathan, S. M. Mamduh, K. Kamarudin, A. S. A. Yeon, A. Zakaria, A. Y. M. Shakaff, L. M. Kamarudin, and F. S. A. Saad, “Mobile robot localization system using multiple ceiling mounted cameras,” in *2015 IEEE SENSORS*, 2015, pp. 1–4.

- [11] T. Saito and Y. Kuroda, "Mobile robot localization by gps and sequential appearance-based place recognition," in *Proceedings of the 2013 IEEE/SICE International Symposium on System Integration*, 2013, pp. 25–30.
- [12] D. Forouher, M. G. Besselmann, and E. Maehle, "Sensor fusion of depth camera and ultrasound data for obstacle detection and robot navigation," in *2016 14th International Conference on Control, Automation, Robotics and Vision (ICARCV)*, 2016, pp. 1–6.
- [13] L. Baglivo, N. Bellomo, G. Miori, E. Marcuzzi, M. Pertile, and M. De Cecco, "An object localization and reaching method for wheeled mobile robots using laser rangefinder," in *2008 4th International IEEE Conference Intelligent Systems*, vol. 1, 2008, pp. 5–6–5–11.
- [14] H. Y. Zhang, W. M. Lin, and A. X. Chen, "Path planning for the mobile robot: A review," *Symmetry*, vol. 10, no. 10, pp. 450–466, Oct 2018.
- [15] X. Fan, Y. Guo, H. Liu, B. Wei, and W. Lyu, "Improved artificial potential field method applied for auv path planning," *Mathematical problems in engineering*, vol. 2020, pp. 1–21, 2020.
- [16] M. Elbanhawi and M. Simic, "Sampling-based robot motion planning: A review," *IEEE Access*, vol. 2, pp. 56–77, 2014.
- [17] T. T. Mac, C. Copot, D. T. Tran, and R. D. Keyser], "Heuristic approaches in robot path planning: A survey," *Robotics and Autonomous Systems*, vol. 86, pp. 13 – 28, 2016.
- [18] P. K. Mohanty and D. R. Parhi, "Controlling the motion of an autonomous mobile robot using various techniques: a review," *Journal of Advance Mechanical Engineering*, vol. 1, 2013.
- [19] O. Khatib, "Real-time obstacle avoidance for manipulators and mobile robots," in *Proceedings. 1985 IEEE International Conference on Robotics and Automation*, vol. 2, 1985, pp. 500–505.
- [20] S. M. Hosseini Rostami, A. Kumar, J. Wang, and X. Liu, "Obstacle avoidance of mobile robots using modified artificial potential field algorithm," *EURASIP Journal on Wireless Communications and Networking*, vol. 2019, 03 2019.
- [21] S. S. Ge and Y. J. Cui, "New potential functions for mobile robot path planning," *IEEE Transactions on Robotics and Automation*, vol. 16, no. 5, pp. 615–620, 2000.
- [22] J. Lee, Y. Nam, and S. Hong, "Random force based algorithm for local minima escape of potential field method," in *2010 11th International Conference on Control Automation Robotics Vision*, 2010, pp. 827–832.

- [23] N. S. F. Doria, E. O. Freire, and J. C. Basilio, “An algorithm inspired by the deterministic annealing approach to avoid local minima in artificial potential fields,” in *2013 16th International Conference on Advanced Robotics (ICAR)*, 2013, pp. 1–6.
- [24] T. Weerakoon, K. Ishii, and A. A. F. Nassiraei, “An artificial potential field based mobile robot navigation method to prevent from deadlock,” *Journal of Artificial Intelligence and Soft Computing Research*, vol. 5, no. 3, pp. 189 – 203, 2015.
- [25] M. Guerra, D. Efimov, G. Zheng, and W. Perruquetti, “Avoiding local minima in the potential field method using input-to-state stability,” *Control Engineering Practice*, vol. 55, pp. 174–184, 2016.
- [26] T. D. Chen and Y. Y. Huang, “Non-trap artificial potential field based on virtual obstacle,” in *2019 IEEE 16th International Conference on Networking, Sensing and Control (ICNSC)*, 2019, pp. 275–280.
- [27] U. Orozco-Rosas, O. Montiel, and R. Sepúlveda, “Mobile robot path planning using membrane evolutionary artificial potential field,” *Applied Soft Computing Journal*, vol. 77, pp. 236–251, 2019.
- [28] P. Vadakkepat, Kay Chen Tan, and Wang Ming-Liang, “Evolutionary artificial potential fields and their application in real time robot path planning,” in *Proceedings of the 2000 Congress on Evolutionary Computation. CEC00 (Cat. No.00TH8512)*, vol. 1, 2000, pp. 256–263 vol.1.
- [29] A. Melingui, T. Chettibi, R. Merzouki, and J. B. Mbede, “Adaptive navigation of an omni-drive autonomous mobile robot in unstructured dynamic environments,” in *2013 IEEE International Conference on Robotics and Biomimetics (ROBIO)*, 2013, pp. 1924–1929.
- [30] L. Chen, “UUV path planning algorithm based on virtual obstacle,” *2014 IEEE International Conference on Mechatronics and Automation, IEEE ICMA 2014*, pp. 1722–1727, 2014.
- [31] J. Choi, “A potential field and bug compound navigation algorithm for nonholonomic wheeled robots,” in *2012 First International Conference on Innovative Engineering Systems*, 2012, pp. 166–171.
- [32] P. Wang, S. Gao, L. Li, B. Sun, and S. Cheng, “Obstacle Avoidance Path Planning Design for Autonomous Driving Vehicles Based on an Improved Artificial Potential Field Algorithm,” *Energies*, vol. 12, no. 12, 2019.
- [33] J. Sun, J. U. N. Tang, and S. Lao, “Collision Avoidance for Cooperative UAVs With Optimized Artificial Potential Field Algorithm,” *IEEE Access*, vol. 5, pp. 18 382–18 390, 2017.

- [34] W. Di, L. Caihong, G. Na, S. Yong, G. Tengteng, and L. Guoming, “Local Path Planning of Mobile Robot Based on Artificial Potential Field,” in *Proceedings of the 39th Chinese Control Conference*. IEEE, 2020, pp. 3677–3682.
- [35] P. Sudhakara, V. Ganapathy, B. Priyadharshini, and K. Sundaran, “Obstacle Avoidance and Navigation Planning of a Wheeled Mobile Robot using Amended Artificial Potential Field Method,” *Procedia Computer Science*, vol. 133, pp. 998–1004, 2018.
- [36] X. Fan, Y. Guo, H. Liu, B. Wei, and W. Lyu, “Improved Artificial Potential Field Method Applied for AUV Path Planning,” *Mathematical Problems in Engineering*, vol. 2020, p. 21, 2020.
- [37] I. Iswanto, A. Ma’arif, O. Wahyunggoro, and A. I. Cahyadi, “Artificial potential field algorithm implementation for quadrotor path planning,” *International Journal of Advanced Computer Science and Applications*, vol. 10, no. 8, 2019.
- [38] X. Jiang and Y. Deng, “Uav track planning of electric tower pole inspection based on improved artificial potential field method,” *Journal of Applied Science and Engineering*, vol. 24, pp. 123–132, April 2021.
- [39] H. H. Triharminto, O. Wahyunggoro, T. B. Adji, A. I. Cahyadi, and I. Ardiyanto, “A Novel of Repulsive Function on Artificial Potential Field for Robot Path Planning,” *International Journal of Electrical and Computer Engineering*, vol. 6, no. 6, pp. 3262–3275, 2016.
- [40] Y. D. V. Yasuda, L. E. G. Martins, and F. A. M. Cappabianco, “Autonomous visual navigation for mobile robots: A systematic literature review,” *ACM Comput. Surv.*, vol. 53, no. 1, Feb. 2020.
- [41] B. Hernández and E. Giraldo, “A review of path planning and control for autonomous robots,” in *2018 IEEE 2nd Colombian Conference on Robotics and Automation (CCRA)*, 2018, pp. 1–6.
- [42] H. Yang and X. Teng, “Mobile robot path planning based on enhanced dynamic window approach and improved a* algorithm,” *Journal of robotics*, vol. 2022, 2022.
- [43] J. Borenstein and Y. Koren, “Real-time obstacle avoidance for fast mobile robots,” *IEEE Transactions on Systems, Man, and Cybernetics*, vol. 19, no. 5, pp. 1179–1187, 1989.
- [44] W. J. Yim and J. B. Park, “Analysis of mobile robot navigation using vector field histogram according to the number of sectors, the robot speed and the width of the path,” in *2014 14th International Conference on Control, Automation and Systems (ICCAS 2014)*, 2014, pp. 1037–1040.

- [45] M. N. Zafar and J. Mohanta, “Methodology for path planning and optimization of mobile robots: A review,” *Procedia Computer Science*, vol. 133, pp. 141 – 152, 2018, international Conference on Robotics and Smart Manufacturing (RoSMa2018).
- [46] B. Patle, G. L. Babu, A. Pandey, D. Parhi, and A. Jagadeesh, “A review: On path planning strategies for navigation of mobile robot,” *Defence Technology*, vol. 15, no. 4, pp. 582 – 606, 2019.
- [47] G. Chen, N. Luo, D. Liu, Z. Zhao, and C. Liang, “Path planning for manipulators based on an improved probabilistic roadmap method,” *Robotics and computer integrated manufacturing*, vol. 72, p. 102196, 2021.
- [48] R. Gonzalez, M. Kloetzer, and C. Mahulea, “Comparative study of trajectories resulted from cell decomposition path planning approaches,” in *2017 21st International Conference on System Theory, Control and Computing (ICSTCC)*, 2017, pp. 49–54.
- [49] Y. Oh, K. Cho, Y. Choi, and S. Oh, “Chance-constrained multilayered sampling-based path planning for temporal logic-based missions,” *IEEE transactions on automatic control*, vol. 66, no. 12, pp. 5816–5829, 2021.
- [50] M. Zimmermann and C. König, “Integration of a visibility graph based path planning method in the act/fhs rotorcraft,” *CEAS Aeronautical Journal*, vol. 7, 06 2016.
- [51] S. Garrido and L. Moreno, *Mobile Robot Path Planning using Voronoi Diagram and Fast Marching*, 05 2015.
- [52] A. Alomari, W. Phillips, N. Aslam, and F. Comeau, “Dynamic fuzzy-logic based path planning for mobility-assisted localization in wireless sensor networks,” *Sensors (Switzerland)*, vol. 17, no. 8, 2017.
- [53] S. Yang and M. Meng, “An efficient neural network approach to dynamic robot motion planning,” *Neural Networks*, vol. 13, pp. 143–148, 04 2000.
- [54] M. M. Joshi and M. A. Zaveri, “Reactive Navigation of Autonomous Mobile Robot Using Neuro-Fuzzy System,” *International Journal of Robotics and Automation (IJRA)*, vol. 2, no. 3, pp. 128–245, 2011.
- [55] K. Benbouabdallah and Z. Qi-dan, “Genetic Fuzzy Logic Control Technique for a Mobile Robot Tracking a Moving Target,” *International Journal of Computer Science Issues*, vol. 10, no. 1, pp. 607–613, 2013.
- [56] G. Li, A. Yamashita, H. Asama, and Y. Tamura, “An efficient improved artificial potential field based regression search method for robot path planning,” *2012 IEEE International Conference on Mechatronics and Automation, ICMA 2012*, pp. 1227–1232, 2012.

- [57] F. Bounini, D. Gingras, H. Pollart, and D. Gruyer, “Modified artificial potential field method for online path planning applications,” *IEEE Intelligent Vehicles Symposium, Proceedings*, no. IV, pp. 180–185, 2017.
- [58] E. F. Mohamed, K. El-Metwally, and A. R. Hanafy, “An improved tangent bug method integrated with artificial potential field for multi-robot path planning,” in *2011 International Symposium on Innovations in Intelligent Systems and Applications*, 2011, pp. 555–559.
- [59] I. Ardiyanto and J. Miura, “Real-time navigation using randomized kinodynamic planning with arrival time field,” *Robotics and Autonomous Systems*, vol. 60, no. 12, pp. 1579–1591, 2012.
- [60] A. Lazarowska, “A discrete artificial potential field for ship trajectory planning,” *Journal of Navigation*, vol. 73, pp. 233 – 251, 2019.
- [61] T. Y. Abdalla, A. A. Abed, and A. A. Ahmed, “Mobile robot navigation using pso-optimized fuzzy artificial potential field with fuzzy control,” *Journal of Intelligent and Fuzzy Systems*, vol. 32, pp. 3893–3980, 2017.
- [62] W. S. Barbosa, M. M. Gioia, V. G. Natividade, R. F. F. Wanderley, M. R. Chaves, F. C. Gouvea, and F. M. Gonçalves, “Industry 4.0: examples of the use of the robotic arm for digital manufacturing processes,” *International Journal on Interactive Design and Manufacturing (IJIDeM)*, vol. 14, 2020.
- [63] P. Margerit, T. Gobin, A. Lebée, and J.-F. Caron, “The robotized laser doppler vibrometer: On the use of an industrial robot arm to perform 3d full-field velocity measurements,” *Optics and Lasers in Engineering*, vol. 137, p. 106363, 2021.
- [64] J. J. Han, S.-Y. Woo, W.-J. Yi, and S. J. Hwang, “A robot arm and image-guided navigation assisted surgical system for maxillary repositioning in orthognathic surgery: A phantom skull-based trial,” *Applied Sciences*, vol. 10, no. 4, 2020.
- [65] J. Wang, X. Yang, P. Li, S. Song, L. Liu, and M. Q.-H. Meng, “Design of a multi-arm concentric-tube robot system for transnasal surgery,” *Medical & Biological Engineering & Computing*, vol. 58, 2020.
- [66] L. P. Ramalepa and R. S. Jamisola, “A review on cooperative robotic arms with mobile or drones bases,” *International Journal of Automation and Computing*, vol. 18, pp. 536– 555, 2020.
- [67] C.-W. Chen, S.-P. Tseng, T.-W. Kuan, and J.-F. Wang, “Outpatient text classification using attention-based bidirectional lstm for robot-assisted servicing in hospital,” *Information*, vol. 11, no. 2, 2020.

- [68] U. K. Mukherjee and K. K. Sinha, “Robot-assisted surgical care delivery at a hospital: Policies for maximizing clinical outcome benefits and minimizing costs,” *Journal of Operations Management*, vol. 66, no. 1-2, pp. 227–256, 2020.
- [69] G. Karalekas, S. Vologiannidis, and J. Kalomiros, “Europa: A case study for teaching sensors, data acquisition and robotics via a ros-based educational robot,” *Sensors*, vol. 20, no. 9, 2020.
- [70] A. Concha Sánchez, J. F. Figueroa-Rodríguez, A. G. Fuentes-Covarrubias, R. Fuentes-Covarrubias, and S. K. Gadi, “Recycling and updating an educational robot manipulator with open-hardware-architecture,” *Sensors*, vol. 20, no. 6, 2020.
- [71] Y. Luo, S. Li, and D. Li, “Intelligent perception system of robot visual servo for complex industrial environment,” *Sensors*, vol. 20, no. 24, 2020.
- [72] M. Bottin, S. Cocuzza, N. Comand, and A. Doria, “Modeling and identification of an industrial robot with a selective modal approach,” *Applied Sciences*, vol. 10, no. 13, 2020.
- [73] L. Emmi, E. Le Flécher, V. Cadenat, and M. Devy, “A hybrid representation of the environment to improve autonomous navigation of mobile robots in agriculture,” *Precision Agriculture*, vol. 22, 2021.
- [74] A. S. Aguiar, F. N. dos Santos, J. B. Cunha, H. Sobreira, and A. J. Sousa, “Localization and mapping for robots in agriculture and forestry: A survey,” *Robotics*, vol. 9, no. 4, 2020.
- [75] J. Yu, Z. Wu, Z. Su, T. Wang, and S. Qi, “Motion control strategies for a repetitive leaping robotic dolphin,” *IEEE/ASME transactions on mechatronics*, vol. 24, no. 3, pp. 913–923, 2019.
- [76] C. J. Munoz Martinez, R. Castro Salguero, R. Palomares, and J. Cornejo, “Mechatronics development of terrestrial mobile robot for exploring and monitoring environmental parameters at mine analogue sites using iot platform.” IEEE, 2020, pp. 1–4.
- [77] M. Orsag, C. Korpela, S. Bogdan, and P. Oh, “Dexterous aerial robots-mobile manipulation using unmanned aerial systems,” *IEEE transactions on robotics*, vol. 33, no. 6, pp. 1453–1466, 2017.
- [78] M. Chang, Y. Sun, J. Bai, and L. Xiao, “Principles on longitudinal perching dynamics of fixed-wing flying robots.” IEEE, 2019, pp. 191–195.
- [79] Z.-H. Cheng and H.-L. Pei, “Transition analysis and practical flight control for ducted fan fixed-wing aerial robot: Level path flight mode transition,” *IEEE robotics and automation letters*, vol. 7, no. 2, pp. 3106–3113, 2022.

- [80] C. Zhou and J. Wu, “Kinematics, deformation, and aerodynamics of a flexible flapping rotary wing in hovering flight,” *Journal of bionics engineering*, vol. 18, no. 1, pp. 197–209, 2021.
- [81] J. Park and J. Yoo, “Indoor mapping guidance algorithm of rotary-wing uav including dead-end situations,” *Sensors (Basel, Switzerland)*, vol. 19, no. 22, p. 4854, 2019.
- [82] S. Cebollada, L. Payá, M. Flores, A. Peidró, and O. Reinoso, “A state-of-the-art review on mobile robotics tasks using artificial intelligence and visual data,” *Expert Systems with Applications*, vol. 167, p. 114195, 2021.
- [83] M. Kamedula and N. G. Tsagarakis, “Reactive support polygon adaptation for the hybrid legged-wheeled centauro robot,” *IEEE robotics and automation letters*, vol. 5, no. 2, pp. 1733–1740, 2020.
- [84] M. Kamedula, N. Kashiri, and N. G. Tsagarakis, “On the kinematics of wheeled motion control of a hybrid wheeled-legged centauro robot.” IEEE, 2018, pp. 2426–2433.
- [85] M. Bjelonic, P. K. Sankar, C. D. Bellicoso, H. Vallery, and M. Hutter, “Rolling in the deep - hybrid locomotion for wheeled-legged robots using online trajectory optimization,” *IEEE robotics and automation letters*, vol. 5, no. 2, pp. 3626–3633, 2020.
- [86] X. Li, Z. Xu, S. Li, K. Jiang, X. Zhou, and L. Jiang, “Kinematic control of wheeled mobile manipulators subject to inherent physical constraints and noise disturbances.” IEEE, 2021, pp. 417–422.
- [87] Z. Wang, Y. Wang, L. Zhang, H. Chen, Y. Pan, and W. Zhang, “Enhanced hybrid position and admittance control based on nonholonomic wheeled mobile manipulator with redundancy.” IEEE, 2021, pp. 508–515.
- [88] H. R. Shafei, M. Bahrami, and H. A. Talebi, “Trajectory tracking of an uncertain wheeled mobile robotic manipulator with a hybrid control approach,” *Journal of the Brazilian Society of Mechanical Sciences and Engineering*, vol. 42, no. 6, 2020.
- [89] T. Jenkins, S. Atay, G. Buckner, and M. Bryant, “Genetic algorithm-based optimal design of a rolling-flying vehicle,” *Journal of mechanisms and robotics*, vol. 13, no. 5, 2021.
- [90] M. Pimentel and M. Basiri, “A bimodal rolling-flying robot for micro level inspection of flat and inclined surfaces,” *IEEE robotics and automation letters*, vol. 7, no. 2, pp. 5135–5142, 2022.

- [91] N. B. David and D. Zarrouk, “Design and analysis of fcstar, a hybrid flying and climbing sprawl tuned robot,” *IEEE robotics and automation letters*, vol. 6, no. 4, pp. 6188–6195, 2021.
- [92] I. Jeong, Y. Jang, J. Park, and Y. K. Cho, “Motion planning of mobile robots for autonomous navigation on uneven ground surfaces,” *Journal of computing in civil engineering*, vol. 35, no. 3, 2021.
- [93] I. H. Savci, A. Yilmaz, S. Karaman, H. Ocakli, and H. Temeltas, “Improving navigation stack of a ros-enabled industrial autonomous mobile robot (amr) to be incorporated in a large-scale automotive production,” *International journal of advanced manufacturing technology*, vol. 120, no. 5-6, pp. 3647–3668, 2022.
- [94] T. F. Abaas and A. H. Shabeb, “Autonomous mobile robot navigation based on pso algorithm with inertia weight variants for optimal path planning,” *IOP conference series. Materials Science and Engineering*, vol. 928, no. 2, p. 22005, 2020.
- [95] P. T. Nguyen, S.-W. Yan, J.-F. Liao, and C.-H. Kuo, “Autonomous mobile robot navigation in sparse lidar feature environments,” *Applied sciences*, vol. 11, no. 13, p. 5963, 2021.
- [96] N. Krichen, M. S. Masmoudi, and N. Derbel, “Autonomous omnidirectional mobile robot navigation based on hierarchical fuzzy systems,” *Engineering computations*, vol. 38, no. 2, pp. 989–1023, 2020;2021;.
- [97] H. Ahmad, A. N. F. Mohamad Pajeri, N. A. Othman, M. M. Saari, and M. S. Ramli, “Analysis of mobile robot path planning with artificial potential fields,” in *Proceedings of the 10th National Technical Seminar on Underwater System Technology 2018*. Singapore: Springer Singapore, 2019, pp. 181–196.
- [98] M. Russo and M. Ceccarelli, “A survey on mechanical solutions for hybrid mobile robots,” *Robotics (Basel)*, vol. 9, no. 2, p. 32, 2020.
- [99] T. Q. Khai, Y.-J. Ryoo, W.-R. Gill, and D.-Y. Im, “Design of kinematic controller based on parameter tuning by fuzzy inference system for trajectory tracking of differential-drive mobile robot,” *International journal of fuzzy systems*, vol. 22, no. 6, pp. 1972–1978, 2020.
- [100] J. Felix-Rendon, J. C. Bello-Robles, and R. Q. Fuentes-Aguilar, “Control of differential-drive mobile robots for soft object deformation,” *ISA transactions*, vol. 117, pp. 221–233, 2021.