

- Ahuja, R. B. *et al.* (2016) 'ISBI Practice Guidelines for Burn Care', *Burns*, 42(5), pp. 953–1021. doi: 10.1016/j.burns.2016.05.013.
- Anghel, E. L. and Kim, P. J. (2016) 'Negative-pressure wound therapy: A comprehensive review of the evidence', *Plastic and Reconstructive Surgery*. Lippincott Williams and Wilkins, pp. 129s-137s. doi: 10.1097/PRS.0000000000002645.
- Atiyeh, B. S. *et al.* (2007) 'Effect of silver on burn wound infection control and healing: Review of the literature', *Burns*, pp. 139–148. doi: 10.1016/j.burns.2006.06.010.
- Australia and New Zealand Burn Association, (2016). *Emergency Management of Severe Burns (EMSB) 18th Edition*. Albany Creek
- Banwell, P. E. and Musgrave, M. (2004) 'Topical negative pressure therapy: Mechanisms and indications', *International Wound Journal*, 1(2), pp. 95–106. doi: 10.1111/j.1742-4801.2004.00031.x.
- Boer, M. *et al.* (2016) 'Structural and biophysical characteristics of human skin in maintaining proper epidermal barrier function', *Postepy Dermatologii i Alergologii*. Termedia Publishing House Ltd., pp. 1–5. doi: 10.5114/pdia.2015.48037.
- Chang, S.-J. *et al.* (2020) 'Animal Models of Burn Wound Management', in *Animal Models in Medicine and Biology*. IntechOpen. doi: 10.5772/intechopen.89188.
- Chattopadhyay, S. and Raines, R. T. (2014) 'Review collagen-based biomaterials for wound healing', *Biopolymers*. John Wiley and Sons Inc., pp. 821–833. doi: 10.1002/bip.22486.
- Church, D. *et al.* (2006) 'Burn wound infections', *Clinical Microbiology Reviews*. American Society for Microbiology (ASM), pp. 403–434. doi: 10.1128/CMR.19.2.403-434.2006.
- Dwivedi, A. *et al.* (2020) *Skin aging & cancer: Ambient UV-R exposure, Skin Aging & Cancer: Ambient UV-R Exposure*. Edited by A. Dwivedi et al. Singapore: Springer Singapore. doi: 10.1007/978-981-13-2541-0.

Ellis, S., Lin, E. J. and Tartar, D. (2018) 'Immunology of Wound Healing', *Current*

Dermatology Reports. Current Medicine Group LLC 1, pp. 350–358. doi:
10.1007/s13671-018-0234-9.

Ehrlich, H. P., & Hunt, T. K. (2012). Collagen Organization Critical Role in Wound
Contraction. *Advances in wound care*, 1(1), 3–9.
<https://doi.org/10.1089/wound.2011.0311>

George, J. *et al.* (2017) 'Negative-Pressure Wound Therapy: Principles and Usage in
Orthopedic Surgery', in, pp. 245–262. doi: 10.1007/15695_2017_53.

Gonzalez, A. C. D. O. *et al.* (2016) 'Wound healing - A literature review', *Anais Brasileiros
de Dermatologia*. Sociedade Brasileira de Dermatologia, pp. 614–620. doi:
10.1590/abd1806-4841.20164741.

Han, S.-K. (2016) 'Negative-Pressure Wound Therapy', in *Innovations and Advances in
Wound Healing*. Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 183–200. doi:
10.1007/978-3-662-46587-5_8.

Hettiaratchy, S. and Dziewulski, P. (2004) 'Pathophysiology and types of burns', *BMJ*,
328(7453), p. 1427. doi: 10.1136/bmj.328.7453.1427.

Hochstein, A. and Bhatia, A. (2014) 'Collagen: Its Role in Wound Healing', *Podiatry
Management*. Available at: [moz-extension://d385393e-60c9-498a-9db0-439743af40ba/enhanced-Fischer, S. et al. \(2016\) 'Extra-large negative pressure wound
therapy dressings for burns - Initial experience with technique, fluid management, and
outcomes', Burns, 42\(2\), pp. 457–465. doi: 10.1016/j.burns.2015.08.034.](https://doi.org/10.1007/978-3-662-46587-5_8)

Hoekstra, M. J. *et al.* (1993) 'A comparative burn wound model in the New Yorkshire pig for
the histopathological evaluation of local therapeutic regimens: silver sulfadiazine cream
as a standard', *British Journal of Plastic Surgery*, 46(7), pp. 585–589. doi:
10.1016/0007-1226(93)90111-N.

10.1038/s41572-020-0145-5.

Kaddoura, I. *et al.* (2017) 'Burn injury: review of pathophysiology and therapeutic modalities in major burns.', *Annals of burns and fire disasters*, 30(2), pp. 95–102. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/29021720> (Accessed: 18 December 2020).

Kara, Y. A. (2018) 'Burn Etiology and Pathogenesis', in *Hot Topics in Burn Injuries*. InTech. doi: 10.5772/intechopen.71379.

Khansa, I. *et al.* (2019) 'Silver in Wound Care—Friend or Foe?', *Plastic and Reconstructive Surgery - Global Open*, 7(8), p. e2390. doi: 10.1097/GOX.0000000000002390.

Koster, M. I. (2009) 'Making an epidermis', in *Annals of the New York Academy of Sciences*. Blackwell Publishing Inc., pp. 7–10. doi: 10.1111/j.1749-6632.2009.04363.x.

Kurniawan, I. D. (2021). 'Pengaruh terapi luka tekanan negatif terhadap angiogenesis pada luka dermal dalam pada babi yorkshire' [thesis]. FKK-MK Universitas Gadjah Mada.

Kusuma, S. *et al.* (2010) 'Skin Anatomy and Physiology', in *Plastic and Reconstructive Surgery*. London: Springer London, pp. 161–171. doi: 10.1007/978-1-84882-513-0_13.

Maghsoudi, H., Monshizadeh, S. and Mesgari, M. (2011) 'A Comparative Study of the Burn Wound Healing Properties of Saline-Soaked Dressing and Silver Sulfadiazine in Rats', *Indian Journal of Surgery*, 73(1), pp. 24–27. doi: 10.1007/s12262-010-0169-2.

Mehta-Ambalal, S. R. (2016) 'Neocollagenesis and Neoelastinogenesis: From the Laboratory to the Clinic', *Journal of Cutaneous and Aesthetic Surgery*, 9(3), p. 145. doi: 10.4103/0974-2077.191645.

Oaks, R. and Cindass, R. (2020) *Silver Sulfadiazine - StatPearls - NCBI Bookshelf*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK556054/> (Accessed: 20 December 2020).

Orgill, D. P. and Bayer, L. R. (2013) 'Negative pressure wound therapy: Past, present and

future', *International Wound Journal*, pp. 15–19. doi: 10.1111/iwj.12170.

Pavelka, M. *et al.* (2010) 'Epidermis', in *Functional Ultrastructure*. Springer Vienna, pp. 240–241. doi: 10.1007/978-3-211-99390-3_124.

Peinemann, F. and Labeit, A. (2019) 'Negative pressure wound therapy: A systematic review of randomized controlled trials from 2000 to 2017', *Journal of Evidence-Based Medicine*, 12(2), pp. 125–132. doi: 10.1111/jebm.12324.

Prasetyono, T. O. H. (2009) 'General concept of wound healing, revisited', *Medical Journal of Indonesia*. Faculty of Medicine, Universitas Indonesia, pp. 208–216. doi: 10.13181/mji.v18i3.364.

Puhaindran, M. E. (2008) 'Principles of wound healing', in *Diabetic Foot Problems*. World Scientific Publishing Co., pp. 395–402. doi: 10.1142/9789812791535_0028.

Qian, L. W., Fourcaudot, A. B. and Leung, K. P. (2017) 'Silver Sulfadiazine Retards Wound Healing and Increases Hypertrophic Scarring in a Rabbit Ear Excisional Wound Model', *Journal of Burn Care and Research*, 38(1), pp. e418–e422. doi: 10.1097/BCR.0000000000000406.

Rangaraj, A., Harding, K. and Leaper, D. (2011) *Role of collagen in wound management, Clinical REVIEW Wounds uk*.

Ren, Y., Chang, P. and Sheridan, R. L. (2017) 'Negative wound pressure therapy is safe and useful in pediatric burn patients.', *International journal of burns and trauma*, 7(2), pp. 12–16. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/28533933> (Accessed: 18 December 2020).

Resadita, Reagan *et al.* "The effect of NPWT in wound healing and bacterial count on deep dermal burn injury model: An experimental study." *Annals of medicine and surgery* (2022) vol. 75 103367. 12 Feb. 2022, doi:10.1016/j.amsu.2022.103367

pp. 1–12. doi: 10.1007/978-3-319-20250-1_1-1.

Rippa, A. L., Kalabusheva, E. P. and Vorotelyak, E. A. (2019) 'Regeneration of Dermis:

Scarring and Cells Involved', *Cells*, 8(6), p. 607. doi: 10.3390/cells8060607.

Rowan, M. P. *et al.* (2015) 'Burn wound healing and treatment: Review and advancements',

Critical Care. BioMed Central Ltd. doi: 10.1186/s13054-015-0961-2.

Seswandhana, R *et al.* (2021) "A Modified Method To Create A Porcine Deep Dermal Burn

Model." *Annals of burns and fire disasters* vol. 34,2 : 187-191.

Seswandhana, M. R. (2022). 'Peran Terapi Luka Tekanan Negatif pada Penyembuhan Luka

Bakar Thermal Dermal Dalam pada Babi: Kajian pada Observasi Laju Epitelisasi,

Kontraksi Luka, Migrasi Sel Punca Epidermal, Interleukin-33, Matrix

Metalloproteinase-9, Transforming Growth Factor- β 1, dan Keratinocyte Growth

Factor' [dessertation]. FKK-MK Universitas Gadjah Mada.

Shpichka, A. *et al.* (2019) 'Skin tissue regeneration for burn injury', *Stem Cell Research and*

Therapy. BioMed Central Ltd. doi: 10.1186/s13287-019-1203-3.

Wallace, H. A. and Zito, P. M. (2019) *Wound Healing Phases*, *StatPearls*. StatPearls

Publishing. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/29262065> (Accessed:

18 December 2020).

Warby, R. and Maani, C. V. (2019) *Burns Classification*, *StatPearls*. StatPearls Publishing.

Available at: <http://www.ncbi.nlm.nih.gov/pubmed/30969595> (Accessed: 18

December 2020).

Wardhana, A. *et al.* (2017) 'The epidemiology of burns in Indonesia's national referral burn

center from 2013 to 2015', *Burns Open*, 1(2), pp. 67–73. doi:

10.1016/j.burnso.2017.08.002.

models: a systematic review, Annals of Burns and Fire Disasters. Euro-Mediterranean

Council for Burns and Fire Disasters (MBC). Available at:

<http://www.burnsjournal.com> (Accessed: 20 December 2020).

White, R. and Cooper, R. (2017) *88 Wounds UK*.

Wu, M., Matar, D. Y., Yu, Z., Chen, Z., Knoedler, S., Ng, B., Darwish, O. A., Sohrabi, S.,

Friedman, L., Haug, V., Murphy, G. F., Rinkevich, Y., Orgill, D. P., & Panayi, A. C.

(2022). Continuous NPWT Regulates Fibrosis in Murine Diabetic Wound

Healing. *Pharmaceutics*, 14(10), 2125.

<https://doi.org/10.3390/pharmaceutics14102125>

Xue, M. and Jackson, C. J. (2015) 'Extracellular Matrix Reorganization During Wound

Healing and Its Impact on Abnormal Scarring', *Advances in Wound Care*, 4(3), pp.

119–136. doi: 10.1089/wound.2013.0485.

Yüksel, E. B. *et al.* (2014) 'The Effect of Different Topical Agents (Silver Sulfadiazine,

Povidone-Iodine, and Sodium Chloride 0.9%) on Burn Injuries in Rats', *Plastic Surgery*

International, 2014, pp. 1–6. doi: 10.1155/2014/907082.