

DAFTAR PUSTAKA

- ABLS Advisory Committee. (2018). *Advanced Burn Life Support Course: Provider Manual Update*:2018. American Burn Association. Chicago.
- American Burn Association. *National Burn Repository 2019 Update, Report of data from 2009-2018* ameriburn.site-ym.com <https://ameriburn.site-ym.com/store/ViewProduct.aspx?id=14191872>
- ATLS Subcommittee; American College of Surgeons' Committee on Trauma; International ATLS working group. (2018). *Advanced trauma life support (ATLS®): the ninth edition*. J Trauma Acute Care Surg. 74(5):1363-6. doi: 10.1097/TA.0b013e31828b82f5. PMID: 23609291.
- Amtmann, D. *et al.* (2020). *Satisfaction with life over time in people with burn injury: a National Institute on Disability, Independent Living, and Rehabilitation Research burn model system study*. Arch. Phys. Med. Rehabil. 101, S63–S70
- Andrei, M., Grosu-Bularda, A., Vermeşan, O., Popescu, S., Chivu, A., Khalid, Al-F., *et al.* (2018). *Negative Prognostic Factors in Severe Burns - Implication for Clinical Outcome*. *Medicina Moderna - Modern Medicine*, 25, pp. 83-94
- ANZBA. (2016). *Emergency Management of Severe Burns. Course manual*. The education Comite.Australia and New Zealand Burn Association.
- Atkins, K., Schneider, A., Rodriguez, C., Gallaher, J., Charles, A. (2022). *The predictive probability of mortality in the presence of full-thickness burns*. The American Journal of Surgery

- Bayuo, J., Agbenorku, P., Amankwa, R. & Agbenorku, M. (2018). *Epidemiology and outcomes of burn injury among older adults in a Ghanaian tertiary hospital*. Burns Open 2, 98–103
- Borhani-Khomani K, Partoft S, Holmgaard R. (2017). *Assessment of burn size in obese adults; a literature review*. Journal Plastic Surgery & Hand Surgery. ;51(6):375-380
- Brunicardi, F., Dunn, D., Hunter, J., Brunicardi, F., Brunicardi, F., Andersen, D., Andersen, D., Billiar, T. and Billiar, T., (2015). *Schwartz's principles of surgery*. New York: McGraw-Hill Education.
- Brusselaers, N., Agbenorku, P. and Hoyte-Williams, P., (2013). *Assessment of mortality prediction models in a Ghanaian burn population*. Burns, 39(5), pp.997-1003.
- Buehner, M. et al. (2016). *Oxalate nephropathy after continuous infusion of high-dose vitamin C as an adjunct to burn resuscitation*. J. Burn Care Res. 37, e374–e379
- Carta, T. et al. (2019). *Properties of an ideal burn dressing: a survey of burn survivors and front-line burn healthcare providers*. Burns 45, 364–368
- Chocarro-Wrona, C., López-Ruiz, E., Perán, M., Gálvez-Martín, P. & Marchal, J. A. (2019). *Therapeutic strategies for skin regeneration based on biomedical substitutes*. J. Eur. Acad. Dermatol. Venereol. 33, 484–496
- Chouhan, D., Dey, N., Bhardwaj, N. & Mandal, B. B. (2019). *Emerging and innovative approaches for wound healing and skin regeneration: current status and advances*. Biomaterials 216, 119267

- Chung, K. K. *et al.* (2017). *High-volume hemofiltration in adult burn patients with septic shock and acute kidney injury: a multicenter randomized controlled trial*. Crit. Care 21, 289
- Davé, D. R., Nagarjan, N., Canner, J. K., Kushner, A. L. & Stewart, B. T. (2018). *Rethinking burns for low & middle-income countries: differing patterns of burn epidemiology, care seeking behavior, and outcomes across four countries*. Burns 44, 1228–1234
- Douglas HE, Ratcliffe A, Sandhu R, Anwar U. (2015). *Comparison of mortality prediction models in burns ICU patients in Pinderfields Hospital over 3 years*. Burns;41(1):49–52
- Ederer, I. A., Hacker, S., Sternat, N., Waldmann, A., Salameh, O., Radtke, C., Pauzenberger, R. (2019). *Gender has no influence on mortality after burn injuries: A 20-year single center study with 839 patients*. Burns : Journal of the International Society for Burn Injuries, 45(1): 205–212.
<https://doi.org/10.1016/j.burns.2018.08.012>
- Fang, T., Lineaweaver, W. C., Sailes, F. C., Kisner, C. & Zhang, F. (2014). *Clinical application of cultured epithelial autografts on acellular dermal matrices in the treatment of extended burn injuries*. Ann. Plast. Surg. 73, 509–515
- Finnerty, C. C. *et al.* (2016). *Hypertrophic scarring: the greatest unmet challenge after burn injury*. Lancet 388, 1427–1436
- Fitri, A., Saputra, D. and Putra, A., (2021). Perbandingan R-Baux Score dengan BOBI Score sebagai Prediktor Mortalitas Pasien Luka Bakar di RSUP Dr. M. Djamil Padang.

- Fowler, A. A. *et al.* (2019). *Effect of vitamin C infusion on organ failure and biomarkers of inflammation and vascular injury in patients with sepsis and severe acute respiratory failure: the CITRIS-ALI randomized clinical trial*. JAMA 322, 1261–1270
- Gallaher JR, Mjuweni S, Cairns BA, Charles AG. (2015). *Burn care delivery in a sub-Saharan African unit: a cost analysis study*. Int J Surg;19:116–20
- Gauglitz, G.G. dan Jeschke, M.G. (2012). *Pathophysiology of Burn Injury. Handbook of Burns Volume 1 Acute Burn Care*. Springer Wien New York. P.131-132, 148
- Girtler, R. and Gustorff, B. (2012). *Pain Management After Burn Trauma. Handbook of Burns Volume 1 Acute Burn Care*. Wien NewYork: Springer. p. 340-341, 343
- Greenhalgh, D. G. (2019). *Management of burns*. N. Engl. J. Med. 380, 2349–2359
- Guo, F., Chen, X., Wang, Y., Chen, X., Sun, Y. (2009). *Management of burns of over 80% of total body surface area: A comparative study*. Burns, 35(2): 210-214
- Güldoğan CE, Kendirci M, Tikici D, Gündoğdu E, Yastı AÇ. (2017). *Clinical infection in burn patients and its consequences*. Ulus Travma Acil Cerrahi Derg.;23:466–471
- Güldoğan, C. E., Kendirci, M., Gündoğdu, E., & Yastı, A. Ç. (2018). *Analysis of factors associated with mortality in major burn patients*. Turkish journal of surgery, 35(3), 155–164. <https://doi.org/10.5578/turkjsurg.4065>
- Haddad, A. G., Giatsidis, G., Orgill, D. P. & Halvorson, E. G. (2017). *Skin substitutes and bioscaffolds* Clin. Plast. Surg. 44, 627–634
- Haikonen K, Lillsunde PM, Vuola J. (2014). *Inpatient costs of firerelated injuries in Finland*. Burns;40:1754–60

- Harats, M. *et al.* (2016). *Burns in Israel, comparative study: demographic, etiologic and clinical trends 1997-2003 vs. 2004-2010*. Burns 42, 500–507
- Halgas, B., Bay, C., & Foster, K. (2018). *A comparison of injury scoring systems in predicting burn mortality*. *Annals of Burns And Fire Disasters*, 31(2): 89–93.
- Herlianita, R., Purwanto, E., Wahyuningsih, I., Pratiwi, I.D. (2021). *Clinical outcome and comparison of burn injury scoring systems in burn patient in Indonesia*. *African Journal of Emergency Medicine : Revue Africaine de la Medecine D'urgence*, 11(3): 331–334. <https://doi.org/10.1016/j.afjem.2021.04.005>
- James, W.D., Elston D.M., Treat J.R., Rosenbach M.A., Neuhaus, I.M. (2020). *Andrews' Diseases of the Skin Clinical Dermatology* 13th Edition, Elsevier, Philadelphia.
- Jeschke, M. G., van Baar, M. E., Choudhry, M. A., Chung, K. K., Gibran, N. S., & Logsetty, S. (2020). *Burn injury*. *Nature Reviews Disease Primers*, 6(1), 1-25.
- Karimi, K., Faraklas, I., Lewis, G., Ha, D., Walker, B., Zhai, Y., Graves, G., Dissanaik, S. (2017). *Increased mortality in women: sex differences in burn outcomes*. Burns & trauma, 5: 18. <https://doi.org/10.1186/s41038-017-0083-y>
- Keputusan Menteri Kesehatan Republik Indonesia NOMOR HK.01.07/MENKES/555/2019. (2019). Pedoman Nasional Pelayanan Kedokteran Tata Laksana Luka Bakar.
- Latifi, N. A., Karimi, H., Motevalian, S. A., & Momeni, M. (2017). *Economical burden of burn injuries in a developing country*. *Journal of Burn Care & Research*, 38(6), e900-e905.
- Lee, K. C., Joory, K., & Moiem, N. S. (2015). *History of burns: The past, present and the future*. Burns & Trauma, 2(4), 169.

- Li, H., Yao, Z., Tan, J., Zhou, J., Li, Y., Wu, J., & Luo, G. (2017). *Epidemiology and outcome analysis of 6325 burn patients: a five-year retrospective study in a major burn center in Southwest China*. Scientific reports, 7(1), 1-9.
- Lip, T.C., Tan, J.H., Thomas, M., Imran, F., Mat, T.N.A.T. (2019). *Survival analysis and mortality predictors of hospitalized severe burn victims in a Malaysian burns intensive care unit*. Burn Trauma, 7(3). <https://doi.org/10.1186/s41038-018-0140-1>
- Mason, S. A. et al. (2019). *Increased rate of long-term mortality among burn survivors*. Ann. Surg. 269, 1192–1199
- McGrath, J. and Uitto, J., (2010). *Anatomy and Organization of Human Skin*. Rook's Textbook of Dermatology, pp.1-53.
- McGwin, G., George, R.L., Cross, J.M., Reiff, D.A., Chaudry, I.H., Rue, L.W. (2002). *Gender differences in mortality following burn injury*. Shock, 18(4): 311-315
- Mescher, A. and Junqueira, L., (2016). *Junqueira's basic histology*. 14th ed. McGraw-Hill Education.
- Moenadjat, Y. (2006). Luka Bakar: Pengetahuan Klinik Dan Praktis. Edisi 4. Jakarta: Balai Penerbit FKUI.
- Noor, D.M., Wicaksana, A., Fauzi, A.R., Seswandhana, R. (2020). *Comparison between revised Baux score and abbreviated burn severity index as a predictor of mortality in burn patients at a tertiary care center in Yogyakarta, Indonesia*. European Journal of Plastic Surgery, 43: 53–58. <https://doi.org/10.1007/s00238-019-01578-y>
- Padalko, A., Cristall, N., Gawaziuk, J. P. & Logsetty, S. (2019). *Social complexity and risk for pediatric burn injury: a systematic review*. J. Burn Care Res. 40, 478–499

- Perera, M. M. N., Nanayakkarawasam, P. P., & Katulanda, P. (2015). *Effects of burn on the mobility of upper limb/s, functions of hand/s & activities of daily living*. International Journal of Physiotherapy and Research, 3(1), 832-8
- Prasad, A., Thode, H.C., Singer, A.J. (2020). *Predictive value of quick SOFA and revised Baux scores in burn patients*. Burns, 46: 347-351
- Queiroz, L. F. T., Anami, E. H., Zampar, E. F., Tanita, M. T., Cardoso, L. T., & Grion, C. M. C. (2016). *Epidemiology and outcome analysis of burn patients admitted to an intensive care unit in a university hospital*. Burns, 42(3), 655-662.
- Rae, L., Fidler, P. & Gibran, N. (2016). *The physiologic basis of burn shock and the need for aggressive fluid resuscitation*. Crit. Care Clin. 32, 491–505
- Ren, J. et al. (2019). *The use of noncultured regenerative epithelial suspension for improving skin color and scars: a report of 8 cases and review of the literature*. J. Cosmet. Dermatol. 18, 1487-1494
- Richard, R. & Santos-Lozada, A. R. (2017). *Burn patient acuity demographics, scar contractures, and rehabilitation treatment time related to patient outcomes*. J. Burn Care Res. 38, 230–242.
- Rizzo, J. A., Rowan, M. P., Driscoll, I. R., Chung, K. K. & Friedman, B. C. (2016). *Vitamin C in burn resuscitation*. Crit. Care Clin. 32, 539–546.
- Rowan, M. P. et al. (2015) *Burn wound healing and treatment: review and advancements*. Crit. Care 19
- Rybarczyk, M. M. et al. (2017). *A systematic review of burn injuries in low- and middle-income countries: epidemiology in the WHO- defined African region*. Afr. J. Emerg. Med. 7, 30–37.

- Sethi, J., Gawaziuk, J. P., Cristall, N. & Logsetty, S. (2018). *The relationship between income and burn incidence in Winnipeg, Manitoba, Canada: a population health study*. J. Burn Care Res. 39, 645–651
- Sheikholeslam, M., Wright, M. E. E., Jeschke, M. G. & Amini-Nik, S. (2018) *Biomaterials for skin substitutes*. Adv. Healthc. Mater. 7, 1700897
- Smolle, C. *et al.* (2017). *Recent trends in burn epidemiology worldwide: a systematic review*. Burns 43, 249–257.
- Song, C. and Chua, A. (2003). *Epidemiology of burn injuries in Singapore from 1997 to 2003*. Burns, 31(1): S18-S26
- Sözen İ, Guldogan CE, Kismet K, Sabuncuoğlu MZ, Yasti AÇ. (2015). *Outpatient burn management and unnecessary referrals*. Ulus Travma Acil Cerrahi Derg.;21:27–33
- Sozen I, Gündoğan CE, Yasti AC. (2016). *Etiology of childhood burns and parental awareness in Turkey*. Ulus Cerrahi Derg.;32:168–172
- Tarim MA. (2013). *Factors affecting mortality in burn patients admitted to intensive care unit*. East J Med.;18:72–72
- Tegtmeyer, L. C. *et al.* (2018). *Retrospective analysis on thermal injuries in children—demographic, etiological and clinical data of German and Austrian pediatric hospitals 2006–2015—approaching the new German burn registry*. Burns 44, 150–157
- Thom D. (2017). *Appraising current methods for preclinical calculation of burn size - A pre-hospital perspective*. Burns. ;43(1):127-136
- Torres, L. N., Chung, K. K., Salgado, C. L., Dubick, M. A. & Torres Filho, I. P. (2017). *Low-volume resuscitation with normal saline is associated with microvascular*

endothelial dysfunction after hemorrhage in rats, compared to colloids and balanced crystalloids. Crit. Care 21, 160.

Usmani, A., Pipal, D.K., Bagla, H., Verma, V., Kumar, P., Yadav, S., Garima, G., Rani, V., Pipal, R.K. (2022). *Prediction of mortality in acute thermal burn patients using the abbreviated burn severity index score: A single-center experience. Cureus*, 14(6): e26161. doi:10.7759/cureus.26161

Wardhana, A., Mulyantara, I. and Kekalih, A., (2016). *Implementation of revised Baux Score to Predict Mortality Burn Injured Patients in Burn Unit of dr Cipto Mangunkusumo Hospital, Jakarta. The New Ropanasuri Journal of Surgery*, 1(1), pp.23-26.

Woo, J. and Kym, D. (2021). *The Accuracy of Prediction Models in Burn Patients. Journal of the Korean Burn Society*, 24(1), pp.1-6.

Yasti, A., (2015). *Guideline and Treatment Algorithm for Burn Injuries. Turkish Journal of Trauma and Emergency Surgery*.

You, B. et al. (2018). *Early application of continuous highvolume haemofiltration can reduce sepsis and improve the prognosis of patients with severe burns. Crit. Care* 22, 173

Young, A. W. et al. (2017). *Guideline for burn care under austere conditions. J. Burn Care Res.* 38, e497-e509.

Yoshimura, Y., Saitoh, D., Yamada, K., Nakamura, T., Terayama, T., Ikeuchi, H., Sasaki, J., & Nemoto, M. (2020). *Comparison of prognostic models for burn patients: A retrospective nationwide registry study. Burns: Journal of the International Society for Burn Injuries*, 46(8): 1746–1755. <https://doi.org/10.1016/j.burns.2020.10.008>

Zieliński, M., Wróblewski, P., and Kozielski, J. 2020. *Prognostic factors inpatients with burns. Anaesthesiology Intensive Therapy*, 52(4), pp.330-335.