

## DAFTAR PUSTAKA

- Baehr, M., & Frotshcer, M. (2005). *Duus Topical Diagnosis in Neurology 4<sup>th</sup> Edition*. Thieme.
- Barone, F. C., Clark, R. K., Price, W. J., White, R. F., Feuerstein, G. Z., Storer, B. L., Ohlstein, E. H. (1993). Neuron-specific enolase increases in cerebral and systemic circulation following focal ischemia. *Brain Research*, 623, 77–82.
- Cramer, G. D. S. A. D. (2014). *Clinical Anatomy of the Spine, Spinal Cord, and ANS, Third Edition* (3rd ed.). Elsevier Ltd.
- Dahlan, M. S. (2014). Uji One Way (Uji Hipotesis Komperatif Numerik Lebih dari Dua Kelompok Tidak Berpasangan Berdistribusi Normal). In *Statistik Untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS*.
- DeGiorgio, C. M., Gott, P. S., Rabinowicz A. L., Heck, C. N., Smith, T. D., Correale, J. D. (1996). Neuron-specific enolase, a marker of acute neuronal injury, is increased in complex partial status epilepticus. *Epilepsia*, 37(7), 606–9.
- Ding, M., Haglid, K. G., Hamberger, A. (2000). Quantitative immunochemistry on neuronal loss, reactive gliosis and BBB damage in cortex/striatum and hippocampus/amygdala after systemic kainic acid administration. *Neurochemistry International*, 36(4–5), 313–318.
- Dogru, H., Akpınar, C. K., Gungor, L., Balci, K. (2016). Acute Ischemic Stroke Associated with Low-voltage Electrical Injury: A Case Report. *Turk J Neurol*, 22, 30-32.
- Duff, K., McCaffrey, R. J. (2001). Electrical injury and lightning injury: A review of their mechanisms and neuropsychological, psychiatric, and neurological sequelae. *Neuropsychology Review*, 11, 101-116. <https://doi.org/10.1023/A:1016623318049>
- Eroschenko, V. P., Fiore, M. S. H. d. (2008). *DiFiore's Atlas of Histology with Functional Correlations* (11th ed.). Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Fan, K. W., Zhu, Z. X., Den, Z. Y. (2005). An experimental model of an electrical injury to the peripheral nerve. *Burns*, 31(6), 731-736. <https://doi.org/10.1016/j.burns.2005.02.022>

- Hasegawa, D., Orima, H., Fujita, M., Hashizume, K., Tanaka, T. (2002). Complex partial status epilepticus induced by a microinjection of kainic acid into unilateral amygdala in dogs and its brain damage. *Brain Research*, 955, 174–182.
- Hardemark H. G., Almqvist, O., Johansson, T., Pfhilman, S., Persson, L. (1989). S-100 protein in cerebrospinal fluid after aneurysmal subarachnoid haemorrhage: relation to functional outcome, late CT and SPECT changes, and signs of higher cortical dysfunction. *Acta Neurochir (Wien)*, 99, 135-144.
- Hardemark, H. G., Ericsson, N., Kotwica, Z., Rundstorm, G., Hartvig, M., Olsson, Y., Pahlman, S., Persson, L. (1989). S-100 protein and neuron-specific enolase in CSF after experimental traumatic or focal ischemic brain damage. *J Neurosurg*, 71, 727–731.
- Hatfield, R. H., McKernan, R. M. (1992). CSF neuron-specific enolase as a quantitative marker of neuronal damage in a rat stroke model. *Brain Research*, 577, 249–252.
- Hay, E., Royds, J. A., Davies-Jones, G. A., Lewtas, N. A., Timperley, W. R., Taylor, C. B. (1984). Cerebrospinal fluid enolase in stroke. *Journal of Neurology, Neurosurgery, and Psychiatry*, 47, 724–729.
- Herrmann, M., Jost, S., Kutz, S., Ebert, A. D., Kratz, T., Wunderlich, M. T., Synowitz, H. (2000). Temporal profile of release of neurobiochemical markers of brain damage after traumatic brain injury is associated with intracranial pathology as demonstrated in cranial computerized tomography. *J Neurotrauma*, 17, 113–122.
- Kawasaki, H., Wakayama, Y., Okayasu, H., Takahashi, H., Shibuya, S. (1988). Levels of serum and cerebrospinal fluid enolase in the patients with cerebral vascular disease and other neurological diseases. *Jpn J Stroke*, 10, 313-8.
- Ko, S. H., Chun, W., Kim, H. C. (2004). Delayed spinal cord injury following electrical burns: A 7-year experience. *Burns*, 1-5. <https://doi.org/10.1016/j.burns.2004.03.007>

- Kurtulus, A., Acar, K., Adiguzel, E., Boz, B. (2009). Hippocampal neuron loss due to electric injury in rats: A stereological study, *Legal Medicine*, 11, 59-63. <https://doi:10.1016/j.legalmed.2008.08.001>
- Lee, R. C. (1997). Injury by electrical forces: Pathophysiology, Manifestations, and therapy. In *Current Problems in Surgery* (Vol. 34, pp. 1-87). Mosby. [https://doi.org/10.1016/s0011-3840\(97\)80007-x](https://doi.org/10.1016/s0011-3840(97)80007-x)
- Lee, R. C., Zhang, D., Hannig, J. (2000). Biophysical injury mechanisms in electrical shock trauma. In *Annual Review of Biomedical Engineering* (Vol. 1. pp. 477-509). <https://doi.org/10.1146/annurev.bioeng.2.1.477>
- Li, R., Fujitani, N., Jia, J. T., Kimura, H. (1998). Immunohistochemical indicators of early brain injury: an experimental study using the fluid-percussion model in cats. *Am. J. Forensic Med. Pathol*, 19(2), 129–136.
- Lima, J. E., Takayanagui, O. M., Garcia, L. V., Leite, J. P. (2004). Use of neuronspecific enolase for assessing the severity and outcome of neurological disorders in patients. *Brazilian Journal of Medical and Biological Research*, 37(1), 19–26.
- Mabe, H., Suzuki, S., Mase, M., Umemura, A., Nagai, H. (1991). Serum Neuron-Specific Enolase Levels After Subarachnoid Hemorrhage. *Surg Neurol*, 36, 170–174.
- Neher, M. D., Keene, C. N., Rich, M. C., Moore, H., B., Stahel, P. F. (2014). Serum biomarkers for traumatic brain injury. *Southern Medical Association*, 107(4), 248–255.
- Nogami, M., Takatsu, A., Endo, N., Ishiyama, I. (1998). Immunohistochemistry of neuron-specific enolase in neurons of the medulla oblongata from human autopsies, *Acta Histochemica*, 100, 371-382. [https://doi.org/10.1016/S0065-1281\(98\)80034-2](https://doi.org/10.1016/S0065-1281(98)80034-2)
- Persson, L., Hildemark, H. G., Gustafsson, J., Rundstrom, G., Mendel-Hartvig, I, Esscher, T., Pahlman, S. (1987). S-100 protein and neuron-specific enolase in cerebrospinal fluid and serum: markers of cell damage in human central nervous system. *Stroke*, 18, 911-918.

- Persson, L., Hardemark, H., Edner, G., Ronne, E., Mendel-Hartvig, I., Pahlman, S. (1988). S 100 protein in cerebrospinal fluid of patients with subarachnoid haemorrhage: A potential marker of brain damage. *Acta Neurochirurgica*, 93, 116–122.
- Pouw, M. H., Hosman, A. J. F., Van Middendorp, J. J., Verbeek, M. M., Vos, P. E., Van De Meent, H. (2009). Biomarkers in spinal cord injury. *Spinal Cord*, 47, 519-525.  
<https://doi.org/10.1038/sc.2008.176>
- Reisner, A. D. (2014). Delayed neural damage induced by lightning and electrical injury: neural death, vascular necrosis and demyelination?. *Neural Regen Res*, 9(9), 907-908.  
<https://doi.org/10.4103/1673-5374.133130>
- Sadler, W. T. (2012). *Langman's Medical Embryology 12<sup>th</sup> Edition*. Lippincott Williams & Wilkins.
- Sahin, D., Ilbay, G., Ates, N. (2003). Changes in the blood-brain barrier permeability and in the brain tissue trace element concentrations after single and repeated pentylenetetrazole-induced seizures in rats. *Pharmacological Research*, 1137, 1–5.
- Sankar, R., Shin, D. H., Wasterlain, C. G. (1997). Serum neuron-specific enolase is a marker for neuronal damage following status epilepticus in the rat. *Epilepsy Research*, 28, 129–136.
- Scarna, H., Delafosse, B., Steinberg, R., Debilly, G., Mandrand, B., Keller, A., Pujol, J. F. (1982). Neuron-specific enolase as a marker of neuronal lesions during various comas in man. *Neurochem Int*, 4, 405-11.
- Schreiber, S. S., Sun, N., Tocco, G., Baudry, M., DeGiorgio, C. M. (1999). Expression of Neuron-Specific Enolase in Adult Rat Brain Following Status Epilepticus. *Experimental Neurology*, 159, 329–331.
- Selakovic, V., Raicevic, R., Radenovic, L. (2005) The increase of neuron-specific enolase in cerebrospinal fluid and plasma as a marker of neuronal damage in patients with acute brain infarction. *Journal of Clinical Neuroscience*, 12(5), 542–547.

- Seo, C. H., Jeong, J. H., Lee, D. H., Kang, T. C., Jin, E. S., Lee, D. H., Jeon, S. R., Choi, K. H., Hwang, H. S. (2012). Radiological and pathological evaluation of the spinal cord in a rat model of electrical injury-induced myelopathy. *Burns*, 1-6. <https://doi.org/10.1016/j.burns.2012.02.016>
- Steinberg, R., Scarna, H., Keller, A., Pujol, J. F. (1983). Release of neuron specific enolase (NSE) in cerebrospinal fluid following experimental lesions of the rat brain. *Neurochem Int*, 5, 145-151.
- Steinberg, R., Gueniau, C., Scarna, H., Keller, A., Worcel, M., Pujol, J. F. (1984). Experimental Brain Ischemia: Neuron-Specific Enolase Level in Cerebrospinal Fluid as an Index of Neuronal Damage. *Journal of Neurochemistry*, 43, 19–24.
- Tanapat, P. (2013). Neuronal Cell Markers. *Materials and Methods*. <https://doi.org/10.13070/mm.en.3.196>
- Tumani, H., Otto, M., Gefeller, O., Wiltfang, J., Herrendorf, G., Mogge, S., Steinhoff, J. B. (1999). Kinetics of serum neuron-specific enolase and prolactin in patients after single epileptic seizures. *Epilepsia*, 40(6), 713–718.
- Varghese, G., Mani, M. M., Bedford, J. B. (1986). Spinal cord injuries following electrical accidents. *Paraplegia*, 159-166. <https://doi.org/10.1038/sc.1986.21>
- Winn, H. R. (2017). *Youmans And Winn Neurological Surgery Seventh Edition* (seventh). Elsevier.
- Woertgen, C., Rothoeri, R. D., Brawanski, A. (2001). Neuron-Specific Enolase Serum Levels After Controlled Cortical Impact Injury in the Rat. *Journal of Neurotrauma*, 18(5), 570–573.
- Yiannopoulou, K. G., Papagiannis, G. I., Triantafyllou, A. I., Koulouvaris, P., Anastasiou, A. I., Kontoangelos, K., Anastasiou, I. P. (2020). Neurological and neurourological complications of electrical injuries. *Polish Journal of Neurology and Neurosurgery*. <https://doi.org/10.5603/PJNNS.a2020.0076>



UNIVERSITAS  
GADJAH MADA

**Pengaruh Paparan Trauma Listrik Terhadap Kerusakan Neuron Dan Ekspresi Neuron Specific Enolase (NSE)**

**Pada Otak (Studi Eksperimental Pada Tikus Wistar Galur Murni)**

AMAL FATHULLAH P U, dr. Wiryawan Manusubroto, Sp.B, Sp.BS(K) NIP.; Drh.Sugiyono, M.Sc

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yardimoglu, M., Ilbay, G., Dalcik, C., Dalcik, H., Ates, D. N. S. (2008). Immunocytochemistry of neuron specific enolase (NSE) in the rat brain after. *International Journal of Neuroscience*, 118,981–993. <https://doi.org/10.1080/00207450701769232>

Yokobori, S., Hosein, K., Burks, S., Sharma, I., Gajavelli, S., Bullock, R. (2013). Biomarkers for the Clinical Differential Diagnosis in Traumatic Brain Injury—A Systematic Review. *CNS Neuroscience & Therapeutics*, 1–10. <https://doi.org/10.1111/cns.12127>

Zemaitis, M. R., Foris, L. A., Lopez, R. A., Huecker, M. R. (2019). Electrical Injuries. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK448087/>