

DAFTAR PUSTAKA

- Abeles FB, Morgan PW, Salveit ME. 1992. Ethylene in plant biology. New York: Academic Press.
- Anonim. 1988. Penyempurnaan cara penyadapan getah pinus untuk peningkatan produksi getah. Kerja Sama antara Perum Perhutani dengan Fakultas Kehutanan IPB. Bogor : Fahutan IPB.
- Antonova GF, Stasova VV. 1993. Effects of environmental factors on wood formation in Scots pine stems. *Trees*, 7(4), 214-219.
- Babu AM, Nair GM, Shah JJ. 1987. Traumatic gum-resin cavities in the stem of *Ailanthus Excelsa* Roxb. *IAWA journal*, 8(2), 167-174.
- Bhadoria P, Nagar M, Bahrioke V, Bhadoria A. 2015. Effect of ethephon on the liver in albino rats: a histomorphometric study. *Biomedical journal*, 38(5).
- Blanche CA, Lorio PL, Sommers RA, Hodges JD, Nebeker TE. 1992. Seasonal cambial growth and development of loblolly pine: xylem formation, inner bark chemistry, resin ducts, and resin flow. *Forest Ecology and Management* 49: 151-165.
- Celedon JM, Bohlmann J. 2019. Oleoresin defenses in conifers: chemical diversity, terpene synthases and limitations of oleoresin defense under climate change. *New Phytol* 224:1444–1463.
- Chen R, He X, Chen J. 2019. Traumatic resin duct development, terpenoid formation, and related synthase gene expression in *Pinus massoniana* under feeding pressure of *Monochamus alternatus*. *J Plant Growth Regul* 38:897–908.
- Dahlian E, Hartoyo. 1997. Komponen kimia terpenin dari getah tusam (*Pinus merkusii*) asal kalimantan barat. *Info Hasil Hutan*. Badan Pengembangan dan Penelitian Kehutanan. Bogor. 4(1):38-39
- Darsono V. 2006. Pengantar ilmu lingkungan. Yogyakarta : Universitas Atma Jaya.
- Departemen Kehutanan Direktorat Jenderal Reboisasi dan Rehabilitasi Lahan. 1990. Teknik pembuatan tanaman pinus merkusii. Jakarta.
- Diandari AF, Dewi LM. 2020. Anatomical characterization of wood decay patterns in *Hevea brasiliensis* and *Pinus merkusii* caused by white-rot fungi: *Polyporus arcularius* and *Pycnoporus sanguineus*. In IOP Conference Series: Earth and Environmental Science (Vol. 528, No. 1, p. 012048). IOP Publishing.
- Evert RF. 2006 esau's plant anatomy, meristems, cells, and tissues of the plant body: their structure, function, and development. 3rd edn. New Jersey: John Wiley & Sons Inc.

- Fachrodji A, Sumarwan U, Suhendang E, Harianto H. 2009. Perbandingan daya saing produk gondorukem di pasar internasional. *Jurnal Manajemen & Agribisnis*, 6(2), 140-151.
- Franceschi VR, Krokene P, Christiansen E, Krekling T. 2005. Anatomical and chemical defenses of conifer bark against bark beetles *and* other pests. *New Phytol* 167:353–376.
- Fuchs M, Ehlers K, Will T, Van Bel AJE. 2010 . Immunolocalization indicates plasmodesmatal trafficking of storage proteins during cambial reactivation in *Populus nigra*. *Annals of Botany* 106 : 385 – 394.
- Gartner BL. 1995 . *Plant stems: Physiology and functional morphology*. Academic Press, San Diego, California, USA
- Ginting RR, Sitawati S, Heddy YS. 2015. Efikasi zat pengatur tumbuh etefon untuk mempercepat pemasakan buah melon (*Cucumis Melo* L.) (Doctoral dissertation, Brawijaya University).
- Guntur M. 2007. Pengaruh kadar stimulan dan periode perlakuan sadapan terhadap produksi getah pinus (*Pinus merkusii* Jung et de Vriese) di desa Uwemanje. Skripsi (Tidak dipublikasikan) Jurusan Kehutanan Fakultas Pertanian Universitas Tadulako.
- Hidayati E. 2005. Pengaruh pemberian stimulasi pada penyadapan kopal dengan metode sayatan di Hutan Pendidikan Gunung Walat Kabupaten Sukabumi Jawa Barat [skripsi]. Bogor: Fakultas Kehutanan. Institut Pertanian Bogor.
- Hidayanti N, Witno W, Karim HA. 2022. Pengaruh komposisi asam sulfat (H₂SO₄) sebagai stimulasi pada berbagai diameter dalam meningkatkan produktivitas getah pinus. *Jurnal Penelitian Kehutanan BONITA*, 3(2), 41-46.
- Hillis WE. 1987. *Heartwood and tree exudates*. Springer Series in Wood Science. Berlin : Springer-Verlag.
- Hood S, Sala A, Heyerdahl EK, Boutin M. 2015. Low-severity fire increases tree defense against bark beetle attacks. *Ecology* 96:1846–1855.
- Hudgins JW, Franceschi VR. 2004. Methyl jasmonate-induced ethylene production is responsible for conifer phloem defense responses and reprogramming of stem cambial zone for traumatic resin duct formation. *Plant Physiology*, 135(4), 2134-2149.
- Hutabalian JPH, Batubara R, Dalimunthe A. 2015. Pengaruh diameter dan konsentrasi stimulasi asam cuka (C₂H₄O₂) terhadap produktivitas getah pinus (*Pinus merkusii* Jungh et de Vriese). *Peronema Forestry Science Journal*, 4(3), 209-213.
- IAWA. 2004. IAWA List of microscopic features for softwood identification. *IAWA Journal*. 25 (1) : 1-70.

- Kasmudjo. 1992. Usaha stimulasi pada penyadapan getah pinus. Duta Rimba. No. 149- 150/XVII Hal 15-20.
- López-Villamor A, Zas R., Pérez A, Cáceres Y, Nunes da Silva M, Vasconcelos M, Solla A. 2021. Traumatic resin ducts induced by methyl jasmonate in *Pinus spp.* Trees, 35(2), 557-567.
- Luchi N, Ma R., Capretti P, Bonello P. 2005. Systemic induction of traumatic resin ducts and resin flow in Austrian pine by wounding and inoculation with *Sphaeropsis sapinea* and *Diplodia scrobiculata*. Planta, 221(1), 75-84.
- Lukmandaru G, Amri S, Sunarta S, Listyanto T, Pujiarti R, Widyorini, R. 2020. Oleoresin yield of *Pinus merkusii* trees from East Banyumas. In IOP Conference Series: Earth and Environmental Science (Vol. 449, No. 1, p. 012024). IOP Publishing.
- Martin D, Tholl D, Gershenzon J, Bohlmann J. 2002. Methyl jasmonate induces traumatic resin ducts, terpenoid resin biosynthesis, and terpenoid accumulation in developing xylem of Norway spruce stems. Plant physiology, 129(3), 1003-1018.
- Mori Y, Miyahara F, Tsutsumi Y, Kondo R. 2011. Effects of combinational treatment with ethephon and indole-3-butyric acid on adventitious rooting of *Pinus thunbergii* cuttings. Plant growth regulation, 63(3), 271-278.
- Moungsrimuangdee B, Iwanaga F, Yamanaka N, Kodani J, Yamamoto F. 2022. Effects of applied ethrel, jasmonic acid, and salicylic acid on the formation of traumatic resin ducts in the bark of *Thujopsis dolabrata* cuttings and xylem of *Metasequoia glyptostroboides* seedlings. Trees, 36(2), 793-801.
- Nagy NE, Franceschi VR, Solheim H, Krekling, T, Christiansen E. 2000. Wound-induced traumatic resin duct development in stems of Norway spruce (*Pinaceae*): Anatomy and cytochemical traits. American Journal of Botany, 87(3), 302-313.
- Ogata Ken, Tomoyuki F, Hisashi A, Pieter B. 2008. Identification of the timbers of Southeast Asia and the Western Pacific. Kaiseisha Press.
- Panshin AJ, Zeeuw CD. 1970. Textbook of wood technology. Volume I. Structure, identification, uses, and properties of the commercial woods of the United States and Canada. Textbook of wood technology. Volume I. Structure, identification, uses, and properties of the commercial woods of the United States and Canada.
- Praptoyo H, Cabout A. 2013. The effect of methyl jasmonate hormone to stimulate the formation of traumatic resin ducts in pines (*Pinus merkusii* Jungh et de Vriese) from KPH Lawu DS. Proceeding of The Fifth International Symposium of Indonesian Wood Research Society.

- Purusatama BD, Febrianto F, Lee SH, Kim NH. 2022. Hardness and fracture morphology of reaction wood from *Pinus merkusii* and *Agathis loranthifolia*. *Wood Science and technology*, 56(5), 1331-1351.
- Salsabila, A., & Chumaidi, A. (2022). Studi literatur perencanaan bisnis pembuatan disproportionated rosin sebagai komoditi ekspor dengan bahan baku gondorukem. *Jurnal teknologi separasi*, 8(3), 509-517.
- Schmidt A, Nagel R, Krekling T. 2011. Induction of isoprenyl diphosphate synthases, plant hormones and defense signalling genes correlates with traumatic resin duct formation in Norway spruce (*Picea abies*). *Plant Mol Biol* 77:577–590.
- Sharma KR, Lekha C. 2013. Tapping of *Pinus roxburghii* (Chir Pine) for oleoresin in Himachal Pradesh, India. *Adv Forestry Lett.* 2(3): 51-55.
- Sugiyono Y. 2001. Peningkatan Produksi Getah Pinus. *Duta Rimba* 247(15):23- 28.
- Suharlan A, Herbagung. 1983. Pertumbuhan pinus di berbagai daerah Indonesia. Simposium Pengusahaan Hutan Pinus; Jakarta, 27-28 Juli 1983.hlm 191-200.
- Sukadaryati. 2014. Pemanenan getah pinus menggunakan tiga cara penyadapan. *Jurnal Penelitian Hasil Hutan*, 32(1), 62-70
- Sukadaryati S, Santosa G, Pari G, Nurrochmat DR, Hardjanto, H. 2014. Penggunaan stimulan dalam penyadapan pinus. *Jurnal Penelitian Hasil Hutan*, 32(4), 329-340.
- Susilowati A, Wahyudi I, Siregar IZ, Iswanto, AH. 2013. Struktur anatomi saluran resin pada *Pinus merkusii* bergetah banyak. *Jurnal Ilmu dan Teknologi Kayu Tropis*, 11(2), 120-130.
- Tsoumis G. 1969. Wood as raw material. source, structure, chemical composition, growth, degradation and identification. Oxford : Pergammon Press Inc.
- Wibowo P. 2006. Produktivitas getah *Pinus merkusii* Jungh et de Vriese dengan sistem koakan di Hutan Pendidikan Gunung Walat Kabupaten Sukabumi Jawa Barat. Fakultas Kehutanan Institut Petanian Bogor. Bogor.
- Wolter KW, Zinkel DF. 1984. Observations on physiological mechanisms and chemical constituents of induced oleoresin synthesis in *Pinus resinosa*. *Canadian Journal of Forestry Research*. 14: 452- 458.
- Wu H, Hu ZH. 1997. Comparative anatomy of resin ducts of the *Pinaceae*. *Trees*, 11(3), 135-143.
- Wu H, Hu ZH. 1997. Ultrastructure of the resin duct initiation and formation in *Pinus tabulaeformis*. *Chin. J Bot.* 6:123-126.
- Yamamoto F, Kozlowski TT . 1987. Effect of ethrel on growth and stem anatomy of *Pinus halepensis* seedlings. *IAWA Bull ns* 8: 11–19.

Yew FK. 1998. RRIMFLOW : system of exploitation recent improvement and update on yield performance. Seminar on Low Intensity Tapping System.

Zheng Y, Biao P, Takao I. 2015. chemical induction of traumatic gum ducts in chinese sweetgum, *Liquidambar formosana*. IAWA journal 36(1): 58-68.