

## DAFTAR PUSTAKA

- Al-Okour, A. (2021). Radiation Physics: Radiation interaction with matter. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2020.11.566>
- Anam, C., Haryanto, F., Widita, R., Arif, I., & Dougherty, G. (2019). An investigation of spatial resolution and noise in reconstructed CT images using iterative reconstruction (IR) and filtered back-projection (FBP). *Journal of Physics: Conference Series*, 1127(1). <https://doi.org/10.1088/1742-6596/1127/1/012016>
- Anam, C., & Widodo, C. E. (2013). *Pengaruh Jumlah Iterasi Terhadap Signal to Noise Ratio (SNR) dan Optimasi Nilai Parameter Relaksasi pada Rekonstruksi Citra Metode SIRT Pengaruh Jumlah Iterasi dan Nilai Parameter Relaksasi Terhadap Signal to Noise Ratio (SNR) pada Rekonstruksi Citra Metode SIRT*. 51.
- Badea, C. T. (2021). Principles of Micro X-ray Computed Tomography. Dalam *Molecular Imaging: Principles and Practice* (hlm. 47–64). Elsevier. <https://doi.org/10.1016/B978-0-12-816386-3.00006-5>
- Barrett, J. F., & Keat, N. (2004). Artifacts in CT: Recognition and avoidance. Dalam *Radiographics* (Vol. 24, Nomor 6). Radiological Society of North America Inc. <https://doi.org/10.1148/rg.246045065>
- Baur, M., Claussen, J., Gerth, S., Kollmer, J., Shreve, T., Uhlmann, N., & Pöschel, T. (2019). How to measure the volume fraction of granular assemblies using x-ray radiography. *Powder Technology*, 356, 439–442. <https://doi.org/10.1016/j.powtec.2019.08.025>
- Böke, A. (2017). The photon interaction cross sections of human cortical bone tissue. *Chinese Journal of Physics*, 55(6), 2165–2172. <https://doi.org/10.1016/j.cjph.2017.08.018>
- Brunke, O., Hansen, F., Stuke, I., Butz, F., & Jeltsch<sup>2</sup>, F. (t.t.). *A new concept for high-speed atline and inline CT for up to 100% mass production process control allowing both 3D metrology and failure analysis*.
- Buzug, T. M. (2008). *Computer Tomography - From Photon Statistics to Modern Cone-Beam CT*. Springer.
- Castillo, M. (2012). The industry of CT scanning. *American Journal of Neuroradiology*, 33(4), 583–585. <https://doi.org/10.3174/ajnr.A2742>
- Christoph, R., & Neumann, H. J. (2012). *X-ray tomography in industrial metrology: Precise, economical and universal*. Verlag Moderne Industrie.
- Cierniak, R. (2011). X-ray computed tomography in biomedical engineering. Dalam *X-Ray Computed Tomography in Biomedical Engineering*. Springer London. <https://doi.org/10.1007/978-0-85729-027-4>

- Dawson, P., & Lees, W. R. (2001). Multi-slice technology in computed tomography. *Clinical Radiology*, 56(4), 302–309. <https://doi.org/10.1053/crad.2000.0651>
- Donath, T., Beckmann, F., & Schreyer, A. (2006). *Automated determination of the center of rotation in tomography data*.
- Elfving, T., Hansen, P. C., & Nikazad, T. (2012). Semiconvergence and relaxation parameters for projected SIRT algorithms. *SIAM Journal on Scientific Computing*, 34(4). <https://doi.org/10.1137/110834640>
- Flohr, T., Küttner, A., Bruder, H., Stierstorfer, K., Halliburton, S. S., Schaller, S., & Ohnesorge, B. M. (2003). Performance evaluation of a multi-slice CT system with 16-slice detector and increased gantry rotation speed for isotropic submillimeter imaging of the heart. *Herz*, 28(1), 7–19. <https://doi.org/10.1007/s00059-003-2456-1>
- Flores, L., Vidal, V., & Verdú, G. (2015). Iterative reconstruction from few-view projections. *Procedia Computer Science*, 51(1), 703–712. <https://doi.org/10.1016/j.procs.2015.05.188>
- Gandhi, S. A., & Kulkarni, C. v. (2013). MSE Vs SSIM. *International Journal of Scientific & Engineering Research*, 4(7). <http://www.ijser.org>
- Garrett, W. R., Splettstosser, H. R., & Titus, D. E. (1980). *Radiography in Modern Industry*.
- Giudiceandrea, F., Ursella, E., & Vicario, E. (2011). *A high speed CT scanner for the sawmill industry*. <https://www.researchgate.net/publication/264890290>
- Gonzalez, R. C., & Woods, R. E. (2008). *Digital image processing*. Prentice Hall.
- Hampel, U. (2015). X-ray computed tomography. Dalam *Industrial Tomography: Systems and Applications* (hlm. 175–196). Elsevier Inc. <https://doi.org/10.1016/B978-1-78242-118-4.00006-X>
- Hendee, W. R. (2014). *Cone Beam Computed Tomography*. Taylor & Francis.
- Hu, B., Li, L., Wu, J., & Qian, J. (2020). Subjective and objective quality assessment for image restoration: A critical survey. *Signal Processing: Image Communication*, 85. <https://doi.org/10.1016/j.image.2020.115839>
- Hunter, A. K., & McDavid, W. D. (2012). Characterization and correction of cupping effect artefacts in cone beam CT. *Dentomaxillofacial Radiology*, 41(3), 217–223. <https://doi.org/10.1259/dmfr/19015946>
- Kistler, P., Hochberg, F., Brooks, B. R., Ricardson, J., New, J., & Schnur, J. (1975). Computerized axial tomography: CI in ico pat holog ic correlation. *NEUROLOGY*, 25, 201–209. <https://doi.org/10.1212/wnl.25.3.201>
- Kruth, J. P., Bartscher, M., Carmignato, S., Schmitt, R., de Chiffre, L., & Weckenmann, A. (2011). Computed tomography for dimensional metrology.

- CIRP Annals - Manufacturing Technology*, 60(2), 821–842.  
<https://doi.org/10.1016/j.cirp.2011.05.006>
- Kruth, J. P., Bartscher, M., Carmignato, S., Schmitt, R., de Chiffre, L., & Weckenmann, A. (2014). Industrial applications of computed tomography. *CIRP Annals - Manufacturing Technology*, 63(2), 655–677.  
<https://doi.org/10.1016/j.cirp.2014.05.011>
- Kudo, H., Suzuki, T., & Rashed, E. A. (2013). Image reconstruction for sparse-view CT and interior CT-introduction to compressed sensing and differentiated backprojection. *Quantitative imaging in medicine and surgery*, 3(3), 147–161.  
<https://doi.org/10.3978/j.issn.2223-4292.2013.06.01>
- Kujoory, A. M., Hillman, B. J., & Barrett, H. H. (1980). *High-resolution computed tomography of the normal rat nephrogram*.
- Kurniawati, A., Badri, C., & Ardiyanto, J. (2015). A Modified Water Phantom Design for CT Number Calibration and Uniformity. *JImeD*, 1(1).
- Leng, S., Bruesewitz, M., Tao, S., Rajendran, K., Halaweish, A. F., Campeau, N. G., Fletcher, J. G., & McCollough, C. H. (2019). Photon-counting detector CT: System design and clinical applications of an emerging technology. *Radiographics*, 39(3), 729–743. <https://doi.org/10.1148/rg.2019180115>
- Louk, A. C., & Suparta, G. B. (2014). *Pengukuran Kualitas Sistem Pencitraan Radiografi Digital Sinar-X Quality Measurement of Imaging System of X-ray Digital Radiography* (Vol. 24, Nomor 2).
- Louk, A. C., & Suparta, G. B. (2015). 3D image reconstruction on x-ray micro-computed tomography. *International Conference on Experimental Mechanics 2014*, 9302, 93020Y. <https://doi.org/10.1117/12.2081193>
- Mahbod, A. (2015). *Comparison of FBP and Iterative Methods (SPECT DATA)*.  
<https://doi.org/10.13140/RG.2.1.3721.7124>
- Maikala, R. v. (2010). Modified Beer's Law - historical perspectives and relevance in near-infrared monitoring of optical properties of human tissue. *International Journal of Industrial Ergonomics*, 40(2), 125–134.  
<https://doi.org/10.1016/j.ergon.2009.02.011>
- Michael, G. (2001). *X-ray computed tomography*. [www.iop.org/Journals/PhysEd](http://www.iop.org/Journals/PhysEd)
- Mori, S., Endo, M., Nishizawa, K., Ohno, M., Miyazaki, H., Tsujita, K., & Saito, Y. (2005). Prototype heel effect compensation filter for cone-beam CT. *Physics in Medicine and Biology*, 50(22). <https://doi.org/10.1088/0031-9155/50/22/N02>
- Parui, K. (2017). *Image Interpolation techniques in digital image processing*.  
<https://www.researchgate.net/publication/346625606>

- Pasaribu, J. M., & Haryani, N. S. (2012). Perbandingan Teknik Interpolasi DEM SRTM dengan Metode Inverse Distance Weighted (IDW), Natural Neighbor dan Spline. Dalam *Jurnal Penginderaan Jauh* (Vol. 9, Nomor 2).
- Paulus, M. J., Gleason, S. S., Kennel, S. J., Hunsicker, P. R., & Johnson, D. K. (2000). *High Resolution X-ray Computed Tomography: An Emerging Tool for Small Animal Cancer Research 1*. [www.nature.com/neo](http://www.nature.com/neo)
- Prince, J. L., & Links, J. M. (2008). Medical Imaging Signals and Systems. Dalam *Medical Imaging* (hlm. 152–153). <https://doi.org/10.1109/MSP.2008.4408454>
- Rathore, J. S., Laquai, R., Biguri, A., Soleimani, M., & Vienne, C. (2022). *Benchmarking of different reconstruction algorithms for industrial cone-beam CT*. [www.ict-conference.com/2022](http://www.ict-conference.com/2022)
- Schäfers, K. P., Bolwin, K., Büther, F., Hermann, S., Jacobs, A. H., Kösters, T., Kuhlmann, M., Schäfers, M., & Viel, T. (2014). High-Resolution Small Animal Imaging. Dalam *Comprehensive Biomedical Physics* (hlm. 181–211). Elsevier. <https://doi.org/10.1016/b978-0-444-53632-7.00110-6>
- Schicchi, N., Fogante, M., Pirani, P. E., Agliata, G., Piva, T., Tagliati, C., Marcucci, M., Francioso, A., & Giovagnoni, A. (2020). Third generation dual source CT with ultra-high pitch protocol for TAVI planning and coronary tree assessment: feasibility, image quality and diagnostic performance. *European Journal of Radiology*, 122. <https://doi.org/10.1016/j.ejrad.2019.108749>
- Silpa, K., & Mastani, S. A. (2012). Comparison of Image Quality Metrics. *International Journal of Engineering Research & Technology (IJERT)*, 1(4). [www.ijert.org](http://www.ijert.org)
- Singh, R. (2012). Radiography. Dalam *Applied Welding Engineering* (hlm. 253–274). Elsevier. <https://doi.org/10.1016/B978-0-12-391916-8.00023-6>
- Spahn, M. (2013). X-ray detectors in medical imaging. *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 731, 57–63. <https://doi.org/10.1016/j.nima.2013.05.174>
- Sun, W., Brown, S., & Leach, R. (2012). *An overview of industrial X-ray computed tomography*. <https://www.researchgate.net/publication/262938221>
- Suparta, G. B. (2015). Fast scanning and quick sampling in computed tomography. *International Conference on Experimental Mechanics 2014*, 9302, 93020W. <https://doi.org/10.1117/12.2081194>
- Tessa, V. H., Sarah, W., Maggie, G., Joost, B. K., & Jan, S. (2007). The implementation of iterative reconstruction algorithms in MATLAB. Dalam *ITERATIVE RECONSTRUCTION ALGORITHMS* (Vol. 1).
- Ursella, E., Giudiceandrea, F., & Boschetti, M. (2018). *A Fast and Continuous CT scanner for the optimization of logs in a sawmill*. [www.3dct.at](http://www.3dct.at)

- Wadhokar, A., Sakharikar, K., Wadhokar, S., & Salunke, G. (2014). SSIM Technique for Comparison of Images. *International Journal of Innovative Research in Science, Engineering and Technology*, 03(09), 16281–16286. <https://doi.org/10.15680/ijirset.2014.0309068>
- Wesolowski, J. R., & Lev, M. H. (2005). CT: History, technology, and clinical aspects. *Seminars in Ultrasound, CT and MRI*, 26(6), 376–379. <https://doi.org/10.1053/j.sult.2005.07.007>
- Westbrook, C. (2008). *Handbook of MRI Technique* (Third). John Wiley & Sons.
- Wiguna, G. A., & Suparta, G. B. (2015). Interpolation method in simple computed tomography scanner. *International Conference on Experimental Mechanics 2014*, 9302, 93020N. <https://doi.org/10.1117/12.2076910>
- Yazid, K., & Yahya, R. (t.t.). A simple method to compute signal noise ratio in CT image. Diambil 24 September 2022, dari [https://inis.iaea.org/search/search.aspx?orig\\_q=RN:43056499](https://inis.iaea.org/search/search.aspx?orig_q=RN:43056499)
- Yu, L., Clinic, M., & Shuai Leng, M. (2016). *Image Reconstruction Techniques*.
- Zhou, W., Lane, J. I., Carlson, M. L., Bruesewitz, M. R., Witte, R. J., Koeller, K. K., Eckel, L. J., Carter, R. E., McCollough, C. H., & Leng, S. (2018). Comparison of a photon-counting-detector CT with an energy-integrating-detector CT for temporal bone imaging: A cadaveric study. *American Journal of Neuroradiology*, 39(9), 1733–1738. <https://doi.org/10.3174/ajnr.A5768>