

DAFTAR PUSTAKA

- Aculey, P. C., Snitkjaer, P., Owusu, M., Bassompierre, M., Takrama, J., Nørgaard, L., Petersen, M. A., & Nielsen, D. S. (2010). Ghanaian cocoa bean fermentation characterized by spectroscopic and chromatographic methods and chemometrics. *Journal of Food Science*, 75(6), 300–307. <https://doi.org/10.1111/j.1750-3841.2010.01710.x>.
- Afoakwa, E.O. (2016). *Chocolate Science and Technology*. John Willey & Sons Ltd. Oxford.
- Afoakwa, E. O., Paterson, A., Fowler, M., & Ryan, A. (2008). Flavor formation and character in cocoa and chocolate: A critical review. *Critical Reviews in Food Science and Nutrition*, 48(9), 840–857. <https://doi.org/10.1080/10408390701719272>.
- Afoakwa, E. O., Paterson, A., Fowler, M., & Ryan, A. (2009). Matrix effects on flavour volatiles release in dark chocolates varying in particle size distribution and fat content using GC-mass spectrometry and GC-olfactometry. *Food Chemistry*, 113(1), 208–215. <https://doi.org/10.1016/j.foodchem.2008.07.088>.
- Amin, I., Jinap, S., Jamilah, B., Harikrisna, K., & Biehl, B. (2002). Analysis of vicilin (7S)-class globulin in cocoa cotyledons from various genetic origins. *Journal of the Science of Food and Agriculture*, 82(7), 728–732. <https://doi.org/10.1002/jsfa.1104>.
- Anggrainy, A. (2015). Pengaruh konsentrasi larutan glukosa dan lama perendaman keping biji kakao terhadap sifat kimia, sensoris dan profil senyawa volatil keping biji kakao sangrai. Thesis. Universitas Gadjah Mada.
- Aprotosoai, A. C., Luca, S. V., & Miron, A. (2016). *Flavor Chemistry of Cocoa and Cocoa Products — An Overview*. 15, 73–91. <https://doi.org/10.1111/1541-4337.12180>.
- Ascrizzi, R., Flamini, G., Tessieri, C., & Pistelli, L. (2017). From the raw seed to chocolate: Volatile profile of Blanco de Criollo in different phases of the processing chain. *Microchemical Journal*, 133, 474–479. <https://doi.org/>

10.1016/j.microc.2017.04.024.

- Atmaja, M. I. P., Haryadi, H., & Supriyanto, S. (2016). Peningkatan Kualitas Biji Kakao Non Fermentasi Melalui Perlakuan Pendahuluan Sebelum Inkubasi. *Jurnal Tanaman Industri dan Penyegar*, 3(1), 11. <https://doi.org/10.21082/jtidp.v3n1.2016.p11-20>.
- Bariah, K. (2014). Impact of Fermentation Duration on the Quality of Malaysian Cocoa Beans Using Shallow Box. *KKU Research Journal*, 19(supplement), 74–80.
- Barišić, V., Kopjar, M., Jozinović, A., Flanjak, I., Ačkar, Đ., Miličević, B., Šubarić, D., Jokić, S., & Babić, J. (2019). The chemistry behind chocolate production. *Molecules*, 24(17). <https://doi.org/10.3390/molecules24173163>
- Bastos, V. S., Uekane, T. M., Bello, N. A., de Rezende, C. M., Flosi Paschoalin, V. M., & Del Aguila, E. M. (2019). Dynamics of volatile compounds in TSH 565 cocoa clone fermentation and their role on chocolate flavor in Southeast Brazil. *Journal of Food Science and Technology*, 56(6), 2874–2887. <https://doi.org/10.1007/s13197-019-03736-3>
- Baxter, J. H. (1995). Free Amino Acid Stability in Reducing Sugar Systems. *Journal of Food Science*, 60(2), 405–408. <https://doi.org/10.1111/j.1365-2621.1995.tb05682.x>
- Beckett, S.T. 2009. Industrial Chocolate Manufacture and Use: Fourth Edition. Blackwell Publishing. London.
- Biehl, B., Brunner, E., Passern, D., Quesnel, V. C., & Adomako, D. (1985). Acidification, proteolysis and flavour potential in fermenting cocoa beans. *Journal of the Science of Food and Agriculture*, 36(7), 583–598. <https://doi.org/10.1002/jsfa.2740360710>
- Binh, P., Thuong, N., Thoa, P. and Thoa, N. . 2012). (2012). Using ultrazyme (Novozyme) for improving cocoa fermentation process and cocoa bean quality in Vietnam. *Journal of Agricultural Technology*, 8(5), 1613–1623.
- Bonvehí, J. S. (2005). Investigation of aromatic compounds in roasted cocoa powder. *European Food Research and Technology*, 221(1–2), 19–29. <https://doi.org/10.1007/s00217-005-1147-y>
- Britto de Andrade, A., Lins da Cruz, M., Antonia de Souza Oliveira, F., Soares, S.

- E., Druzian, J. I., Radomille de Santana, L. R., Oliveira de Souza, C., & da Silva Bispo, E. (2021). Influence of under-fermented cocoa mass in chocolate production: Sensory acceptance and volatile profile characterization during the processing. *Lwt*, 149(June), 112048. <https://doi.org/10.1016/j.lwt.2021.112048>
- Bytof, G., Biehl, B., Heinrichs, H., & Voigt, J. (1995). Specificity and stability of the carboxypeptidase activity in ripe, ungerminated seeds of *Theobroma cacao* L. *Food Chemistry*, 54(1), 15–21. [https://doi.org/10.1016/0308-8146\(95\)92657-6](https://doi.org/10.1016/0308-8146(95)92657-6)
- Caprioli, G., Fiorini, D., Maggi, F., Nicoletti, M., Ricciutelli, M., Toniolo, C., Prosper, B., Vittori, S., & Sagratini, G. (2016). Nutritional composition, bioactive compounds and volatile profile of cocoa beans from different regions of Cameroon. *International Journal of Food Sciences and Nutrition*, 67(4), 422–430. <https://doi.org/10.3109/09637486.2016.1170769>
- Cheng, H., Wei, K., & Wang, L. (2015). The Impact of Variety, Environment and Agricultural Practices on Catechins and Caffeine in Plucked Tea Leaves. *Processing and Impact on Active Components in Food*, 597–603. <https://doi.org/10.1016/B978-0-12-404699-3.00072-X>
- Chibbar, R. N., Jaiswal, S., Gangola, M., & Båga, M. (2015). Carbohydrate Metabolism. *Encyclopedia of Food Grains: Second Edition*, 2–4, 161–173. <https://doi.org/10.1016/B978-0-12-394437-5.00089-9>
- Cocoa, F., Afoakwa, E. O., Budu, A. S., Mensah-brown, H., & Felix, J. (2014). Changes in Biochemical and Physico-chemical Qualities during Drying of Pulp Changes in Biochemical and Physico-chemical Qualities during Drying of Pulp Preconditioned and Fermented Cocoa (*Theobroma cacao*) Beans. *Symbiosis*, April 2014. <https://doi.org/10.15226/jnhfs.2014.00121>
- De Brito, E. S., García, N. H. P., & Amancio, A. C. (2004). Use of a proteolytic enzyme in cocoa (*Theobroma cacao* L.) processing. *Brazilian Archives of Biology and Technology*, 47(4), 553–558. <https://doi.org/10.1590/s1516-89132004000400008>
- De Brito, E. S., García, N. H. P., Gallão, M. I., Cortelazzo, A. L., Fevereiro, P. S., & Braga, M. R. (2001). Structural and chemical changes in cocoa

(*Theobroma cacao* L.) during fermentation, drying and roasting. *Journal of the Science of Food and Agriculture*, 81(2), 281–288. [https://doi.org/10.1002/1097-0010\(20010115\)81:2<281::AIDJSFA808>](https://doi.org/10.1002/1097-0010(20010115)81:2<281::AIDJSFA808>)

3.0.CO;2-B

De Brito, E. S., Narain, N., Pezoa García, N. H., Valente, A. L. P., & Pini, G. F. (2002). Effect of glucose and glycine addition to cocoa mass before roasting on Maillard precursor consumption and pyrazine formation. *Journal of the Science of Food and Agriculture*, 82(5), 534–537. <https://doi.org/10.1002/jsfa.1076>

De Carvalho Neto, D. P., de Melo Pereira, G. V., Finco, A. M. O., Letti, L. A. J., da Silva, B. J. G., Vandenberghe, L. P. S., & Soccol, C. R. (2018). Efficient coffee beans mucilage layer removal using lactic acid fermentation in a stirred-tank bioreactor: Kinetic, metabolic and sensorial studies. *Food Bioscience*, 26, 80–87. <https://doi.org/10.1016/j.fbio.2018.10.005>

Del Rosario Brunetto, M., Gallignani, M., Orozco, W., Clavijo, S., Delgado, Y., Ayala, C., & Zambrano, A. (2020). The effect of fermentation and roasting on free amino acids profile in Criollo cocoa (*Theobroma cacao* L.) grown in Venezuela. *Brazilian Journal of Food Technology*, 23, 1–12. <https://doi.org/10.1590/1981-6723.15019>

Lee, K.W., Kim, Y.J., Lee, H.J., Lee, C. Y. (2003). Cocoa Has More Phenolic Phytochemicals and a Higher Antioxidant Capacity than Teas and Red Wine. *J. Agric. Food Chem.* 2003, 51, 7292–7295

Elhalis, H., Cox, J., Frank, D., & Zhao, J. (2021). The role of wet fermentation in enhancing coffee flavor, aroma and sensory quality. *European Food Research and Technology*, 247(2), 485–498. <https://doi.org/10.1007/s00217-020-03641-6>

Fang, Y., Li, R., Chu, Z., Zhu, K., Gu, F., & Zhang, Y. (2020). Chemical and flavor profile changes of cocoa beans (*Theobroma cacao* L.) during primary fermentation. *Food Science and Nutrition*, 8(8), 4121–4133. <https://doi.org/10.1002/fsn3.1701>

Febrianto, N. A., & Zhu, F. (2022). Composition of methylxanthines, polyphenols, key odorant volatiles and minerals in 22 cocoa beans obtained

- from different geographic origins. *Lwt*, 153(July 2021), 112395.
<https://doi.org/10.1016/j.lwt.2021.112395>
- Fowler, M. S. (2009). Cocoa Beans: From Tree to Factory. In *Industrial Chocolate Manufacture and Use: Fourth Edition*. <https://doi.org/10.1002/9781444301588.ch2>.
- Frauendorfer, F., & Schieberle, P. (2006). Identification of the key aroma compounds in cocoa powder based on molecular sensory correlations. *Journal of Agricultural and Food Chemistry*, 54(15), 5521–5529.
<https://doi.org/10.1021/jf060728k>
- Granvogl, M., Beksan, E., & Schieberle, P. (2012). New insights into the formation of aroma-active strecker aldehydes from 3-oxazolines as transient intermediates. *Journal of Agricultural and Food Chemistry*, 60(25), 6312–6322. <https://doi.org/10.1021/jf301489j>
- Haryadi dan Supriyanto, 2012. Teknologi cokelat. Gadjah Mada University Press, Yogyakarta.
- Hau, E. H., Teh, S. S., Yeo, S. K., & Mah, S. H. (2022). Physicochemical and functional properties of Alcalase-extracted protein hydrolysate from oil palm leaves. *Journal of the Science of Food and Agriculture*, 102(1), 233–240.
<https://doi.org/10.1002/jsfa.11350>
- Hinne, M., Semanhyia, E., Van de Walle, D., De Winne, A., Tzompa-Sosa, D. A., Scalone, G. L. L., De Meulenaer, B., Messens, K., Van Durme, J., Afoakwa, E. O., De Cooman, L., & Dewettinck, K. (2018). Assessing the influence of pod storage on sugar and free amino acid profiles and the implications on some Maillard reaction related flavor volatiles in Forastero cocoa beans. *Food Research International*, 111, 607–620.
<https://doi.org/10.1016/j.foodres.2018.05.064>
- Ho, V. T. T., Zhao, J., & Fleet, G. (2014). Yeasts are essential for cocoa bean fermentation. *International Journal of Food Microbiology*, 174, 72–87.
<https://doi.org/10.1016/j.ijfoodmicro.2013.12.014>
- Jinap, S., Ikrawan, Y., Bakar, J., Saari, N., & Lioe, H. N. (2008). Aroma precursors and methylpyrazines in underfermented cocoa beans induced by endogenous carboxypeptidase. *Journal of Food Science*, 73(7).

<https://doi.org/10.1111/j.1750-3841.2008.00858.x>

- Jinap, S., Lioe, H. N., Yusep, I., Nazamid, S., & Jamilah, B. (2010). Role of carboxypeptidases to the free amino acid composition, methylpyrazine formation and sensory characteristic of under-fermented cocoa beans. *International Food Research Journal*, 17(3), 763–774.
- Jinap, S., Wan Rosli, W. I., Russly, A. R., & Nordin, L. M. (1998). Effect of roasting time and temperature on volatile component profiles during nib roasting of cocoa beans (*Theobroma cacao*). *Journal of the Science of Food and Agriculture*, 77(4), 441–448. [https://doi.org/10.1002/\(sici\)1097-0010\(199808\)77:4<441::aid-jsfa46>3.0.co;2-%23](https://doi.org/10.1002/(sici)1097-0010(199808)77:4<441::aid-jsfa46>3.0.co;2-%23)
- Kirchhoff, P. M., Biehl, B., & Crone, G. (1989). Peculiarity of the accumulation of free amino acids during cocoa fermentation. *Food Chemistry*, 31(4), 295–311. [https://doi.org/10.1016/0308-8146\(89\)90071-X](https://doi.org/10.1016/0308-8146(89)90071-X)
- Kiyat, W. El, Monica, A., Qomariyah, N., & Manurung, B. S. (2018). Enzymes Involving in Chocolate Processing. *Enzymes Involving in Chocolate Processing*, 6(1), 1–6. <https://doi.org/10.14499/jfps>
- Kongor, J. E., Hinneh, M., de Walle, D. Van, Afoakwa, E. O., Boeckx, P., & Dewettinck, K. (2016). Factors influencing quality variation in cocoa (*Theobroma cacao*) bean flavour profile - A review. *Food Research International*, 82, 44–52. <https://doi.org/10.1016/j.foodres.2016.01.012>
- Kumari, N., Kofi, K. J., Grimbs, S., D'Souza, R. N., Kuhnert, N., Vrancken, G., & Ullrich, M. S. (2016). Biochemical fate of vicilin storage protein during fermentation and drying of cocoa beans. *Food Research International*, 90, 53–65. <https://doi.org/10.1016/j.foodres.2016.10.033>
- Li, Y., Feng, Y., Zhu, S., Luo, C., Ma, J., & Zhong, F. (2012). The effect of alkalization on the bioactive and flavor related components in commercial cocoa powder. *Journal of Food Composition and Analysis*, 25(1), 17–23. <https://doi.org/10.1016/j.jfca.2011.04.010>
- López-Otín, C., & Bond, J. S. (2008). Proteases: Multifunctional enzymes in life and disease. *Journal of Biological Chemistry*, 283(45), 30433–30437. <https://doi.org/10.1074/jbc.R800035200>
- Macedo, A. S. L., Rocha, F. de S., Ribeiro, M. da S., Soares, S. E., & Bispo, E. da

- S. (2016). Characterization of polyphenol oxidase in two cocoa (*Theobroma cacao* L.) cultivars produced in the South of Bahia, Brazil. *Food Science and Technology (Brazil)*, 36(1), 56–63. <https://doi.org/10.1590/1678-457X.0009>
- Magagna, F., Guglielmetti, A., Liberto, E., Reichenbach, S. E., Allegrucci, E., Gobino, G., Bicchi, C., & Cordero, C. (2017). Comprehensive Chemical Fingerprinting of High-Quality Cocoa at Early Stages of Processing: Effectiveness of Combined Untargeted and Targeted Approaches for Classification and Discrimination. *Journal of Agricultural and Food Chemistry*, 65(30), 6329–6341. <https://doi.org/10.1021/acs.jafc.7b02167>
- Marseglia, A., Musci, M., Rinaldi, M., Palla, G., & Caligiani, A. (2020). Volatile fingerprint of unroasted and roasted cocoa beans (*Theobroma cacao* L.) from different geographical origins. *Food Research International*, 132(October 2019), 109101. <https://doi.org/10.1016/j.foodres.2020.109101>
- Marseglia, A., Sforza, S., Faccini, A., Bencivenni, M., Palla, G., & Caligiani, A. (2014). Extraction, identification and semi-quantification of oligopeptides in cocoa beans. *Food Research International*, 63, 382–389. <https://doi.org/10.1016/j.foodres.2014.03.046>
- Martin, F. L., & Ames, J. M. (2001). Formation of strecker aldehydes and pyrazines in a fried potato model system. *Journal of Agricultural and Food Chemistry*, 49(8), 3885–3892. <https://doi.org/10.1021/jf010310g>
- Merz, M., Eisele, T., Berends, P., Appel, D., Rabe, S., Blank, I., Stressler, T., & Fischer, L. (2015). Flavourzyme, an Enzyme Preparation with Industrial Relevance: Automated Nine-Step Purification and Partial Characterization of Eight Enzymes. *Journal of Agricultural and Food Chemistry*, 63(23), 5682–5693. <https://doi.org/10.1021/acs.jafc.5b01665>
- Minifie, B.W. (1999). *Chocolate, Cocoa, and Confectionery Science and Technology Third Edition*. Van Nostrand Reinhold. New York.
- Misnawi, Jinap, S., Jamilah, B., & Nazamid, S. (2003). Effects of incubation and polyphenol oxidase enrichment on colour, fermentation index, procyanidins and astringency of unfermented and partly fermented cocoa beans. *International Journal of Food Science and Technology*, 38(3), 285–295. <https://doi.org/10.1046/j.1365-2621.2003.00674.x>

- Misnawi, Selamat, J., Bakar, J., & Saari, N. (2002). Oxidation of polyphenols in unfermented and partly fermented cocoa beans by cocoa polyphenol oxidase and tyrosinase. *Journal of the Science of Food and Agriculture*, 82(5), 559–566. <https://doi.org/10.1002/jsfa.1075>
- Morr, C. V., & Richter, R. L. (1988). Chemistry of Processing. *Fundamentals of Dairy Chemistry*, 739–766. https://doi.org/10.1007/978-1-4615-7050-9_14
- Moulay, L., Manzanares, P., Vallés, S., Ramón, D., & Gil, J. V. (2006). Effect of enzyme treatments and drying temperatures on methylpyrazine content in cocoa (*Theobroma cacao* L.) powder extract. *Journal of Food Science*, 71(9). <https://doi.org/10.1111/j.1750-3841.2006.00181.x>
- Murthy, P. S., Palakshappa, S. H., Padela, J., & Kusumoto, K. I. (2020). Amelioration of cocoa organoleptics using *A.oryzae* cysteine proteases. *Lwt*, 120, 108919. <https://doi.org/10.1016/j.lwt.2019.108919>
- Nandan, A., & Nampoothiri, K. M. (2020). Therapeutic and biotechnological applications of substrate specific microbial aminopeptidases. *Applied Microbiology and Biotechnology*, 104(12), 5243–5257. <https://doi.org/10.1007/s00253-020-10641-9>
- Nazaruddin, R., Seng, L. K., Hassan, O., & Said, M. (2006). *Effect of pulp preconditioning on the content of polyphenols in cocoa beans (Theobroma Cacao) during fermentation*. 24, 87–94. <https://doi.org/10.1016/j.indcrop.2006.03.013>
- Niemenak, N., Evina Eyamo, J. V., Mouafi Djabou, S. A., Ngouambe Tchouatcheu, A. G., Bernhardt, C., Lieberei, R., & Bisping, B. (2020). Assessment of the profile of free amino acids and reducing sugars of cacao beans from local Cameroonian Trinitario (SNK varieties) and Forastero (TIKO varieties) using fermentation-like incubation. *Journal of Applied Botany and Food Quality*, 93(2020), 321–329. <https://doi.org/10.5073/JABFQ.2020.093.039>
- Oliveira, H. S. S., Mamede, M. E. O., Góes-Neto, A., & Koblitiz, M. G. B. (2011). Improving Chocolate Flavor in Poor-Quality Cocoa Almonds by Enzymatic Treatment. *Journal of Food Science*, 76(5). <https://doi.org/10.1111/j.1750-3841.2011.02168.x>

- Perez Locas, C., & Yaylayan, V. A. (2004). Origin and mechanistic pathways of formation of the parent furan - A food toxicant. *Journal of Agricultural and Food Chemistry*, 52(22), 6830–6836. <https://doi.org/10.1021/jf0490403>
- Rodriguez-campos, J., Escalona-buendía, H. B., Contreras-ramos, S. M., & Orozco-avila, I. (2012). Effect of fermentation time and drying temperature on volatile compounds in cocoa. *Food Chemistry*, 132(1), 277–288. <https://doi.org/10.1016/j.foodchem.2011.10.078>
- Rohan, T. A., & Stewart, T. (1967). The Precursors of Chocolate Aroma: Production of Reducing Sugars during Fermentation of Cocoa Beans. *Journal of Food Science*, 32(4), 399–402. <https://doi.org/10.1111/j.1365-2621.1967.tb09694.x>
- Rottiers, H., Amelia, D., Sosa, T., Winne, A. De, Ruales, J., Clippeleer, J. De, Leersnyder, I. De, Wever, J. De, Everaert, H., Messens, K., & Dewettinck, K. (2019). Dynamics of volatile compounds and flavor precursors during spontaneous fermentation of fine flavor Trinitario cocoa beans. *European Food Research and Technology*, 245(9), 1917–1937. <https://doi.org/10.1007/s00217-019-03307-y>
- Rutherford, S. M. (2010). Food Composition and Additives: Methodology for Determining Degree of Hydrolysis of Proteins in Hydrolysates: A Review. *Journal of AOAC International*, 93(5), 1–8. <https://academic.oup.com/jaoac/article-abstract/93/5/1515/5655787>
- Scalone, G. L. L., Textoris-Taube, K., De Meulenaer, B., De Kimpe, N., Wöstemeyer, J., & Voigt, J. (2019). Cocoa-specific flavor components and their peptide precursors. *Food Research International*, 123(January), 503–515. <https://doi.org/10.1016/j.foodres.2019.05.019>
- Selamassakul, O., Laohakunjit, N., Kerdchoechuen, O., & Ratanakhanokchai, K. (2016). A novel multi-biofunctional protein from brown rice hydrolysed by endo/endo-exoproteases. *Food and Function*, 7(6), 2635–2644. <https://doi.org/10.1039/c5fo01344e>
- Sulistyorini, H., Abineno, A.P., Asmoro, H.P. *Penanganan Pasca Panen Kakao Secara Baik dan Benar (Good Handling Practices/GHP)*. Direktorat Jenderal Perkebunan Kementerian Pertanian. Jakarta.

- Tavano, O. L. (2013). Protein hydrolysis using proteases: An important tool for food biotechnology. *Journal of Molecular Catalysis B: Enzymatic*, 90, 1–11. <https://doi.org/10.1016/j.molcatb.2013.01.011>
- Tran, P. D., Van de Walle, D., De Clercq, N., De Winne, A., Kadow, D., Lieberei, R., Messens, K., Tran, D. N., Dewettinck, K., & Van Durme, J. (2015). Assessing cocoa aroma quality by multiple analytical approaches. *Food Research International*, 77, 657–669. <https://doi.org/10.1016/j.foodres.2015.09.019>
- Tsou, M. J., Kao, F. J., Tseng, C. K., & Chiang, W. D. (2010). Enhancing the anti-adipogenic activity of soy protein by limited hydrolysis with Flavourzyme and ultrafiltration. *Food Chemistry*, 122(1), 243–248. <https://doi.org/10.1016/j.foodchem.2010.02.070>
- Viesser, J. A., de Melo Pereira, G. V., de Carvalho Neto, D. P., Rogez, H., Góes-Neto, A., Azevedo, V., Brenig, B., Aburjaile, F., & Soccol, C. R. (2021). Co-culturing fructophilic lactic acid bacteria and yeast enhanced sugar metabolism and aroma formation during cocoa beans fermentation. *International Journal of Food Microbiology*, 339(December 2020). <https://doi.org/10.1016/j.ijfoodmicro.2020.109015>
- Voigt, J., Biehl, B., Heinrichs, H., Kamaruddin, S., Marsoner, G. G., & Hugi, A. (1994). In-vitro formation of cocoa-specific aroma precursors: aroma-related peptides generated from cocoa-seed protein by co-operation of an aspartic endoprotease and a carboxypeptidase. *Food Chemistry*, 49(2), 173–180. [https://doi.org/10.1016/0308-8146\(94\)90155-4](https://doi.org/10.1016/0308-8146(94)90155-4)
- Voigt, J., Janek, K., Textoris-Taube, K., Niewianda, A., & Wöstemeyer, J. (2016). Partial purification and characterisation of the peptide precursors of the cocoa-specific aroma components. *Food Chemistry*, 192, 706–713. <https://doi.org/10.1016/j.foodchem.2015.07.068>
- Watson, R. R., Preedy, V. R., & Zibadi, S. (2013). Chocolate in health and nutrition. *Chocolate in Health and Nutrition*, 1–553. <https://doi.org/10.1007/978-1-61779-803-0>
- Wollgast, J., & Anklam, E. (2000). Review on polyphenols in Theobroma cacao: Changes in composition during the manufacture of chocolate and

methodology for identification and quantification. *Food Research International*, 33(6), 423–447. [https://doi.org/10.1016/S0963-9969\(00\)00068-5](https://doi.org/10.1016/S0963-9969(00)00068-5)

Ziegleder, G. (2017). Flavour development in cocoa and chocolate. *Beckett's Industrial Chocolate Manufacture and Use*, 185–215. <https://doi.org/10.1002/9781118923597.ch8>

Zzaman, W., Bhat, R., & Yang, T. A. (2014). *Effect Of Superheated Steam Roasting On The Phenolic Antioxidant Properties Of Cocoa Beans*. 38, 1932–1938. <https://doi.org/10.1111/jfpp.12166>

