

DAFTAR PUSTAKA

- Ale, M. T., Maruyama, H., Tamauchi, H., Mikkelsen, J. D., & Meyer, A. S. (2011). Fucoidan from *Sargassum* sp. and *Fucus vesiculosus* reduces cell viability of lung carcinoma and melanoma cells in vitro and activates natural killer cells in mice in vivo. *International Journal of Biological Macromolecules*, 49(3), 331–336. <https://doi.org/10.1016/j.ijbiomac.2011.05.009>
- Ale, M. T., & Meyer, A. S. (2013). Fucoidans from brown seaweeds: An update on structures, extraction techniques and use of enzymes as tools for structural elucidation. *RSC Advances*, 3(22), 8131–8141. <https://doi.org/10.1039/c3ra23373a>
- Aljaf, K. K., Amin, A. A., Hussain, F. H. S., & Quadrelli, P. (2020). Diethylaminoethyl cellulose (DEAE-C): Applications in chromatography and organic synthesis. *Arkivoc*, i(1), 153–179. <https://doi.org/10.24820/ARK.5550190.P011.310>
- Alwarsamy, M., Gooneratne, R., & Ravichandran, R. (2016). Effect of fucoidan from *Turbinaria conoides* on human lung adenocarcinoma epithelial (A549) cells. *Carbohydrate Polymers*, 152, 207–213. <https://doi.org/10.1016/j.carbpol.2016.06.112>
- American Cancer Society. (2018). Global Cancer Facts & Figures 4th Edition. In *Atlanta: American Cancer Society*.
- American Cancer Society. (2021). About Lung Cancer. *Perspectives in Lung Cancer*, 1–15. <https://www.cancer.org/cancer/lung-cancer/about/key-statistics.html>
- Atjanasuppat, K., Wongkham, W., Meepowpan, P., Kittakoo, P., Sobhon, P., Bartlett, A., & Whitfield, P. J. (2009). In vitro screening for anthelmintic and antitumour activity of ethnomedicinal plants from Thailand. *Journal of Ethnopharmacology*, 123(3), 475–482. <https://doi.org/10.1016/j.jep.2009.03.010>
- Budhiyanti, S. A., Raharjo, S., Marseno, D. W., & Lelana, I. Y. B. (2011). Free radical scavenging, metal chelating and singlet oxygen quenching activity of fractionated brown seaweed *Sargassum hystrix* extract. *Journal of Biological Sciences*, 11(4), 288–298. <https://doi.org/10.3923/jbs.2011.288.298>
- Chen, H., Cong, Q., Du, Z., Liao, W., Zhang, L., Yao, Y., & Ding, K. (2016). Sulfated fucoidan FP08S2 inhibits lung cancer cell growth in vivo by disrupting angiogenesis via targeting VEGFR2/VEGF and blocking VEGFR2/Erk/VEGF signaling. *Cancer Letters*, 382(1), 44–52. <https://doi.org/10.1016/j.canlet.2016.08.020>
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. A., & Smith, F. (1956). Colorimetric method for determination of sugars and related substances. *Analytical Chemistry*, 28(3), 350–356. <https://doi.org/10.1021/ac60111a017>
- Fauziee, N. A. M., Chang, L. S., Wan Mustapha, W. A., Md Nor, A. R., & Lim, S. J. (2021). Functional polysaccharides of fucoidan, laminaran and alginate from Malaysian brown seaweeds (*Sargassum polycystum*, *Turbinaria ornata* and *Padina boryana*). *International Journal of Biological Macromolecules*, 167, 1135–1145. <https://doi.org/10.1016/j.ijbiomac.2020.11.067>

- Fernando, I. P. S., Sanjeewa, K. K. A., Lee, H. G., Kim, H. S., Prasanna Vaas, A. P. J., de Silva, H. I. C., Nanayakkara, C. M., Abeyunga, D. T. U., Lee, D. S., Lee, J. S., & Jeon, Y. J. (2020). Fucoidan purified from *Sargassum polycystum* induces apoptosis through mitochondria-mediated pathway in HL-60 and MCF-7 cells. *Marine Drugs*, 18(196). <https://doi.org/10.3390/md18040196>
- Flórez-Fernández, N., Balboa, E. M., & Domínguez, H. (2020). Extraction and purification of fucoidan from marine sources. *Encyclopedia of Marine Biotechnology*, 2, 1093–1125. <https://doi.org/10.1002/9781119143802.ch44>
- Global Cancer Observatory. (2021). Cancer Incident in Indonesia. In *International Agency for Research on Cancer* (Vol. 858). <https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-factsheets.pdf>
- Goda, M. S., Nafie, M. S., Awad, B. M., Abdel-Kader, M. S., Ibrahim, A. K., Badr, J. M., & Eltamany, E. E. (2022). In vitro and in vivo studies of anti-lung cancer activity of *Artemisia judaica* L. crude extract combined with LC-MS/MS metabolic profiling, docking simulation and HPLC-DAD quantification. *Antioxidants*, 11(17), 1–25. <https://doi.org/10.3390/antiox11010017>
- Gotama, T. L., Husni, A., & Ustadi. (2018). Antidiabetic activity of *Sargassum hystrix* extracts in streptozotocin-induced diabetic rats. *Preventive Nutrition and Food Science*, 23(3), 189–195. <https://doi.org/10.3746/pnf.2018.23.3.189>
- Guiry, M. D. (2021). *AlgaeBase*. World-Wide Electronic Publication, National University of Ireland, Galway. <https://www.algaebase.org>
- Hahn, T., Lang, S., Ulber, R., & Muffler, K. (2012). Novel procedures for the extraction of fucoidan from brown algae. *Process Biochemistry*, 47(12), 1691–1698. <https://doi.org/10.1016/j.procbio.2012.06.016>
- Han, Y. S., Lee, J. H., & Lee, S. H. (2015). Fucoidan inhibits the migration and proliferation of HT-29 human colon cancer cells via the phosphoinositide-3 kinase/Akt/mechanistic target of rapamycin pathways. *Molecular Medicine Reports*, 12(3), 3446–3452. <https://doi.org/10.3892/mmr.2015.3804>
- Holdt, S. L., & Kraan, S. (2011). Bioactive compounds in seaweed: Functional food applications and legislation. *Journal of Applied Phycology*, 23(3), 543–597. <https://doi.org/10.1007/s10811-010-9632-5>
- Hsu, H., & Hwang, P. (2019). Clinical applications of fucoidan in translational medicine for adjuvant cancer therapy. *Clinical and Translational Medicine*, 8(1). <https://doi.org/10.1186/s40169-019-0234-9>
- Huang, C. W., Chen, Y. C., Yin, T. C., Chen, P. J., Chang, T. K., Su, W. C., Ma, C. J., Li, C. C., Tsai, H. L., & Wang, J. Y. (2021). Low-molecular-weight fucoidan as complementary therapy of fluoropyrimidine-based chemotherapy in colorectal cancer. *International Journal of Molecular Sciences*, 22(8041), 1–14. <https://doi.org/10.3390/ijms22158041>
- Husni, A., Lailatussifa, R., & Isnansetyo, A. (2019). *Sargassum hystrix* as a source of functional food to improve blood biochemistry profiles of rats under stress. *Preventive Nutrition and Food Science*, 24(2), 150–158. <https://doi.org/10.3746/pnf.2019.24.2.150>

- Husni, A., Pamungkas, B., Sinurat, E., & Isnansetyo, A. (2021). Characteristics and cytotoxic activity of fucoidan from the brown seaweed *Sargassum hystrix* against MCF-7 breast cancer cells. *Tropical Journal of Natural Product Research*, 5(3), 564–569. <https://doi.org/10.26538/tjnpr/v5i3.24>
- Isnansetyo, A., Lutfia, F. N. L., Nursid, M., Trijoko, T., & Susidarti, R. A. (2017). Cytotoxicity of fucoidan from three tropical brown algae against breast and colon cancer cell lines. *Pharmacognosy Journal*, 9(1), 14–20. <https://doi.org/10.5530/pj.2017.1.3>
- Jayawardena, T. U., Fernando, I. P. S., Lee, W. W., Sanjeewa, K. K. A., Kim, H. S., Lee, D. S., & Jeon, Y. J. (2019). Isolation and purification of fucoidan fraction in *Turbinaria ornata* from the Maldives; Inflammation inhibitory potential under LPS stimulated conditions in in-vitro and in-vivo models. *International Journal of Biological Macromolecules*, 131, 614–623. <https://doi.org/10.1016/j.ijbiomac.2019.03.105>
- Katzke, V. A., Kaaks, R., & Kühn, T. (2015). Lifestyle and cancer risk. *Cancer Journal*, 21(2), 104–110. <https://doi.org/10.1097/PPO.0000000000000101>
- Kim, E. J., Park, S. Y., Lee, J.-Y., Han, J., & Park, Y. (2010). Fucoidan present in brown algae induces apoptosis of human colon cancer cells. *BMC Gastroenterology*, 10(96), 1–11. <http://www.biomedcentral.com/1471-230X/10/96>
- Kim, H., & Jeon, T. J. (2016). Fucoidan induces cell aggregation and apoptosis in osteosarcoma MG-63 cells. *Animal Cells and Systems*, 20(4), 186–192. <https://doi.org/10.1080/19768354.2016.1215349>
- Kim, K. T., Rioux, L. E., & Turgeon, S. L. (2015). Molecular weight and sulfate content modulate the inhibition of α -amylase by fucoidan relevant for type 2 diabetes management. *PharmaNutrition*, 3(3), 108–114. <https://doi.org/10.1016/j.phanu.2015.02.001>
- Kim, W.-J., Kim, S.-M., Kim, H.-G., Oh, H.-R., Lee, K.-B., Lee, Y.-K., & Park, Y.-I. (2007). Purification and anticoagulant activity of a fucoidan from Korean *Undaria pinnatifida* sporophyll. *Algae*, 22(3), 247–252. <https://doi.org/10.4490/algae.2007.22.3.247>
- Koh, H. S. A., Lu, J., & Zhou, W. (2019). Structure characterization and antioxidant activity of fucoidan isolated from *Undaria pinnatifida* grown in New Zealand. *Carbohydrate Polymers*, 212(September 2018), 178–185. <https://doi.org/10.1016/j.carbpol.2019.02.040>
- Kurita, O., Fujiwara, T., & Yamazaki, E. (2008). Characterization of the pectin extracted from citrus peel in the presence of citric acid. *Carbohydrate Polymers*, 74(3), 725–730. <https://doi.org/10.1016/j.carbpol.2008.04.033>
- Kurnialahi, I. D., Husni, A., Sinurat, E., & Isnansetyo, A. (2020). Antioxidant activity of tropical seaweed *Sargassum muticum* fucoidan. *AACL Bioflux*, 13(1), 230–240.
- Lee, H., Kim, J. S., & Kim, E. (2012). Fucoidan from seaweed *Fucus vesiculosus* inhibits migration and invasion of human lung cancer cell via PI3K-Akt-mTOR pathways. *PLoS ONE*, 7(11). <https://doi.org/10.1371/journal.pone.0050624>

- Lim, S. J., Wan Aida, W. M., Maskat, M. Y., Latip, J., Badri, K. H., Hassan, O., & Yamin, B. M. (2016). Characterisation of fucoidan extracted from Malaysian *Sargassum binderi*. *Food Chemistry*, 209, 267–273. <https://doi.org/10.1016/j.foodchem.2016.04.058>
- Lim, S. J., Wan Aida, W. M., Schiehser, S., Rosenau, T., & Böhmendorfer, S. (2019). Structural elucidation of fucoidan from *Cladosiphon okamuranus* (Okinawa mozuku). *Food Chemistry*, 272, 222–226. <https://doi.org/10.1016/j.foodchem.2018.08.034>
- Lin, Y., Qi, X., Liu, H., Xue, K., Xu, S., & Tian, Z. (2020). The anti-cancer effects of fucoidan: A review of both in vivo and in vitro investigations. *Cancer Cell International*, 20:154. <https://doi.org/10.1186/s12935-020-01233-8>
- Liu, L., Heinrich, M., Myers, S., & Dworjany, S. A. (2012). Towards a better understanding of medicinal uses of the brown seaweed *Sargassum* in Traditional Chinese Medicine: A phytochemical and pharmacological review. <https://doi.org/10.1016/j.jep.2012.05.046>
- Lutfia, F. N., Isnansetyo, A., Susidarti, R. A., & Nursid, M. (2020). Chemical composition diversity of fucoidans isolated from three tropical brown seaweeds (Phaeophyceae) species. *Biodiversitas*, 21(7), 3170–3177. <https://doi.org/10.13057/biodiv/d210739>
- Lutfiawan, M., Karnan, & Japa, L. (2015). Analisis pertumbuhan *Sargassum sp.* dengan sistem budidaya yang berbeda di Teluk Ekas Lombok Timur sebagai bahan pengayaan mata kuliah ekologi tumbuhan. *Jurnal Biologi Tropis*, 15(2), 135–144.
- Mak, W., Hamid, N., Liu, T., Lu, J., & White, W. L. (2013). Fucoidan from New Zealand *Undaria pinnatifida*: Monthly variations and determination of antioxidant activities. *Carbohydrate Polymers*, 95(1), 606–614. <https://doi.org/10.1016/j.carbpol.2013.02.047>
- Manikandan, R., Parimalanandhini, D., Mahalakshmi, K., Beulaja, M., Arumugam, M., Janarthanan, S., Palanisamy, S., You, S. G., & Prabhu, N. M. (2020). Studies on isolation, characterization of fucoidan from brown algae *Turbinaria decurrens* and evaluation of it's in vivo and in vitro anti-inflammatory activities. *International Journal of Biological Macromolecules*, 160, 1263–1276. <https://doi.org/10.1016/j.ijbiomac.2020.05.152>
- Marudhupandi, T., Ajith Kumar, T. T., Lakshmanasenthil, S., Suja, G., & Vinothkumar, T. (2015). In vitro anticancer activity of fucoidan from *Turbinaria conoides* against A549 cell lines. *International Journal of Biological Macromolecules*, 72, 919–923. <https://doi.org/10.1016/j.ijbiomac.2014.10.005>
- Masuko, T., Minami, A., Iwasaki, N., Majima, T., Nishimura, S. I., & Lee, Y. C. (2005). Carbohydrate analysis by a phenol-sulfuric acid method in microplate format. *Analytical Biochemistry*, 339(1), 69–72. <https://doi.org/10.1016/j.ab.2004.12.001>
- Micallef, I., & Baron, B. (2020). Doxorubicin: An overview of the anti-cancer and chemoresistance mechanisms. *Annals of Clinical Toxicology*, 3(2), 1031.
- Mišurcová, L., Orsavová, J., & Ambrožová, J. V. (2014). Algal Polysaccharides and Health. In Ramawat, K., Mérillon, JM. (eds) *Polysaccharides*. Springer, Cham.

https://doi.org/10.1007/978-3-319-03751-6_24-1

- National Cancer Institute. (2021). *What Is Cancer?* <https://www.cancer.gov/about-cancer/understanding/what-is-cancer>
- Nurfahmi, A. R., Husni, A., & Isnansetyo, A. (2018). Effect of *Sargassum hystrix* powder on the biochemical profile of diabetic wistar rats. *Pakistan Journal of Nutrition*, 17(5), 248–254. <https://doi.org/10.3923/pjn.2018.248.254>
- Palanisamy, S., Vinosha, M., Manikandakrishnan, M., Anjali, R., Rajasekar, P., Marudhupandi, T., Manikandan, R., Vaseeharan, B., & Prabhu, N. M. (2018). Investigation of antioxidant and anticancer potential of fucoidan from *Sargassum polycystum*. *International Journal of Biological Macromolecules*, 116, 151–161. <https://doi.org/10.1016/j.ijbiomac.2018.04.163>
- Palanisamy, S., Vinosha, M., Marudhupandi, T., Rajasekar, P., & Prabhu, N. M. (2017). Isolation of fucoidan from *Sargassum polycystum* brown algae: Structural characterization, in vitro antioxidant and anticancer activity. *International Journal of Biological Macromolecules*, 102, 405–412. <https://doi.org/10.1016/j.ijbiomac.2017.03.182>
- Pereira, L., Gheda, S. F., & Ribeiro-Claro, P. J. A. (2013). Analysis by vibrational spectroscopy of seaweed with potential use in food, pharmaceutical and cosmetic industries. *International Journal Of Carbohydrate Chemistry*, 2013, 1–7. <https://doi.org/10.1201/b17540>
- Ponce, N. M. A., & Stortz, C. A. (2020). A comprehensive and comparative analysis of the fucoidan compositional data across the Phaeophyceae. *Frontiers in Plant Science*, 11(November). <https://doi.org/10.3389/fpls.2020.556312>
- Pretsch, E., Bühlmann, P., & Badertscher, M. (2009). Structure Determination of Organic Compounds. In *Structure Determination of Organic Compounds* (4th ed.). Springer Berlin, Heidelberg. <https://doi.org/10.1007/978-3-540-93810-1>
- Puspita, M., Setyawidati, N. A. R., Stiger-Pouvreau, V., Vandanjon, L., Widowati, I., Radjasa, O. K., Bedoux, G., & Bourgougnon, N. (2020). Indonesian *Sargassum* species bioprospecting: Potential applications of bioactive compounds and challenge for sustainable development. In *Advances in Botanical Research* (Vol. 95). Elsevier Ltd. <https://doi.org/10.1016/bs.abr.2019.12.002>
- Ramu, S., Anbu, J., & Krishnaraj, K. (2021). Therapeutic potential of fucoidan derived from *Sargassum wightii* greville in diabetic encephalopathy – behavioural, biochemical, histopathological and histochemical evidences. *Phytomedicine Plus*, 1(1), 100011. <https://doi.org/10.1016/j.phyplu.2020.100011>
- Rani, V., Shakila, R. J., Jawahar, P., & Srinivasan, A. (2017). Influence of species, geographic location, seasonal variation and extraction method on the fucoidan yield of the brown seaweeds of Gulf of Mannar, India. *Indian Journal of Pharmaceutical Sciences*, 79(1), 65–71. <https://doi.org/10.4172/pharmaceutical-sciences.1000202>
- Rivankar, S. (2014). An overview of doxorubicin formulations in cancer therapy. *Journal of Cancer Research and Therapeutics*, 10(4), 853–858. <https://doi.org/10.4103/0973-1482.139267>

- Saetan, U., Nontasak, P., Palasin, K., Saelim, H., Wonglapsuwan, M., Mayakun, J., Pongparadon, S., & Chotigeat, W. (2021). Potential health benefits of fucoidan from the brown seaweeds *Sargassum plagiophyllum* and *Sargassum polycystum*. *Journal of Applied Phycology*, 33(5), 3357–3364. <https://doi.org/10.1007/s10811-021-02491-3>
- Sanjeewa, K. K. A., Lee, J. S., Kim, W. S., & Jeon, Y. J. (2017). The potential of brown-algae polysaccharides for the development of anticancer agents: An update on anticancer effects reported for fucoidan and laminaran. *Carbohydrate Polymers*, 177, 451–459. <https://doi.org/10.1016/j.carbpol.2017.09.005>
- Saraswati, Giriwono, P. E., Iskandriati, D., Tan, C. P., & Andarwulan, N. (2019). *Sargassum* seaweed as a source of anti-inflammatory substances and the potential insight of the tropical species: A review. *Marine Drugs*, 17(10), 1–35. <https://doi.org/10.3390/md17100590>
- Shoemaker, M., Cohen, I., & Campbell, M. (2004). Reduction of MTT by aqueous herbal extracts in the absence of cells. *Journal of Ethnopharmacology*, 93, 381–384. <https://doi.org/10.1016/j.jep.2004.04.011>
- Sinurat, E., & Kusumawati, R. (2017). Optimasi metode ekstraksi fukoidan dari rumput laut cokelat *Sargassum binderi* sonder. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 12(2), 125–134. <https://doi.org/10.15578/jpbkp.v12i2.388>
- Sinurat, E., Peranginangin, R., & Saepudin, E. (2015). Purification and characterization of fucoidan from the brown seaweed *Sargassum binderi* sonder. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 10(2), 79–87. <https://doi.org/10.1088/1757-899X/299/1/012027>
- Sinurat, E., Saepudin, E., & Qosthalani, F. A. (2017). Effect of hydrolyzed fucoidan from the brown seaweed *Sargassum binderi* sonder towards human breast cancer T47D cell lines. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 12(2), 49. <https://doi.org/10.15578/squalen.v12i2.275>
- Somasundaram, S. N., Shanmugam, S., Subramanian, B., & Jaganathan, R. (2016). Cytotoxic effect of fucoidan extracted from *Sargassum cinereum* on colon cancer cell line HCT-15. *International Journal of Biological Macromolecules*, 91, 1215–1223. <https://doi.org/10.1016/j.ijbiomac.2016.06.084>
- Suhaila, K., Husni, A., & Sinurat, E. (2019). Characteristics and antioxidant activity of fucoidan from the brown seaweed *Sargassum hystrix*. *AACL Bioflux*, 12(6), 2319–2329.
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, 71(3), 209–249. <https://doi.org/10.3322/caac.21660>
- Toporcov, T. N., & Wünsch Filho, V. (2018). Epidemiological science and cancer control. *Clinics*, 73. <https://doi.org/10.6061/clinics/2018/e627s>
- Tsou, M. H., Lee, C. C., Wu, Z. Y., Lee, Z. H., & Lin, H. M. (2022). Bioactivity of crude fucoidan extracted from *Sargassum ilicifolium* (Turner) C. Agardh. *Scientific Reports*, 12(1), 1–10. <https://doi.org/10.1038/s41598-022-19370-7>

- Turan, G., Cirik, S., Tekogul, H., Koru, E., Karacalar, U., & Seyhaneyildiz, S. (2017). Determination of the seasonal yields of total fucose and fucoidan yields in brown seaweeds (Order Fucales) distributed along the Coast of Urla (Izmir, Turkey). *J Aquac Fisheries*, 1(1), 1–5. <https://doi.org/10.24966/aaf-5523/100005>
- van Weelden, G., Bobi, M., Okla, K., van Weelden, W. J., Romano, A., & Pijnenborg, J. M. A. (2019). Fucoidan structure and activity in relation to anti-cancer mechanisms. *Marine Drugs*, 17(1). <https://doi.org/10.3390/md17010032>
- Vo, T. S., & Kim, S. K. (2013). Fucoidans as a natural bioactive ingredient for functional foods. *Journal of Functional Foods*, 5(1), 16–27. <https://doi.org/10.1016/j.jff.2012.08.007>
- Wang, C. Y., Wu, T. C., Hsieh, S. L., Tsai, Y. H., Yeh, C. W., & Huang, C. Y. (2015). Antioxidant activity and growth inhibition of human colon cancer cells by crude and purified fucoidan preparations extracted from *Sargassum cristaefolium*. *Journal of Food and Drug Analysis*, 23(4), 766–777. <https://doi.org/10.1016/j.jfda.2015.07.002>
- Wang, S. H., Huang, C. Y., Chen, C. Y., Chang, C. C., Huang, C. Y., Dong, C. Di, & Chang, J. S. (2020). Structure and biological activity analysis of fucoidan isolated from *Sargassum siliculosum*. *ACS Omega*, 5(50), 32447–32455. <https://doi.org/10.1021/acsomega.0c04591>
- Wang, S. H., Huang, C. Y., Chen, C. Y., Chang, C. C., Huang, C. Y., Dong, C. Di, & Chang, J. S. (2021). Isolation and purification of brown algae fucoidan from *Sargassum siliculosum* and the analysis of anti-lipogenesis activity. *Biochemical Engineering Journal*, 165(September 2020), 107798. <https://doi.org/10.1016/j.bej.2020.107798>
- WHO. (2020). WHO report on cancer: Setting priorities, investing wisely and providing care for all. In Geneva: World Health Organization. <https://www.who.int/publications/i/item/9789240001299>
- Wild, C., Weiderpass, E., Stewart, B., & Editors. (2020). World Cancer Report: Cancer Research for Cancer Prevention. In Lyon, France: International Agency for Research on Cancer. <http://publications.iarc.fr/586>
- Wu, T. C., Hong, Y. H., Tsai, Y. H., Hsieh, S. L., Huang, R. H., Kuo, C. H., & Huang, C. Y. (2020). Degradation of *Sargassum crassifolium* fucoidan by ascorbic acid and hydrogen peroxide, and compositional, structural, and in vitro anti-lung cancer analyses of the degradation products. *Marine Drugs*, 18(334). <https://doi.org/10.3390/MD18060334>
- Yang, C., Chung, D., Shin, I. S., Lee, H. Y., Kim, J. C., Lee, Y. J., & You, S. G. (2008). Effects of molecular weight and hydrolysis conditions on anticancer activity of fucoidans from sporophyll of *Undaria pinnatifida*. *International Journal of Biological Macromolecules*, 43(5), 433–437. <https://doi.org/10.1016/j.ijbiomac.2008.08.006>
- Yuguchi, Y., Tran, V. T. T., Bui, L. M., Takebe, S., Suzuki, S., Nakajima, N., Kitamura, S., & Thanh, T. T. T. (2016). Primary structure, conformation in aqueous solution, and intestinal immunomodulating activity of fucoidan from two brown seaweed species *Sargassum crassifolium* and *Padina australis*. *Carbohydrate Polymers*, 147, 69–78. <https://doi.org/10.1016/j.carbpol.2016.03.101>

- Zayed, A., El-Aasr, M., Ibrahim, A. R. S., & Ulber, R. (2020). Fucoidan characterization: Determination of purity and physicochemical and chemical properties. *Marine Drugs*, 18(11), 1–31. <https://doi.org/10.3390/md18110571>
- Zhao, X., Guo, F., Hu, J., Zhang, L., Xue, C., Zhang, Z., & Li, B. (2016). Antithrombotic activity of oral administered low molecular weight fucoidan from *Laminaria Japonica*. *Thrombosis Research*, 144, 46–52. <https://doi.org/10.1016/j.thromres.2016.03.008>
- Zheng, M. (2016). Classification and pathology of lung cancer. *Surgical Oncology Clinics of North America*, 25(3), 447–468. <https://doi.org/10.1016/j.soc.2016.02.003>
- Zhurishkina, E. V., Stepanov, S. I., Shvetsova, S. V., Kulminskaya, A. A., & Lapina, I. M. (2017). A comparison of the effect of fucoidan from alga *Fucus vesiculosus* and its fractions obtained by anion-exchange chromatography on HeLa G-63, Hep G2, and Chang liver cells. 11(3), 242–249. <https://doi.org/10.1134/S1990519X17030117>