

## DAFTAR PUSTAKA

- Abou-Taleb, K. A., & Galal, G. F. (2018). A comparative study between one-factor-at-a-time and minimum runs resolution-IV methods for enhancing the production of polysaccharide by *Stenotrophomonas daejeonensis* and *Pseudomonas geniculata*. *Annals of Agricultural Sciences*, 63(2), 173–180. <https://doi.org/10.1016/j.aosas.2018.11.002>
- Achadiyah, S. (2017). *Teknologi Pengolahan Kopi Kakao*. Instiper Yogyakarta.
- Adeyeye, E. I., Akinyeye, R. O., Ogunlade, I., Olaofe, O., & Boluwade, J. O. (2010). Effect of farm and industrial processing on the amino acid profile of cocoa beans. *Food Chemistry*, 118(2), 357–363. <https://doi.org/10.1016/j.foodchem.2009.04.127>
- Afoakwa, E. O., Budu, A. S., Mensah-brown, H., & Felix, J. (2014). Changes in biochemical and physico-chemical qualities during drying of pulp preconditioned and fermented cocoa (*Theobroma cacao*) Beans. *Journal of Nutritional Health and Food Science*, 2, 1–8.
- Afoakwa, E. O., Paterson, A., Fowler, M., & Ryan, A. (2008). Flavor formation and character in cocoa and chocolate: a critical review. *Critical Reviews in Food Science and Nutrition*, 48(8), 840–857. <https://doi.org/10.1080/10408390701719272>
- Afoakwa, E. O., Paterson, A., Fowler, M., & Ryan, A. (2009). Matrix effects on flavour volatiles release in dark chocolates varying in particle size distribution and fat content using GC-mass spectrometry and GC-olfactometry. *Food Chemistry*, 113(1), 208–215. <https://doi.org/10.1016/j.foodchem.2008.07.088>
- Anonim. (2013). *Produksi perkebunan besar menurut jenis tanaman, Indonesia*.
- Apriyanto, M. (2017a). Analysis of Amino Acids in Cocoa Beans Produced during Fermentation by High Performance Liquid Chromatography (HPLC). *International Journal of Food and Fermentation Technology*, 7(1), 25. <https://doi.org/10.5958/2277-9396.2017.00003.4>
- Apriyanto, M. (2017b). Analysis of Amino Acids in Cocoa Beans Produced during Fermentation by High Performance Liquid Chromatography (HPLC). *International Journal of Food and Fermentation Technology*, 7(1), 25. <https://doi.org/10.5958/2277-9396.2017.00003.4>
- Apriyanto, M., Sutardi, S., Harmayani, E., & Supriyanto, S. (2016). Perbaikan Proses Fermentasi Biji Kakao Non Fermentasi dengan Penambahan Biakan Murni *Saccharomyces cerevisiae*, *Lactobacillus lactis* dan *Acetobacter aceti* (Fermentation Process Improvement of Cocoa Beans with Addition of Non Fermentation Inoculum of *Saccharomyces cerevisiae*, *Lactobacillus lactis* and *Acetobacter aceti*). *Agritech*, 36(4), 410. <https://doi.org/10.22146/agritech.16764>

- Aprotosoae, A. C., Luca, S. V., & Miron, A. (2016). Flavor Chemistry of Cocoa and Cocoa Products-An Overview. *Comprehensive Reviews in Food Science and Food Safety*, 15(1), 73–91. <https://doi.org/10.1111/1541-4337.12180>
- Ardhana, M. M., & Fleet, G. H. (2003). The microbial ecology of cocoa bean fermentations in Indonesia. *Journal of Food Microbiology*, 86, 87–99.
- Beckett, S. , T., Fowler, M. , S., & Ziegler, G. , R. (2017). *Beckett's Industrial Chocolate Manufacture and Use* (S. , T. Beckett, M. , S. Fowler, & G. , R. Ziegler, Eds.; Fifth). Willey Blackwell.
- Berk, Z. (2009). *Food processing engineering and technology* (S. L. Taylor, Ed.; First).
- Bonvehí, J. S. (2005). Investigation of aromatic compounds in roasted cocoa powder. *European Food Research and Technology*, 221(1–2), 19–29. <https://doi.org/10.1007/s00217-005-1147-y>
- Brunetto, M. del R., Gallignani, M., Orozco, W., Clavijo, S., Delgado, Y., Ayala, C., & Zambrano, A. (2020). *RP-HPLC-DAD determination of free amino acids in cocoa samples during fermentation and roasting*. *Rev. Colomb. Quim.*
- Caprioli, G., Fiorini, D., Maggi, F., Nicoletti, M., Ricciutelli, M., Toniolo, C., Prosper, B., Vittori, S., & Sagratini, G. (2016). Nutritional composition, bioactive compounds and volatile profile of cocoa beans from different regions of Cameroon. *International Journal of Food Sciences and Nutrition*, 67(4), 422–430. <https://doi.org/10.3109/09637486.2016.1170769>
- Chen, L., Wang, N., & Li, L. (2014). Development of microwave-assisted acid hydrolysis of proteins using a commercial microwave reactor and its combination with LC-MS for protein full-sequence analysis. *Talanta*, 129, 290–295. <https://doi.org/10.1016/j.talanta.2014.05.042>
- Davit, J. M., Yusuf, R. P., & Yudari, D. S. (2013). Pengaruh cara pengolahan kakao fermentasi dan non fermentasi terhadap kualitas, harga jual produk pada usaha produktif (UUP) Tanjung Sari, Kabupaten Tabanan. *E-Jurnal Agribisnis Dan Agrowisata*, 2(4), 191–203.
- de Andrade, A. B., Lins da Cruz, M., Antonia de Souza Oliveira, F., Soares, S. E., Druzian, J. I., Radomille de Santana, L. R., Oliveira de Souza, C., & da Silva Bispo, E. (2021). Influence of under-fermented cocoa mass in chocolate production: Sensory acceptance and volatile profile characterization during the processing. *LWT*, 149. <https://doi.org/10.1016/j.lwt.2021.112048>
- Eni, R., Sari, W., & Moeksin, R. (2015). Pembuatan Bioetanol dari Air Limbah Cucian Beras Menggunakan Metode Hidrolisis Enzimatik dan Fermentasi. *Jurnal Teknik Kimia*, 21(1), 14–22.
- Fennema, O. R. (2006). Food Chemistry. In O. R. Fennema (Ed.), *Scientific Evidence for Musculoskeletal, Bariatric, and Sports Nutrition* (3rd ed.). Marcel Dekker. Inc. [https://doi.org/10.5005/jp/books/18033\\_5](https://doi.org/10.5005/jp/books/18033_5)

- Frauendorfer, F., & Schieberle, P. (2008). Changes in key aroma compounds of Criollo cocoa beans during roasting. *Journal of Agricultural and Food Chemistry*, 56(21), 10244–10251. <https://doi.org/10.1021/jf802098f>
- González-Mendoza, M. E., Martínez-Bustos, F., Castaño-Tostado, E., & Amaya-Llano, S. L. (2022). Effect of Microwave Irradiation on Acid Hydrolysis of Faba Bean Starch: Physicochemical Changes of the Starch Granules. *Molecules*, 27(11). <https://doi.org/10.3390/molecules27113528>
- Gu, F., Lehe, T., Huasong, W., Yiming, F., Fei, X., Zhong, C., & Wang, Q. (2013). Comparison of cocoa beans from China, Indonesia and Papua New Guinea. *Foods*, 2, 183–187.
- Guehi, T. S., Dadie, A. T., Koffi, K. P. B., Dabonne, S., Ban-Koffi, L., Kedjebo, K. D., & Nemlin, G. J. (2010). Performance of different fermentation method and the effect of their duration on the quality of raw cocoa beans. *Journal of Food Science and Technology*, 45, 2508–2514.
- Gutiérrez-Ríos, H. G., Suárez-Quiroz, M. L., Hernández-Estrada, Z. J., Castellanos-Onorio, O. P., Alonso-Villegas, R., Rayas-Duarte, P., Cano-Sarmiento, C., Figueroa-Hernández, C. Y., & González-Rios, O. (2022). Yeasts as Producers of Flavor Precursors during Cocoa Bean Fermentation and Their Relevance as Starter Cultures: A Review. In *Fermentation* (Vol. 8, Issue 7). MDPI. <https://doi.org/10.3390/fermentation8070331>
- Haliza, W., Purwani, E. Y., Fardiaz, D., & Suhartono, M. T. (2020). Kakao Fermentasi: pelepasan peptida bioaktif dan manfaatnya bagi kesehatan. *Perspektif*, 18(2), 104. <https://doi.org/10.21082/psp.v18n2.2019.104-119>
- Hasfita, F., Maulinda, L., & Devi, A. S. (2015). *Pemanfaatan buah Seri (Sf,untingia Calabura f) untuk pembuatan Asam Asetat menggunakan bakteri Acetobacter Xylinum*. 80–90.
- Hernani, & Haliza, W. (2013). Optimasi komposisi nutrisi untuk pembentukan komponen citarasa pada fermentasi biji kakao asalan. *J. Pascapanen*, 10(2), 74–82.
- Hernani, Hidayat, T., & Mulyawanti, I. (2019). The Usage of Dried Starter for Re-Fermentation of Unfermented Cocoa Beans. *IOP Conference Series: Earth and Environmental Science*, 309(1). <https://doi.org/10.1088/1755-1315/309/1/012061>
- Ingle, E. S., & Lill, J. R. (2007). Microwave-assisted Protein Hydrolysis. *Journal of Biomolecular Techniques*, 1(18). <https://doi.org/10.1111/ceo.12857>
- Jolic, M. S., Radojčić Redovnikovic, I., Marković, K., Ivanec Šipušić, D., & Delonga, K. (2011). Changes of phenolic compounds and antioxidant capacity in cocoa beans processing. *International Journal of Food Science and Technology*, 46(9), 1793–1800. <https://doi.org/10.1111/j.1365-2621.2011.02670.x>

- Jumnongpon, R., Chaiseri, S., Hongsprabhas, P., Healy, J. P., Meade, S. J., & Gerrard, J. A. (2012). Cocoa protein crosslinking using Maillard chemistry. *Food Chemistry*, *134*(1), 375–380. <https://doi.org/10.1016/j.foodchem.2012.02.189>
- Kadow, D., Niemenak, N., Rohn, S., & Lieberei, R. (2015). Fermentation-like incubation of cocoa seeds (*Theobroma cacao* L.) - Reconstruction and guidance of the fermentation process. *LWT - Food Science and Technology*, *62*(1), 357–361. <https://doi.org/10.1016/j.lwt.2015.01.015>
- Kamaluddin, M. H., Lutfi, M., & Hendrawan, Y. (2014). Analisa Pengaruh Microwave Assisted Extraction (MAE) Terhadap Ekstraksi Senyawa Antioksidan Catechin Pada Daun Teh Hijau (*Camellia Sinensis*) (Kajian Waktu Ekstraksi Dan Rasio Bahan:Pelarut). In *Jurnal Keteknikan Pertanian Tropis dan Biosistem* (Vol. 2, Issue 2).
- Kangsant, S., Murkovic, M., & Thongraung, C. (2014). Antioxidant and nitric oxide inhibitory activities of tilapia (*Oreochromis niloticus*) protein hydrolysate: Effect of ultrasonic pretreatment and ultrasonic-assisted enzymatic hydrolysis. *International Journal of Food Science and Technology*, *49*(8), 1932–1938. <https://doi.org/10.1111/ijfs.12551>
- Khuri, A. I., & Mukhopadhyay, S. (2010). Response surface methodology. In *Wiley Interdisciplinary Reviews: Computational Statistics* (Vol. 2, Issue 2, pp. 128–149). <https://doi.org/10.1002/wics.73>
- Kongor, J. E., Hinneh, M., de Walle, D. van, Afoakwa, E. O., Boeckx, P., & Dewettinck, K. (2016). Factors influencing quality variation in cocoa (*Theobroma cacao*) bean flavour profile - A review. In *Food Research International* (Vol. 82, pp. 44–52). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2016.01.012>
- Laohakunjit, N., Selamassakul, O., & Kerdchoechuen, O. (2014). Seafood-like flavour obtained from the enzymatic hydrolysis of the protein by-products of seaweed (*Gracilaria* sp.). *Food Chemistry*, *158*, 162–170. <https://doi.org/10.1016/j.foodchem.2014.02.101>
- Lee, S. M., Lim, H. J., Chang, J. W., Hurh, B. S., & Kim, Y. S. (2018). Investigation on the formations of volatile compounds, fatty acids, and  $\gamma$ -lactones in white and brown rice during fermentation. *Food Chemistry*, *269*, 347–354. <https://doi.org/10.1016/j.foodchem.2018.07.037>
- Liu, J., Liu, M., He, C., Song, H., Guo, J., Wang, Y., Yang, H., & Su, X. (2014). A comparative study of aroma-active compounds between dark and milk chocolate: Relationship to sensory perception. *Journal of the Science of Food and Agriculture*, *95*(6), 1362–1372. <https://doi.org/10.1002/jsfa.6831>
- Liu, S., Yang, L., Zhou, Y., He, S., Li, J., Sun, H., Yao, S., & Xu, S. (2019). Effect of mixed moulds starters on volatile flavor compounds in rice wine. *LWT*, *112*. <https://doi.org/10.1016/j.lwt.2019.05.113>

- Mardina, P., Prathama, H. A., & Hayati, D. M. (2014). Pengaruh Waktu Hidrolisis dan Konsentrasi Katalisator Asam Sulfat terhadap Sintesis Furfural dari Jerami Padi. *Konversi*, 3(2), 1–8.
- Misnawi, J. S., Jamilah, B., & Nazamid. (2004). Effect of polyphenol concentration on pyrazine formation during cocoa liquor roasting. *Food Chemistry*, 85, 73–80.
- Misnawi, Jinap, S., Jamilah, B., & Nazamid, S. (2003). Effects of incubation and polyphenol oxidase enrichment on colour, fermentation index, procyanidins and astringency of unfermented and partly fermented cocoa beans. *International Journal of Food Science and Technology*, 38(3), 285–295. <https://doi.org/10.1046/j.1365-2621.2003.00674.x>
- Misnawi, Mulato, S., Widyotomo, S., Sewet, A., & Sugiyono. (2005). Optimasi suhu dan lama penyangraian biji kakao menggunakan penyangrai skala kecil tipe silinder. *Pelita Perkebunan*, 21(3), 169–183.
- Mustatea, G., Iorga, E., & Ungureany, E. L. (2019). Protein acidic hydrolysis for amino acids analysis in food - progress over time: a short review. *Journal of Hygienic Engineering and Design*, 81–87.
- Oliveira, H. S. S., Mamede, M. E. O., Góes-Neto, A., & Koblitz, M. G. B. (2011). Improving Chocolate Flavor in Poor-Quality Cocoa Almonds by Enzymatic Treatment. *Journal of Food Science*, 76(5). <https://doi.org/10.1111/j.1750-3841.2011.02168.x>
- Pasau, C. (2013). Efektivitas penggunaan asam asetat pada pemeraman biji kakao segar sebagai analog fermentasi. *E-J Agrotekbis*, 1(2), 113–120.
- Peláez, Pedro. P., Guerra, S., & Contreras, D. (2016). Changes in physical and chemical characteristics of fermented cocoa (*Theobroma cacao*) beans with manual and semi-mechanized transfer, between fermentation boxes. *Scientia Agropecuaria*, 07(02), 111–119. <https://doi.org/10.17268/sci.agropecu.2016.02.04>
- Permatasari, R., Annas, M. S., & Ardian, B. (2015). Distribusi Temperatur Pada Microwave menggunakan Metode CFD. *Proceeding Seminar Nasional Tahunan Teknik Mesin*.
- Pinastika, A. (2015). *Pengaruh Konsentrasi Asam Klorida terhadap Derajat Hidrolisis dan Aktivitas Antioksidan Hidrolisat Protein Bungkil Nymplung (Calophyllum inophyllum)*. Universitas Gadjah Mada.
- Priatna, M. , R., Palit, W. , H., & Kurniawan, R. (2021). Pengaruh Temperatur Hidrolisis dan Konsentrasi Larutan Asam pada Hidrolisis Eceng Gondok. *Diseminasi FTI*, 1–10.
- Quesnel, V. C. (1965). Agents inducing the death of cacao seeds during fermentation. *Journal of the Science of Food and Agriculture*, 16(8), 441–447.
- Rahkadima, Y. T., & Fitri, M. A. (2022). The effect of Chemical and microwave treatment for reducing sugar recovery. *Jurnal Kimia Riset*, 7(1), 74–80.

- Ramos, C. L., Dias, D. R., Miguel, M. G. da C. P., & Schwan, R. F. (2014). Impact of different cocoa hybrids (*Theobroma cacao* L.) and *S. cerevisiae* UFLA CA11 inoculation on microbial communities and volatile compounds of cocoa fermentation. *Food Research International*, *64*, 908–918. <https://doi.org/10.1016/j.foodres.2014.08.033>
- Retno, E. (2009). Kinetika Reaksi Hidrolisa Tepung Sorgum dengan Katalis Asam Klorida (HCl). *Jurnal Penelitian Jurusan Teknik Kimia Fakultas Teknik Universitas Sebelas Maret*.
- Rodriguez-Campos, J., Escalona-Buendía, H. B., Contreras-Ramos, S. M., Orozco-Avila, I., Jaramillo-Flores, E., & Lugo-Cervantes, E. (2012). Effect of fermentation time and drying temperature on volatile compounds in cocoa. *Food Chemistry*, *132*(1), 277–288. <https://doi.org/10.1016/j.foodchem.2011.10.078>
- Rodriguez-Campos, J., Escalona-Buendía, H. B., Orozco-Avila, I., Lugo-Cervantes, E., & Jaramillo-Flores, M. E. (2011). Dynamics of volatile and non-volatile compounds in cocoa (*Theobroma cacao* L.) during fermentation and drying processes using principal components analysis. *Food Research International*, *44*(1), 250–258. <https://doi.org/10.1016/j.foodres.2010.10.028>
- Roosta, M., Ghaedi, M., Daneshfar, A., & Sahraei, R. (2014). Experimental design based response surface methodology optimization of ultrasonic assisted adsorption of safranin O by tin sulfide nanoparticle loaded on activated carbon. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, *122*, 223–231. <https://doi.org/10.1016/j.saa.2013.10.116>
- Rottiers, H., Tzompa Sosa, D. A., de Winne, A., Ruales, J., de Clippeleer, J., de Leersnyder, I., de Wever, J., Everaert, H., Messens, K., & Dewettinck, K. (2019). Dynamics of volatile compounds and flavor precursors during spontaneous fermentation of fine flavor Trinitario cocoa beans. *European Food Research and Technology*, *245*(9), 1917–1937. <https://doi.org/10.1007/s00217-019-03307-y>
- Sarafraz, M. M., Tlili, I., Tian, Z., Bakouri, M., & Safaei, M. R. (2019). Smart optimization of a thermosyphon heat pipe for an evacuated tube solar collector using response surface methodology (RSM). *Physica A: Statistical Mechanics and Its Applications*, *534*. <https://doi.org/10.1016/j.physa.2019.122146>
- Schwan, R. F., & Wheals, A. E. (2004). The microbiology of cocoa fermentation and its role in chocolate quality. *Critical Review in Food Science and Nutrition*, *4*, 205–221.
- Selamassakul, O., Laohakunjit, N., Kerdchoechuen, O., Yang, L., & Maier, C. S. (2020). Bioactive peptides from brown rice protein hydrolyzed by bromelain: Relationship between biofunctional activities and flavor characteristics. *Journal of Food Science*, *85*(3), 707–717. <https://doi.org/10.1111/1750-3841.15052>

- Serra-Bonvehí, J. (2005). Investigation of aromatic compounds in roasted cocoa powder. *European Food Research and Technology*, 221(1–2), 19–29. <https://doi.org/10.1007/s00217-005-1147-y>
- Standar Nasional Indonesia. (1992). *Cara Uji Makanan dan Minuman* (Patent No. SNI 01-2891-1992).
- Sukha, D. A., Umaharan, P., & Butler, D. R. (2017). The impact of pollen donor on flavor in cocoa. *Journal of the American Society for Horticultural Science*, 142(1), 13–19. <https://doi.org/10.21273/JASHS03817-16>
- Suliman, R. (2017). *Response Surface Methodology and Its Application in Optimizing the Efficiency of Organic Solar Cells*. <https://openprairie.sdstate.edu/etdhttps://openprairie.sdstate.edu/etd/1734>
- Supriyanto, Haryadi, Rahardjo, B., & Marseno, D. W. (2006). Pengaruh penyangraian dengan energi gelombang mikro terhadap polifenol dalam hancuran keping biji kakao. *AGRITECH*, 26(3), 125–132.
- Tarigan, E. B., & Iflah, T. (2018). Beberapa Komponen Fisikokimia Kakao Fermentasi Dan Non Fermentasi. *Jurnal Agroindustri Halal*, 3(1), 48–62. <https://doi.org/10.30997/jah.v3i1.687>
- Torres-Moreno, M., Tarrega, A., & Blanch, C. (2014). Characterization of Volatile Compounds in Dark Chocolates by HS-SPME and GC-MS. In *Flavour Science* (pp. 283–287). Elsevier. <https://doi.org/10.1016/b978-0-12-398549-1.00054-4>
- Torres-Moreno, M., Tarrega, A., & Blanch, C. (2021). Effect of cocoa roasting time on volatile composition of dark chocolates from different origins determined by HS-SPME/GC-MS. *CYTA - Journal of Food*, 19(1), 81–95. <https://doi.org/10.1080/19476337.2020.1860137>
- Triyani, A., Ishartani, D., Dimas, R. A., Teknologi, J., Pertanian, H., & Pertanian, F. (2013). Kajian Karakteristik Fisikokimia Tepung Labu Kuning (*Cucurbita moschata*) Termodifikasi dengan Variasi Lama Perendaman dan Konsentrasi Asam Asetat. *Jurnal Teknosains Pangan*, 2(2), 29–38. [www.ilmupangan.fp.uns.ac.id](http://www.ilmupangan.fp.uns.ac.id)
- Triyono, A. (2010). Mempelajari Pengaruh Penambahan Beberapa Asam pada Proses Isolasi Protein terhadap Tepung Protein Isolat Kacang Hijau (*Phaseolus radiatus L.*). *Seminar Rekayasa Kimia Dan Proses*, 1–9.
- Voigt, J. (2009). Origin of the chocolate-specific flavour notes: essential precursors are generated by proteolysis of a cocoa storage protein. *Agro Food Industry Hi-Tech*, 20(6), 26–28.
- Voigt, J., Biehl, B., & Kamaruddin. (1993). The major seed protein of *Theobroma cacao L.* *Food Chemistry*, 47, 145–147.
- Wu, G. C., Zhang, M., Wang, Y. Q., Mothibe, K. J., & Chen, W. X. (2012). Production of silver carp bone powder using superfine grinding technology: Suitable production parameters and its properties. *Journal of Food*

*Engineering*, 109(4), 730–735.  
<https://doi.org/10.1016/j.jfoodeng.2011.11.013>

- Yu, L., Sun, J., Liu, S., Bi, J., Zhang, C., & Yang, Q. (2012). Ultrasonic-assisted enzymolysis to improve the antioxidant activities of peanut (*Arachin conarachin L.*) antioxidant hydrolysate. *International Journal of Molecular Sciences*, 13(7), 9051–9068. <https://doi.org/10.3390/ijms13079051>
- Zheng, Z., Zhang, M., Fan, H., & Liu, Y. (2021). Effect of microwave combined with ultrasonic pretreatment on flavor and antioxidant activity of hydrolysates based on enzymatic hydrolysis of bovine bone. *Food Bioscience*, 44. <https://doi.org/10.1016/j.fbio.2021.101399>
- Ziegleder, G. (2017). Flavour development in cocoa and chocolate. In Stephen T. Beckett, Mark S. Fowler, & Gregory R. Ziegler (Eds.), *Beckett's Industrial Chocolate Manufacture and Use* (Fifth, pp. 185–215). John Wiley & Sons Ltd.
- Ziegleder, G. R. (2009). Flavour development in cocoa and chocolate. In *Industrial chocolate manufacture* (pp. 169–191). Wiley-Blackwell.