

DAFTAR PUSTAKA

- Alikodra, H. S. 2002. Pengelolaan Satwa Liar. Penerbit Fakultas Kehutanan IPB.Bogor.
- Auliya, M., Schwedick, B., Sommerlad, R., & Brend, S. (2009). A short-term assessment of the conservation status of *Tomistoma schlegelii* (Crocodylia: Crocodylidae) in Tanjung Puting National Park (Central Kalimantan, Indonesia). In Cooperative Survey by the Orangutan Foundation (UK) and the Tomistoma Task Force of the IUCN/SSC Crocodile Specialist Group.
- Arieska, P. K., & Herdiani, N. (2018). Pemilihan teknik sampling berdasarkan perhitungan efisiensi relatif.. Jurnal Statistika Universitas Muhammadiyah Semarang, 6(2).
- Arimbi, A., 2016. Densitas, Lokasi Penemuan, dan Kondisi Habitat Senyulong, *Tomistoma schlegelii* (Müller, 1838), 1838) di Daerah Aliran Sungai Air Hitam Laut, Jambi (Doctoral dissertation, Universitas Gadjah Mada).
- Bezuijen, M. R., P. Hartoyo, M. Elliott & B. A. Baker, 1997. Project Tomistoma. Second Report on the Ecology of the False Gharial (*Tomistoma schlegelii*) in Sumatra. Unpublished Report, Wildlife Management International Pty Limited.
- Bezuijen, M. R., Webb, G. J., & Hartoyo, P. (2001). Peat swamp forest and the false gharial *Tomistoma schlegelii* (Crocodylia, Reptilia) in the Merang River, eastern Sumatra, Indonesia. *Oryx*, **35**(4):301-307.
- Bezuijen, M. R., F. Hasudungan, R. Kadarisman, S. Wardoyo, G. J. W. Webb, Samedi, & S. C. Manolis. 2002. False Gharial (*Tomistoma schlegelii*) Surveys in Southeast Sumatra, Indonesia (1995-2002). Unpublished Report. Wildlife Management International Pty Limited. Darwin.
- Bratawinata AA. 1994. Forest structure, floristic composition and dominance of species of Lowland, Hilly and Swamp Tropical Rain Forests in East Kalimantan, Indonesia. Faculty of Forestry. 101- 102.
- Caldicott DGE, Croser D, Manolis C, Webb G, Britton A. 2005. Crocodile attack in Australia: an analysis of its incidence and review of the pathology and

- management of crocodilian attacks in general. *Wilderness & Environmental Medicine*. **(16)**:143–159.
- Cogger H. 1993. General description and definition of the Order Crocodylia. *Fauna of Australia*. 2: 235.
- Daryono, H. 2006. Pemanfaatan lahan secara bijaksana dan revegetasi dengan jenis pohon tepat guna di lahan rawa gambut terdegradasi. Prosiding seminar hasil-hasil penelitian. Optimalisasi peran IPTEK dalam mendukung peningkatan produktifitas hutan dan lahan. Pusat Litbang Hutan dan Konservasi Alam. Bogor (pp. 1-18).
- Fauzi, Nurul Ihsan, M. Ari Wibawanto, and Mahardika Putra Purba. "Analisis Perubahan Tutupan Hutan di Taman Nasional Gunung Palung, Kalimantan Barat, Menggunakan Penginderaan Jauh. " *Jurnal Tengawang* 10.2 (2020).
- Fajriyani, F., & Bayu, B. (2021). Analisis Kualitas Air Lahan Gambut Di Kabupaten Kapuas Hulu, Kalimantan Barat Untuk Pengembangan Budidaya Ikan Hias. *Buletin Teknik Litkayasa Akuakultur*, **19**(2), 93-96.
- Graham W. 2009. Crocodile Specialist Group Newsletter. Australia (AU): CSG. **28**:9-11.
- Grigg, G. and Gans, C., 1993. Morphology and physiology of the Crocodylia. *Fauna of Australia*, 2, pp.326-336.
- Harto, J., 2002. Budidaya dan Pelestarian Buaya Air Tawar Irian (*Crocodylus novaeguineae*) [Skripsi]. Bogor: Fakultas Kedokteran Hewan. Institut Pertanian Bogor.
- Hastuti, S., Muin, A., & Thamrin, E. (2014). Keanekaragaman jenis vegetasi pada hutan rawa gambut sekunder dan belukar rawa Desa Sungai Pelang Kabupaten Ketapang. *Jurnal Hutan Lestari*, 2(3)
- Iskandar DT, W Erdelen. 2006. Conservation of Amphibians and Reptiles in Indonesia. *Journal of Amphibians and Reptile Conservation*. **4**:60–87.
- IUCN. 2015. IUCN Red List of Threatened Species: *Tomistoma schlegelii*. <http://www.iucnredlist.org/>. Diakses pada 3 Maret 2022.

- Jackson DC, Andrade DV, Abe AS. 2003. Lactate sequestration by osteoderms of the broad-nose caiman, *Caiman latirostris*, following capture and forced submergence. *Journal of Experimental Biology*. 206(20). 3601-3606.
- Johnson, W. S. and D, M, Allen. 2005. Zooplacton Of The Atlantic And Gulf Coast, A Guide To Their Identification And Ecology. The Johns Hopkins. University Press. Baltimore and London
- Lahan Gambut Eks PLG Satu Juta Hektar, Bagaimana Kabarnya Saat ini? – Mongabay.co.id". www.mongabay.co.id (dalam bahasa Inggris). Diakses tanggal 2022-08-16.
- Lariman, M. D., & Trimurti, S. 2020. Study of False Gharial (*Tomistoma schlegelii*) Habitat Characteristics in Mesangat Wetlands, East Kutai, East Kalimantan. *Intl J Sci Res*, **10**:649- 653.
- Lenaini, I. (2021). Teknik Pengambilan Sampel Purposive Dan Snowball Sampling. *Historis: Jurnal Kajian, Penelitian dan Pengembangan Pendidikan Sejarah*, **6**:33-39.
- Lubis, M. I., 2014. Survey Awal Mengenai Relung Habitat Dua Jenis Buaya (Buaya Muara dan Senyulong) di Taman Nasional Berbak, Prov. Jambi. *Warta Herpetofauna*, **VII**(3), pp. 51-55.
- Majid, A. A. (2009). Sebaran Spasial dan Karakteristik Habitat Buaya Air Tawar Irian (*Crocodylus novaeguineae* Schmidt, 1928) Di Taman Nasional Wasur. Skripsi
- Maudiana, D. 2010. Keragaman Studi Habitat Klapok (*Syzygium*) di Kabupaten Malang, Jawa Timur. Riset Dasar. LIPI. Purwodadi.
- Mathew, A., Ganesan, M., Majid, R. A., & Beastall, C. (2011). Breeding of False Gharial (*Tomistoma schlegelii*) at Zoo Negara, Malaysia. On-line pdf. Zoo Negara.
- Manly, B. F. J., McDonald, L. L., Thomas, D. L., and Erickson, W. P. 2002. Resource Selection by Animal, Statistical Design and Analysis for Field Studies. 2 nd Edition. Dordrecht, Boston, London: Kluwer Academic Publisher

- Md Adzhar, M. A. A., & Hassan, R. (2017). Relationships among *Tomistoma schlegelii* in Malaysia based on Cyt b-control region gene analysis. *International Journal of Zoology*, 2017.
- Messel, H., Vorlicek, G.C., Wells, A.G. & Green, W.J. 1981. Surveys of Tidal River Systems in the Northern Territory of Australia and Their Crocodile Populations. Monograph 1. Pergamon Press, Sydney.
- Muharromi, A. F., Prihantono, S., Qurniawan, T. F., Nugraha, A. P., & Eprilurahman, R. (2019). Perilaku Harian Buaya Muara (*Crocodylus porosus*, Schneider 1801) di Pusat Penyelamatan Satwa Jogja. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, **15**:188-194.
- Minggawati, I., Mardani, M., & Marianty, R. (2020). Aspek Biologi Dan Manfaat Ekonomi Ikan Yang Tertangkap Di Sungai Sebangau Kota Palangkaraya Kalimantan Tengah. *Ziraa'ah Majalah Ilmiah Pertanian*, **45**:3, 335-340.
- Nifong, J. C., Nifong, R. L., Silliman, B. R., Lowers, R. H., Guillette Jr, L. J., Ferguson, J. M., ... & Marshall, G. (2014). Animal-borne imaging reveals novel insights into the foraging behaviors and diel activity of a large-bodied apex predator, the American alligator (*Alligator mississippiensis*). *PloS one*, 9(1), e83953.
- Nurjaya, I. W. (2019). Analisis Pencemaran Air di Sungai Sebangau, Kalimantan Tengah. *Jurnal Lingkungan Tropis*, 6(2), 56-64.
- O'Brien, T. G., & Doerr, P. D. (1986). Night count surveys for alligators in coastal counties of North Carolina. *Journal of Herpetology*, **20**:444-448.
- Purnomo, D. W., & Usmadi, D. (2017). Pengaruh Struktur dan Komposisi Vegetasi Dalam Menentukan Nilai Konservasi Kawasan Rehabilitasi di Hutan Wanagama I dan Sekitarnya. *Jurnal Biologi Indonesia*, 8(2).
- Ramdhoni, F., Fitriani, A. H., & Afif, H. A. (2019). Identifikasi deforestasi melalui pemetaan tutupan lahan di kabupaten banjar, kalimantan selatan. In *Seminar Nasional Geomatika* (Vol. 3, pp. 465-472).

- Rödder, D., Engler, J. O., Bonke, R., Weinsheimer, F., & Pertel, W. (2010). Fading of the last giants: an assessment of habitat availability of the Sunda gharial *Tomistoma schlegelii* and coverage with protected areas. *Aquatic Conservation: Marine and Freshwater Ecosystems*, **20**:6, 678-684.
- Ramdhoni, F., Fitriani, A. H., & Afif, H. A. (2019, February). Identifikasi Deforestasi Melalui Pemetaan Tutupan Lahan Di Kabupaten Banjar, Kalimantan Selatan. In *Seminar Nasional Geomatika* (Vol. 3, pp. 465-472).
- Saputro, M. B., Rifanjani, S., & Siahaan, S. (2020). Studi Habitat Buaya Senyulong (*Tomistoma Schlegelii*) Di Sungai Sekonyer Taman Nasional Tanjung Puting Kalimantan Tengah. *Jurnal Hutan Lestari*, 8(1).
- Shaney, K. J., Trilaksono, W., Hamidy, A., & Smith, E. N. (2015). Preliminary assessment of false gharial (*Tomistoma schlegelii*) populations in Sumatra. *IUCN Crocodile Specialist Group Report, Tomistoma Task Force, IUCN Crocodile Specialist Group*.
- Smith, E. N. (1979). Behavioral and physiological thermoregulation of crocodilians. *American Zoologist*, **19**:239-247.
- Soegianto A. 1994. *Ekologi Kuantitatif: Metode Analisis Populasi dan Komunitas*. Usaha Nasional. Surabaya.
- Soehartono T, dan Mardiasuti A. 2003. *Pelaksanaan Konvensi CITES di Indonesia*. JICA. Jakarta.
- Sosilawaty, Rizal M, Johansyah, Situmeang RS. 2020. Populasi Buaya Senyulong (*Tomistoma schlegelii*) di Taman Nasional Tanjung Putting Kabupaten Kotawaringan Barat Kalimantan Tengah. *Journal of Environment and Management*. **1**:187-193
- Stuebing, R. B., Bezuijen, M. R., Auliya, M., & Voris, H. K. (2006). The current and historic distribution of *Tomistoma schlegelii* (the False Gharial) (Müller, 1838) (Crocodylia, Reptilia). *The Raffles Bulletin of Zoology*, **54**:181-197.

- Stuebing, R.,B., E. Lading & J. Jong, 1998. The Status of the False Gharial (*Tomistoma schlegelii* Mueller) in Sarawak. In: Proceedings of the 14th Working Meeting of the Crocodile Specialist Group, Singapore. Pp.1-9.IUCN/SSC Crocodile Specialist Group, Gland.
- Syarfi, H.S., 2007. Rejeksi Zat Organik Air Gambut Dengan Membran Ultrafiltrasi. Jurnal Sains dan Teknologi 6 (1), Program Studi Teknik Kimia, Universitas Riau, Pekanbaru, h. 1-4.
- Tampubolon, A. P., & Kwatrina, R. T. (Eds.). Stasiun Riset: Mewujudkan Pengelolaan TAMAN NASIONAL Berbasis Keilmuan. PT Penerbit IPB Press.
- Trimurti, Sus. "Study of False Gharial (*Tomistoma schlegelii*) Habitat Characteristics in Mesangat Wetlands, East Kutai, East Kalimantan." (2021).
- Woodward, A. R., & Moore, C. T. (1993, March). Use of crocodilian night count data for population trend estimation. In Proc. 2nd Regional Conference of the Crocodile Specialist Group, Species Survival Commission, IUCN (pp. 12-13).
- Wood, J.M., Woodward, A.R., Humphrey, S.R. and Hines, T.C., 1985. Night counts as an index of American alligator population trends. Wildlife Society Bulletin (1973-2006), **13**:3, pp.262-273.
- Yusuf, R. (2003). Analisis vegetasi dan degradasi jenis tumbuhan hutan gambut setelah kebakaran dikawasan taman nasional tanjung puting kalimantan tengah. Berita Biologi, **5**:277-283.
- Zega, U. (2020). Identifikasi Jenis Ikan Air Tawar Di Sungai Yogi Kecamatan Fanayama. JURNAL EDUCATION AND DEVELOPMENT, **8**(3), 139-139.