

Daftar Pustaka

- Aitkenhead, M. J., Coull, M., Towers, W., Hudson, G., & Black, H. I. J. (2013). Prediction of soil characteristics and colour using data from the National Soils Inventory of Scotland. *Geoderma*, 200–201, 99–107. <https://doi.org/10.1016/j.geoderma.2013.02.013>
- Armson, K. A., & Fessenden, R. . (1973). Forest Windthrows and Their Influence on Soil Morphology. *Soil Science Society of America*, 37, 781–783.
- Ballabio, C. (2009). Spatial prediction of soil properties in temperate mountain regions using support vector regression. *Geoderma*, 151(3–4), 338–350. <https://doi.org/10.1016/j.geoderma.2009.04.022>
- Baltensweiler, A., Walthert, L., Hanewinkel, M., Zimmermann, S., & Nussbaum, M. (2021). Machine learning based soil maps for a wide range of soil properties for the forested area of Switzerland. *Geoderma Regional*, 27(August), e00437. <https://doi.org/10.1016/j.geodrs.2021.e00437>
- Beaudette, D. E., Roudier, P., & O'Geen, A. T. (2013). Algorithms for quantitative pedology : A toolkit for soil scientists. *Computers and Geosciences*, 52, 258–268. <https://doi.org/10.1016/j.cageo.2012.10.020>
- Buol, S. W., Southard, R. ., Graham, R. ., & McDaniel, P. . (2011). *Soil Genesis and Classification* (6th ed.). Wiley-Blackwell. https://doi.org/10.1007/978-3-319-54506-6_2
- Carter, B. J., & Ciolkosz, E. J. (1991). Slope gradient and aspect effects on soils developed from sandstone in Pennsylvania. *Geoderma*, 49(3–4), 199–213. [https://doi.org/10.1016/0016-7061\(91\)90076-6](https://doi.org/10.1016/0016-7061(91)90076-6)
- Carver, D. P., & Beeton, J. M. (2014). Holocene landscape evolution and geoarcheology of low-order streams in the Rio Grande basin, San Juan Mountains, Colorado, USA. *Quaternary Research (United States)*, 82(2), 331–341. <https://doi.org/10.1016/j.yqres.2014.05.006>
- Cerri, Rodrigo I., Rosolen, V., Reis, F. A. G. V., Filho, A. J. P., Vemado, F., do Carmo Giordano, L., & Gabelini, B. M. (2020). The assessment of soil chemical, physical, and structural properties as landslide predisposing factors in the Serra do Mar mountain range (Caraguatatuba, Brazil). *Bulletin of Engineering Geology and the Environment*, 79(7), 3307–3320. <https://doi.org/10.1007/s10064-020-01791-1>
- Cerri, Rodrigo Irineu, Reis, F. A. G. V., Gramani, M. F., Rosolen, V., Luvizotto, G. L., Giordano, L. do C., & Gabelini, B. M. (2018). Assessment of landslide occurrences in Serra do Mar mountain range using kinematic analyses. *Environmental Earth Sciences*, 77(9), 1–16. <https://doi.org/10.1007/s12665-018-7508-1>
- Cevasco, A., Termini, F., Valentino, R., Meisina, C., Boni, R., Bordoni, M., Chella, G. P., & De Vita, P. (2018). Residual mechanisms and kinematics of the relict Lemeglio coastal landslide (Liguria, northwestern Italy). *Geomorphology*, 320, 64–81. <https://doi.org/10.1016/j.geomorph.2018.08.010>
- Chaplot, V., Lorentz, S., Podwojewski, P., & Jewitt, G. (2010). Digital mapping of A-horizon thickness using the correlation between various soil properties and soil apparent electrical resistivity. *Geoderma*, 157(3–4), 154–164. <https://doi.org/10.1016/j.geoderma.2010.04.006>



- Chartier, M. P., & Rostagno, C. M. (2006). Soil erosion thresholds and alternative states in northeastern Patagonian rangelands. *Rangeland Ecology and Management*, 59(6), 616–624. <https://doi.org/10.2111/06-009R.1>
- Chen, C., Xie, M. wen, Jiang, Y. jing, Jia, B. ning, & Du, Y. (2021). A new method for quantitative identification of potential landslide. *Soils and Foundations*, 61(5), 1475–1479. <https://doi.org/10.1016/j.sandf.2021.07.004>
- Chen, S., Mulder, V. L., Martin, M. P., Walter, C., Lacoste, M., Richer-de-Forges, A. C., Saby, N. P. A., Loiseau, T., Hu, B., & Arrouays, D. (2019). Probability mapping of soil thickness by random survival forest at a national scale. *Geoderma*, 344(July 2018), 184–194. <https://doi.org/10.1016/j.geoderma.2019.03.016>
- Cheng, C. H., Hsiao, S. C., Huang, Y. S., Hung, C. Y., Pai, C. W., Chen, C. P., & Menyailo, O. V. (2016). Landslide-induced changes of soil physicochemical properties in Xitou, Central Taiwan. *Geoderma*, 265, 187–195. <https://doi.org/10.1016/j.geoderma.2015.11.028>
- Coggins, S., Malone, B. P., Stockmann, U., Possell, M., & McBratney, A. B. (2019). Towards meaningful geographical indications: Validating terroirs on a 200 km² scale in Australia's lower Hunter Valley. *Geoderma Regional*, 16. <https://doi.org/10.1016/j.geodrs.2019.e00209>
- Cornforth, D. H. (2005). *Landslides in Practice: Investigation, Analysis and Remedial/Preventative Options in Soils*. John Wiley and Sons. <https://doi.org/10.2113/12.1.81>
- Čugunovs, M., Tuittila, E. S., Sara-Aho, I., Pekkola, L., & Kouki, J. (2017). Recovery of boreal forest soil and tree stand characteristics a century after intensive slash-and-burn cultivation. *Silva Fennica*, 51(5). <https://doi.org/10.14214/sf.7723>
- Daniels, R. B., Gamble, E. E., & Cady, J. G. (1971). The relation between geomorphology and soil morphology and genesis. *Advances in Agronomy*, 23(C), 51–88. [https://doi.org/10.1016/S0065-2113\(08\)60150-9](https://doi.org/10.1016/S0065-2113(08)60150-9)
- de Vita, P., Napolitano, E., Godt, J. W., & Baum, R. L. (2013). Deterministic estimation of hydrological thresholds for shallow landslide initiation and slope stability models: Case study from the Somma-Vesuvius area of southern Italy. *Landslides*, 10(6), 713–728. <https://doi.org/10.1007/s10346-012-0348-2>
- Dharumarajan, S., Hegde, R., Janani, N., & Singh, S. K. (2019). The need for digital soil mapping in India. *Geoderma Regional*, 16, e00204. <https://doi.org/10.1016/j.geodrs.2019.e00204>
- Dharumarajan, Subramanian, Lalitha, M., Niranjana, K. V., & Hegde, R. (2022). Evaluation of digital soil mapping approach for predicting soil fertility parameters — a case study from Karnataka Plateau, India. *Arabian Journal of Geosciences*. <https://doi.org/10.1007/s12517-022-09629-8>
- Ding, X., Zhao, Z., Yang, Q., Chen, L., Tian, Q., Li, X., & Meng, F. R. (2020). Model prediction of depth-specific soil texture distributions with artificial neural network: A case study in Yunfu, a typical area of Uduits Zone, South China. *Computers and Electronics in Agriculture*, 169(December 2019), 105217. <https://doi.org/10.1016/j.compag.2020.105217>
- Dixon, J. C. (2013). Pedogenesis with respect to geomorphology. In *Treatise on Geomorphology* (pp. 27–43). Academic Press.

- Dobos, E., Carré, F., Hengl, T., Reuter, H. I., & Toth, G. (2006). *Digital Soil Mapping : As a Support to Production of Functional Maps*. Office for Official Publication of the European Communities.
- Dornik, A., Cheţan, M. A., Drăguţ, L., Dicu, D. D., & Iliuţă, A. (2022). Optimal scaling of predictors for digital mapping of soil properties. *Geoderma*, 405. <https://doi.org/10.1016/j.geoderma.2021.115453>
- Dudal, R. (2005). The sixth factor of soil formation. *Eurasian Soil Science*, 38(SUPPL. 1), 1–13.
- El Bouchefry, K., & de Souza, R. S. (2020). Chapter 12 - Learning in Big Data: Introduction to Machine Learning. In P. Škoda & F. Adam (Eds.), *Knowledge Discovery in Big Data from Astronomy and Earth Observation* (pp. 225–249). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-819154-5.00023-0>
- FAO. (2006). *Guidelines for Soil Description* (4th ed.). FAO. https://doi.org/10.1007/978-3-030-33443-7_3
- Florinsky, I. V., Eilers, R. G., Manning, G. R., & Fuller, L. G. (2002). Prediction of soil properties by digital terrain modelling. *Environmental Modelling and Software*, 17(3), 295–311. [https://doi.org/10.1016/S1364-8152\(01\)00067-6](https://doi.org/10.1016/S1364-8152(01)00067-6)
- Florinsky, Igor V., & Arlashina, H. A. (1998). Quantitative topographic analysis of gilgai soil morphology. *Geoderma*, 82(4), 359–380. [https://doi.org/10.1016/S0016-7061\(97\)00112-2](https://doi.org/10.1016/S0016-7061(97)00112-2)
- Forbes, T. R., Rossiter, D., & Van Wambeke, A. (1982). Guidelines for evaluating the adequacy of soil resource inventories. In *SMSS Technical Monograph #4* (p. 51).
- Foth, H. D. (1990). *Fundamentals of Soils Science* (9th ed.). John Wiley and Sons.
- Gallant, J. C., & Dowling, T. I. (2003). A multiresolution index of valley bottom flatness for mapping depositional areas. *Water Resources Research*, 39(12). <https://doi.org/10.1029/2002WR001426>
- Gallant, J. C., & Wilson, J. P. (2000). Primary Topographic Attributes. In J. P. Wilson & J. C. Gallant (Eds.), *Terrain Analysis: Principles and Application* (pp. 51–87). Wiley.
- García-Ruiz, J. M., Arnáez, J., Sanjuán, Y., López-Moreno, J. I., Nadal-Romero, E., & Beguería, S. (2021). Landscape changes and land degradation in the subalpine belt of the Central Spanish Pyrenees. *Journal of Arid Environments*, 186(November 2020). <https://doi.org/10.1016/j.jaridenv.2020.104396>
- García-Ruiz, J. M., Beguería, S., Arnáez, J., Sanjuán, Y., Lana-Renault, N., Gómez-Villar, A., Álvarez-Martínez, J., & Coba-Pérez, P. (2017). Deforestation induces shallow landsliding in the montane and subalpine belts of the Urbión Mountains, Iberian Range, Northern Spain. *Geomorphology*, 296, 31–44. <https://doi.org/10.1016/j.geomorph.2017.08.016>
- Gastaldi, G., Minasny, B., & McBratney, A. B. (2012). Mapping the occurrence and thickness of soil horizons within soil profiles. *Digital Soil Assessments and Beyond - Proceedings of the Fifth Global Workshop on Digital Soil Mapping, February 2021*, 145–148. <https://doi.org/10.1201/b12728-30>
- Gerrard, J. (1993). Soil geomorphology - present dilemmas and future challenges. *Geomorphology*, 7(1–3), 61–84. [https://doi.org/10.1016/0169-555X\(93\)90012-Q](https://doi.org/10.1016/0169-555X(93)90012-Q)
- Goudie, A. (2004). *Encyclopedia of geomorphology* (Vol. 2). Psychology Press.
- Griffiths, D. ., Huang, J., & de Wolfe, G. F. (2010). Numerical and analytical observations

- on long and infinite slopes. *International Journal for Numerical and Analytical Methods in Geomechanics*, 35(13), 569–585. <https://doi.org/10.1002/nag>
- Han, X., Liu, J., Mitra, S., Li, X., Srivastava, P., Guzman, S. M., & Chen, X. (2018). Selection of optimal scales for soil depth prediction on headwater hillslopes: A modeling approach. *Catena*, 163(December 2017), 257–275. <https://doi.org/10.1016/j.catena.2017.12.026>
- Hartemink, A. E., Zhang, Y., Bockheim, J. G., Curi, N., Silva, S. H. G., Grauer-Gray, J., Lowe, D. J., & Krasilnikov, P. (2020). Soil horizon variation: A review. In *Advances in Agronomy* (1st ed., Vol. 160, Issue 1). Elsevier Inc. <https://doi.org/10.1016/bs.agron.2019.10.003>
- Heimsath, A. M., Dietrich, W. E., Nishiizumi, K., Finkel, R. C., Mass, A., & National, L. L. (1997). The soil production function and landscape equilibrium. *Nature*, 388(July), 49.
- Hengl, T. (2007). *A Practical Guide to Geostatistical Mapping of Environmental Variables*.
- Hengl, T., Heuvelink, G. B. M., & Rossiter, D. G. (2007). About regression-kriging : From equations to case studies. *Computers & Geosciences*, 33, 1301–1315. <https://doi.org/10.1016/j.cageo.2007.05.001>
- Hengl, T., & MacMillan, R. A. (2019). *Predictive Soil Mapping with R*. OpenGeoHub Foundation. <https://soilmapper.org/>
- Heung, B., Bulmer, C. E., & Schmidt, M. G. (2014). Predictive soil parent material mapping at a regional-scale: A Random Forest approach. *Geoderma*, 214–215, 141–154. <https://doi.org/10.1016/j.geoderma.2013.09.016>
- Ho, J. Y., Lee, K. T., Chang, T. C., Wang, Z. Y., & Liao, Y. H. (2012). Influences of spatial distribution of soil thickness on shallow landslide prediction. *Engineering Geology*, 124(1), 38–46. <https://doi.org/10.1016/j.enggeo.2011.09.013>
- Hofierka, J., & Sári, M. (2002). The solar radiation model for Open source GIS: implementation and applications. *Open Source GIS - GRASS Users Conference, September*, 11–13. http://www.ing.unitn.it/~grass/conferences/GRASS2002/proceedings/proceedings/pdfs/Hofierka_Jaroslav.pdf
- Horst-Heinen, T. Z., Dalmolin, R. S. D., ten Caten, A., Moura-Bueno, J. M., Grunwald, S., Pedron, F. de A., Rodrigues, M. F., Rosin, N. A., & da Silva-Sangoi, D. V. (2021). Soil depth prediction by digital soil mapping and its impact in pine forestry productivity in South Brazil. *Forest Ecology and Management*, 488(January). <https://doi.org/10.1016/j.foreco.2021.118983>
- Hudson, B. D. (1992). soil genesis, morphology & classification. The soil survey as paradigm-based science. *Soil Science Society of America Journal*, 56, 836–841.
- Indriani, Y. N., Kusumayudha, S. B., & Purwanto, H. S. (2017). Analisis Gerakan Massa Berdasarkan Sifat Fisik Mekanik Tanah Daerah Kalijambe, Kecamatan Bener, Kabupaten Purworejo, Jawa Tengah. *Jurnal Mineral, Energi Dan Lingkungan*, 1(2), 39. <https://doi.org/10.31315/jmel.v1i2.2080>
- Iverson, R. M. (2000). Landslide triggering by rain infiltration. *Water Resources Research*, 36(7), 1897–1910. <https://doi.org/10.1029/2000WR900090>
- Jenny, H. (1941). *Factors of Soil Formation: A System of Quantitative Pedology* (Vol. 35, Issue 2). Hill Book Company. <https://doi.org/10.2307/211491>
- Jensen, J. R. (2015). *Introductory Digital Image Processing A Remote Sensing Perspective*

- (4th ed.). Pearson.
- Johnson, C. E., Johnson, A. H., Huntington, T. G., & Siccama, T. G. (1991). Whole-Tree Clear-Cutting Effects on Soil Horizons and Organic-Matter Pools. *Soil Science Society of America Journal*, 55(2), 497. <https://doi.org/10.2136/sssaj1991.03615995005500020034x>
- Kim, M. S., Onda, Y., Uchida, T., & Kim, J. K. (2016). Effects of soil depth and subsurface flow along the subsurface topography on shallow landslide predictions at the site of a small granitic hillslope. *Geomorphology*, 271, 40–54. <https://doi.org/10.1016/j.geomorph.2016.07.031>
- Kołodyńska-Gawrysiak, R., Chodorowski, J., Mroczek, P., Plak, A., Zgłobicki, W., Kiebała, A., Trzciński, J., & Standzikowski, K. (2017). The impact of natural and anthropogenic processes on the evolution of closed depressions in loess areas. A multi-proxy case study from Nałęczów Plateau, Eastern Poland. *Catena*, 149, 1–18. <https://doi.org/10.1016/j.catena.2016.07.029>
- Kuriakose, S. L., Devkota, S., Rossiter, D. G., & Jetten, V. G. (2009). Prediction of soil depth using environmental variables in an anthropogenic landscape, a case study in the Western Ghats of Kerala, India. *Catena*, 79(1), 27–38. <https://doi.org/10.1016/j.catena.2009.05.005>
- Lacoste, M., Mulder, V. L., Richer-De-Forges, A. C., Martin, M. P., & Arrouays, D. (2016). Evaluating large-extent spatial modeling approaches: A case study for soil depth for France. *Geoderma Regional*, 7(2), 137–152. <https://doi.org/10.1016/j.geodrs.2016.02.006>
- Lagacherie, P., McBratney, A., & Voltz, M. (2006). *Digital soil mapping: an introductory perspective*. Elsevier.
- Li, M., Shi, X., Shen, Z., Yang, E., Bao, H., & Ni, Y. (2019). Effect of hillslope aspect on landform characteristics and erosion rates. *Environmental Monitoring and Assessment*, 191(9). <https://doi.org/10.1007/s10661-019-7760-1>
- Li, Y., Utili, S., Milledge, D., Chen, L., & Yin, K. (2021). Chasing a complete understanding of the failure mechanisms and potential hazards of the slow moving Liangshuijing landslide. *Engineering Geology*, 281. <https://doi.org/10.1016/j.enggeo.2020.105977>
- Lindbo, D., Miles, R., & Presley, D. A. (2015). Principles of site evaluation. *Soil Science: Step-by-Step Field Analysis*, 5504, 1–10. <https://doi.org/10.2136/2008.soilsciencestepbystep.c1>
- Liu, F., Yang, F., Zhao, Y. guo, Zhang, G. lin, & Li, D. cheng. (2022). Predicting soil depth in a large and complex area using machine learning and environmental correlations. *Journal of Integrative Agriculture*, 21(8), 2422–2434. [https://doi.org/10.1016/S2095-3119\(21\)63692-4](https://doi.org/10.1016/S2095-3119(21)63692-4)
- Liu, S., Li, D., Liu, D., Zhang, X., & Wang, Z. (2022). Characteristics of sedimentation and sediment trapping efficiency in the Three Gorges Reservoir, China. *Catena*, 208(February 2021), 105715. <https://doi.org/10.1016/j.catena.2021.105715>
- Loiseau, T., Arrouays, D., Richer-de-Forges, A. C., Lagacherie, P., Ducommun, C., & Minasny, B. (2021). Density of soil observations in digital soil mapping: A study in the Mayenne region, France. *Geoderma Regional*, 24, e00358. <https://doi.org/10.1016/j.geodrs.2021.e00358>
- Lou, Y., Gao, Z., Sun, G., Wu, T., Zhou, F., Ai, J., Cen, Y., & Xie, J. (2022). Runoff scouring

- experimental study of rill erosion of spoil tips. *Catena*, 214(February), 106249. <https://doi.org/10.1016/j.catena.2022.106249>
- Lu, Y. yuan, Liu, F., Zhao, Y. guo, Song, X. dong, & Zhang, G. lin. (2019). An integrated method of selecting environmental covariates for predictive soil depth mapping. *Journal of Integrative Agriculture*, 18(2), 301–315. [https://doi.org/10.1016/S2095-3119\(18\)61936-7](https://doi.org/10.1016/S2095-3119(18)61936-7)
- Ma, Y., Minasny, B., Malone, B. P., & Mcbratney, A. B. (2019). Pedology and digital soil mapping (DSM). *European Journal of Soil Science*, 70(2), 216–235. <https://doi.org/10.1111/ejss.12790>
- Malone, B., Minasny, B., & Mcbratney, A. B. (2017). *Progress in Soil Science : Using R for Digital Soil Mapping*. <http://www.springer.com/series/8746>
- Mason, J. A., Jacobs, P. M., Gruley, K. E., Reyerson, P., & Hanson, P. R. (2016). Parent material influence on soil response to vegetation change, Southeastern Minnesota, U.S.A. *Geoderma*, 275, 1–17. <https://doi.org/10.1016/j.geoderma.2016.04.004>
- McBratney, A. B., Mendonça Santos, M. L., & Minasny, B. (2003). On digital soil mapping. In *Geoderma* (Vol. 117, Issues 1–2). [https://doi.org/10.1016/S0016-7061\(03\)00223-4](https://doi.org/10.1016/S0016-7061(03)00223-4)
- Mckenzie, N. J., Gessler, P. E., Ryan, P. J., & O'connell, D. (2000). The Role of Terrain Analysis in Soil Mapping. In J. P. Wilson & J. C. Gallant (Eds.), *Terrain Analysis: Principles and Application* (pp. 245–265). Wiley.
- Mckenzie, N. J., & Ryan, P. J. (1999). Spatial prediction of soil properties using environmental correlation. *Geoderma*, 89, 67–94.
- McKenzie, N., Webster, R., & Ryan, P. (2008). Sampling using statistical methods. In *Guidelines for Surveying Soil and Land Resources* (2nd ed., pp. 319–326). CSIRO.
- Meinshausen, N. (2006). Quantile Regression Forests. *Journal of Machine Learning Research*, 7(3), 983–999. <https://doi.org/10.1111/j.1541-0420.2010.01521.x>
- Meinshausen, N., & Schiesser, L. (2015). *Quantregforest: Quantile Regression Forests. R package*. <https://cran.r-project.org/>
- Minasny, B., Malone, B. P., & Mcbratney, A. B. (2012). Digital Soil Assessments and Beyond. In *Digital Soil Assessments and Beyond*. <https://doi.org/10.1201/b12728>
- Minasny, B., & McBratney, A. B. (2016). Digital soil mapping: A brief history and some lessons. *Geoderma*, 264, 301–311. <https://doi.org/10.1016/j.geoderma.2015.07.017>
- Moore, I. D., Gessler, P. E., Nielsen, G. A., & Peterson, G. A. (1993). Soil Attribute Prediction Using Terrain Analysis. *Soil Science Society of America Journal*, 57(2), NP-NP. <https://doi.org/10.2136/sssaj1993.03615995005700020058x>
- Nian, T. kai, Wu, H., Li, D. yang, Zhao, W., Takara, K., & Zheng, D. feng. (2020). Experimental investigation on the formation process of landslide dams and a criterion of river blockage. *Landslides*, 17(11), 2547–2562. <https://doi.org/10.1007/s10346-020-01494-4>
- Nicola, C. M. P. De, Testi, A., Zanella, A., & Pignatti, S. (2018). Factors influence on humus forming in Castelporziano Reserve, Mediterranean forest ecosystem. *Applied Soil Ecology*, 123(November 2016), 601–616. <https://doi.org/10.1016/j.apsoil.2017.10.002>
- Nikodemus, O., Dirnēna, B., Bārdiņa, E., Bērziņš, V., Brūmelis, G., Kukuļs, I., & Kasparinskis, R. (2022). Impacts of historical land use on forest soil properties in the hemiboreal forest zone, Latvia. *Geoderma Regional*, 31(May). <https://doi.org/10.1016/j.geodrs.2022.e00574>

- Ningrum, E. R. (2021). *PENILAIAN KERAWANAN LONGSOR MENGGUNAKAN PEMODELAN FLOW R: STUDI KASUS LERENG WADUK BENER, PURWOREJO JAWA TENGAH*. Universitas Gadjah Mada.
- Nørnberg, P. (1977). Soil profile development in sands of varying age in Vendsyssel, Denmark. *Catena*, 4(1–2), 165–179. [https://doi.org/10.1016/0341-8162\(77\)90018-2](https://doi.org/10.1016/0341-8162(77)90018-2)
- Noviyanto, A., Sartohadi, J., & Purwanto, B. H. (2020). The distribution of soil morphological characteristics for landslide-impacted Sumbing Volcano, Central Java - Indonesia. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00158-8>
- NRCS. (2014). Soil Survey Field and Laboratory Methods Manual. *United States Department of Agriculture, Natural Resources Conservation Service, Soil Survey Investigations Report No. 51, Version 2.0*, 487. https://www.nrcs.usda.gov/wps/PA_NRCSConsumption/download?cid=stelprdb1244466&ext=pdf
- Nugraha, M. R. S. (2023). *Karakterisasi Geokimia Tanah yang Berpengaruh terhadap Longsor di Sebagian Waduk Bener*. UGM.
- Ohlmacher, G. C. (2007). Plan curvature and landslide probability in regions dominated by earth flows and earth slides. *Engineering Geology*, 91(2–4), 117–134. <https://doi.org/10.1016/j.enggeo.2007.01.005>
- Palinkas, C. M., & Russ, E. (2019). Spatial and temporal patterns of sedimentation in an infilling reservoir. *Catena*, 180(April 2019), 120–131. <https://doi.org/10.1016/j.catena.2019.04.024>
- Pennock, D. J. (2004). Designing field studies in soil science. *Canadian Journal of Soil Science*, 84(1), 1–10. <https://doi.org/10.4141/S03-039>
- Piccini, C., Marchetti, A., Riviuccio, R., & Napoli, R. (2019). Multinomial logistic regression with soil diagnostic features and land surface parameters for soil mapping of Latium (Central Italy). *Geoderma*, 352(September 2018), 385–394. <https://doi.org/10.1016/j.geoderma.2018.09.037>
- Prancevic, J. P., Lamb, M. P., McArdell, B. W., Rickli, C., & Kirchner, J. W. (2020). Decreasing landslide erosion on steeper slopes in soil-mantled landscapes. *Geophysical Research Letters*, 47(10), e2020GL087505.
- Peraturan Presiden No. 56/2018, (2018).
- Quesada-Román, A. (2021). Landslide risk index map at the municipal scale for Costa Rica. *International Journal of Disaster Risk Reduction*, 56(October 2020). <https://doi.org/10.1016/j.ijdr.2021.102144>
- Rana, S. (2006). Use of plan curvature variations for the identification of ridges and channels on DEM. *Progress in Spatial Data Handling - 12th International Symposium on Spatial Data Handling, SDH 2006*, 789–804. https://doi.org/10.1007/3-540-35589-8_49
- Rayes, M. L. (2007). *Metode Inventaris Sumber Daya Lahan*. Andi Offset.
- Regmi, A. D., Yoshida, K., Dhital, M. R., & Pradhan, B. (2014). Weathering and mineralogical variation in gneissic rocks and their effect in Sangrumba Landslide, East Nepal. *Environmental Earth Sciences*, 71(6), 2711–2727. <https://doi.org/10.1007/s12665-013-2649-8>
- Riley, S. J., DeGloria, S. D., & Elliot, R. (1999). A Terrain Ruggedness Index that Quantifies Topographic Heterogeneity. In *Intermountain Journal of Sciences* (Vol. 5, Issues 1–4,

- pp. 23–27).
- Ryan, P., & Wilson, P. (2008). Field operations. In *Guidelines for Surveying Soil and Land Resources* (2nd ed., pp. 241–262). CSIRO.
- Samuel-rosa, A., Heuvelink, G. B. M., Vasques, G. M., & Anjos, L. H. C. (2015). Geoderma Do more detailed environmental covariates deliver more accurate soil maps? *Geoderma*, 243–244, 214–227. <https://doi.org/10.1016/j.geoderma.2014.12.017>
- Sarkar, S., Roy, A. K., & Martha, T. R. (2013). Soil depth estimation through soil-landscape modelling using regression kriging in a Himalayan terrain. *International Journal of Geographical Information Science*, 27(12), 2436–2454. <https://doi.org/10.1080/13658816.2013.814780>
- Sartohadi, J., Jamulya, & Dewi, N. I. S. (2012). *Pengantar Geografi Tanah*. Pustaka Pelajar.
- Sasangka, D. I. D. indrawan, I. (2018). Karakterisasi Kondisi Geologi Teknik Terhadap Stabilitas Konstruksi Bendungan Bener Kabupaten Purworejo. *Seminar Pembangunan Dan Pengelolaan Bendungan, December*.
- Schaetzl, R. J., & Rothstein, D. E. (2016). Temporal variation in the strength of podzolization as indicated by lysimeter data. *Geoderma*, 282, 26–36. <https://doi.org/10.1016/j.geoderma.2016.07.005>
- Shukla, M. K., & Lal, R. (2005). Erosional effects on soil organic carbon stock in an on-farm study on Alfisols in west central Ohio. *Soil and Tillage Research*, 81(2), 173–181. <https://doi.org/10.1016/j.still.2004.09.006>
- Sidorova, V., & Krasilnikov, P. (2008). The use of geostatistical methods for mapping soil horizons. *Soil Geography and Geostatistics: Concepts and Applications*, 85–106.
- Simon, A., Geitner, C., & Katzensteiner, K. (2020). A framework for the predictive mapping of forest soil properties in mountain areas. *Geoderma*, 371(December 2019), 114383. <https://doi.org/10.1016/j.geoderma.2020.114383>
- Sparling, G., Ross, D., Trustrum, N., Arnold, G., West, A., Speir, T., & Schipper, L. (2003). Recovery of topsoil characteristics after landslide erosion in dry hill country of New Zealand, and a test of the space-for-time hypothesis. *Soil Biology and Biochemistry*, 35(12), 1575–1586. <https://doi.org/10.1016/j.soilbio.2003.08.002>
- Tandarich, J. P., Darmody, R. G., Follmer, L. R., & Johnson, D. L. (2002). Historical Development of Soil and Weathering Profile Concepts from Europe to the United States of America. *Soil Science Society of America Journal*, 66(2), 335–346. <https://doi.org/10.2136/sssaj2002.3350>
- Trustrum, N. A., & De Rose, R. C. (1988). Soil depth-age relationship of landslides on deforested hillslopes, taranaki, New Zealand. *Geomorphology*, 1(2), 143–160. [https://doi.org/10.1016/0169-555X\(88\)90012-8](https://doi.org/10.1016/0169-555X(88)90012-8)
- USDA. (2014). *Keys to Soil Taxonomy* (12th ed.). U.S. Department of Agriculture.
- USDA. (2017). *Soil Survey Manual* (Issue 18). U.S. Department of Agriculture.
- USDA. (2022). *Statistics for Soil Survey*. http://ncss-tech.github.io/stats_for_soil_survey/book/index.html
- van Leeuwen, C. (2010). 9 - Terroir: the effect of the physical environment on vine growth, grape ripening and wine sensory attributes. In A. G. Reynolds (Ed.), *Managing Wine Quality* (pp. 273–315). Woodhead Publishing. <https://doi.org/https://doi.org/10.1533/9781845699284.3.273>
- van Westen, C. J., Castellanos, E., & Kuriakose, S. L. (2008). Spatial data for landslide

- susceptibility, hazard, and vulnerability assessment: An overview. *Engineering Geology*, 102(3–4), 112–131. <https://doi.org/10.1016/j.enggeo.2008.03.010>
- Van Zuidam, R. A. (1985). *Aerial photo-interpretation in terrain analysis and geomorphologic mapping*. Netherlands. Printed Smith Publishers.
- Vancampenhout, K., Langohr, R., Slaets, J., Buurman, P., Swennen, R., & Deckers, J. (2013). Paleo-pedological record of the rocourt pedosequence at veldwezelt-hezerwater (belgian pleistocene loess belt): Part 1 - evolution of the parent material. *Catena*, 107, 118–129. <https://doi.org/10.1016/j.catena.2013.02.005>
- Vandenbygaart, A. J., & Protz, R. (1995). Soil genesis on a chronosequence, Pinery Provincial Park, Ontario. *Canadian Journal of Soil Science*, 75(1), 63–72. <https://doi.org/10.4141/cjss95-009>
- Vaysse, K., & Lagacherie, P. (2017). Using quantile regression forest to estimate uncertainty of digital soil mapping products. *Geoderma*, 291, 55–64. <https://doi.org/10.1016/j.geoderma.2016.12.017>
- Ventura, S. J., & Irvin, B. J. (2000). Automated Landform Classification Methods for Soil Landscape Studies. In J. P. Wilson & J. C. Gallant (Eds.), *Terrain Analysis: Principles and Application* (pp. 267–295). Wiley.
- Wadoux, A. M. J. C., Brus, D. J., & Heuvelink, G. B. M. (2019). Sampling design optimization for soil mapping with random forest. *Geoderma*, 355(March), 113913. <https://doi.org/10.1016/j.geoderma.2019.113913>
- Wadoux, A. M. J. C., & McBratney, A. B. (2021). Hypotheses, machine learning and soil mapping. *Geoderma*, 383(September 2020), 114725. <https://doi.org/10.1016/j.geoderma.2020.114725>
- Walczak, S., & Cerpa, N. (1999). Heuristics Principles for the Design of Artificial Neural Networks. *Information and Software Technology*, 41(2), 109–119.
- Wang, J., Wu, F., Shang, J., Zhou, Q., Ahmad, I., & Zhou, G. (2022). Catena Saline soil moisture mapping using Sentinel-1A synthetic aperture radar data and machine learning algorithms in humid region of China ' s east coast. *Catena*, 213(August 2021), 106189. <https://doi.org/10.1016/j.catena.2022.106189>
- Webster, R., & Oliver, M. A. (2008). Geostatistics for Environmental Scientists: Second Edition. In *Geostatistics for Environmental Scientists: Second Edition*. <https://doi.org/10.1002/9780470517277>
- Weiss, A. D. (2001). Topographic position and landforms analysis. *Poster Presentation, ESRI User Conference, San Diego, CA*, 64, 227–245. <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Topographic+Position+and+Landforms+Analysis#0>
- Wilcke, W., Valladares, H., Stoyan, R., Yasin, S., Valarezo, C., & Zech, W. (2003). Soil properties on a chronosequence of landslides in montane rain forest, Ecuador. *Catena*, 53(1), 79–95. [https://doi.org/10.1016/S0341-8162\(02\)00196-0](https://doi.org/10.1016/S0341-8162(02)00196-0)
- Wilford, J., & Thomas, M. (2013). Predicting regolith thickness in the complex weathering setting of the central Mt Lofty Ranges, South Australia. *Geoderma*, 206, 1–13. <https://doi.org/10.1016/j.geoderma.2013.04.002>
- WP/WLI. (1993). *Landslide Glossary.pdf* (p. 59). <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Multilingual+Landslide+Glossary#1>



- Wu, S. W., Lin, C. Y., Sun, M. Y., & Lu, S. Y. (2022). Estimation of soil depth in the Liukuei Experimental Forest by using conceptual model. *Catena*, 209(P2), 105839. <https://doi.org/10.1016/j.catena.2021.105839>
- Yalcin, A. (2007). The effects of clay on landslides: A case study. *Applied Clay Science*, 38(1–2), 77–85. <https://doi.org/10.1016/j.clay.2007.01.007>
- Zhang, H. Y., Shi, Z. H., Fang, N. F., & Guo, M. H. (2015). Linking watershed geomorphic characteristics to sediment yield: Evidence from the Loess Plateau of China. *Geomorphology*, 234, 19–27. <https://doi.org/10.1016/j.geomorph.2015.01.014>
- Zhang, J., Dong, W., Fu, C., & Wu, L. (2003). The influence of vegetation cover on summer precipitation in China: A statistical analysis of NDVI and climate data. *Advances in Atmospheric Sciences*, 20(6), 1002–1006. <https://doi.org/10.1007/bf02915523>
- Zhang, Lei, Yang, L., Ma, T., Shen, F., Cai, Y., & Zhou, C. (2021). Geoderma A self-training semi-supervised machine learning method for predictive mapping of soil classes with limited sample data. *Geoderma*, 384(October 2020), 114809. <https://doi.org/10.1016/j.geoderma.2020.114809>
- Zhang, Limin, Xiao, T., He, J., & Chen, C. (2019). Erosion-based analysis of breaching of Baige landslide dams on the Jinsha River, China, in 2018. *Landslides*, 16(10), 1965–1979. <https://doi.org/10.1007/s10346-019-01247-y>
- Zhang, S., Liu, G., Chen, S., Rasmussen, C., & Liu, B. (2021). Assessing soil thickness in a black soil watershed in northeast China using random forest and field observations. *International Soil and Water Conservation Research*, 9(1), 49–57. <https://doi.org/10.1016/j.iswcr.2020.09.004>