

Bibliography

- Adf, D.P., Montarcih, L., and Bce, L., 2017, Conformity evaluation of synthetic unit hydrograph (case study at upstream Brantas sub watershed, East Java Province of Indonesia);, doi:10.1515/jwld-2017-0082.
- Abramowitz, M. and Stegun, I.O., (1965). Handbook of Mathematical Functions. Dover Publications, New York.
- Ammara, D. N., Maryono, A and Sulaiman, M., 2020. Analysis of Floodwater Level and Periodic Maintenance of Celeng River, Bantul
- Abadi, A. W., 2020, “Study of Design Discharge and River Capacity in Celeng Sub-Watershed, Special Region of Yogyakarta.” IOP Conference Series: Earth and Environmental Science 451(1).
- Abdessamed, D.,and Abderrazak, B., 2019. Coupling HEC-RAS and HEC-HMS in rainfall–runoff modeling and evaluating floodplain inundation maps in arid environments: a case study of Ain Sefra city, Ksour Mountain. SW of Algeria. Environ. Earth Sci. 78, 1–17. <https://doi.org/10.1007/s12665-019-8604-6>.
- Alijanian, M., 2017, Evaluation of satellite rainfall climatology using CMORPH, PERSIANN-CDR, PERSIANN, TRMM, MSWEP over Iran: Wiley Online Library, <https://rmets.onlinelibrary.wiley.com/doi/abs/10.1002/joc.5131> (accessed June 2022).
- Andiese, V.W., 2012, Pengujian Metode Hidrograf Satuan Sintetik Gama I Dalam Analisis Debit Banjir Rancangan Das Bangsa: Mektek, v. 14, p. 1–9.
- Astuti, B.S., Rahardjo, W., Listyani, R.A., and Husein, S., “Morfo genesis bukit-bukit inlier antara Watuadeg hingga Pengklik, Daerah Berbah, Sleman Yogyakarta, Prosiding Workshop Geologi Pegunungan Selatan 2007”, Geology Department, Geology Survey Centre, Bandung, 2009.
- Access, O, The analysis of alpha parameter on Nakayasu Synthetic Unit Hydrograph in Timor Island watersheds The analysis of alpha parameter on Nakayasu Synthetic Unit Hydrograph in Timor Island watersheds: p. 0–9, doi:10.1088/1757-899X/669/1/012015.
- Badan Standardisasi Nasional, 2016, SNI 2415:2016 - Tata cara perhitungan debit banjir rencana:
- Baghel, H., Mittal, H.K., Singh, P.K., Yadav, K.K., and Jain, S., 2019, Frequency Analysis of Rainfall Data Using Probability Distribution Models: International Journal of Current

Microbiology and Applied Sciences, v. 8, p. 1390–1396,
doi:10.20546/ijcmas.2019.806.168.

- Balmaceda, E. G., Alvaro, L. R., and Luisa, M. A., 2020, Rainfall Intensity-Duration-Frequency Relationship. Case Study: Depth-Duration Ratio in a Semi-Arid Zone in Mexico
- Balany, F. (2011). The different ways of calculating catchment rainfall: cases in Indonesia. XX(September), 1189–1200.
- Bhat, M.S., Alam, A., Ahmad, B., Kotlia, B.S., Farooq, H., Taloor, A.K., and Ahmad, S., 2019, Flood frequency analysis of river Jhelum in Kashmir basin: Quaternary International, v. 507, p. 288–294, doi:10.1016/j.quaint.2018.09.039.
- Ben Khalfallah, C., and Saidi, S., 2018. Spatiotemporal floodplain mapping and prediction using HEC-RAS - GIS tools: Case of the Mejerda river, Tunisia. J. African Earth Sci. 142, 44–51.
- Borga, M., Anagnostou, E.N., Blöschl, G., and Creutin, J.D., 2011, Flash flood forecasting, warning and risk management: The HYDRATE project: Environmental Science and Policy, v. 14, p. 834–844, doi:10.1016/j.envsci.2011.05.017.
- Bobée, B., and Ashkar, F., 1991. “The Gamma Family and Derived Distributions Applied in Hydrology”, Water Resources Publications, Littleton, CO
- Burn, D. H., Attilio, C., and Thomas R., K. (2017). Floods. In Handbook of Applied Hydrology.
- Chow, V. Te., 1951. Frequency Analysis of Hydrologic Data With Special Application To Rainfall Intensities.
- Chow, V. Te, Maidment, D.R., and Mays, L.W., 1988. Applied Hydrology, International Edition, McGraw-Hill Book Company. New York.
- Cloete, G., Benito, G., Grodek, T., and Porat, N. Y., 2018. Analyses of the magnitude and frequency of a 400-year flood record in the Fish River Basin, Namibia: Elsevier, <https://www.sciencedirect.com/science/article/pii/S0169555X18302873> (accessed June 2022).
- Curebal, I., Efe, R., Ozdemir, H., Soykan, A., and Sönmez, S., 2016, GIS-based approach for flood analysis: case study of Keçidere flash flood event (Turkey): Geocarto International, v. 31, p. 355–366, doi:10.1080/10106049.2015.1047411.

- Ciupak, M., Bogdan, O. Z., Tamara, T., and Jan, A., 2021, A Probabilistic Model for Maximum Rainfall Frequency Analysis
- Denger, I. H., and Mehmet, I. Y., 2019, Rainfall intensity-Frequency Analysis for the city of GAZIANTEP.
- Douka, M., Research, T.K.-A., and 2018, undefined Statistical analyses of extreme rainfall events in Thessaloniki, Greece: Elsevier, <https://www.sciencedirect.com/science/article/pii/S0169809517306154> (accessed June 2022).
- Elsebaie, I.H., 2012, Developing rainfall intensity – duration – frequency relationship for two regions in Saudi Arabia: v. 1932, p. 131–140, doi:10.1016/j.jksues.2011.06.001.
- Ezz, H., 2018. Integrating GIS and HEC-RAS to model Assiut plateau runoff. Egypt. J. Remote Sens. Sp. Sci. 21, 219–227.
- Faizalhakim, M., Shafuan, A., and Quantification, S., 2016, Flood Prediction SCS-CN:, doi:10.13140/RG.2.1.4912.0245.
- Farooq, M., Shafique, M., and Khattak, M.S., 2019. Flood hazard assessment and mapping of River Swat using HEC-RAS 2D model and high-resolution 12-m TanDEM-X DEM (WorldDEM). Nat. Hazards 97, 477–492. <https://doi.org/10.1007/s11069-019-03638-9>
- Gholami, V., Asghari, A., and Taghvaye Salimi, E., 2016, Flood hazard zoning using geographic information system (GIS) and HEC-RAS model (Case study: Rasht City): Caspian Journal of Environmental Sciences, v. 14, p. 263–272.
- Haliuc, A., and Frantiuc, A., 2012, A study case of Baranca drainage basin flash-floods using the hydrological model of Hec-Ras: Scientific Annals of Stefan cel Mare University of Suceava. Geography Series, v. 21, p. 118, doi:10.4316/georeview.2012.21.1.61.
- HEC RAS, 2016, HEC-RAS River Analysis System Hydraulic Reference Manual: Hydrologic Engineering Center, p. 547.
- Humberto, B., and Rattan, L., 1986, Principles of Soil Conservation and Management
- Jonh, T.P., and Donald, L.B., 1971, Engineering in Soil Conservation Service
- Kite, G.W., 1977. “Frequency and Risk Analysis in Hydrology”, Water Res. Publications, Fort Collins, CO
- Khattak, M.S., Anwar, F., Saeed, T.U., Sharif, M., Sheraz, K., and Ahmed, A., 2016,

Floodplain Mapping Using HEC-RAS and ArcGIS: A Case Study of Kabul River: Arabian Journal for Science and Engineering, v. 41, p. 1375–1390, doi:10.1007/s13369-015-1915-3.

- Khan, T., Yejuan, Wang., Salam, M., Fakhri, A and Anwar, M., 2021, Analysis of annual maximum rainfall for frequency distribution to determine the best fitted probability distribution for different sites in Pakistan.
- Krisnayanti, D.S., Bolla, M.E., Nasjono, J.K., Wangge, M.J.M., 2019. The analysis of alpha parameter on Nakayasu Synthetic Unit Hydrograph in Timor Island watersheds. IOP Conf. Ser. Mater. Sci. Eng. 669.
- Manuela, I., Anna, E., Brunner, M.I., Viviroli, D., Sikorska, A.E., Favre, A., and Seibert, J., 2017, Flood type specific construction of synthetic design hydrographs Flood type specific construction of synthetic design hydrographs: v. 53, p. 1390–1406.
- Marra, F., Morin, E., Peleg, N., Mei, Y., and Anagnostou, E.N., 2017, Intensity-duration-frequency curves from remote sensing rainfall estimates: Comparing satellite and weather radar over the eastern Mediterranean: Hydrology and Earth System Sciences, v. 21, p. 2389–2404, doi:10.5194/hess-21-2389-2017.
- Mulvaney, T.J., 1851. On the use of self-registering rain and flood gauges in making observations of the relations of rainfall and flood discharges in a given catchment. Proceedings of the Institution of Civil Engineers of Ireland, 4, 19–31.
- National Standardization Agency (BSN), 2016, SNI 2415:2016: The procedure for calculating the planned flood discharge, National Standardization Agency
- Nikolopoulos, E.I., Destro, E., Maggioni, V., Marra, F., and Borga, M., 2017, Satellite rainfall estimates for debris flow prediction: An evaluation based on rainfall accumulation-duration thresholds: Journal of Hydrometeorology, v. 18, p. 2207–2214, doi:10.1175/JHM-D-17-0052.1.
- Nicklow, J.W., Boulos, P.F., and Muleta, M.K. (2006). “Comprehensive Urban Hydrologic Modeling Handbook for Engineers and Planners.” 1st ed., MWH Soft Publ., Pasadena, CA, 376 pp.
- Nurwihastuti, D.W., Sartohadi, J., Mardiatno, D., and Nehren, U.R., 2014, Understanding of Earthquake Damage Pattern through Geomorphological Approach: A Case Study of 2006 Earthquake in Bantul, Yogyakarta, Indonesia: World Journal of Engineering and

Technology, v. 02, p. 61–70, doi:10.4236/wjet.2014.23b010.

- Okeke, O., and Ehiorobo, J., 2016, Frequency Analysis of Rainfall for Flood Control in Patani, Delta State of Nigeria: Nigerian Journal of Technology, v. 36, p. 282–289, doi:10.4314/njt.v36i1.34.
- Omranian, E., and Sharif, H.O., 2018, Evaluation of the Global Precipitation Measurement (GPM) Satellite Rainfall Products over the Lower Colorado River Basin, Texas: Journal of the American Water Resources Association, v. 54, p. 882–898, doi:10.1111/1752-1688.12610.
- Patil, V. K., Saraf, V. R., Karad, O. V, Ghodke, S. B., Gore, D. K., and Dhekale, S. S. (2019). Simulation of Rainfall-Runoff Process Using HEC-HMS Model for Upper Godavari Basin Maharashtra, India. 4(4), 102–107.
- Pearson, K., 1900. Goodness of fit in Karl Pearson chi-squared and Smirnov-Kolmogorov statistics test.
- Priyantoro, D., and Limantara, L.M., 2017. Conformity evaluation of synthetic unit hydrograph (case study at upstream Brantas sub watershed, East Java Province of Indonesia). J. Water L. Dev. 35, 173–183. <https://doi.org/10.1515/jwld-207-0082>.
- Putra, W., Eko, T, P., and Nandra, E, N., 2021, Effect of Geological Characteristics on Landslides and Floods in Karangtengah.
- Quintero, F., Krajewski, W.F., Mantilla, R., Small, S., and Seo, B.C., 2016, A spatial-dynamical framework for evaluation of satellite rainfall products for flood prediction: Journal of Hydrometeorology, v. 17, p. 2137–2154, doi:10.1175/JHM-D-15-0195.1.
- Rahardjo, W., Sukandarrumidi, and Rosidi, H.M.D.(1995) Peta Geologi Lembar Yogyakarta, Jawa, Edisi ke-2, Pusat Penelitian dan Pengembangan Geologi.
- Sari, A. N., Sujono, J., and Jayadi, R. (2016). Perhitungan Hujan Efektif Dengan Metode SCS-CN DAN Pengaruhnya Terhadap Hidrograf Satuan. 8(1), 27–38.
- Sosrodarsono, Ir, S., dan Takeda, K., 1976., Hidrologi Untuk Pengairan [Hydrology for Water Resources], PT. Pradnya Paramita, Jakarta. 31-33pp.
- Subramanya, K., 2008. Engineering Hydrology, 3rd Edition. ed. The McGraw-Hill Companies, New Delhi.
- Sánchez-García, C., Schulte, L., Carvalho, F., and Peña, J.C., 2019, A 500-year flood history of the arid environments of southeastern Spain. The case of the Almanzora River:

- Global and Planetary Change, v. 181, p. 102987, doi:10.1016/j.gloplacha.2019.102987.
- Shafuan, M. F. A., Nurhidayu, S., and Kamarudin, N. (2016). SCS-CN in Tropics : Is It Reliable? *Pertanika Journal of Scholarly Research Reviews*, 2(1), 1–21.
- Shao, G., Zhang, D., Guan, Y., Sadat, M.A., and Huang, F., 2020, Application of different separation methods to investigate the baseflow characteristics of a semi-arid sandy area, Northwestern China: *Water (Switzerland)*, v. 12, p. 1–22, doi:10.3390/w12020434.
- Smirnov, V.I, 1939. Empirical Distribution Functions, Kolmogorov–Smirnov Tests, And the Mann–Whitney–Wilcoxon Test
- Smith, G. P., Davey, E.K., and Cox, R., 2014, Australian Institute for Disaster Resilience, Technical flood risk management guideline: Flood hazard.
- Soil Conservation Service, National Engineering Handbook, section 4, Hydrology, U. S. Dept. of Agriculture, available from U. S. Government Printing Office, Washington, D.C, 1972
- Song, Y., Park, Y., Lee, J., Park, M., and Song, Y., 2019, Flood forecasting and warning system structures: Procedure and application to a small urban stream in South Korea: *Water (Switzerland)*, v. 11, doi:10.3390/w11081571.
- Soulis, K.X., and Valiantzas, J.D., 2012, SCS-CN parameter determination using rainfall-runoff data in heterogeneous watersheds – the two-CN system approach: , p. 1001–1015, doi:10.5194/hess-16-1001-2012.
- Sun, P., Wen, Q., Zhang, Q., Singh, V.P., Sun, Y., and Li, J., 2018, Nonstationarity-based evaluation of flood frequency and flood risk in the Huai River basin, China: *Journal of Hydrology*, v. 567, p. 393–404, doi:10.1016/J.JHYDROL.2018.10.031.
- Surono, S., 2008, Litostratigrafi dan sedimentasi Formasi Kebo dan Formasi Butak di Pegunungan Baturagung, Jawa Tengah Bagian Selatan: *Indonesian Journal on Geoscience*, v. 3, p. 183–193, doi:10.17014/ijog.vol3no4.20081.
- Surono, 2009, Litostratigrafi Pegunungan Selatan Bagian Timur Daerah Istimewa Yogyakarta dan Jawa Tengah: *Jurnal Geologi dan Sumberdaya Mineral*, v. 19, p. 209–221.
- Stedinger, J. R., Vogel, R. M. and Foufoula, E. G. Frequency analysis of extreme events, *Handbook of Hydrology*, edited by D. Maidment, McGrawHill, New York, Chap. 18, 1993

- Harto, S. B. 1993, *Hidrograf Satuan Sintetik Gama I*, Badan Penerbit Pekerjaan Umum, Jakarta.
- Tang, L., and Tian, Y., 2014, Validation of precipitation retrievals over land from satellite-based passive microwave sensors: Wiley Online Library, <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1002/2013JD020933> (accessed June 2022).
- Terranova, O.G., and Gariano, S.L., 2014. Rainstorms able to induce flash floods in a Mediterranean-climate region (Calabria, southern Italy). *Nat. Hazards Earth Syst. Sci.* 14, 2423–2434. <https://doi.org/10.5194/nhess-14-2423-2014>
- Thiessen, A. H. (1911). Precipitation averages for large areas. *Monthly Weather Review*, 39(7), 1082–1089.
- Univariate, C., Applications, B., Distribution, C., Distribution, C., and Sas, T., (2020).
- USACE. (2016). *HEC-RAS River Analysis System Hydraulic Reference Manual Version 5.0*. Hydrologic Engineering Center, February, 547.
- Vaššová, D., 2013, Comparison of rainfall-runoff models for design discharge assessment in a small ungauged catchment: *Soil and Water Research*, v. 8, p. 26–33, doi:10.17221/36/2012-swr.
- Valher, A., Gregorič, G., and Sušnik, M.A., 2013. Application of Effective Rainfall Method for estimation of Soil Water Content.
- Van Bemmelen, R.W., 1949, *The Geology of Indonesia. General Geology of Indonesia and Adjacent Archipelagoes*: Government Printing Office, The Hague, p. 1–766.
- Wang, J., Zhang, Z., and Greimann, B., 2018, Application and evaluation of the HEC-RAS–riparian vegetation simulation module to the Sacramento River: Elsevier, <https://www.sciencedirect.com/science/article/pii/S0304380017304660> (accessed June 2022).
- Wuensch, K.L., 2011. Chi-Square Tests. *Int. Encycl. Stat. Sci.* 252–253. https://doi.org/10.1007/978-3-642-04898-2_173.
- Xiong, F., Guo, S., Liu, P., Xu, C.Y., Zhong, Y., Yin, J., and He, S., 2019, A general framework of design flood estimation for cascade reservoirs in operation period: *Journal of Hydrology*, v. 577, doi:10.1016/j.jhydrol.2019.124003.
- Yong, B., Ren, L., Hong, Y., Gourley, J.J., Tian, Y., Huffman, G.J., Chen, X., Wang, W.,

- and Wen, Y., 2013, First evaluation of the climatological calibration algorithm in the real-time TMPA precipitation estimates over two basins at high and low latitudes: *Water Resources Research*, v. 49, p. 2461–2472, doi:10.1002/WRCR.20246.
- Yuan, J., Emura, K., and Farnham, C., 2018, Frequency analysis of annual maximum hourly precipitation and determination of best fit probability distribution for regions in Japan: Elsevier, <https://www.sciencedirect.com/science/article/pii/S2212095517300640> (accessed June 2022).
- Yalcin, E., 2020, Assessing the impact of topography and land cover data resolutions on two-dimensional HEC-RAS hydrodynamic model simulations for urban food hazard analysis
- Zahraei, A., Hsu, K. lin, Sorooshian, S., Gourley, J.J., Hong, Y., and Behrangi, A., 2013, Short-term quantitative precipitation forecasting using an object-based approach: *Journal of Hydrology*, v. 483, p. 1–15, doi:10.1016/j.jhydrol.2012.09.052.
- Zhang, W., Cao, Y., Zhu, Y., Wu, Y., Ji, X., and He, Y., 2017, Flood frequency analysis for alterations of extreme maximum water levels in the Pearl River Delta: Elsevier, <https://www.sciencedirect.com/science/article/pii/S0029801816305157> (accessed June 2022).