

DAFTAR PUSTAKA

- Adel, A.M., Abd El-Wahab, Z.H., Ibrahim, A.A., and Al-Shemy, M.T., 2011, Characterization of Microcrystalline Cellulose Prepared from Lignocellulosic Materials. Part II: Physicochemical properties, *Carbohydr. Polym.*, 83(2), 676–687.
- Ahmad, R., 2009, Studies on Adsorption of Crystal Violet Dye from Aqueous Solution onto Coniferous Pinus Bark Powder (CPBP), *J. Hazard. Mater.*, 171, 767–773.
- Aksu, Z., 2005, Application of biosorption for the removal of organic pollutants: A review, *Process Biochem.*, 40, 997–1026.
- Al jibouri, A.K.H., Wu, J., and Upreti, S.R., 2015, Continuous ozonation of methylene blue in water, *J. Water Process Eng.*, 8, 142–150.
- Al-Jawhari, I. F. H., 2015, Decolorization of methylene blue and crystal violet by some filamentous fungi, *Int. J. Environ. Bioremediat. Biodegrad.*, 3, 62–65.
- Anonim, 2020, *Outlook Komoditas pertanian sub Sektor Hortikultura - Nenas*, Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal, Jakarta.
- Anonim, 2021, *Produksi Tanaman Buah-Buahan 2021*, BPS-Statistics Indonesia, Jakarta.
- Asip, F., Ridha, M., dan Husna., 2008, Uji Efektifitas Cangkang Telur Dalam Mengadsorpsi Ion Fe dengan Proses Batch, *Jurnal Teknik Kimia*, 15, 22-26.
- Astuti, W., Chafidz, A., Wahyuni, E. T., Prasetya, A., Bendiyasa, I. M. and Abasaeed, A. E., 2019, Methyl Violet Dye Removal Using Coal Fly Ash (CFA) as a Dual Sites Adsorbent, *J. Environ. Chem. Eng.*, 7(5), 1–10.
- Azizian, S., Haerifar, M., and Bashiri, H., 2009, Adsorption of Methyl Violet Onto Granular Activated Carbon: Equilibrium, Kinetics and Modeling, *Chem. Eng. J.*, 146(1), 36–41.
- Basu, H., Saha, S., Mahadevan, I.A., Pimple, M.V., and Singhal, R.K., 2019, Humic Acid Coated Cellulose Derived from Rice Husk: A Novel Biosorbent for the Removal of Ni and Cr, *J. Water Process Eng.*, 32, 100892.
- Bijsterbosch, J. W., Kerkhof, F. P. J. M., 1994, Clean Technology in the Production Of Epichlorohydrin, *J. Cleaner Product*, 2, 181-184.



- Bonetto, L.R., Ferrarini, F., Marco, C.D., Crespo, J.S., Gu´egan, R., and Giovanela, M., 2015, Removal of methyl violet 2B dye from aqueous solution using a magnetic composite as an adsorbent, *J. Water Process. Eng.*, 6, 11-20.
- Chen, C.H., Chang, C.F., and Liu, S.M., 2010, Partial degradation mechanisms of malachite green and methyl violet B by *Shewanella decolorationis* NTOU1 under anaerobic conditions, *J. Hazard. Mater.*, 177: 281–289.
- Chen, R., Zhang, Y., Shen, L., Wang, X., Chen, J., Ma, A., and Jiang, W., 2015, Lead (II) and Methylene Blue Removal using a Fully Biodegradable Hydrogel Based on Starch Immobilized Humic Acid, *J. Chem. Eng.*, 268, 348-355.
- Chen, X. and He, L., 2017, Microwave Irradiation Assisted Preparation of Chitosan Composite Microsphere for Dye Adsorption, *Int. J. Polym. Sci.*, 3(1), 1-8.
- Cheng, X.K., Kan, A.T., and Tomson, M.B., 2004, Uptake and Sequestration of Naphthalene and 1,2-Dichlorobenzene by C-60, *J. Nanopart. Res.*, 50, 997-1000.
- Coffey, D. G., Bell, D. A. and Anderson, A., 1995, *Cellulose and Cellulose derivatives*. In : Stephen, A.M, (editor) Food Polysaccharides and Their Application, marcel Dekker, New York.
- Daud, W.M.A.W. and Ali, W.S.W., 2004, Comparison on Pore Development of Activated Carbon Produced from Palm Shell and Coconut Shell, *Bioresour. Technol.*, 93(1), 63–69.
- Daud, Z., Hatta, M. Z. M., Kassim, A. S. M., Awang, H., and Aripin, A. M., 2014, Exploring of Agro Waste (Pineapple Leaf, Corn Stalk, and Napier Grass) by Chemical Composition and Morphological Study, *BioResources*, 9(1), 872- 880.
- Djawa, J. P. T., Tawa, B. D., Wogo, H. E., 2018, Degradasi Zat Warna Azo Metil Violet Menggunakan Besi Valensi Nol, *Seminar Nasional Inovasi dan Aplikasi Teknologi di Industri*, ISSN 2085-4218, ITN Malang.
- Fengel, D and Gerd, W., 1995, *Kayu*, Gadjah Mada University Press, Yogyakarta.
- Ferreira, B.C.S., Teodoro, F.S., Mageste, A.B., Gil, L.F., Freitas, P., and Gurgel, L.V.A., 2015, Application of A New Carboxylate-Functionalized Sugarcane Bagasse for Adsorptive Removal of Crystal Violet from Aqueous Solution: Kinetic, Equilibrium and Thermodynamic Studies, *Ind. Crop. Prod.*, 65, 521–534.



- Fertah, M. Belfkira, A., Dahmane, E., Taourirte, M., and Brouillette, F., 2017, Extraction and Characterization of Sodium Alginate from Moroccan Laminaria digitata Brown Seaweed, *Arab. J. Chem.*, 10, 3707-3714.
- Foo, K.Y. and Hameed, B.H., 2010, Insights into The Modeling of Adsorption Isotherm Systems, *Chem. Eng. J.*, 156(1), 2–10.
- Guerra, D.J.L., Mello, I., Freitas, L.R., Resende, R., and Silva, R.A.R., 2014, Equilibrium, Thermodynamic, and Kinetic of Cr(VI) Adsorption Using A Modified and Unmodified Bentonite Clay, *Int. J. Min. Sci. Tech.*, 24, 525–535.
- Guo, M. and Bi, J., 2015, Pyrolysis Characteristics of Corn Stalk with Solid Heat Carrier, *BioResources*, 10(3), 3839–3851.
- Gupta, S. and Bhattacharyya, K.G., 2011, Kinetics of Adsorption of Metal Ions on Inorganic Materials: A review, *Adv. Colloid Interface Sci.*, 162, 39-58.
- Hadi, T. S., Jokosisworo, S., dan Manik, P., 2016, Analisa Teknis Penggunaan Serat Daun Nanas Sebagai Alternatif Bahan Komposit Pembuatan Kulit Kapal Ditinjau Dari Kekuatan Tarik, Bending Dan Impact, *Jurnal Teknik Perkapalan*, 4(1).
- Hameed, B.H., 2008, Equilibrium and kinetic studies of methyl violet sorption by agricultural waste, *J. Hazard. Mater.*, 154, 204–212.
- Han, Y.S., Moon, J.W., Na, Y.H., and Park, S.M., 2007, Synthesis of clay-amino acid layered nanocomposites by intercalation and their structural stability, *Journal of Ceramic Processing Research*, 8 (4), 288.
- Harmsen, P.F.H., Hujigen, W.J.J., Lopez, L.M.B., and Bakker, R.R.C., 2010, Literature Review of Physical and Chemical Pretreatment Processes for Lignocellulosic Biomass, *Food and Biobased Res.*, 4-8.
- Hasanah, A. N., Elyani, I., Sriwidodo., Muchtaridi., Muhtadi, A., and Musfiroh, I., 2015, Epichlorohydrin as Crosslinking Agent for Synthesis of Carboxymethyl Cellulose Sodium (Na-CMC) as Pharmaceutical Excipient from Water Hyacinth (*Eichornia crassipes* L.), *Int. J. Chem. Sci.*, 13(3), 1227-1237.
- Hassan, A.F., Abdel-Mohsen, A.M., and Elhadidy, H., 2014, Comparative study of calcium alginate, activated carbon, and their composite beads on methylene blue adsorption, *Int. J. Biol. Macromol.*, 68, 125–130.
- Hazirah, N.A., Zaidi, M., Lim, L.B.L., and Usman, A., 2018, Artocarpus odoratissimus leaf-based cellulose as adsorbent for removal of methyl violet and crystal violet dyes from aqueous solution, *Cellulose*, 25, 3037–3049.



- Ho, Y.S. and McKay, G., 1999, Pseudo-Second Order Model for Sorption Processes, *Process. Biochem.*, 34: 451-465.
- Hubbe, M. A., Hasan, S. H. and Ducoste, J. J., 2011, Cellulosic Substrates for Removal of Pollutants, *BioResources*, 6(1998), 2161–2287.
- Irawati, H., Aprilita, N. H. dan Sugiharto, E., 2018, Adsorpsi Zat Warna Kristal Violet Menggunakan Limbah Kulit Singkong (*Manihot esculenta*), *Bimipa*, 25(1), 17–31.
- Jiang, F., Dinh, D.M., and Hsieh, Y., 2017, Adsorption and Desorption of Cationic Methyl Violet Dye on Cellulose Nanofibril Aerogel, *Carbohydr. Polym.*, 173, 286-294.
- Kamel, S., Hassan, E.M., dan El-Sakhawy, 2006, Preparation and Application of Acrylonitrile-Grafter Cyanoethyl Cellulose for the Removal of Copper(II) Ions, *J. Appl. Polym. Sci.*, 100, 329-334.
- Khanday, W.A., Asif, M., and Hameed, B.H., 2017, Cross-linked beads of activated oil palm ash zeolite/chitosan composite as a bio-adsorbent for the removal of methylene blue and acid blue 29 dyes, *Int. J. Biol. Macromol.*, 95, 895–902.
- Klemm, D., Philipp, B., Heinze, T., Heinze, U. and Wagenknecht, W., 1998, *Comprehensive cellulose chemistry: Fundamentals and analytical methods*, Wiley-VCH, Weinheim.
- Koolman, J., 2001, *Atlas Berwarna dan Teks Biokimia*, Hipokrates, Jakarta.
- Laus, R., Costa, T. G., Szpoganicz, B., and Favere, V. T., 2010, Adsorption and Desorption of Cu(II), Cd(II), and Pb(II) Ions Using Chitosan Crosslinked with Epichlorohydrin Tripolyphosphate as The Adsorbent, *J. of Hazardous Materials*, 183 : 233-241.
- Liang, X., Liang, B., Wei, J., Zhong, S., Zhang, R., Yin, Y., Zhang, Y., Hu, H., dan Huang, Z., 2020, A Cellulose-based Adsorbent with Pendant Groups of Quaternary Ammonium and Amino for Enhanced Capture of Aqueous Cr(VI), *Int. J. Biol. Macromol.*, 148, 802-810.
- Liu, H., Zhong, L., Govindaraju, S., and Yun, K., 2019, ZnO rod decorated with Ag nanoparticles for enhanced photocatalytic degradation of methylene blue, *J. Phys. Chem. Solids*, 129, 46–53.
- Liu, Q. Q., and Pan, C. Y., 2012, A Novel Route to Treat Wastewater Containing Cationic Dyes, *Sep. Sci. Technol.*, 47, 630



- Liu, Z., Wang, L., and Kong, X., 2012, On Site CO₂ Capture from Flue Gas by an Adsorption Process in a Coal-Fired Power Plant, *Ind. Eng. Chem. Res.*, 51 (21), 7355-7303.
- Lucas, M.S., Dias, A.A., Sampaio, A., Amaral, C., and Peres, J.A., 2007, Degradation of a textile reactive azo dye by a combined chemical-biological process: fenton's reagent-yeast, *Water Res.*, 41, 1103–1109.
- Luzi, F., Puglia, D., Sarasini, F., Tirillo, J., Maffei, G., Zuorro, A., Lavecchia, R., Kenny, J. M., and Torre, L., 2019, Valorization and Extraction of Cellulose Nanocrystals from North African Grass: *Ampelodesmos Mauritanicus* (Diss), *Carbohydr. Polym.*, 209, 328-337.
- Maatar, W., Alila, S., dan Boufi, S., 2013, Cellulose Based Organogel as an Adsorbent for Dissolved Organic Compound, *Ind. Crop. Prod.*, 49, 33-42.
- Mamani, D.C., Nole, K.S.O., Montoya, E.E.C., Huiza, D.A.M., Alta, R.Y.P., and Vitorino, H.A., 2020, Minimizing Organic Waste Generated by Pineapple Crown: A Simple Process to Obtain Cellulose for the Preparation of Recyclable Containers, *Recycling*, 24(5), 1-12.
- Mandal, A. and Chakrabarty, D., 2011, Isolation of Nanocellulose from Waste Sugarcane Bagasse (SCB) and Its Characterization, *Carbohydr. Polym.*, 86, 1291-1299.
- Martins, B.F., Teledo, P.V.O.D., and Petri, D.F.S., 2017, Hydroxypropyl Methylcellulose Based Aerogels: Synthesis, Characterization and Application as Adsorbents for Wastewater Pollutants, *Carbohydr. Polym.*, 155, 173-181.
- Mhemmed, A., 2018, A General Overview on the Adsorption, *IJONS*, 9(51), 16127-16131.
- Mittal, H., Babu, R. and Alhassan, S. M., 2020, Utilization of Gum Xanthan Based Superporous Hydrogels for the Effective Removal of Methyl Violet from Aqueous Solution, *Int. J. Biol. Macromol.*, 143, 413–423.
- Mohod, A. V., Hinge, S.P., Raut, R.S., Bagal, M. V., and Pinjari, D., 2018, Process intensified removal of methyl violet 2B using modified cavity-bubbles oxidation reactor, *J. Environ. Chem. Eng.*, 6, 574–582.
- Muna, A. N., 2011, Kinetika Adsorpsi Karbon Aktif Dari Batang Pisang Sebagai Adsorben, *Makalah*, Universitas Negeri Semarang.
- Muyonga, J.H., Cole, C.G.B., and Duodu, K.G., 2004, Characterisation of acid soluble collagen from skins of young and adult Nile perch (*Lates niloticus*), *Food Chemistry*, 85, 81–89.



- Nagato, N., Mori, H., Maki, K., Ishioka, R., 1987, *Process for production of epichlorohydrin*, Pat. US 4,634,784.
- Nasrullah, A., Bhat, A.H., Naeem, A., Isa, M.H., and Danish, M., 2018, High surface area mesoporous activated carbon-alginate beads for efficient removal of methylene blue, *Int. J. Biol. Macromol.*, 107, 1792–1799.
- Natalia, M., Wirananditami, H., dan Doni, R.W., 2019, Pemanfaatan Limbah Daun Nanas (Ananas Comosus) sebagai Bahan Baku Pembuatan Plastik Biodegradable, *Environmental Scienceteae*, 3(15), 357-364.
- Nisfayati., Rahmi, U., dan Marlina., 2017, Pengaruh Penambahan Epiklorohidrin Terhadap Sifat Mekanik dan Daya Serap Film Khitosan Sebagai Adsorben, *J. Rekayasa Kim. dan Lingk.*, Vol 12(1), 31-36.
- Nurhasni., Mar'af, R., dan Hendrawati., 2018, Pemanfaatan Kulit Kacang Tanah (Arachis hipogaea L.) sebagai Adsorben Zat Warna Metilen Biru, *J. Kim. Valensi: J. Penelitian dan Pengembangan Ilmu Kimia*, 4(2), 156-167.
- O'Connell, D.W., Birkinshaw, C., and O'Dwyer, T. F., 2008, Heavy Metal Adsorbents Prepared from The Modification of Cellulose: A review, *Bioresour. Technol.*, 99(15), 6709–6724.
- Okhlopkova, E.A., Seramifov, L.A., and Frolkova, A.V., 2019, Methods of Preparing Epichlorohydrin, *Theor Found Chem Eng.*, 53, 864-870.
- Onggo, H., Astuti, J.T., 2005, Pengaruh Sodium Hidroksida dan Hidrogen Peroksida terhadap Rendemen dan Warna Pulp dari Serat Daun Nenas, *Jurnal Ilmu dan Teknologi Kayu Tropis*, Vol. 3, No. 1, hal 37-43.
- Orts, F., del Río, A.I., Molina, J., Bonastre, J., and Cases, F., 2018, Electrochemical treatment of real textile wastewater: trichromy procion HEXL®, *J. Electroanal. Chem.*, 808, 387–394.
- Oscik, J, 1982, *Adsorption*, Ellis Horwood Limited, England.
- Perdanawati, U. dan Dewi, K., 2010, Pemakaian Reaktor Adsorpsi Menggunakan Adsorben Limbah Las Karbid untuk Mengolah CO₂, *Jurnal Teknik Lingkungan*, 16, 210-221.
- Potrich, E. dan Amaral, L.S., 2017, Determination of Kinetic Parameters of The Crystal Violet Reaction with Sodium Hydroxide Applying Absorbance Technique and The Laws of Lambeert-Beer and Arrhenius, *Centro Científico Conhecer - Goiânia*, 14(25), 1853.



- Pratama, O.Y., Darjito, dan Tjahjanto, R.T., 2015, Pengaruh pH dan Waktu Kontak pada Adsorpsi Zn (II) Menggunakan Kitin Terikat Silang Glutaraldehyd, *Kimia Student Journal*, 1(1), 741-747.
- Rafatullah, M., Sulaiman, O., Hashim, R., and Ahmad, A., 2010, Adsorption of methylene blue on low-cost adsorbents: a review, *J. Hazard. Mater.*, 177, 70– 80.
- Ramos, S.N.C., Xavier, A.L.P., Teodoro, F.S., Gil, L.F., dan Gurgel, L.V.A., 2016., Removal of Cobalt (II), Copper (II), and Nickel (II) Ions from Aqueous Solutions Using Phthalate-Functionalized Sugarcane Bagasse: Mono and Multicomponent Adsorption in Batch Mode, *Ind. Crop. Prod.*, 79, 116-130.
- Reyra, A.S., Daud, S., dan Yenti, S.R., 2017, Pengaruh Massa dan Ukuran Partikel Adsorben Daun Nanas Terhadap efisiensi Penyisihan Fe Pada Air Gambut. *Jom FTEKNIK*, 4(2), 1-9.
- Rico, M., Rodríguez-Llamazares, S., Barral, L., Bouza, R., dan Montero, B., 2016, Processing Characterization of Polyols Plasticized-Starch Reinforced with Microcrystalline Cellulose, *Carbohydr. Polym.*, 149, 83-93.
- Santosa, S.J., Siswanta, D., Kurniawan, A., and Rahmanto, W.H., 2007, Hybrid of Chitin and Humic Acid as High Performance Sorbent For Ni(II), *Surf. Sci.*, 601, 5155-5161.
- Schwanninger, M., Rodrigues, J.C., Pereira, H., and Hinterstoiser, B., 2004, Structural Analysis of Photodegraded Lime Wood by Means of FT-IR and 2D IR Correlation Spectroscopy, *Vib. Spectrosc.*, 36, 23-40.
- Setyawan, P.D., Sari, N.H., dan Putra D.G.P., 2012, Pengaruh Orientasi dan Fraksi Volume Serat Daun Nanas (Ananas Comosus) Terhadap Kekuatan Tarik Komposit Polyester Tak Jenuh (UP), *Dinamika Teknik Mesin*, 2(1): 28-32
- Shokri, E., Yegani, R., 2017, Novel adsorptive mixed matrix membrane by incorporating modified nanoclay with amino acid for removal of arsenic from water, *Journal of Water and Environmental Nanotechnology*, 2 (2), 88.
- Sills, D.L., and Gossett, J.M., 2012, Using FT-IR to Predict Saccharification from Enzymatic Hydrolysis of Alkali Pretreated Biomasses, *Biotechnol.*, 109, 353-362.
- Song, Y., Duan, Y., and Zhou, L., 2018, Multi-carboxylic magnetic gel from hyperbranched polyglycerol formed by thiol-ene photopolymerization for efficient and selective adsorption of methylene blue and methyl violet dyes, *J. Colloid Interface Sci.*, 529, 139–149.



- Sreenivasan, V.S., Somasundaram, S., Ravindran, D., Manikandan, V., and Narayanasamy, R., 2011, Microstructural, Physico-chemical and Mechanical Characterisation of *Sansevieria cylindrica* fibres - An exploratory investigation, *Mater. Des.*, 32(1), 453–461.
- Suhas, Gupta, V. K., Carrott, P. J. M., Singh, R., Chaudhary, M. and Kushwaha, S., 2016, Cellulose: A Review as Natural, Modified and Activated Carbon Adsorbent, *Bioresour. Technol.*, 216, 1066–1076.
- Sun, S., Sun, S., Cao, X., and Sun, R., 2016, The Role of Pretreatment in Improving the Enzymatic Hydrolysis of Lignocellulosic Materials, *Bioresour. Technol.*, 199, 49-58.
- Sunarjono, H., 2008, *Berkebun 21 Jenis Tanaman Buah*. Cetakan Keenam. Penebar Swadaya. Jakarta.
- Sutirman, Z. A., Sanagi, M. M., Karim, K. J. A., Naim, A. A., and Ibrahim, W. A. W., 2018, Chitosan-Based Adsorbents for The Removal of Metal Ions from Aqueous Solutions, *Malaysian J. of Anal. Sci.*, 5(22), 839-850.
- Tan, K.L. and Hameed, B.H., 2017, Insight into the Adsorption Kinetics Models for the Removal of Contaminants from Aqueous Solution, *J. Taiwan Inst. Chem. Eng.*, 74, 25-48.
- Trache, D., Hussin, M.H., Haafiz, M.K.M., dan Thakur, V.K., 2017, Recent Progress in Cellulose Nanocrystals: Sources and Production, *Nanoscale*, 9(5), 1763-1786.
- Tran, H.N., You, S.J., Bandeghraei, A.H., and Chao, H.P., 2017, Mistakes and Inconsistencies Regarding Adsorption of Contaminants from Aqueous Solutions: A Critical Review, *Water Res.*, 120, 88-116.
- Udoetok, I.A., Dimmick, R.M., Wilson, L.D., and Headley, J.V., 2016, Adsorption Properties of Cross-linked Cellulose-epichlorohydrin Polymers in Aqueous Solution, *Carbohydr. Polym.*, 136, 329–340.
- Wang, J., Liu, J., and Wang, S., 2010, Solubility of D-Aspartic Acid and L-Aspartic Acid in Aqueous Salt Solutions from (293 to 343) K, *Journal of Chemical & Engineering Data*, 55(4), 1735–1738.
- Wang, X., Jiang, C., Hou, B., Wang, Y., Hao, C., and Wu, J., 2018, Carbon Composite Lignin-Based Adsorbents for The Adsorption of Dyes, *Chemosphere*, 206, 587–596.
- Wiraningsih, V., Sukmiwati, M., dan Sumarto, 2018, Pengaruh Proses Pemasakan Terhadap Perubahan Kandungan Protein dan Asam Amino Ikan Sembilang (*Paraplotosus albilabris*), *Berkala Perikanan Terubuk*, 46(1): 33-43.



- Xu, L., Huang, Y.A., Zhu, Q. J., and Ye, C., 2015, Chitosan on Molecularly Imprinted Polymers: Current and Future Prospects, *Int. J. Mol. Sci.*, 16, 18328-18347.
- Yang, J., Wang, Y., and Tang, T., 2000, Synthesis and adsorption properties for metal ions of mesocyclic diamine grafted chitosan-crown ether, *J. Appl. Polym. Sci.*, 75, 1255–1260.
- Yue, Q., Li, Q., Gao, B., and Zhou, W., 2019, Adsorption and Recycling of Cd(II) from Wastewater Using Straw Cellulose Hydrogel Beads, *J. Ind. Eng. Chem.*, 80, 361-369.
- Zango, Z.U. and Imam, S.S., 2018, Evaluation of Microcrystalline Cellulose from Groundnut Shell for the Removal of Crystal Violet and Methylene Blue, *J. Nanosci. Nanotechnol.*, 8(1), 1-6.
- Zhao, R., Li, Y., Sun, B., Chao, S., Li, X., Wang, C., and Zhu, G., 2019, Highly flexible magnesium silicate nanofibrous membranes for effective removal of methylene blue from aqueous solution, *Chem. Eng. J.*, 359, 1603–1616.
- Zheng, D., Zhang, Y., Guo, Y., and Yue, J., 2019, Isolation and Characterization of Nanocellulose with a Novel Shape from Walnut (*Juglans Regia* L.) Shell Agricultural Waste, *Polymers*, 11(7), 1130-1144.
- Zhou, L., Huang, J., He, B., Zhang, F., and Li, H., 2014, Peach gum for efficient removal of methylene blue and methyl violet dyes from aqueous solution, *Int. J. Biol. Macromol.*, 101, 574–581.
- Zhou, Y., Min, Y., Qiao, H., Huang, Q., Wang, E., and Ma, T., 2015, Improved removal of malachite green from aqueous solution using chemically modified cellulose by anhydride, *Inter. J. Biol. Macromol.*, 74: 271–277.
- Zhou, Z., Lin, S., Yue, T., and Lee, T., 2014, Adsorption of Food Dyes from Aqueous Solution by Glutaraldehyde Cross-linked Magnetic Chitosan Nanoparticles, *J. Food Eng.*, 126, 133-141.