

DAFTAR PUSTAKA

- Abdillah, A. A., & Charles, A. L. (2021). Characterization of a natural biodegradable edible film obtained from arrowroot starch and iota-carrageenan and application in food packaging. *International Journal of Biological Macromolecules*, 191(September), 618–626. <https://doi.org/10.1016/j.ijbiomac.2021.09.141>
- Abdullah, A. H. D., Chalimah, S., Primadona, I., & Hanantyo, M. H. G. (2018). Physical and chemical properties of corn, cassava, and potato starches. *IOP Conference Series: Earth and Environmental Science*, 160(1). <https://doi.org/10.1088/1755-1315/160/1/012003>
- Afrisham, S., Badoei-Dalfard, A., Namaki-Shoushtari, A., & Karami, Z. (2016). Characterization of a thermostable, CaCl₂-activated and raw-starch hydrolyzing alpha-amylase from *Bacillus licheniformis* AT70: Production under solid state fermentation by utilizing agricultural wastes. *Journal of Molecular Catalysis B: Enzymatic*, 132, 98–106. <https://doi.org/10.1016/j.molcatb.2016.07.002>
- Ait-Amir, B., Pougnet, P., & El Hami, A. (2015). Meta-model development. *Embedded Mechatronic Systems*, 2, 151–179. <https://doi.org/10.1016/b978-1-78548-014-0.50006-2>
- Aprianita, A., Vasiljevic, T., Bannikova, A., & Kasapis, S. (2014). Physicochemical properties of flours and starches derived from traditional Indonesian tubers and roots. *Journal of Food Science and Technology*, 51(12), 3669–3679. <https://doi.org/10.1007/s13197-012-0915-5>
- Astuti, R. M., Widaningrum, Asiah, N., Setyowati, A., & Fitriawati, R. (2018). Effect of physical modification on granule morphology, pasting behavior, and functional properties of arrowroot (*Marantha arundinacea* L) starch. *Food Hydrocolloids*, 81, 23–30. <https://doi.org/10.1016/j.foodhyd.2018.02.029>
- Balet, S., Guelpa, A., Fox, G., & Manley, M. (2019). Rapid Visco Analyser (RVA) as a Tool for Measuring Starch-Related Physicochemical Properties in Cereals: a Review. *Food Analytical Methods*, 12(10), 2344–2360. <https://doi.org/10.1007/s12161-019-01581-w>
- Bangar, S. P., Ashogbon, A. O., Singh, A., Chaudhary, V., & Whiteside, W. S. (2022). Enzymatic modification of starch: A green approach for starch applications. *Carbohydrate Polymers*, 287(December 2021), 119265. <https://doi.org/10.1016/j.carbpol.2022.119265>
- Barroso, Aline G., & del Mastro, N. L. (2019). Physicochemical characterization of irradiated arrowroot starch. *Radiation Physics and Chemistry*, 158(February), 194–198. <https://doi.org/10.1016/j.radphyschem.2019.02.020>
- Barroso, Aline Gonçalves, GARCIA, R. H., & DEL MASTRO, N. L. (2019). X-ray diffraction pattern and relative crystallinity of irradiated arrowroot starch. *Brazilian Journal of Radiation Sciences*, 7(2A). <https://doi.org/10.15392/bjrs.v7i2a.645>
- Belingheri, C., Ferrillo, A., & Vittadini, E. (2015). Porous starch for flavor delivery in a tomato-based food application. *LWT - Food Science and Technology*,

- 60(1), 593–597. <https://doi.org/10.1016/j.lwt.2014.09.047>
- Belingheri, C., Giussani, B., Rodriguez-Estrada, M. T., Ferrillo, A., & Vittadini, E. (2015). Oxidative stability of high-oleic sunflower oil in a porous starch carrier. *Food Chemistry*, *166*, 346–351. <https://doi.org/10.1016/j.foodchem.2014.06.029>
- Benavent-Gil, Y., & Rosell, C. M. (2017a). Comparison of porous starches obtained from different enzyme types and levels. *Carbohydrate Polymers*, *157*, 533–540. <https://doi.org/10.1016/j.carbpol.2016.10.047>
- Benavent-Gil, Y., & Rosell, C. M. (2017b). Morphological and physicochemical characterization of porous starches obtained from different botanical sources and amylolytic enzymes. *International Journal of Biological Macromolecules*, *103*, 587–595. <https://doi.org/10.1016/j.ijbiomac.2017.05.089>
- Bertoft, E. (2017). Understanding starch structure: Recent progress. *Agronomy*, *7*(3). <https://doi.org/10.3390/agronomy7030056>
- Bhattacharya, S. (2021). Central Composite Design for Response Surface Methodology and Its Application in Pharmacy. In P. Kayaroganam (Ed.), *Response Surface Methodology in Engineering Science*. IntechOpen. <https://doi.org/10.5772/INTECHOPEN.95835>
- Cai, J., Cai, C., Man, J., Zhou, W., & Wei, C. (2014). *Structural and functional properties of C-type starches*. *101*, 289–300.
- Chen, G., & Zhang, B. (2012). Hydrolysis of granular corn starch with controlled pore size. *Journal of Cereal Science*, *56*(2), 316–320. <https://doi.org/10.1016/j.jcs.2012.01.011>
- Chen, J., Wang, Y., Liu, J., & Xu, X. (2020). Preparation, characterization, physicochemical property and potential application of porous starch: A review. *International Journal of Biological Macromolecules*, *148*, 1169–1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>
- Chen, X., Zhang, L., Li, X., Qiao, Y., Zhang, Y., Zhao, Y., Chen, J., Ye, X., Huang, Y., Li, Z., & Cui, Z. (2020). Impact of maltogenic α -amylase on the structure of potato starch and its retrogradation properties. *International Journal of Biological Macromolecules*, *145*, 325–331. <https://doi.org/10.1016/j.ijbiomac.2019.12.098>
- Cornejo, F., Maldonado-Alvarado, P., Palacios-Ponce, S., Hugo, D., & Rosell, C. M. (2022). Impact of Cassava Starch Varieties on the Physicochemical Change during Enzymatic Hydrolysis. *Molecules*, *27*(18), 1–12. <https://doi.org/10.3390/molecules27186098>
- Cripwell, R. A., van Zyl, W. H., & Viljoen-Bloom, M. (2021). Fungal Biotechnology: Fungal Amylases and Their Applications. In *Encyclopedia of Mycology*. Elsevier Ltd. <https://doi.org/10.1016/b978-0-12-809633-8.21082-0>
- Damian, K. B. B. T., Bermundo, K. A. C., Macatol, Y. B. L., Marino, G. P. C., & Aquino, R. R. (2020). Fabrication and characterization of biocomposite membranes from polycaprolactone and native arrowroot (*Maranta arundinacea* L.) extracted starch. *Materials Science Forum*, *998 MSF*(1), 163–169. <https://doi.org/10.4028/www.scientific.net/MSF.998.163>
- Djaafar, T. F., Sarjiman, & Pustika, A. B. (2010). *Pengembangan Budidaya Tanaman Garut dan Teknologi Pengolahannya untuk Mendukung Ketahanan*

Pangan. 28, 25–33.

- Dome, K., Podgorbunskikh, E., Bychkov, A., & Lomovsky, O. (2020). Changes in the Crystallinity Degree of Starch Having Different Types of Crystal Structure after Mechanical Pretreatment. *Polymers*, 12(3), 641. <https://doi.org/10.3390/polym12030641>
- Dura, A., Błaszczak, W., & Rosell, C. M. (2014a). Functionality of porous starch obtained by amylase or amyloglucosidase treatments. *Carbohydrate Polymers*, 101(1), 837–845. <https://doi.org/10.1016/j.carbpol.2013.10.013>
- Dura, A., Błaszczak, W., & Rosell, C. M. (2014b). Functionality of porous starch obtained by amylase or amyloglucosidase treatments. *Carbohydrate Polymers*, 101, 837–845. <https://doi.org/10.1016/j.carbpol.2013.10.013>
- Dura, Angela, & Rosell, C. M. (2016). Physico-chemical properties of corn starch modified with cyclodextrin glycosyltransferase. *International Journal of Biological Macromolecules*, 87, 466–472. <https://doi.org/10.1016/j.ijbiomac.2016.03.012>
- Fadli, A., Komalasari, Huda, F., Ardi, T., & Habib, I. (2022). Optimization of Process Condition on Fabrication of Porous Hydroxyapatite Bodies Using Banana Midrib as Template by Response Surface Methodology. *Journal of Natural Fibers*, 19(9), 3378–3393. <https://doi.org/10.1080/15440478.2020.1848698>
- Faridah, N. D., Andarwulan, N., & Sunarti, T. C. (2014). Karakteristik Sifat Fisikokimia Pati Garut (*Maranta arundinacea*). *Agritech*, 34(1), 14–21. <https://doi.org/https://doi.org/10.22146/agritech.9517>
- Figuroa-flórez, J. A., Cadena-Chamorro, E. M., Rodríguez-sandoval, E., Salcedo-Mendoza, J., Ciro-Velasquez, H., & Ciro-Velásquez, H. J. (2019). Cassava starches modified by enzymatic biocatalysis: effect of reaction time and drying method. *DYNA*, 86(208), 162–170. <https://doi.org/https://doi.org/10.15446/dyna.v86n208.72976>
- Fincan, S. A., Özdemir, S., Karakaya, A., Enez, B., Mustafov, S. D., Ulutaş, M. S., & Şen, F. (2021). Purification and characterization of thermostable α -amylase produced from *Bacillus licheniformis* So-B3 and its potential in hydrolyzing raw starch. *Life Sciences*, 264, 118639. <https://doi.org/10.1016/j.lfs.2020.118639>
- Gazali, F. M., & Suwastika, I. N. (2018). Thermostable α -Amylase Activity from Thermophilic Bacteria Isolated from Bora Hot Spring, Central Sulawesi. *Journal of Physics: Conference Series*, 979, 012001. <https://doi.org/10.1088/1742-6596/979/1/012001>
- Gonzalez, A., & Wang, Y. J. (2020). Enhancing the Formation of Porous Potato Starch by Combining α -Amylase or Glucoamylase Digestion with Acid Hydrolysis. *Starch/Staerke*, 72(7–8). <https://doi.org/10.1002/star.201900269>
- Gonzalez, A., & Wang, Y. J. (2021). Surface Removal Enhances the Formation of a Porous Structure in Potato Starch. *Starch/Staerke*, 73(7–8), 1–9. <https://doi.org/10.1002/star.202000261>
- Gordillo, C. A. S., Valencia, G. A., Zapata, R. A. V., & Henao, A. C. A. (2014). Physicochemical characterization of arrowroot starch (*maranta arundinacea* linn) and glycerol/arrowroot starch membranes. *International Journal of Food*

- Engineering*, 10(4), 727–735. <https://doi.org/10.1515/ijfe-2014-0122>
- Govindaraju, I., Chakraborty, I., Baruah, V. J., Sarmah, B., Mahato, K. K., & Mazumder, N. (2021). Structure and Morphological Properties of Starch Macromolecule Using Biophysical Techniques. *Starch/Staerke*, 73(1–2). <https://doi.org/10.1002/star.202000030>
- Guo, Lei, Li, G., Liu, J., Meng, Y., & Tang, Y. (2013). Adsorptive decolorization of methylene blue by crosslinked porous starch. *Carbohydrate Polymers*, 93(2), 374–379. <https://doi.org/10.1016/j.carbpol.2012.12.019>
- Guo, Li, Li, H., Lu, L., Zou, F., Tao, H., & Cui, B. (2019). The Role of Sequential Enzyme Treatments on Structural and Physicochemical Properties of Cassava Starch Granules. *Starch/Staerke*, 71(7–8), 1–12. <https://doi.org/10.1002/star.201800258>
- Guo, Li, Li, J., Gui, Y., Zhu, Y., Yu, B., Tan, C., Fang, Y., & Cui, B. (2020). Porous starches modified with double enzymes: Structure and adsorption properties. *International Journal of Biological Macromolecules*, 164, 1758–1765. <https://doi.org/10.1016/j.ijbiomac.2020.07.323>
- Guo, Li, Liu, R., Li, X., Sun, Y., & Du, X. (2015). The physical and adsorption properties of different modified corn starches. *Starch - Stärke*, 67(3–4), 237–246. <https://doi.org/10.1002/star.201400200>
- Guo, Li, Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., & Cui, B. (2021). Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules*, 174(January), 110–119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>
- Guo, Li, Zhu, Y., Li, J., Gui, Y., Tao, H., Zou, F., Liu, P., Janaswamy, S., & Cui, B. (2021). The effects of wheat amylose ratios on the structural and physicochemical properties of waxy rice starch using branching enzyme and glucoamylase. *Food Hydrocolloids*, 113(August 2020), 106410. <https://doi.org/10.1016/j.foodhyd.2020.106410>
- Guo, Y., Qiao, D., Zhao, S., Zhang, B., & Xie, F. (2021). Starch-based materials encapsulating food ingredients: Recent advances in fabrication methods and applications. *Carbohydrate Polymers*, 270(April), 118358. <https://doi.org/10.1016/j.carbpol.2021.118358>
- Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., & Xie, J. (2021). Effects of α -amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocolloids*, 116(December 2020), 106661. <https://doi.org/10.1016/j.foodhyd.2021.106661>
- Izmirliglu, G., & Demirci, A. (2016). Strain selection and medium optimization for glucoamylase production from industrial potato waste by *Aspergillus niger*. *Journal of the Science of Food and Agriculture*, 96(8), 2788–2795. <https://doi.org/10.1002/jsfa.7445>
- Jiang, F. C., Zhou, R., Cai, J., Dong, Q., Ding, W. P., Liu, G., Chen, X., Wang, H. B., He, J. R., & Wang, G. Z. (2019). Facile production of purple sweet potato porous starch as low cost food-based adsorbent for microencapsulation. *BioResources*, 14(1), 1252–1264. <https://doi.org/10.15376/biores.14.1.1252-1264>

- Jiang, S., Yu, Z., Hu, H., Lv, J., Wang, H., & Jiang, S. (2017). Adsorption of procyanidins onto chitosan-modified porous rice starch. *LWT - Food Science and Technology*, 84(c), 10–17. <https://doi.org/10.1016/j.lwt.2017.05.047>
- Jin, Z. (2018). Functional starch and applications in food. *Functional Starch and Applications in Food*, December, 1–226. <https://doi.org/10.1007/978-981-13-1077-5>
- Jung, Y. S., Lee, B. H., & Yoo, S. H. (2017). Physical structure and absorption properties of tailor-made porous starch granules produced by selected amylolytic enzymes. *PLoS ONE*, 12(7), 1–9. <https://doi.org/10.1371/journal.pone.0181372>
- Keeratiburana, T., Hansen, A. R., Soontaranon, S., Blennow, A., & Tongta, S. (2020). Porous high amylose rice starch modified by amyloglucosidase and maltogenic α -amylase. *Carbohydrate Polymers*, 230(November 2019), 115611. <https://doi.org/10.1016/j.carbpol.2019.115611>
- Lacerda, L. D., Leite, D. C., & da Silveira, N. P. (2019). Relationships between enzymatic hydrolysis conditions and properties of rice porous starches. *Journal of Cereal Science*, 89(July), 102819. <https://doi.org/10.1016/j.jcs.2019.102819>
- Lacerda, L. D., Leite, D. C., Soares, R. M. D., & da Silveira, N. P. (2018). Effects of α -Amylase, Amyloglucosidase, and Their Mixture on Hierarchical Porosity of Rice Starch. In *Starch/Staerke* (Vol. 70, Issues 11–12). <https://doi.org/10.1002/star.201800008>
- Lan, X., Li, Y., Xie, S., & Wang, Z. (2015). Ultrastructure of underutilized tuber starches and its relation to physicochemical properties. *Food Chemistry*, 188(May), 632–640. <https://doi.org/10.1016/j.foodchem.2015.05.025>
- Latip, H. D. N., Samsudin, H., Utra, U., & Alias, A. K. (2020). Modification methods toward the production of porous starch: A Review. *Critical Reviews in Food Science and Nutrition*, 0(0), 1–22. <https://doi.org/10.1080/10408398.2020.1789064>
- Lim, S. J., Hazwani-Oslan, S. N., & Oslan, S. N. (2020). Purification and characterisation of thermostable α -amylases from microbial sources. *BioResources*, 15(1), 2005–2029. <https://doi.org/10.15376/biores.15.1.2005-2029>
- Liu, L., Shen, W., Zhang, W., Li, F., & Zhu, Z. (2018). Porous starch and its applications. In *Functional Starch and Applications in Food* (pp. 91–117). Springer Nature Singapore. <https://doi.org/10.1007/978-981-13-1077-5>
- Madineni, M. N., Faiza, S., Surekha, R. S., Ravi, R., & Guha, M. (2012). Morphological, structural, and functional properties of maranta (*Maranta arundinacea* L) starch. *Food Science and Biotechnology*, 21(3), 747–752. <https://doi.org/10.1007/s10068-012-0097-y>
- Man, J., Yang, Y., Huang, J., Zhang, C., Zhang, F., Wang, Y., Gu, M., Liu, Q., & Wei, C. (2013). Morphology and structural properties of high-amylose rice starch residues hydrolysed by amyloglucosidase. *Food Chemistry*, 138(4), 2089–2098. <https://doi.org/10.1016/j.foodchem.2012.12.009>
- Mu, T. H., Zhang, M., Raad, L., Sun, H. N., & Wang, C. (2015). Effect of α -amylase degradation on physicochemical properties of pre-high hydrostatic pressure-

- treated potato starch. In *PLoS ONE* (Vol. 10, Issue 12). <https://doi.org/10.1371/journal.pone.0143620>
- Mutar, Z. H., Mohammed, A. A., & Al-Baldawi, I. A. (2022). Optimization of Acetaminophen and Methylparaben Removal within Subsurface Batch Constructed Wetland Systems. *Journal of Ecological Engineering*, 23(1), 228–239. <https://doi.org/10.12911/22998993/143934>
- Naguleswaran, S., Li, J., Vasanthan, T., Bressler, D., & Hoover, R. (2012). Amylolysis of large and small granules of native triticale, wheat and corn starches using a mixture of α -amylase and glucoamylase. *Carbohydrate Polymers*, 88(3), 864–874. <https://doi.org/10.1016/j.carbpol.2012.01.027>
- Nassiri Mahallati, M. (2020). Advances in modeling saffron growth and development at different scales. In *Saffron*. INC. <https://doi.org/10.1016/b978-0-12-818638-1.00009-5>
- Nogueira, G. F., Fakhouri, F. M., & de Oliveira, R. A. (2018). Extraction and characterization of arrowroot (*Maranta arundinacea* L.) starch and its application in edible films. *Carbohydrate Polymers*, 186(January), 64–72. <https://doi.org/10.1016/j.carbpol.2018.01.024>
- Norouzian, D., Akbarzadeh, A., Scharer, J. M., & Moo Young, M. (2006). Fungal glucoamylases. *Biotechnology Advances*, 24(1), 80–85. <https://doi.org/10.1016/j.biotechadv.2005.06.003>
- Odeku, O. A. (2013). Potentials of tropical starches as pharmaceutical excipients: A review. *Starch/Staerke*, 65(1–2), 89–106. <https://doi.org/10.1002/star.201200076>
- Oliveira, A. R., Chaves Ribeiro, A. E., Gondim, Í. C., Alves dos Santos, E., Resende de Oliveira, É., Mendes Coutinho, G. S., Soares Júnior, M. S., & Caliari, M. (2021). Isolation and characterization of yam (*Dioscorea alata* L.) starch from Brazil. *Lwt*, 149(January), 111843. <https://doi.org/10.1016/j.lwt.2021.111843>
- Oliyaei, N., Moosavi-nasab, M., Tamaddon, A. M., & Fazaeli, M. (2019). Preparation and characterization of porous starch reinforced with halloysite nanotube by solvent exchange method. *International Journal of Biological Macromolecules*, 123, 682–690. <https://doi.org/10.1016/j.ijbiomac.2018.11.095>
- Purwitasari, L., Wulanjati, M. P., Pranoto, Y., & Witasari, L. D. (2023). Characterization of porous starch from edible canna (*Canna edulis* Kerr.) produced by enzymatic hydrolysis using thermostable α -amylase. *Food Chemistry Advances*, 2, 100152. <https://doi.org/10.1016/j.focha.2022.100152>
- Sathyan, S., & Nisha, P. (2022). Optimization and Characterization of Porous Starch from Corn Starch and Application Studies in Emulsion Stabilization. *Food and Bioprocess Technology*, 15(9), 2084–2099. <https://doi.org/10.1007/s11947-022-02843-y>
- Shi, L., Li, Y., Lin, L., Bian, X., & Wei, C. (2021). Effects of variety and growing location on physicochemical properties of starch from sweet potato root tuber. *Molecules*, 26(23), 7–9. <https://doi.org/10.3390/molecules26237137>
- Sholichah, E., Deswina, P., Sarifudin, A., Andriansyah, C. E., & Rahman, N. (2019). Physicochemical, structural and morphological properties of some arrowroot (*Maranta arundinacea*) accessions growth in Indonesia. *AIP*

- Conference Proceedings*, 2175. <https://doi.org/10.1063/1.5134572>
- Sjoo, M., & Nilsson, L. (2017). *Starch in Food: Structure, Function and Applications* (M. Sjoo & L. Nilsson (eds.); Second Edi). Woodhead Publishing Limited.
- Song, Z., Zhong, Y., Tian, W., Zhang, C., Hansen, A. R., Blennow, A., Liang, W., & Guo, D. (2020). Structural and functional characterizations of α -amylase-treated porous popcorn starch. *Food Hydrocolloids*, 108(October 2019), 105606. <https://doi.org/10.1016/j.foodhyd.2019.105606>
- Tarique, J., Sapuan, S. M., Khalina, A., Sherwani, S. F. K., Yusuf, J., & Ilyas, R. A. (2021). Recent developments in sustainable arrowroot (*Maranta arundinacea* Linn) starch biopolymers, fibres, biopolymer composites and their potential industrial applications: A review. *Journal of Materials Research and Technology*, 13, 1191–1219. <https://doi.org/10.1016/j.jmrt.2021.05.047>
- Valencia, G. A., Cristina, I., Moraes, F., Lourenço, R. V., Quinta, M., Habitante, B., & José, P. (2014). *Maranta (Maranta arundinacea L) Starch Properties*. December, 1–7.
- Valencia, G. A., Cristina, I., Moraes, F., Vinicius, R., Bittante, A. M. Q. B., José, P., Ayala, G., Cristina, I., Moraes, F., & Vinicius, R. (2015). Physicochemical Properties of Maranta (*Maranta arundinacea* L .) Starch Physicochemical Properties of Maranta (*Maranta arundinacea* L .) Starch. *International Journal of Food Properties*, 18(9), 1990–2001. <https://doi.org/10.1080/10942912.2014.958162>
- Vamadevan, V., & Bertoft, E. (2020). Observations on the impact of amylopectin and amylose structure on the swelling of starch granules. *Food Hydrocolloids*, 103(October 2019), 105663. <https://doi.org/10.1016/j.foodhyd.2020.105663>
- Van Zyl, W. H., Bloom, M., & Viktor, M. J. (2012). Engineering yeasts for raw starch conversion. *Applied Microbiology and Biotechnology*, 95(6), 1377–1388. <https://doi.org/10.1007/s00253-012-4248-0>
- Villa, J. K. D., Diaz, M. A. N., Pizziolo, V. R., & Martino, H. S. D. (2017). Effect of vitamin K in bone metabolism and vascular calcification: A review of mechanisms of action and evidences. *Critical Reviews in Food Science and Nutrition*, 57(18), 3959–3970. <https://doi.org/10.1080/10408398.2016.1211616>
- Villas-Boas, F., & Franco, C. M. L. (2016). Effect of bacterial β -amylase and fungal α -amylase on the digestibility and structural characteristics of potato and arrowroot starches. In *Food Hydrocolloids* (Vol. 52, pp. 795–803). <https://doi.org/10.1016/j.foodhyd.2015.08.024>
- Warren, F. J., Gidley, M. J., & Flanagan, B. M. (2016). Infrared spectroscopy as a tool to characterise starch ordered structure - A joint FTIR-ATR, NMR, XRD and DSC study. *Carbohydrate Polymers*, 139, 35–42. <https://doi.org/10.1016/j.carbpol.2015.11.066>
- Wu, X., Wang, Y., Tong, B., Chen, X., & Chen, J. (2018). Purification and biochemical characterization of a thermostable and acid-stable alpha-amylase from *Bacillus licheniformis* B4-423. *International Journal of Biological Macromolecules*, 109, 329–337.

<https://doi.org/10.1016/j.ijbiomac.2017.12.004>

- Zhang, B., Cui, D., Liu, M., Gong, H., Huang, Y., & Han, F. (2012). Corn porous starch: Preparation, characterization and adsorption property. *International Journal of Biological Macromolecules*, 50(1), 250–256. <https://doi.org/10.1016/j.ijbiomac.2011.11.002>
- Zhang, L., Zhao, L., Bian, X., Guo, K., Zhou, L., & Wei, C. (2018). Characterization and comparative study of starches from seven purple sweet potatoes. *Food Hydrocolloids*, 80, 168–176. <https://doi.org/10.1016/j.foodhyd.2018.02.006>
- Zhao, A. Q., Yu, L., Yang, M., Wang, C. J., Wang, M. M., & Bai, X. (2018). Effects of the combination of freeze-thawing and enzymatic hydrolysis on the microstructure and physicochemical properties of porous corn starch. *Food Hydrocolloids*, 83, 465–472. <https://doi.org/10.1016/j.foodhyd.2018.04.041>
- Zhou, X., Chang, Q., Li, J., Jiang, L., Xing, Y., & Jin, Z. (2021). Preparation of V-type porous starch by amylase hydrolysis of V-type granular starch in aqueous ethanol solution. *International Journal of Biological Macromolecules*, 183, 890–897. <https://doi.org/10.1016/j.ijbiomac.2021.05.006>