

DAFTAR PUSTAKA

- Abou-Zeid, R.E., Ali, K.A., Gawad, R.M.A., Kamal, K.H., Kamel, S., and Khiari, R., 2021, Removal of cu(ii), pb(ii), mg(ii), and fe(ii) by adsorption onto alginate/nanocellulose beads as bio-sorbent, *J. Renew. Mater.*, 9, 601–613.
- Ahn, T., Kim, J.H., Yang, H.M., Lee, J.W., and Kim, J.D., 2012, Formation pathways of magnetite nanoparticles by coprecipitation method, *J. Phys. Chem. C.*, 116, 6069–6076.
- Al-Jabri, M.T.K., Devi, M.G., and Al Abri, M., 2018, Synthesis, characterization and application of magnetic nanoparticles in the removal of copper from aqueous solution, *Appl. Water Sci.*, 8, 1–7.
- Al-Saydeh, S.A., El-Naas, M.H., and Zaidi, S.J., 2017, Copper removal from industrial wastewater: A comprehensive review, *J. Ind. Eng. Chem.*, 56, 35–44.
- Alkherraz, A.M., Ali, A.K., and Elsherif, K.M., 2020, Removal of Pb (II), Zn (II), Cu (II) and Cd (II) from aqueous solutions by adsorption onto olive branches activated carbon: Equilibrium and thermodynamic studies, *Int. J. Chem.*, 6, 11–20.
- Ariyani, H., Nazemi, M., and Hamidah, M.K., 2018, Uji Efektivitas Antibakteri Ekstrak Kulit Limau Kuit (*Cytrus hystrix* DC) terhadap Beberapa Bakteri (The effectiveness of antibacterial the citrus lime peel extract (*Cytrus hystrix* DC) of some bacteria), *JCPS*, 2, 136–141.
- Ashik, U.P.M., Kudo, S., and Hayashi, J., 2018, An Overview of Metal Oxide Nanostructures, Sneha Mohan Bhagyaraj, Oluwatobi Samuel Oluwafemi, Nandakumar Kalarikkal, S.T. and Technologies, I.M. and N. (eds) Elsevier Ltd., Houston.
- Awwad, A.M. and Amer, M.W., 2020, Biosynthesis of copper oxide nanoparticles using *Ailanthus altissima* leaf extract and antibacterial activity, *Chem. Int.*, 6, 210–2017.
- Badrudodoza, A.Z.M., Tay, A.S.H., Tan, P.Y., Hidajat, K., and Uddin, M.S., 2011, Carboxymethyl- β -cyclodextrin conjugated magnetic nanoparticles as nano-adsorbents for removal of copper ions: Synthesis and adsorption studies, *J. Hazard. Mater.*, 185, 1177–1186.
- Bobik, M., Korus, I., and Dudek, L., 2017, The effect of magnetite nanoparticles synthesis conditions on their ability to separate heavy metal ions, *Arch. Environ. Prot.*, 43, 3–9.
- Cuppett, J.D., Duncan, S.E., and Dietrich, A.M., 2006, Evaluation of copper speciation and water quality factors that affect aqueous copper tasting response, *Chem. Senses*, 31, 689–697.

- Dembski, S., Schneider, C., Christ, B., and Retter, M., 2018, Core-shell nanoparticles and their use for in vitro and in vivo diagnostics, Elsevier Ltd, Houston.
- El-Shamy, O.A.A., El-Azabawy, R.E., and El-Azabawy, O.E., 2019, Synthesis and Characterization of Magnetite-Alginate Nanoparticles for Enhancement of Nickel and Cobalt Ion Adsorption from Wastewater, *J. Nanomater.*, 2019, .
- Faraji, M., Yamini, Y., and Rezaee, M., 2010, Iranian chemical society magnetic nanoparticles : synthesis , stabilization , functionalization , characterization , and applications, *J. Iran. Chem. Soc.*, 7, 1–37.
- Fato, F.P., Li, D.W., Zhao, L.J., Qiu, K., and Long, Y.T., 2019, Simultaneous Removal of Multiple Heavy Metal Ions from River Water Using Ultrafine Mesoporous Magnetite Nanoparticles, *ACS Omega*, 4, 7543–7549.
- Fitriana, Y.A.N., Fatimah, V.A.N., and Fitri, A.S., 2020, Aktivitas Anti Bakteri Daun Sirih: Uji Ekstrak KHM (Kadar Hambat Minimum) dan KBM (Kadar Bakterisidal Minimum), *Sainteks*, 16, 101–108.
- Hu, X., Long, L., Gong, T., Zhang, J., Yan, J., and Xue, Y., 2020, Enhanced alginate-based microsphere with the pore-forming agent for efficient removal of Cu(II), *Chemosphere*, 240, 124860.
- Idris, A., Ismail, N.S.M., Hassan, N., Misran, E., and Ngomsik, A.F., 2012, Synthesis of magnetic alginate beads based on maghemite nanoparticles for Pb(II) removal in aqueous solution, *J. Ind. Eng. Chem.*, 18, 1582–1589.
- Jain, C.K., Singhal, D.C., and Sharma, M.K., 2004, Adsorption of zinc on bed sediment of River Hindon: Adsorption models and kinetics, *J. Hazard. Mater.*, 114, 231–239.
- Javadhesari, S.M., Alipour, S., Mohammadnejad, S., and Akbarpour, M.R., 2019, Antibacterial activity of ultra-small copper oxide (II) nanoparticles synthesized by mechanochemical processing against *S. aureus* and *E. coli*, *Mater. Sci. Eng. C.*, 105, 110011.
- Joseph, I. V., Tosheva, L., and Doyle, A.M., 2020, Simultaneous removal of Cd(II), Co(II), Cu(II), Pb(II), and Zn(II) ions from aqueous solutions via adsorption on FAU-type zeolites prepared from coal fly ash, *J. Environ. Chem. Eng.*, 8, 103895.
- Kabir, I.I., Sorrell, C.C., Mofarah, S.S., Yang, W., Yuen, A.C.Y., Nazir, M.T., and Yeoh, G.H., 2021, Alginate/Polymer-Based Materials for Fire Retardancy: Synthesis, Structure, Properties, and Applications, *Polym. Rev.*, 61, 357–414.
- Karimi, F., Ayati, A., Tanhaei, B., Sanati, A.L., Afshar, S., Kardan, A., Dabirifar, Z., and Karaman, C., 2022, Removal of metal ions using a new magnetic chitosan nano-bio-adsorbent; A powerful approach in water treatment,

Environ. Res., 203, 111753.

- Kosasih, A.N., Febrianto, J., Sunarso, J., Ju, Y.H., Indraswati, N., and Ismadji, S., 2010, Sequestering of Cu(II) from aqueous solution using cassava peel (*Manihot esculenta*), *J. Hazard. Mater.*, 180, 366–374.
- Kurniawan, T.W., Panjaitan, S.D., and Sitorus, B., 2016, Pemodelan Kinetika dan Isoterm Adsorpsi Ion Logam Merkuri Menggunakan Karbon Aktif dari Tandan Kosong Kelapa Sawit, *Orbital*, 1, 59–79.
- Li, S., He, M., Li, Z., Li, D., and Pan, Z., 2017, Removal of humic acid from aqueous solution by magnetic multi-walled carbon nanotubes decorated with calcium, *J. Mol. Liq.*, 230, 520–528.
- Liao, S.H., Liu, C.H., Bastakoti, B.P., Suzuki, N., Chang, Y., Yamauchi, Y., Lin, F.H., and Wu, K.C.W., 2015, Functionalized magnetic iron oxide/alginate core-shell nanoparticles for targeting hyperthermia, *Int. J. Nanomedicine.*, 10, 3315–3328.
- Longano, D., Ditaranto, N., Sabbatini, L., Cioffi, N., and Torsi, L., 2012, Nano-Antimicrobials, Cioffi, N. and Rai, M. (eds) Springer Berlin Heidelberg, Berlin, Heidelberg.
- Mairoza, A. and Astuti, A., 2016, Sintesis Nanopartikel Fe₃O₄ dari Batuan Besi Menggunakan Asam Laurat sebagai Zat Aditif, *JFU*, 5, 283–286.
- Al Moharbi, S.S., Devi, M.G., Sangeetha, B.M., and Jahan, S., 2020, Studies on the removal of copper ions from industrial effluent by *Azadirachta indica* powder, *Appl. Water Sci.*, 10, 1–10.
- Niculescu, A.G., Chircov, C., and Grumezescu, A.M., 2022, Magnetite nanoparticles: Synthesis methods – A comparative review, *Methods*, 199, 16–27.
- Nuansa, C.G. and Istyanti, D.T., 2013, Kinetika Adsorpsi Kolesterol Daging Kambing Menggunakan Adsorben Kitosan Dan Karbon Aktif, *JTKI*, 2, 18–24.
- Nurfadila, N., Kosman, R., and Herwin, H., 2022, Literature Study of Antibacterial Activity of the Famili Rutacea, *J. Microbiol. Sci.*, 2, 15–25.
- Nurhayati, L.S., Yahdiyani, N., and Hidayatulloh, A., 2020, Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt dengan Metode Difusi Sumuran dan Metode Difusi Cakram, *JTHP*, 1, 41.
- Nuryono, N., Muliaty, E., Rusdiarso, B., Sakti, S.C.W., and Tanaka, S., 2014, Adsorption of Au(III), Cu(II) and Ni(II) on Magnetite Coated with Mercapto Groups Modified Rice Hull Ash Silica, *J. Ion Exch.*, 25, 114–121.
- Pawar, R.R., Lalhmunsiana, Ingole, P.G., and Lee, S.M., 2020, Use of activated bentonite-alginate composite beads for efficient removal of toxic Cu²⁺ and Pb²⁺ ions from aquatic environment, *Int. J. Biol. Macromol.*, 164, 3145–3154.

- Pratiwi, R., Nguyen, M.P., Ibrahim, S., Yoshioka, N., Henry, C.S., and Tjahjono, D.H., 2017, A selective distance-based paper analytical device for copper(II) determination using a porphyrin derivative, *Talanta*, 174, 493–499.
- Priska, T. and Maria, L., 2017, Uji Aktivitas Antibakteri Ekstrak Etanol Kulit Pohon Faloak (*Sterculia* sp.) terhadap bakteri *Staphylococcus aureus*, *J. Info Kesehatan*, 15, 227–239.
- Raffi, M., Mehrwan, S., Bhatti, T.M., Akhter, J.I., Hameed, A., Yawar, W., and Ul Hasan, M.M., 2010, Investigations into the antibacterial behavior of copper nanoparticles against *Escherichia coli*, *Ann. Microbiol.*, 60, 75–80.
- Rahman, A.S.A., Yahaya, A.N.A., Khalil, N.A., Fizal, A.N.S., A'zim, M.A.S., Hossain, M.S., and Zulkifli, M., 2021, Effect of magnetite on alginate-based hydrogel beads composite bio-sorbent for copper removal, *IOP Conf. Ser. Mater. Sci. Eng.*, 1195, 012052.
- Ramteke, C., Ketan Sarangi, B., Chakrabarti, T., Mudliar, S., Satpute, D., and Avatar Pandey, R., 2010, Synthesis and Broad Spectrum Antibacterial Activity of Magnetite Ferrofluid, *Curr. Nanosci.*, 6, 587–591.
- Senthilkumar, P., Ramalingam, S., Sathyaselvabala, V., Kirupha, S.D., and Sivanesan, S., 2011, Removal of copper(II) ions from aqueous solution by adsorption using cashew nut shell, *Desalination*, 266, 63–71.
- Serunting, M.A., Rusnadi, R., Setyorini, D.A., and Ramadan, B.S., 2018, An effective cerium (III) ions removal method using sodium alginate-coated magnetite (Alg-Fe₃O₄) nanoparticles, *AQUA*, 67, 754–765.
- Shen, W., An, Q. Da, Xiao, Z.Y., Zhai, S.R., Hao, J.A., and Tong, Y., 2020, Alginate modified graphitic carbon nitride composite hydrogels for efficient removal of Pb(II), Ni(II) and Cu(II) from water, *Int. J. Biol. Macromol.*, 148, 1298–1306.
- Simbolon, S., 2018, Efek Sonikasi terhadap Proses Pembentukan Nanopartikel Fe₃O₄ yang Dimodifikasi Dengan PEG-6000, *JTMC*, 1, 29.
- Sulaiman, S., Azis, R.S., Ismail, I., Man, H.C., and Nazri, N.A.A., 2019, Adsorption potential of magnetite nanoparticles for copper removal from aqueous solution, *IJITEE*, 9, 5424–5429.
- Sutirman, Z.A., Sanagi, M.M., and Wan Aini, W.I., 2021, Alginate-based adsorbents for removal of metal ions and radionuclides from aqueous solutions: A review, *Int. J. Biol. Macromol.*, 174, 216–228.
- Talbot, D., Abramson, S., Griffete, N., and Bée, A., 2018, pH-sensitive magnetic alginate/ γ -Fe₂O₃ nanoparticles for adsorption/desorption of a cationic dye from water, *J. Water Process. Eng.*, 25, 301–308.
- Tenasale, M.F.J.D.P., Sekewael, S.J., and Rooy, D.R., 2007, Studi Kinetika Adsorpsi Fenol pada Kitosan, *J. Alchemy*, 6, 21–27.

- Utami, E.R., 2012, Antibiotika, Resistensi, Dan Rasionalitas Terapi, *Sainstis*, 1, 191–198.
- Wang, J. and Guo, X., 2020, Adsorption kinetic models: Physical meanings, applications, and solving methods, *J. Hazard. Mater.*, 390, 122156.
- Yang, Z.F., Li, L.Y., Hsieh, C. Te, and Juang, R.S., 2018, Co-precipitation of magnetic Fe₃O₄ nanoparticles onto carbon nanotubes for removal of copper ions from aqueous solution, *J. Taiwan Inst. Chem. Eng.*, 82, 56–63.
- Zhou, Y., Liu, X., Xiang, Y., Wang, P., Zhang, J., Zhang, F., Wei, J., Luo, L., Lei, M., and Tang, L., 2017, Modification of biochar derived from sawdust and its application in removal of tetracycline and copper from aqueous solution: Adsorption mechanism and modelling, *Bioresour. Technol.*, 245, 266–273.