

## DAFTAR PUSTAKA

- Abiri, A., 2018, Plerixafor and related macrocyclic amines are potential drug candidates in treatment of malaria by “filling the flap” region of plasmeprin enzymes, *Med. Hypotheses*, 118, 68–73.
- Affrose, A., Suresh, P., Azath, I.A., and Pitchumani, K., 2015, Palladium nanoparticles embedded on thiourea-modified chitosan: A green and sustainable heterogeneous catalyst for the Suzuki reaction in water, *RSC Adv.*, 5, 27533–27539.
- Ahmed, N. and Siddiqui, Z.N., 2015, Cerium supported chitosan as an efficient and recyclable heterogeneous catalyst for sustainable synthesis of spiropiperidine derivatives, *ACS Sustain. Chem. Eng. Chem. Eng.*, 27–28.
- Ahmed, N., Tarannum, S., and Siddiqui, Z.N., 2015, Dy/Chitosan: A highly efficient and recyclable heterogeneous nano catalyst for the synthesis of hexahydropyrimidines in aqueous media, *RSC Adv.*, 5, 50691–50700.
- Albuquerque, H.M.T., Santos, C.M.M., Cavaleiro, J.A.S., and Silva, A.M.S., 2015, Chalcones as Versatile Synthons for the Synthesis of 5- and 6-Membered Nitrogen Heterocycles, *Curr. Org. Chem.*, 18, 2750–2775.
- Ali-Komi, D.E. and Hamblin, M.R., 2016, Chitin and Chitosan: Production and Application of Versatile Biomedical Nanomaterials, *Int. J. Adv. Res.*, 4, 411–427.
- Ávila, H.P., Smânia, E. de F.A., Monache, F.D., and Smânia, A., 2008, Structure–activity relationship of antibacterial chalcones, *Bioorg. Med. Chem.*, 16, 9790–9794.
- Awasthi, S.K., Mishra, N., Kumar, B., Sharma, M., Bhattacharya, A., Mishra, L.C., and Bhasin, V.K., 2009, Potent antimalarial activity of newly synthesized substituted chalcone analogs in vitro, *Med. Chem. Res.*, 18, 407–420.
- Baccile, N., Babonneau, F., Thomas, B., and Coradin, T., 2009, Introducing ecodesign in silica sol-gel materials, *J. Mater. Chem.*, 19, 8537–8559.
- Baekmann, C. von, Guillet-Nicolas, R., Renfer, D., Kählig, H., and Kleitz, F., 2018, A Toolbox for the Synthesis of Multifunctionalized Mesoporous Silica Nanoparticles for Biomedical Applications, *ACS Omega*, 3, 17496–1751.
- Baig, R.B.N., Nadagouda, M.N., and Varma, R.S., 2014, Ruthenium on chitosan: A recyclable heterogeneous catalyst for aqueous hydration of nitriles to amides, *Green Chem.*, 16, 2122–2127.
- Baig, R.B.N. and Varma, R.S., 2013, Copper on chitosan: A recyclable heterogeneous catalyst for azide-alkyne cycloaddition reactions in water, *Green Chem.*, 15, 1839–1843.
- Baiq, R.B.N. and Varma, R.S., 2013, Magnetically retrievable catalysts for organic synthesis, *Chem. Commun.*, 49, 752–770.

- Ballini, R., Fiorini, D., Maggi, R., Righi, P., Sartori, G., and Sartorio, R., 2003, TBD-catalysed solventless synthesis of symmetrically N,N'-substituted ureas from primary amines and diethyl carbonate, *Green Chem.*, 5, 396–398.
- Bangyekan, C., Aht-Ong, D., and Srikulkit, K., 2006, Preparation and properties evaluation of chitosan-coated cassava starch films, *Carbohydr. Polym.*, 63, 61–71.
- Basset, J.-M., Coperet, C., Soulivong, D., Toufik, M., and Cazat, J.T., 2010, Metathesis of Alkanes and Related Reactions Alkane Metathesis: A Discovery Resulting, *Acc. Chem. Res.*, 43, 323–334.
- Benaglia, M., 2009, Recoverable and Recyclable Catalysts, John Wiley & Sons, Inc., Toronto.
- Biró, E., Németh, A.S., Sisak, C., Feczko, T., and Gyenis, J., 2008, Preparation of chitosan particles suitable for enzyme immobilization., *J. Biochem. Biophys. Methods*, 70, 1240–1246.
- Bodhak, C., Kundu, A., and Pramanik, A., 2015, An efficient and recyclable chitosan supported copper(II) heterogeneous catalyst for C-N cross coupling between aryl halides and aliphatic diamines, *Tetrahedron Lett.*, 56, 419–424.
- Chen, M., Christensen, S.B., Zhai, L., Theander, T.G., Hviid, L., and Kharazmi, A., 1994, Licochalcone A, a new antimalarial agent, inhibits in vitro growth of the human malaria parasite Plasmodium falciparum and protects mice from P. yoelii infection., *Antimicrob. Agents Chemother.*, 38, 1470–1475.
- Cheng, S., Wang, X., and Chen, S.Y., 2009, Applications of amine-functionalized mesoporous silica in fine chemical synthesis, *Top. Catal.*, 52, 681–687.
- Choudary, B.M., Ranganath, K.V.S., Yadav, J., and Kantam, M.L., 2005, Synthesis of flavanones using nanocrystalline MgO, *Tetrahedron Lett.*, 46, 1369–1371.
- Chtourou, M., Abdelhédi, R., Frikha, M.H., and Trabelsi, M., 2010, Solvent free synthesis of 1,3-diaryl-2-propenones catalyzed by commercial acid-clays under ultrasound irradiation, *Ultrason. Sonochem.*, 17, 246–249.
- Cui, L., Gao, S., Song, X., Huang, L., Dong, H., Liu, J., Chen, F., and Yu, S., 2018, Preparation and characterization of chitosan membranes, *RSC Adv.*, 8, 28433–28439.
- Das, S.K., Mondal, S., Chatterjee, S., and Bhaumik, A., 2018, N-rich Porous Organic Polymer as Heterogeneous Organocatalyst for the One-Pot Synthesis of Polyhydroquinoline Derivatives through the Hantzsch Condensation Reaction, *ChemCatChem*, 10, 2488–2495.
- Dekamin, M.G., Azimoshan, M., and Ramezani, L., 2013, Chitosan: A highly efficient renewable and recoverable bio-polymer catalyst for the expeditious synthesis of  $\alpha$ -amino nitriles and imines under mild conditions, *Green Chem.*, 15, 811–820.
- Dong, F., Jian, C., Zhenghao, F., Kai, G., and Zuliang, L., 2008, Synthesis of

- chalcones via Claisen-Schmidt condensation reaction catalyzed by acyclic acidic ionic liquids, *Catal. Commun.*, 9, 1924–1927.
- Dong, H., Liu, J., Ma, L., and Ouyang, L., 2016, Chitosan Aerogel Catalyzed Asymmetric Aldol Reaction in Water: Highly Enantioselective Construction of 3-Substituted-3-hydroxy-2-oxindoles, *Catalysts*, 6, 186.
- Dong, W., Wang, K., Chen, Y., Li, W., Ye, Y., and Jin, S., 2017, Construction and characterization of a chitosan-immobilized-enzyme and  $\beta$ -cyclodextrin-included-ferrocene-based electrochemical biosensor for  $H_2O_2$  detection, *Materials (Basel)*, 10, 868.
- Dozie-Nwachukwu, S.O., Danyuo, Y., Obayemi, J.D., Odusanya, O.S., Malatesta, K., and Soboyejo, W.O., 2016, Extraction and encapsulation of prodigiosin in chitosan microspheres for targeted drug delivery, *Mater. Sci. Eng. C*, 71, 268–278.
- Duan, L., Guo, S., Yang, J., Ye, S., Wang, Z., Xiao, K., and Zheng, B., 2009, Ultrasonic-assisted condensation of chitosan with salicylaldehyde, *Chinese J. Oceanol. Limnol.*, 27, 882–886.
- Durán-Valle, C.J., Fonseca, I.M., Calvino-Casilda, V., Picallo, M., López-Peinado, A.J., and Martín-Aranda, R.M., 2005, Sonocatalysis and alkaline-doped carbons: An efficient method for the synthesis of chalcones in heterogeneous media, *Catal. Today*, 107–108, 500–506.
- Ebrahimi-Gatkash, M., Habibollah, Y., Shabazi, A., and Heidari, A., 2017, Amino-functionalized mesoporous MCM-41 silica as an efficient adsorbent for water treatment : batch and fixed-bed column adsorption of the nitrate anion, *Appl. Water Sci.*, 7, 1887–1901.
- Echeverria, C., Santibañez, J.F., Donoso-tauda, O., and Escobar, C.A., 2009, Structural Antitumoral Activity Relationships of Synthetic Chalcones, 221–231.
- Eddy, M., Tbib, B., and EL-Hami, K., 2020, A comparison of chitosan properties after extraction from shrimp shells by diluted and concentrated acids, *Heliyon*, 6, e03486.
- Elshabrawy, H.A., 2020, SARS-CoV-2: An update on potential antivirals in light of SARS-CoV antiviral drug discoveries, *Vaccines*, 8, 1–33.
- Etienne, M., Goubert-Renaudin, S., Rousselin, Y., Marichal, C., Denat, F., Lebeau, B., and Walcarius, A., 2009, Multiarm cyclam-grafted mesoporous silica: A strategy to improve the chemical stability of silica materials functionalized with amine ligands, *Langmuir*, 25, 3137–3145.
- Fang, X., Yang, B., Cheng, Z., Zhang, P., and Yang, M., 2014, Synthesis and antimicrobial activity of novel chalcone derivatives, *Res. Chem. Intermed.*, 40, 1715–1725.
- Fang, Y., Zhang, R., Duan, B., Liu, M., Lu, A., and Zhang, L., 2017, Recyclable Universal Solvents for Chitin to Chitosan with Various Degrees of Acetylation

- and Construction of Robust Hydrogels, *ACS Sustain. Chem. Eng.*, 5, 2725–2733.
- Franconetti, A., Domínguez-Rodríguez, P., Lara-García, D., Prado-Gotor, R., and Cabrera-Escribano, F., 2016, Native and modified chitosan-based hydrogels as green heterogeneous organocatalysts for imine-mediated Knoevenagel condensation, *Appl. Catal. A Gen.*, 517, 176–186.
- Frindy, S., Primo, A., Lachini, M., Bousmina, M., Garcia, H., and El Kadib, A., 2015, Pd Embedded in Chitosan Microspheres as Tunable Soft-Materials for Sonogashira Cross-Coupling in Water-Ethanol Mixture, *Green Chem.*, 17, 1893–1898.
- Gaonkar, S.L. and Vignesh, U.N., 2017, Synthesis and pharmacological properties of chalcones: a review, *Res. Chem. Intermed.*, 43, 6043–6077.
- Gomes, M.N., Muratov, E.N., Pereira, M., Peixoto, J.C., Rosseto, L.P., Cravo, P.V.L., Andrade, C.H., and Neves, B.J., 2017, Chalcone derivatives: Promising starting points for drug design, *Molecules*, 22, 1–25.
- Grossman, R.B., 2019, The Art of Writing Reasonable Organic Reaction Mechanisms, 3rd ed. Springer Nature, Switzerland.
- Guan, X.-X., Zheng, X.-C., Liu, P., Xu, X.-J., and Chen, X., 2018, Chitosan supported palladium nanoparticles: The novel catalysts for hydrogen generation from hydrolysis of ammonia borane, *Mater. Res. Bull.*, 103, 89–95.
- Guibal, E., 2005, Heterogeneous catalysis on chitosan-based materials: A review, *Prog. Polym. Sci.*, 30, 71–109.
- Hajipour, A.R., Boostani, E., and Mohammadsaleh, F., 2015, Proline-functionalized chitosan-palladium(ii) complex, a novel nanocatalyst for C-C bond formation in water, *RSC Adv.*, 5, 24742–24748.
- Hall, S.R., Collins, A.M., Wood, N.J., Ogasawara, W., Morad, M., Miedziak, P.J., Sankar, M., Knight, D.W., and Hutchings, G.J., 2012, Biotemplated synthesis of catalytic Au-Pd nanoparticles, *RSC Adv.*, 2, 2217–2220.
- Hamad, H., Ezzeddine, Z., Lakis, F., Rammal, H., and Srouf, M., 2016, An insight into the removal of Cu ( II ) and Pb ( II ) by aminopropyl- modified mesoporous carbon CMK-3 : Adsorption capacity and mechanism, *Mater. Chem. Phys.*, 178, 57–64.
- Hassani, M., Naimi-Jamal, M.R., and Panahi, L., 2018, One-Pot Multicomponent Synthesis of Substituted Pyrroles by using Chitosan as an Organocatalyst, *ChemistrySelect*, 3, 666–672.
- Hernawan, Hayati, S.N., Nisa, K., Indrianingsih, A.W., Darsih, C., and Kismurtono, M., 2017, Development and in vitro evaluation of carboxymethyl chitosan based drug delivery system for the controlled release of propranolol hydrochloride, *IOP Conf. Ser. Earth Environ. Sci.*, 101, 012038.
- Hernawan, Nurhayati, S., Nisa, K., Indrianingsih, A.W., Darsih, C., and

- Kismurtono, M., 2013, Formulation and in vitro study of propranolol hydrochloride controlled release from carboxymethyl chitosan-based matrix tablets, *Indones. J. Chem.*, 13, 242–247.
- Hernawan, Purwono, B., Triyono, and Hanafi, M., 2022, Amino-functionalized porous chitosan as a solid base catalyst for solvent-free synthesis of chalcones, *J. Taiwan Inst. Chem. Eng.*, 134, 104354.
- Hernawan, Purwono, B., Triyono, and Hanafi, M., 2020, The use of chitosan as a solid base catalyst for the chalcones synthesis, *IOP Conf. Ser. Earth Environ. Sci.*, 462, 012055.
- Ilango, K., Valentina, P., and Saluja, G.S., 2010, Synthesis and In-vitro anti-cancer activity of some substituted Chalcone derivatives, *Res. J. Pharm. Biol. Chem. Sci.*, 1, 354–359.
- Issa, A.A. and Luyt, A.S., 2019, Kinetics of alkoxysilanes and organoalkoxysilanes polymerization: A review, *Polymers (Basel)*, 11, 1–41.
- Jaiswal, S. and Diwedi, S., 2016, One-pot Synthesis of Chalcone Derivatives By Using Anhydrous  $\text{AlCl}_3$  as Condensing Agents, *Int. J. Eng. Res. Gen. Sci.*, 4, 204–209.
- Jian, J.-X., Liu, Q., Li, Z.-J., Wang, F., Li, X.-B., Li, C.-B., Liu, B., Meng, Q.-Y., Chen, B., Feng, K., Tung, C.-H., and Wu, L.-Z., 2013, Chitosan confinement enhances hydrogen photogeneration from a mimic of the diiron subsite of [FeFe]-hydrogenase, *Nat. Commun.*, 4, 1–9.
- Jiang, Q., Jia, J., Xu, B., Zhao, A., and Guo, C., 2015, Iron-Facilitated Oxidative Radical Decarboxylative Cross-Coupling between  $\alpha$  - Oxocarboxylic Acids and Acrylic Acids: An Approach to  $\alpha$ ,  $\beta$ -Unsaturated Carbonyls, *J. Org. Chem.*, 8, 3586–3596.
- Jie Wang, J., Wu Zeng, Z., Zhong Xiao, R., Xie, T., Lin Zhou, G., Ri Zhan, X., and Ling Wang, S., 2011, Recent advances of chitosan nanoparticles as drug carriers, *Int. J. Nanomedicine*, 6, 765–774.
- Jose, T., Sudheesh, N., and Shukla, R.S., 2010, Amino functionalized chitosan as a catalyst for selective solvent-free self-condensation of linear aldehydes, *J. Mol. Catal. A Chem.*, 333, 158–166.
- Jung, H., Moon, D., and Lee, J., 2012, Quantitative Analysis and Efficient Surface Modification of Silica Nanoparticles, *J. Nanomater.*, 2012, 593471.
- El Kadib, A., 2014, Chitosan as a Sustainable Organocatalyst: A Concise Overview, *ChemSusChem*, 8, 217–244.
- El Kadib, A., Molvinger, K., Guimon, C., Quignard, F., and Brunel, D., 2008, Design of stable nanoporous hybrid chitosan/titania as cooperative bifunctional catalysts, *Chem. Mater.*, 20, 2198–2204.
- Kamburov, M. and Lalov, I., 2014, Preparation of chitosan beads for trypsin immobilization, *Biotechnol. Biotechnol. Equip.*, 26, 156–163.

- Kang, B., Dai, Y. dong, Zhang, H. qian, and Chen, D., 2007, Synergetic degradation of chitosan with gamma radiation and hydrogen peroxide, *Polym. Degrad. Stab.*, 92, 359–362.
- Kaur, P., Kumar, B., Kumar, V., and Kumar, R., 2018, Chitosan-supported copper as an efficient and recyclable heterogeneous catalyst for A<sup>3</sup> decarboxylative A<sup>3</sup>-coupling reaction, *Tetrahedron Lett.*, 59, 1986–1991.
- Khalil, K.D., Riyadh, S.M., Gomha, S.M., and Ali, I., 2019, Synthesis, characterization and application of copper oxide chitosan nanocomposite for green regioselective synthesis of [1,2,3]triazoles, *Int. J. Biol. Macromol.*, 130, 928–937.
- Khan, K. and Siddiqui, Z.N., 2015, An Efficient Synthesis of Tri- and Tetrasubstituted Imidazoles from Benzils Using Functionalized Chitosan as Biodegradable Solid Acid Catalyst, *Ind. Eng. Chem. Res.*, 54, 6611–6618.
- Khan, T.A., Peh, K.K., and Ch'ng, H.S., 2002, Reporting degree of deacetylation values of chitosan: The influence of analytical methods, *J. Pharm. Pharm. Sci.*, 5, 205–212.
- Kim, S., 2018, Competitive Biological Activities of Chitosan and Its Derivatives: Antimicrobial, Antioxidant, Anticancer, and Anti-Inflammatory Activities, *Int. J. Polym. Sci.*, 2018, 1–13.
- Klaykruayat, B., Siralermukul, K., and Srikulkit, K., 2010, Chemical modification of chitosan with cationic hyperbranched dendritic polyamidoamine and its antimicrobial activity on cotton fabric, *Carbohydr. Polym.*, 80, 197–207.
- Kozłowska, J., Potaniec, B., and Anioł, M., 2020, Biotransformation of hydroxychalcones as a method of obtaining novel and unpredictable products using whole cells of bacteria, *Catalysts*, 10, 1–11.
- Krajewska, B., 2004, Application of chitin- and chitosan-based materials for enzyme immobilizations: A review, *Enzyme Microb. Technol.*, 35, 126–139.
- Kubota, Y., Ikeya, H., Sugi, Y., Yamada, T., and Tatsumi, T., 2006, Organic-inorganic hybrid catalysts based on ordered porous structures for Michael reaction, *J. Mol. Catal. A Chem.*, 249, 181–190.
- Kulkarni, P., 2015, Calcium Oxide Catalyzed Synthesis of Chalcone Under Microwave Condition, *Curr. Microw. Chem.*, 2, 144–149.
- Kumar, D., Suresh, and Sandhu, J., 2010a, An efficient green protocol for the synthesis of chalcones by a Claisen-schmidt reaction using bismuth(III)chloride as a catalyst under solvent-free condition, *Green Chem. Lett. Rev.*, 3, 283–286.
- Kumar, D., Suresh, and Sandhu, J., 2010b, An efficient green protocol for the synthesis of chalcones by a Claisen-Schmidt reaction using bismuth(III)chloride as a catalyst under solvent-free condition, *Green Chem. Lett. Rev.*, 3, 283–286.



- Kumar, G., Tanwar, O., Kumar, J., Akhter, M., Sharma, S., Pillai, C.R., Alam, M.M., and Zama, M.S., 2018, Pyrazole-pyrazoline as promising novel antimalarial agents: A mechanistic study, *Eur. J. Med. Chem.*, 149, 139–147.
- Kumar, M.N.V.R., Muzzarelli, R.A.A., Muzzarelli, C., Sashiwa, H., and Domb, A.J., 2004, Chitosan chemistry and pharmaceutical perspectives, *Chem. Rev.*, 104, 6017–6084.
- Kundu, S.K. and Bhaumik, A., 2015, A triazine-based porous organic polymer: A novel heterogeneous basic organocatalyst for facile one-pot synthesis of 2-amino-4H-chromenes, *RSC Adv.*, 5, 32730–32739.
- Kurniawan, Y.S., Imawan, A.C., Stansyah, Y.M., and Wahyuningsih, T.D., 2021, Application of activated bentonite impregnated with PdO as green catalyst for acylation reaction of aromatic compounds, *J. Environ. Chem. Eng.*, 9, 105508.
- Lagu, S.B., Yejella, R.P., Bhandare, R.R., and Shaik, A.B., 2020, Design, synthesis, and antibacterial and antifungal activities of novel trifluoromethyl and trifluoromethoxy substituted chalcone derivatives, *Pharmaceuticals*, 13, 1–16.
- Lal, J., Gupta, S.K., and Agarwal, D.D., 2012, Chitosan: An efficient biodegradable and recyclable green catalyst for one-pot synthesis of 3,4-dihydropyrimidinones of curcumin in aqueous media, *Catal. Commun.*, 27, 38–43.
- Lee, Jinhyeong, Kim, J., Choi, K., Kim, H., Park, J., Cho, S., Hong, S.W., Lee, Jung-hyun, Lee, J.H., Lee, S., and Lee, S.Y., 2018, Investigation of the mechanism of chromium removal in functionalized mesoporous silica, *Sci. Rep.*, 8, 12078.
- Lim, S.S., Kim, H., and Lee, D., 2007, Antimalarial Activity of Flavonoids and Chalcones, *Bul. Korean Chem. Soc.*, 28, 2495–2497.
- Lu, A.H., Salabas, E.L., and Schüth, F., 2007, Magnetic nanoparticles: Synthesis, protection, functionalization, and application, *Angew. Chemie - Int. Ed.*, 46, 1222–1244.
- Maleki, A., Firouzi-Haji, R., and Hajizadeh, Z., 2018, Magnetic guanidinylated chitosan nanobiocomposite: A green catalyst for the synthesis of 1,4-dihydropyridines, *Int. J. Biol. Macromol.*, 116, 320–326.
- Maleki, A., Ghamari, N., and Kamalzare, M., 2014, Chitosan-supported Fe<sub>3</sub>O<sub>4</sub> nanoparticles: A magnetically recyclable heterogeneous nanocatalyst for the syntheses of multifunctional benzimidazoles and benzodiazepines, *RSC Adv.*, 4, 9416–9423.
- Mierczynski, P., Mosinska, M., Szkudlarek, L., Chalupka, K., Tatsuzawa, M., Maskari, M. Al, Maniukiewicz, W., Wahono, S.K., Vasilev, K., and Szykowska-Jozwik, M.I., 2021, Biodiesel production on monometallic Pt, Pd, Ru, and Ag catalysts supported on natural zeolite, *Materials (Basel)*, 14, 1–17.
- More, P.E., Bandgar, B.P., and Kamble, V.T., 2012, Zinc oxide as a regioselective

- and heterogeneous catalyst for the synthesis of chalcones at room temperature, *Catal. Commun.*, 27, 30–32.
- Mourya, V.K. and Inamdar, N.N., 2008, Chitosan-modifications and applications: Opportunities galore, *React. Funct. Polym.*, 68, 1013–1051.
- Mousa, M.N., Muhasin, R.J., and Alrubaie, L.A.R., 2016, Synthesis and Assessment of Anti-inflammatory Activity of a Chlorosubstituted Chalcone Derivatives and using the Semi-empirical Methods to Measure the Linked Physicochemical Parameters, *Jurnal Pharm. Biomed. Sci.*, 6, 283–287.
- Ouellette, R.J. and Rawn, J.D., 2018, Condensation Reactions of Carbonyl Compounds,. In, *Organic Chemistry*. Academic Press, Massachusetts, pp. 711–762.
- Patra, C., Suganya, E., Sivaprakasam, S., Krishnamoorthy, G., and Narayanasamy, S., 2021, A detailed insight on fabricated porous chitosan in eliminating synthetic anionic dyes from single and multi-adsorptive systems with related studies, *Chemosphere*, 281, 130706.
- Patwardhan, A. and Cowan, J.A., 2011, Influence of charge and structure on the coordination chemistry of copper aminoglycosides, *Dalt. Trans.*, 40, 1795–1801.
- Pazhayam, N.M., Chhibber-Goel, J., and Sharma, A., 2018, New leads for drug repurposing against malaria, *Drug Discov. Today*, 00, 1–9.
- Phan, N.T.S., Le, K.K.A., Nguyen, T. V., and Le, N.T.H., 2012, Chitosan as a renewable heterogeneous catalyst for the Knoevenagel reaction in ionic liquid as green solvent, *ISRN Org. Chem.*, 2012, 1–9.
- Pillai, C.K.S., Paul, W., and Sharma, C.P., 2009, Chitin and chitosan polymers: chemistry, solubility and fiber formation, *Prog. Polym. Sci.*, 34, 641–678.
- Poeloengasih, C.D., Hernawan, and Angwar, M., 2008, Isolation and Characterization of Chitin and Chitosan, *Indones. J. Chem.*, 8, 189–192.
- Polshettiwar, V., Luque, R., Fihri, A., Zhu, H., Bouhrara, M., and Basset, J.-M., 2011, Magnetically Recoverable Nanocatalysts, *Chem. Rev.*, 111, 3036–3075.
- Polshettiwar, V., Nadagouda, M.N., and Varma, R.S., 2009, Microwave-Assisted Chemistry: a Rapid and Sustainable Route to Synthesis of Organics and Nanomaterials, *Aust. J. Chem.*, 62, 16–26.
- Polshettiwar, V. and Varma, R.S., 2010, Green chemistry by nano-catalysis, *Green Chem.*, 12, 743–754.
- Polshettiwar, V. and Varma, R.S., 2008, Microwave-assisted organic synthesis and transformations using benign reaction media, *Acc. Chem. Res.*, 41, 629–639.
- Puttappa, N., Kumar, R.S., and Yamjala, K., 2017, Artesunate-quercetin/luteolin dual drug nanofacilitated synergistic treatment for malaria: A plausible approach to overcome artemisinin combination therapy resistance, *Med. Hypotheses*, 109, 176–180.



- Qiao, L., Zhao, L., Liang, C., and Du, K., 2019, The construction of porous chitosan microspheres with high specific surface area by using agarose as the pore-forming agent and further functionalized application in bioseparation, *J. Mater. Chem. B*, 7, 5510–5519.
- Quignard, F., Valentin, R., and Di Renzo, F., 2008, Aerogel materials from marine polysaccharides, *New J. Chem.*, 32, 1300–1310.
- Rachmale, P.M., 2012, Synthesis and antimicrobial activity of some chalcone derivatives and their copper complexes., *Int. J. Pharm. Sci. Res.*, 3, 901–908.
- Rafiee, E. and Rahimi, F., 2013, Synthesis of biologically active chalcon analogues via claisen-schmidt condensation in solvent-free conditions: Supported mixed addenda heteropoly acid as a heterogeneous catalyst, *J. Chil. Chem. Soc.*, 58, 1926–1929.
- Raghavan, S., Manogaran, P., Kalpattu Kuppuswami, B., Venkatraman, G., and Gadepalli Narasimha, K.K., 2015, Synthesis and anticancer activity of chalcones derived from vanillin and isovanillin, *Med. Chem. Res.*, 24, 4157–4165.
- Rahman, M.A., 2011, Chalcone : A Valuable Insight into the Recent Advances and Potential, *Chem. Sci. J.*, 2011, 1–16.
- Ramaswamy, S., Dwarampudi, L.P., Maduri, K., Kuppuswamy, G., Karri, W.V.S.R., Kumar, C.K.A., Paranjothy, M., and Kadiyala, M., 2017, Formulation and characterization of chitosan encapsulated phytoconstituents of curcumin and rutin nanoparticles, *Int. J. Biol. Macromol.*, 104, 1807–1812.
- Rateb, N.M. and Zohdi, H.F., 2009, Atom-Efficient, Solvent-Free, Green Synthesis of Chalcones by Grinding of dihydropyrimidinones in Water, *Synth. Commun.*, 39, 2789–2794.
- Reddy, K.R., Rajgopal, K., Maheswari, C.U., and Lakshmi Kantam, M., 2006, Chitosan hydrogel: A green and recyclable biopolymer catalyst for aldol and Knoevenagel reactions, *New J. Chem.*, 30, 1549–1552.
- Reddy, S.R.S., Reddy, B.R.P., and Reddy, P.V.G., 2015, Chitosan: highly efficient, green, and reusable biopolymer catalyst for the synthesis of alkylaminophenols via Petasis borono-Mannich reaction, *Tetrahedron Lett.*, 56, 4984–4989.
- Ricci, A., Bernardi, L., Gioia, C., Vierucci, S., Robitzer, M., and Quignard, F., 2010, Chitosan aerogel: a recyclable, heterogeneous organocatalyst for the asymmetric direct aldol reaction in water, *Chem. Commun.*, 46, 6288–6290.
- Rinaudo, M., 2006, Chitin and chitosan: Properties and applications, *Prog. Polym. Sci.*, 31, 603–632.
- Romanelli, G., Pasquale, G., Sathicq, Á., Thomas, H., Autino, J., and Vázquez, P., 2011, Synthesis of chalcones catalyzed by aminopropylated silica sol-gel under solvent-free conditions, *J. Mol. Catal. A Chem.*, 340, 24–32.

- Sahariah, P., Óskarsson, B.M., Hjálmarsdóttir, M., and Másson, M., 2015, Synthesis of guanidinylated chitosan with the aid of multiple protecting groups and investigation of antibacterial activity, *Carbohydr. Polym.*, 127, 407–417.
- Sahu, Pramod K., Sahu, Praveen K., Gupta, S.K., and Agarwal, D.D., 2014, Chitosan: An efficient, reusable, and biodegradable catalyst for green synthesis of heterocycles, *Ind. Eng. Chem. Res.*, 53, 2085–2091.
- Sakthivel, B. and Dhakshinamoorthy, A., 2017, Chitosan as a reusable solid base catalyst for Knoevenagel condensation reaction, *J. Colloid Interface Sci.*, 485, 75–80.
- Sartori, G., Bigi, F., Maggi, R., Sartorio, R., Macquarrie, D.J., Lenarda, M., Storaro, L., Coluccia, S., and Martra, G., 2004, Catalytic activity of aminopropyl xerogels in the selective synthesis of (E)-nitrostyrenes from nitroalkanes and aromatic aldehydes, *J. Catal.*, 222, 410–418.
- Sebti, S., Saber, A., Rhihil, A., Nazih, R., and Tahir, R., 2001, Claisen-Schmidt condensation catalysis by natural phosphate, *Appl. Catal. A Gen.*, 206, 217–220.
- Seo, W.D., Kim, J.H., Kang, J.E., Ryu, H.W., Curtis-Long, M.J., Lee, H.S., Yang, M.S., and Park, K.H., 2005, Sulfonamide chalcone as a new class of  $\alpha$ -glucosidase inhibitors, *Bioorganic Med. Chem. Lett.*, 15, 5514–5516.
- Shaikh, N. and Pamidimukkala, P., 2021, Magnetic chitosan stabilized palladium nanostructures: Potential catalysts for aqueous Suzuki coupling reactions, *Int. J. Biol. Macromol.*, 183, 1560–1573.
- Shen, C., Xu, J., Yu, W., and Zhang, P., 2014, A highly active and easily recoverable chitosan@copper catalyst for the C-S coupling and its application in the synthesis of zolimidine, *Green Chem.*, 16, 3007–3012.
- Shivshankar, S., Chavan, S., and Vibhute, Y., 2016, Solvent-Free Synthesis of Chalcones and Antioxidant Activity, *J. Adv. Chem. Sci.*, 2, 223–226.
- Shylesh, S., Schünemann, V., and Thiel, W.R., 2010, Magnetically separable nanocatalysts: Bridges between homogeneous and heterogeneous catalysis, *Angew. Chemie - Int. Ed.*, 49, 3428–3459.
- Siddiqui, Z.N., 2015a, Chitosan catalyzed an efficient, one pot synthesis of pyridine derivatives, *Tetrahedron Lett.*, 56, 1919–1924.
- Siddiqui, Z.N., 2015b, Chitosan catalyzed an efficient, one pot synthesis of pyridine derivatives, *Tetrahedron Lett.*, 56, 1919–1924.
- Subhashini, N.J.P., Thriveni, T., and Shivaraj., 2015, Synthesis characterization and anti-bacterial activity of novel chalcone derivatives of indole., *Der Pharma Chem.*, 7, 38–45.
- Sudheesh, N., Sharma, S.K., Khokhar, M.D., and Shukla, R.S., 2011, Kinetic investigations on the modified chitosan catalyzed solvent-free synthesis of jasminaldehyde, *J. Mol. Catal. A Chem.*, 339, 86–91.

- Sudheesh, N., Sharma, S.K., and Shukla, R.S., 2010, Chitosan as an eco-friendly solid base catalyst for the solvent-free synthesis of jasminaldehyde, *J. Mol. Catal. A Chem.*, 321, 77–82.
- Sun, M.H., Huang, S.Z., Chen, L.H., Li, Y., Yang, X.Y., Yuan, Z.Y., and Su, B.L., 2016, Applications of hierarchically structured porous materials from energy storage and conversion, catalysis, photocatalysis, adsorption, separation, and sensing to biomedicine, *Chem. Soc. Rev.*, 45, 3479–3563.
- Suwito, H., Jumina, Mustofa, Kristanti, A.N., and Puspaningsih, N.N.T., 2014, Chalcones: Synthesis, Structure diversity and pharmacological aspects, *J. Chem. Pharm. Res.*, 6, 1076–1088.
- Syahri, J., Purwono, B., and Armunanto, R., 2016, Design of new potential antimalaria compound based on QSAR analysis of chalcone derivatives, *Int. J. Pharm. Sci. Rev. Res.*, 36, 71–76.
- Syahri, J., Yuanita, E., Nurohmah, B.A., Armunanto, R., and Purwono, B., 2017, Chalcone analogue as potent anti-malarial compounds against Plasmodium falciparum: Synthesis, biological evaluation, and docking simulation study, *Asian Pac. J. Trop. Biomed.*, 7, 675–679.
- Szliszka, E., Czuba, Z.P., Mazur, B., Sedek, L., Paradysz, A., and Krol, W., 2010, Chalcones enhance TRAIL-induced apoptosis in prostate cancer cells, *Int. J. Mol. Sci.*, 11, 1–13.
- Thirunarayanan, G. and Vanangamudi, G., 2007, Synthesis of Some Aryl Chalcones Using Silica-Sulphuric Acid Reagent under Solvent Free Conditions, *E-Journal Chem.*, 4, 90–96.
- Tran, H.V., Tran, L.D., and Nguyen, T.N., 2010, Preparation of chitosan/magnetite composite beads and their application for removal of Pb(II) and Ni(II) from aqueous solution, *Mater. Sci. Eng. C*, 30, 304–310.
- Unchadkar, A.R., Zangade, S., Shinde, A.T., and Deshpande, M., 2015, Microwave assisted synthesis of some halosubstituted chalcones, *J. Turkish Chem. Soc. Sect. A Chem.*, 2, 1–8.
- Valentin, R., Molvinger, K., Quignard, F., and Brunel, D., 2003, Supercritical CO<sub>2</sub> dried chitosan: An efficient intrinsic heterogeneous catalyst in fine chemistry, *New J. Chem.*, 27, 1690–1692.
- Venkatesh, T. and Bodke, Y.D., 2016, Synthesis, Antimicrobial and Antioxidant Activity of Chalcone Derivatives Containing Thiobarbitone Nucleus, *Med. Chem. (Los. Angeles)*, 6, 440–448.
- Walker, E.J., Peterson, G.M., Grech, J., Paragalli, E., and Thomas, J., 2018, Are we doing enough to prevent poor- quality antimalarial medicines in the developing world ?, 1–6.
- Wang, S., Zhang, R., Yang, Y., Wu, S., Cao, Y., Lu, A., and Zhang, L., 2018, Strength enhanced hydrogels constructed from agarose in alkali/urea aqueous solution and their application, *Chem. Eng. J.*, 331, 177–184.

- Wang, X. and Cheng, S., 2006, Solvent-free synthesis of flavanones over aminopropyl-functionalized SBA-15, *Catal. Commun.*, 7, 689–695.
- Wang, X., Tseng, Y.H., Chan, J.C.C., and Cheng, S., 2005, Catalytic applications of aminopropylated mesoporous silica prepared by a template-free route in flavanones synthesis, *J. Catal.*, 233, 266–275.
- Wei, D. and Qian, W., 2008, Facile synthesis of Ag and Au nanoparticles utilizing chitosan as a mediator agent, *Colloids Surfaces B Biointerfaces*, 62, 136–142.
- Wei, X., Duan, J., Xu, X., and Zhang, L., 2017, Highly Efficient One-Step Purification of Sulfated Polysaccharides via Chitosan Microspheres Adsorbents, *ACS Sustain. Chem. Eng.*, 5, 3195–3203.
- Wittmann, S., Schätz, A., Grass, R.N., Stark, W.J., and Reiser, O., 2010, A Recyclable Nanoparticle-Supported Palladium Catalyst for the Hydroxycarbonylation of Aryl Halides in Water, *Angew. Chemie - Int. Ed.*, 49, 1697.
- Wu, X.F., Neumann, H., Spannenberg, A., Schulz, T., Jiao, H., and Beller, M., 2010, Development of a general palladium-catalyzed carbonylative heck reaction of aryl halides, *J. Am. Chem. Soc.*, 132, 14596–14602.
- Xie, W. and Wan, F., 2018, Basic ionic liquid functionalized magnetically responsive Fe<sub>3</sub>O<sub>4</sub>@HKUST-1 composites used for biodiesel production, *Fuel*, 220, 248–256.
- Xu, P., Liang, X., Chen, N., Tang, J., Shao, W., Gao, Q., and Teng, Z., 2017, Magnetic separable chitosan microcapsules decorated with silver nanoparticles for catalytic reduction of 4-nitrophenol, *J. Colloid Interface Sci.*, 507, 353–359.
- Yadav, N., Dixit, S.K., Bhattacharya, A., Mishra, L.C., Sharma, M., Awasthi, S.K., and Bhasin, V.K., 2012, Antimalarial Activity of Newly Synthesized Chalcone Derivatives In Vitro, *Chem. Biol. Drug Des.*, 80, 340–347.
- Yang, B., Mao, Z., Zhu, X., and Wan, Y., 2015, Functionalised chitosan as a green, recyclable, supported catalyst for the copper-catalysed ullmann C-N coupling reaction in water, *Catal. Commun.*, 60, 92–95.
- Yang, Y., Wang, J., Qian, X., Shan, Y., and Zhang, H., 2018, Aminopropyl-functionalized mesoporous carbon (APTMS-CMK-3) as effective phosphate adsorbent, *Appl. Surf. Sci.*, 427, 206–214.
- Yang, Y., Wang, S., Wang, Y., Wang, X., Wang, Q., and Chen, M., 2014, Advances in self-assembled chitosan nanomaterials for drug delivery, *Biotechnol. Adv.*, 32, 1301–1316.
- Yokoi, T., Kubota, Y., and Tatsumi, T., 2012, Amino-functionalized mesoporous silica as base catalyst and adsorbent, *Appl. Catal. A Gen.*, 421–422, 14–37.
- Yokoi, T., Yoshitake, H., and Tatsumi, T., 2004, Synthesis of amino-functionalized MCM-41 via direct co-condensation and post-synthesis grafting methods

using mono-, di- and tri-amino-organoalkoxysilanes, *J. Mater. Chem.*, 14, 951–957.

Zahedi, S., Safaei Ghomi, J., and Shahbazi-Alavi, H., 2018, Preparation of chitosan nanoparticles from shrimp shells and investigation of its catalytic effect in diastereoselective synthesis of dihydropyrroles, *Ultrason. Sonochem.*, 40, 260–264.

Zahouily, M., Bahlaouan, B., Aadil, M., Rayadh, A., and Sebti, S., 2004, Natural phosphate doped with potassium fluoride: Efficient catalyst for the construction of a carbon-carbon bond, *Org. Process Res. Dev.*, 8, 275–278.

Zhang, Q., Lei, D., Luo, Q., Wang, J., Deng, T., Zhang, Y., and Ma, P., 2020, Efficient biodiesel production from oleic acid using metal-organic framework encapsulated Zr-doped polyoxometalate nano-hybrids, *RSC Adv.*, 10, 8766–8772.

Zhu, D., Zhang, H., Tao, Q., Xu, Z., and Zheng, S., 2009, Surface functionalized mesoporous silicas as adsorbents for aromatic contaminants in aqueous solution, *Environ. Toxicol. Chem.*, 28, 1400–1408.

Zhu, M., Lerum, M.Z., and Chen, W., 2012, How to Prepare Reproducible, Homogeneous, and Hydrolytically Stable Aminosilane-derived Layers on Silica, *Langmuir*, 28, 416–423.

Zhuang, C., Zhang, Wen, Sheng, C., Zhang, Wannian, Xing, C., and Miao, Z., 2017, Chalcone: A Privileged Structure in Medicinal Chemistry, *Chem. Rev.*, 117, 7762–7810.