

## DAFTAR PUSTAKA

- Ahmad, T., Ismail, A., Ahmad, S. A., Khalil, K. A., Kumar, Y., Adeyemi, K. D., & Sazili, A. Q. (2017). Recent advances on the role of process variables affecting gelatin yield and characteristics with special reference to enzymatic extraction: A review. *Food Hydrocolloids*, 63, 85–96. <https://doi.org/10.1016/j.foodhyd.2016.08.007>
- Al-Juhaimi, F., Ghafoor, K., & Babiker, E. E. (2012). Effect of gum arabic edible coating on weight loss, firmness and sensory characteristics of cucumber (*cucumis sativus* l.) fruit during storage. *Pakistan Journal of Botany*, 44(4), 1439–1444.
- Ali, A., Noh, N. M., & Mustafa, M. A. (2015). Antimicrobial activity of chitosan enriched with lemongrass oil against anthracnose of bell pepper. *Food Packaging and Shelf Life*, 3, 56–61. <https://doi.org/10.1016/j.fpsl.2014.10.003>
- Alipal, J., Mohd Pu'ad, N. A. S., Lee, T. C., Nayan, N. H. M., Sahari, N., Basri, H., Idris, M. I., & Abdullah, H. Z. (2019). A review of gelatin: Properties, sources, process, applications, and commercialisation. *Materials Today: Proceedings*, 42, 240–250. <https://doi.org/10.1016/j.matpr.2020.12.922>
- Amin, A. R. (2015). Mengenal Budidaya Tanaman Mentimun Melalui Pemanfaatan Media Informasi. *Jupiter*, 14(1), 66–71. <https://journal.unhas.ac.id/index.php/jupiter/articlr/download/31/29>
- Aminudin, & Nawangwulan. (2014). Pengaruh Edible Coating Gel Lidah Buaya (*Aloe vera* Linne) Terhadap Mutu dan Umur Simpan Mentimun. *Ekologia*, 14(1), 1–12.
- Badan Pengawas Obat dan Makanan. (2019). *Peraturan Badan POM No 28 Tahun 2019 tentang Bahan Penolong dalam Pengolahan Pangan*.
- Badan Standar Nasional. (2013). *SNI 7784:2013 Tentang Mentimun*.
- Bakliwal, N., Raghav, P. K., & Saini, M. (2019). *Effect of Aqueous Plant Extracts and Corn Starch on the Shelf Life of Cucumber ( Cucumis Sativus )*. 9(5), 785–797.
- Basit, A., Ayaz, S., Rab, A., Ullah, I., Shah, S. T., Ahmad, I., Ullah, I., & Khalid, M. A. (2019). Effect of stevia (*Stevia Rebaudiana* L.) leaf extract on the quality and shelf life of lemon (*Citrus limon* L.). *Pesquisa Agropecuaria Brasileira*, 8(2), 1456–1468. <https://doi.org/10.19045/bspab.2019.80085>
- Burdon, J., Lallu, N., Haynes, G., Francis, K., Pidakala, P., & Billing, D. (2005). Mode of action of water loss on fruit quality of “Hass” avocados. *New Zealand and Australian Avocado Grower's Conference 20-22 September 2005, September*, 1–11. [http://www.avocadosource.com/journals/ausnz/ausnz\\_2005/burdonj2005.pdf](http://www.avocadosource.com/journals/ausnz/ausnz_2005/burdonj2005.pdf)

- Burt, S. (2004). Essential oils: Their antibacterial properties and potential applications in foods - A review. *International Journal of Food Microbiology*, 94(3), 223–253. <https://doi.org/10.1016/j.ijfoodmicro.2004.03.022>
- Casanova, F., Mohammadifar, M. A., Jahromi, M., Petersen, H. O., Sloth, J. J., Eybye, K. L., Kobbelgaard, S., Jakobsen, G., & Jessen, F. (2020). Physico-chemical, structural and techno-functional properties of gelatin from saithe (*Pollachius virens*) skin. *International Journal of Biological Macromolecules*, 156, 918–927. <https://doi.org/10.1016/j.ijbiomac.2020.04.047>
- Castillo, S., Pérez-Alfonso, C. O., Martínez-Romero, D., Guillén, F., Serrano, M., & Valero, D. (2014). The essential oils thymol and carvacrol applied in the packing lines avoid lemon spoilage and maintain quality during storage. *Food Control*, 35(1), 132–136. <https://doi.org/10.1016/j.foodcont.2013.06.052>
- Castricini, A., Coneglian, R. C. C., & Deliza, R. (2012). Starch edible coating of papaya: effect on sensory characteristics. *Food Science and Technology*, 32(1), 84–92. <https://doi.org/10.1590/s0101-20612012005000016>
- Chen, J., Li, Y., Wang, Y., Yakubu, S., Tang, H., & Li, L. (2022). Active polylactic acid/tilapia fish gelatin-sodium alginate bilayer films: Application in preservation of Japanese sea bass (*Lateolabrax japonicus*). *Food Packaging and Shelf Life*, 33(March). <https://doi.org/10.1016/j.fpsl.2022.100915>
- Chen, L., Ma, L., Zhou, M., Liu, Y., & Zhang, Y. (2014). Effects of pressure on gelatinization of collagen and properties of extracted gelatins. *Food Hydrocolloids*, 36, 316–322. <https://doi.org/10.1016/j.foodhyd.2013.10.012>
- Cole, L., & Kramer, P. R. (2016). Seeing, Hearing, Tasting, Smelling, and Touching. *Human Physiology, Biochemistry and Basic Medicine*, 101–104. <https://doi.org/10.1016/b978-0-12-803699-0.00028-1>
- Dhall, R. K., Sharma, S. R., & Mahajan, B. V. C. (2012). Effect of shrink wrap packaging for maintaining quality of cucumber during storage. *Journal of Food Science and Technology*, 49(4), 495–499. <https://doi.org/10.1007/s13197-011-0284-5>
- Dickinson, E. (2008). Interfacial structure and stability of food emulsions as affected by protein–polysaccharide interactions. *Soft Matter*, 4(6), 1147–1150. <https://doi.org/10.1039/b800106e>
- Dou, L., Li, B., Zhang, K., Chu, X., & Hou, H. (2018). Physical properties and antioxidant activity of gelatin-sodium alginate edible films with tea polyphenols. *International Journal of Biological Macromolecules*, 118, 1377–1383. <https://doi.org/10.1016/j.ijbiomac.2018.06.121>
- Dou, Q. P. (2019). Tea in health and disease. *Nutrients*, 11(4), 10–12. <https://doi.org/10.3390/NU11040929>
- Espino-Díaz, M., De Jesús Ornelas-Paz, J., Martínez-Téllez, M. A., Santillán, C., Barbosa-Cánovas, G. V., Zamudio-Flores, P. B., & Olivas, G. I. (2010).

- Development and characterization of edible films based on mucilage of *Opuntia ficus-indica* (L.). *Journal of Food Science*, 75(6), 347–352. <https://doi.org/10.1111/j.1750-3841.2010.01661.x>
- FAO. (2020). The State of World Fisheries and Aquaculture 2020. In *Inform* (Vol. 32, Issue 6). <https://doi.org/10.4060/ca9229en>
- Gentile, L. (2020). Protein–polysaccharide interactions and aggregates in food formulations. *Current Opinion in Colloid and Interface Science*, 48, 18–27. <https://doi.org/10.1016/j.cocis.2020.03.002>
- González-Aguilar, G. A., Ayala-Zavala, J. F., Olivas, G. I., de la Rosa, L. A., & Álvarez-Parrilla, E. (2010). Preserving quality of fresh-cut products using safe technologies. *Journal Fur Verbraucherschutz Und Lebensmittelsicherheit*, 5(1), 65–72. <https://doi.org/10.1007/s00003-009-0315-6>
- Guerreiro, A. C., Gago, C. M. L., Faleiro, M. L., Miguel, M. G. C., & Antunes, M. D. C. (2015). The use of polysaccharide-based edible coatings enriched with essential oils to improve shelf-life of strawberries. *Postharvest Biology and Technology*, 110, 51–60. <https://doi.org/10.1016/j.postharvbio.2015.06.019>
- Hamzah, H. M., Osman, A., Tan, C. P., & Mohamad Ghazali, F. (2013). Carrageenan as an alternative coating for papaya (*Carica papaya* L. cv. Eksotika). *Postharvest Biology and Technology*, 75, 142–146. <https://doi.org/10.1016/j.postharvbio.2012.08.012>
- Hashemi, S. M. B., & Jafarpour, D. (2020). The efficacy of edible film from Konjac glucomannan and saffron petal extract to improve shelf life of fresh-cut cucumber. *Food Science and Nutrition*, 8(7), 3128–3137. <https://doi.org/10.1002/fsn3.1544>
- Haug, I. J., Draget, K. I., & Smidsrød, O. (2004). Physical and rheological properties of fish gelatin compared to mammalian gelatin. *Food Hydrocolloids*, 18(2), 203–213. [https://doi.org/10.1016/S0268-005X\(03\)00065-1](https://doi.org/10.1016/S0268-005X(03)00065-1)
- Hazrati, S., Beyraghdar Kashkooli, A., Habibzadeh, F., Tahmasebi-Sarvestani, Z., & Sadeghi, A. R. (2017). Beurteilung von Aloe-vera-Gel als alternative essbare Beschichtung für Pfirsichfrüchte während der kalten Lagerphase. *Gesunde Pflanzen*, 69(3), 131–137. <https://doi.org/10.1007/s10343-017-0397-5>
- He, F., Kong, Q., Jin, Z., & Mou, H. (2020). Developing a unidirectionally permeable edible film based on κ-carrageenan and gelatin for visually detecting the freshness of grass carp fillets. *Carbohydrate Polymers*, 241(March), 116336. <https://doi.org/10.1016/j.carbpol.2020.116336>
- Hinojosa-Nogueira, D., Pérez-Burillo, S., Pastoriza De La Cueva, S., & Rufián-Henares, J. Á. (2021). Green and white teas as health-promoting foods. *Food and Function*, 12(9), 3799–3819. <https://doi.org/10.1039/d1fo00261a>

- Huang, T., Tu, Z. cai, Shangguan, X., Sha, X., Wang, H., Zhang, L., & Bansal, N. (2019). Fish gelatin modifications: A comprehensive review. *Trends in Food Science and Technology*, 86(November 2017), 260–269. <https://doi.org/10.1016/j.tifs.2019.02.048>
- Huang, T., Tu, Z., Shangguan, X., Wang, H., Zhang, L., & Bansal, N. (2021). Characteristics of fish gelatin-anionic polysaccharide complexes and their applications in yoghurt: Rheology and tribology. *Food Chemistry*, 343(February 2020), 128413. <https://doi.org/10.1016/j.foodchem.2020.128413>
- Jalali, N., Ariyai, P., & Fattahi, E. (2016). Effect of alginate/carboxyl methyl cellulose composite coating incorporated with clove essential oil on the quality of silver carp fillet and *Escherichia coli* O157:H7 inhibition during refrigerated storage. *Journal of Food Science and Technology*, 53(1), 757–765. <https://doi.org/10.1007/s13197-015-2060-4>
- Jin, G., Wang, Y., Li, L., Shen, S., Deng, W. W., Zhang, Z., & Ning, J. (2020). Intelligent evaluation of black tea fermentation degree by FT-NIR and computer vision based on data fusion strategy. *Lwt*, 125(March), 109216. <https://doi.org/10.1016/j.lwt.2020.109216>
- Jitareerat, P., Paumchai, S., Kanlayanarat, S., & Sangchote, S. (2007). Effect of chitosan on ripening, enzymatic activity, and disease development in mango (*Mangifera indica*) fruit. *New Zealand Journal of Crop and Horticultural Science*, 35(2), 211–218. <https://doi.org/10.1080/0140670709510187>
- Joshi, B., Moreira, R. G., Omac, B., & Castell-Perez, M. E. (2018). A process to decontaminate sliced fresh cucumber (*Cucumis sativus*) using electron beam irradiation. *LWT - Food Science and Technology*, 91(December 2017), 95–101. <https://doi.org/10.1016/j.lwt.2018.01.034>
- Kasim, R., & Ufuk Kasim, M. (2012). UV-C treatments on fresh-cut garden cress (*Lepidium sativum* L.) Enhanced chlorophyll content and prevent leaf yellowing. *World Applied Sciences Journal*, 17(4), 509–515.
- Kittiphattanabawon, P., Benjakul, S., Visessanguan, W., & Shahidi, F. (2010). Comparative study on characteristics of gelatin from the skins of brownbanded bamboo shark and blacktip shark as affected by extraction conditions. *Food Hydrocolloids*, 24(2–3), 164–171. <https://doi.org/10.1016/j.foodhyd.2009.09.001>
- Kraujalyte, V., Pelvan, E., & Alasalvar, C. (2016). Volatile compounds and sensory characteristics of various instant teas produced from black tea. *Food Chemistry*, 194, 864–872. <https://doi.org/10.1016/j.foodchem.2015.08.051>
- Lim, T. K. (2016). Edible Medicinal and Non-Medicinal Plants. In *Edible Medicinal and Non-Medicinal Plants*. <https://doi.org/10.1007/978-3-319-26065-5>

- Lin, D., & Zhu, L. (2004). Polycyclic aromatic hydrocarbons: Pollution and source analysis of a black tea. *Journal of Agricultural and Food Chemistry*, 52(26), 8268–8271. <https://doi.org/10.1021/jf048636n>
- Liu, Y., Li, B., Zhang, K., Li, J., & Hou, H. (2019). Novel hard capsule prepared by tilapia (*Oreochromis niloticus*) scale gelatin and konjac glucomannan: Characterization, and in vitro dissolution. *Carbohydrate Polymers*, 206(October 2018), 254–261. <https://doi.org/10.1016/j.carbpol.2018.10.104>
- Lorenz, M. (2013). Cellular targets for the beneficial actions of tea polyphenols 1-4. *American Journal of Clinical Nutrition*, 98(6), 1642–1650. <https://doi.org/10.3945/ajcn.113.058230>
- Lv, L. C., Huang, Q. Y., Ding, W., Xiao, X. H., Zhang, H. Y., & Xiong, L. X. (2019). Fish gelatin: The novel potential applications. *Journal of Functional Foods*, 63(January). <https://doi.org/10.1016/j.jff.2019.103581>
- Maleki, G., Sedaghat, N., Woltering, E. J., Farhoodi, M., & Mohebbi, M. (2018). Chitosan-limonene coating in combination with modified atmosphere packaging preserve postharvest quality of cucumber during storage. *Journal of Food Measurement and Characterization*, 12(3), 1610–1621. <https://doi.org/10.1007/s11694-018-9776-6>
- Manjunatha, M., & Anurag, R. K. (2014). Effect of modified atmosphere packaging and storage conditions on quality characteristics of cucumber. *Journal of Food Science and Technology*, 51(11), 3470–3475. <https://doi.org/10.1007/s13197-012-0840-7>
- Martínez-Romero, D., Albuquerque, N., Valverde, J. M., Guillén, F., Castillo, S., Valero, D., & Serrano, M. (2006). Postharvest sweet cherry quality and safety maintenance by Aloe vera treatment: A new edible coating. *Postharvest Biology and Technology*, 39(1), 93–100. <https://doi.org/10.1016/j.postharvbio.2005.09.006>
- Moalemiyan, M., & Ramaswamy, H. S. (2012). Quality Retention and Shelf-life Extension in Mediterranean Cucumbers Coated with a Pectin-based Film. *Journal of Food Research*, 1(3), 159. <https://doi.org/10.5539/jfr.v1n3p159>
- Mohammadi, A., Hashemi, M., & Hosseini, S. M. (2015). Chitosan nanoparticles loaded with Cinnamomum zeylanicum essential oil enhance the shelf life of cucumber during cold storage. *Postharvest Biology and Technology*, 110, 203–213. <https://doi.org/10.1016/j.postharvbio.2015.08.019>
- Mohammadi, A., Hashemi, M., & Hosseini, S. M. (2016). Postharvest treatment of nanochitosan-based coating loaded with Zataria multiflora essential oil improves antioxidant activity and extends shelf-life of cucumber. *Innovative Food Science and Emerging Technologies*, 33, 580–588. <https://doi.org/10.1016/j.ifset.2015.10.015>
- Mohebbi, M., Hasanpour, N., Ansarifard, E., & Amiryousefi, M. R. (2014).

Physicochemical Properties of Bell Pepper and Kinetics of Its Color Change Influenced by Aloe vera and Gum Tragacanth Coatings during Storage at Different Temperatures. *Journal of Food Processing and Preservation*, 38(2), 684–693. <https://doi.org/10.1111/jfpp.12018>

Munguti, J. M., Nairuti, R., Iteba, J. O., Obiero, K. O., Kyule, D., Opiyo, M. A., Abwao, J., Kirimi, J. G., Outa, N., Muthoka, M., Githukia, C. M., & Ogello, E. O. (2022). Nile tilapia ( *Oreochromis niloticus* Linnaeus, 1758) culture in Kenya: Emerging production technologies and socio-economic impacts on local livelihoods . *Aquaculture, Fish and Fisheries*, 2(4), 265–276. <https://doi.org/10.1002/aff2.58>

Murmu, S. B., & Mishra, H. N. (2017). Optimization of the arabic gum based edible coating formulations with sodium caseinate and tulsi extract for guava. *Lwt*, 80, 271–279. <https://doi.org/10.1016/j.lwt.2017.02.018>

Nenadis, N., & Sigalas, M. P. (2011). A DFT study on the radical scavenging potential of selected natural 3',4'-dihydroxy aurones. *Food Research International*, 44(1), 114–120. <https://doi.org/10.1016/j.foodres.2010.10.054>

Nieto-Suárez, M., López-Quintela, M. A., & Lazzari, M. (2016). Preparation and characterization of crosslinked chitosan/gelatin scaffolds by ice segregation induced self-assembly. *Carbohydrate Polymers*, 141, 175–183. <https://doi.org/10.1016/j.carbpol.2015.12.064>

Nikoo, M., Benjakul, S., Bashari, M., Alekhorshied, M., Cissouma, A. I., Yang, N., & Xu, X. (2014). Physicochemical properties of skin gelatin from farmed Amur sturgeon (*Acipenser schrenckii*) as influenced by acid pretreatment. *Food Bioscience*, 5, 19–26. <https://doi.org/10.1016/j.fbio.2013.10.004>

Ningrum, A., Hapsari, M. W., Nisa, A. A., & Munawaroh, H. S. H. (2020). Edible film characteristic from yellowfin skin tuna (*Thunnus albacares*) gelatin enriched with cinnamon (*cinnamomum zeylanicum*) and roselle (*hibiscus sabdariffa*). *Food Research*, 4(5), 1646–1652. [https://doi.org/10.26656/fr.2017.4\(5\).097](https://doi.org/10.26656/fr.2017.4(5).097)

Ningrum, Andriati, Widyastuti Perdani, A., Supriyadi, Siti Halimatul Munawaroh, H., Aisyah, S., & Susanto, E. (2021). Characterization of Tuna Skin Gelatin Edible Films with Various Plasticizers-Essential Oils and Their Effect on Beef Appearance. *Journal of Food Processing and Preservation*, 45(9), 0–2. <https://doi.org/10.1111/jfpp.15701>

Olawuyi, I. F., Park, J. J., Lee, J. J., & Lee, W. Y. (2019). Combined effect of chitosan coating and modified atmosphere packaging on fresh-cut cucumber. *Food Science and Nutrition*, 7(3), 1043–1052. <https://doi.org/10.1002/fsn3.937>

Olufunmilayo, S. O., & Uzoma, O. (2016). Postharvest physicochemical properties of cucumber fruits (*Cucumis sativus* L) treated with chitosan-lemon grass extracts under different storage durations. *African Journal of Biotechnology*,

15(50), 2758–2766. <https://doi.org/10.5897/ajb2016.15561>

- Patel, C., & Panigrahi, J. (2019). Starch glucose coating-induced postharvest shelf-life extension of cucumber. *Food Chemistry*, 288(February), 208–214. <https://doi.org/10.1016/j.foodchem.2019.02.123>
- Pathare, P. B., Opara, U. L., & Al-Said, F. A. J. (2013). Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology*, 6(1), 36–60. <https://doi.org/10.1007/s11947-012-0867-9>
- Peng, J., Zi, Y., Xu, J., Zheng, Y., Huang, S., Hu, Y., Liu, B., Wang, X., & Zhong, J. (2022). Effect of extraction methods on the properties of tilapia scale gelatins. *International Journal of Biological Macromolecules*, 221(July), 1150–1160. <https://doi.org/10.1016/j.ijbiomac.2022.09.094>
- Rageh, M. A and Abou-Elwafa, S. M. (2017). Effect of jasmine oil and active dry yeast as a preharvest spray on alleviating chilling injury in cucumber fruits during cold storage. *Middle East Journal of Agriculture Research Agriculture Research*, 1–11.
- Raghav, P. K., & Saini, M. (2018). Development of Mint (*Mentha viridis* L.) Herbal Edible Coating for Shelf Life Enhancement of Cucumber (*Cucumis sativus*). *International Journal of Green and Herbal Chemistry*, 7(2). <https://doi.org/10.24214/ijghc/gc/7/2/37991>
- Rohdiana, D., & Al-ghifari, U. (2015). *Teh : August*.
- Roy, S., & Rhim, J. W. (2021). Preparation of Gelatin/Carrageenan-Based Color-Indicator Film Integrated with Shikonin and Propolis for Smart Food Packaging Applications. *ACS Applied Bio Materials*, 4(1), 770–779. <https://doi.org/10.1021/acsabm.0c01353>
- Safari, Z. S., Ding, P., Nakasha, J. J., & Yusoff, S. F. (2020). Combining chitosan and vanillin to retain postharvest quality of tomato fruit during ambient temperature storage. *Coatings*, 10(12), 1–23. <https://doi.org/10.3390/coatings10121222>
- Saha, A., Tyagi, S., Gupta, R. K., & Tyagi, Y. K. (2016). Guar gum based edible coating on cucumber (*Cucumis sativus* L.). *European Journal of Pharmaceutical and Medical Research*, 3(9), 558–570.
- Salsabiela, S., Sekarina, A. S., Bagus, H., Audiensi, A., Azizah, F., Heristika, W., Manikharda, Susanto, E., Munawaroh, H. S. H., Show, P. L., & Ningrum, A. (2022). Development of Edible Coating from Gelatin Composites with the Addition of Black Tea Extract (*Camellia sinensis*) on Minimally Processed Watermelon (*Citrullus lanatus*). *Polymers*, 14(13). <https://doi.org/10.3390/polym14132628>
- Samanta, T., Cheeni, V., Das, S., Roy, A. B., Ghosh, B. C., & Mitra, A. (2015). Assessing biochemical changes during standardization of fermentation time and temperature for manufacturing quality black tea. *Journal of Food Science*

*and Technology*, 52(4), 2387–2393. <https://doi.org/10.1007/s13197-013-1230-5>

Sampaio, A. P. C., de Sá M. de Sousa Filho, M., Castro, A. L. A., & de Figueirêdo, M. C. B. (2017). Life cycle assessment from early development stages: the case of gelatin extracted from tilapia residues. *International Journal of Life Cycle Assessment*, 22(5), 767–783. <https://doi.org/10.1007/s11367-016-1179-5>

Sanlier, N., Gokcen, B. B., & Altuğ, M. (2018). Tea consumption and disease correlations. *Trends in Food Science and Technology*, 78(November 2017), 95–106. <https://doi.org/10.1016/j.tifs.2018.05.026>

Sarker, A., Deltsidis, A., & Grift, T. E. (2021). Effect of Aloe Vera Gel-Carboxymethyl Cellulose Composite Coating on the Degradation Kinetics of Cucumber. *Journal of Biosystems Engineering*, 112–128. <https://doi.org/10.1007/s42853-021-00092-z>

Sharma, P., Shehin, V. P., Kaur, N., & Vyas, P. (2019). Application of edible coatings on fresh and minimally processed vegetables: a review. *International Journal of Vegetable Science*, 25(3), 295–314. <https://doi.org/10.1080/19315260.2018.1510863>

Shyni, K., Hema, G. S., Ninan, G., Mathew, S., Joshy, C. G., & Lakshmanan, P. T. (2014). Isolation and characterization of gelatin from the skins of skipjack tuna (*katsuwonus pelamis*), dog shark (*scoliodon sorrakowah*), and rohu (*labeo rohita*). *Food Hydrocolloids*, 39, 68–76. <https://doi.org/10.1016/j.foodhyd.2013.12.008>

Silva, R. S. G., Bandeira, S. F., & Pinto, L. A. A. (2014). Characteristics and chemical composition of skins gelatin from cobia (*Rachycentron canadum*). *Lwt*, 57(2), 580–585. <https://doi.org/10.1016/j.lwt.2014.02.026>

Sinthusamran, S., Benjakul, S., & Kishimura, H. (2014). Characteristics and gel properties of gelatin from skin of seabass (*Lates calcarifer*) as influenced by extraction conditions. *Food Chemistry*, 152, 276–284. <https://doi.org/10.1016/j.foodchem.2013.11.109>

Sinthusamran, S., Benjakul, S., Swedlund, P. J., & Hemar, Y. (2017). Physical and rheological properties of fish gelatin gel as influenced by  $\kappa$ -carrageenan. *Food Bioscience*, 20(March), 88–95. <https://doi.org/10.1016/j.fbio.2017.09.001>

Sogvar, O. B., Koushesh Saba, M., & Emamifar, A. (2016). Aloe vera and ascorbic acid coatings maintain postharvest quality and reduce microbial load of strawberry fruit. *Postharvest Biology and Technology*, 114, 29–35. <https://doi.org/10.1016/j.postharvbio.2015.11.019>

Song, H. Y., Jo, W. S., Song, N. B., Min, S. C., & Song, K. Bin. (2013). Quality Change of Apple Slices Coated with Aloe vera Gel during Storage. *Journal of Food Science*, 78(6). <https://doi.org/10.1111/1750-3841.12141>

- Sotgia, S., Zinellu, A., Forteschi, M., Paliogiannis, P., Pinna, G. A., Mangoni, A. A., & Carru, C. (2018). Hercynine content in widely consumed commercial beverages. *Lwt*, 98(September), 465–469. <https://doi.org/10.1016/j.lwt.2018.08.068>
- Sui Chin, S., Han Lyn, F., & Nur Hanani, Z. A. (2017). Effect of Aloe vera (*Aloe barbadensis* Miller) gel on the physical and functional properties of fish gelatin films as active packaging. *Food Packaging and Shelf Life*, 12(April), 128–134. <https://doi.org/10.1016/j.fpsl.2017.04.008>
- Szczesniak, A. S. (2002). Texture is a sensory property. *Food Quality and Preference*, 13(4), 215–225. [https://doi.org/10.1016/S0950-3293\(01\)00039-8](https://doi.org/10.1016/S0950-3293(01)00039-8)
- Tan, C. C., Karim, A. A., Uthumporn, U., & Ghazali, F. C. (2020). Effect extraction temperature on the emulsifying properties of gelatin from black tilapia (*Oreochromis mossambicus*) skin. *Food Hydrocolloids*, 108(January), 106024. <https://doi.org/10.1016/j.foodhyd.2020.106024>
- Tao, W., Zhou, Z., Zhao, B., & Wei, T. (2016). Simultaneous determination of eight catechins and four theaflavins in green, black and oolong tea using new HPLC–MS–MS method. *Journal of Pharmaceutical and Biomedical Analysis*, 131, 140–145. <https://doi.org/10.1016/j.jpba.2016.08.020>
- Tenore, G. C., Campiglia, P., Giannetti, D., & Novellino, E. (2015). Simulated gastrointestinal digestion, intestinal permeation and plasma protein interaction of white, green, and black tea polyphenols. *Food Chemistry*, 169, 320–326. <https://doi.org/10.1016/j.foodchem.2014.08.006>
- Tjiptaningrum, A., & Erhadestria, S. (2016). Manfaat Jus Mentimun (*Cucumis sativus* L.) sebagai Terapi untuk Hipertensi. *Majority*, volume 5, 115.
- Usov, A. I. (2011). Polysaccharides of the red algae. In *Advances in Carbohydrate Chemistry and Biochemistry* (1st ed., Vol. 65). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-385520-6.00004-2>
- Van Nieuwenhove, I., Salamon, A., Peters, K., Graulus, G. J., Martins, J. C., Frankel, D., Kersemans, K., De Vos, F., Van Vlierberghe, S., & Dubruel, P. (2016). Gelatin- and starch-based hydrogels. Part A: Hydrogel development, characterization and coating. *Carbohydrate Polymers*, 152, 129–139. <https://doi.org/10.1016/j.carbpol.2016.06.098>
- Wang, X., Feng, Y., Chen, C., Yang, H., & Yang, X. (2020). Preparation, characterization and activity of tea polyphenols-zinc complex. *Lwt*, 131(July), 109810. <https://doi.org/10.1016/j.lwt.2020.109810>
- Yang, C., Zhao, Y., An, T., Liu, Z., Jiang, Y., Li, Y., & Dong, C. (2021). Quantitative prediction and visualization of key physical and chemical components in black tea fermentation using hyperspectral imaging. *Lwt*, 141(January), 110975. <https://doi.org/10.1016/j.lwt.2021.110975>
- Yousuf, B., Wu, S., & Siddiqui, M. W. (2021). Incorporating essential oils or

compounds derived thereof into edible coatings: Effect on quality and shelf life of fresh/fresh-cut produce. *Trends in Food Science and Technology*, 108(January), 245–257. <https://doi.org/10.1016/j.tifs.2021.01.016>

Zhang, M., Xiao, G., Luo, G., Peng, J., & Salokhe, V. M. (2004). Effect of coating treatments on the extension of the shelf-life of minimally processed cucumber. *International Agrophysics*, 18(1), 97–102.

Zhang, T., Sun, R., Ding, M., Tao, L., Liu, L., Tao, N., Wang, X., & Zhong, J. (2020). Effect of extraction methods on the structural characteristics, functional properties, and emulsion stabilization ability of Tilapia skin gelatins. *Food Chemistry*, 328(February), 127114. <https://doi.org/10.1016/j.foodchem.2020.127114>

Zhang, Y., Xu, J., Zhang, T., Tao, L., Nie, Y., Wang, X., & Zhong, J. (2022). Effect of carbon numbers and structures of monosaccharides on the glycosylation and emulsion stabilization ability of gelatin. *Food Chemistry*, 389(September 2021), 133128. <https://doi.org/10.1016/j.foodchem.2022.133128>

Zhao, Y., Lai, W., Xu, A., Jin, J., Wang, Y., & Xu, P. (2020). Characterizing relationships among chemicals, sensory attributes and in vitro bioactivities of black tea made from an anthocyanins-enriched tea cultivar. *Lwt*, 132(March), 109814. <https://doi.org/10.1016/j.lwt.2020.109814>