

BIBLIOGRAPHY

- Abdurrrhman, I. and Akasha, M. (2014). *EXTRACTION AND CHARACTERISATION OF PROTEIN FRACTION FROM DATE PALM (Phoenix dactylifera L.) SEEDS*.
- Agboola, J. O., Teuling, E., Wierenga, P. A., Gruppen, H. and Schrama, J. W. (2019). Cell wall disruption: An effective strategy to improve the nutritive quality of microalgae in African catfish (*Clarias gariepinus*). *Aquaculture Nutrition*, 25: 783–797.
- Ahmad, R., Aldholmi, M., Alqathama, A., Aldossary, S., Bubshait, S., Aljaber, M., Abuhassan, A., Aldarwish, A. and Alateeq, L. (2021). Green and novel ultrasonic extraction with UHPLC-MSMS analysis of natural sweetener (Glycyrrhizic acid) from *Glycyrrhiza glabra*; a multifactorial mechanistic evaluation based on statistical analysis. *Ultrasonics Sonochemistry*, 77.
- Ami, D., Mereghetti, P., Leri, M., Giorgetti, S., Natalello, A., Doglia, S. M., Stefani, M. and Bucciantini, M. (2018). A FTIR microspectroscopy study of the structural and biochemical perturbations induced by natively folded and aggregated transthyretin in HL-1 cardiomyocytes. *Scientific Reports*, 8.
- AOAC (1990). *By Authority Of THE UNITED STATES OF AMERICA Legally Binding Document*.
- Awad, T. S., Moharram, H. A., Shaltout, O. E., Asker, D. and Youssef, M. M. (2012). Applications of ultrasound in analysis, processing and quality control of food: A review. *Food Research International*, 48: 410–427.
- Ba, F., Ursu, A. V., Laroche, C. and Djelveh, G. (2016). Haematococcus pluvialis soluble proteins: Extraction, characterization, concentration/fractionation and emulsifying properties. *Bioresource Technology*, 200: 147–152.
- Bachchhav, M. B., Kulkarni, M. v. and Ingale, A. G. (2020). Process-intensified extraction of phycocyanin followed by β -carotene from *Spirulina platensis* using ultrasound-assisted extraction. *Separation Science and Technology (Philadelphia)*, 55: 932–944.
- Barka, A. and Blecker, C. (2016). Microalgae as a potential source of single-cell proteins. A review. *Biotechnol. Agron. Soc. Environ*, 20: 427–436.
- Becker, E. W. (2007). Micro-algae as a source of protein. *Biotechnology Advances*, 25: 207–210.
- Benelhadj, S., Gharsallaoui, A., Degraeve, P., Attia, H. and Ghorbel, D. (2016). Effect of pH on the functional properties of *Arthrospira (Spirulina) platensis* protein isolate. *Food Chemistry*, 194: 1056–1063.
- Bernaerts, T. M. M., Panozzo, A., Doumen, V., Foubert, I., Gheysen, L., Goiris, K., Moldenaers, P., Hendrickx, M. E. and van Loey, A. M. (2017). Microalgal biomass as a (multi)functional ingredient in food products: Rheological properties of microalgal suspensions as affected by mechanical and thermal processing. *Algal Research*, 25: 452–463.
- Bleakley, S. and Hayes, M. (2017). Algal proteins: Extraction, application, and challenges concerning production. *Foods*, 6: 1–34.
- Bleakley, S. and Hayes, M. (2021). Functional and bioactive properties of protein extracts generated from *spirulina platensis* and *isochrysis galbana* T-Iso. *Applied Sciences (Switzerland)*, 11.

- Borowitzka, M. A. (1995). *Microalgae as sources of pharmaceuticals and other biologically active compounds*. Kluwer Academic Publishers.
- Boukhari, N., Doumandji, A., Chaouche, F. S. A. and Ferradji, A. (2018). Effect of ultrasound treatment on protein content and functional properties of Spirulina powder grown in Algeria. *Mediterranean Journal of Nutrition and Metabolism*, 11: 235–249.
- Buchmann, L., Bertsch, P., Böcker, L., Krähenmann, U., Fischer, P. and Mathys, A. (2019). Adsorption kinetics and foaming properties of soluble microalgae fractions at the air/water interface. *Food Hydrocolloids*, 97.
- Chemat, F., Rombaut, N., Meullemiestre, A., Turk, M., Perino, S., Fabiano-Tixier, A. S. and Abert-Vian, M. (2017). Review of Green Food Processing techniques. Preservation, transformation, and extraction. *Innovative Food Science and Emerging Technologies*, 41: 357–377.
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S. and Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry*, 34: 540–560.
- Chen, N., Zhao, M., Sun, W., Ren, J. and Cui, C. (2013). Effect of oxidation on the emulsifying properties of soy protein isolate. *Food Research International*, 52: 26–32.
- Chen, Y., Chen, Jianchu, Chang, C., Chen, Juan, Cao, F., Zhao, J., Zheng, Y. and Zhu, J. (2019). Physicochemical and functional properties of proteins extracted from three microalgal species. *Food Hydrocolloids*, 96: 510–517.
- Chronakis, I. S. and Madsen, M. (2011). Algal proteins. In: *Handbook of Food Proteins*. Elsevier. pp.353–394.
- Chronakis, I. S., Nicoleta Galatanu, A., Nylander, T. and Lindman, B. (2000). *The behaviour of protein preparations from blue-green algae (Spirulina platensis strain Pacifica) at the air/water interface*. www.elsevier.nl/locate/colsurfa.
- Dabbour, M., He, R., Ma, H. and Musa, A. (2018). Optimization of ultrasound assisted extraction of protein from sunflower meal and its physicochemical and functional properties. *Journal of Food Process Engineering*, 41.
- Dai, L., Hinrichs, J. and Weiss, J. (2020). Emulsifying properties of acid-hydrolyzed insoluble protein fraction from Chlorella protothecoides: Formation and storage stability of emulsions. *Food Hydrocolloids*, 108.
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S. and Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10.
- Demarco, M., Oliveira de Moraes, J., Matos, Â. P., Derner, R. B., de Farias Neves, F. and Tribuzi, G. (2022). Digestibility, bioaccessibility and bioactivity of compounds from algae. *Trends in Food Science and Technology*, 121: 114–128.
- Dey, S. and Rathod, V. K. (2013). Ultrasound assisted extraction of β -carotene from Spirulina platensis. *Ultrasonics Sonochemistry*, 20: 271–276.
- Dickinson, E., Galazka, V. B. and Anderson, D. M. W. (1991). *Emulsifying Behaviour of Gum Arabic. Part 1: Effect of the Nature of the Oil Phase on the Emulsion Droplet-size Distribution*.

- Du, M., Xie, J., Gong, B., Xu, X., Tang, W., Li, X., Li, C. and Xie, M. (2018). Extraction, physicochemical characteristics and functional properties of Mung bean protein. *Food Hydrocolloids*, 76: 131–140.
- Ekantari, N., Marsono, Y., Pranoto, Y. and Harmayani, E. (2017). Pengaruh Media Budidaya Menggunakan Air Laut dan Air Tawar terhadap Sifat Kimia dan Fungsional Biomassa Kering (*Spirulina platensis*). *Agritech*, 37: 173.
- Fan, X., Bai, L., Zhu, L., Yang, L. and Zhang, X. (2014). Marine algae-derived bioactive peptides for human nutrition and health. *Journal of Agricultural and Food Chemistry*, 62: 9211–9222.
- Fathollahy, I., Farmani, J., Kasaai, M. R. and Hamishehkar, H. (2021). Characteristics and functional properties of Persian lime (*Citrus latifolia*) seed protein isolate and enzymatic hydrolysates. *LWT*, 140.
- Fleurence, J. (2004). Seaweed proteins. In: *Proteins in Food Processing*. Elsevier Ltd. pp.197–213.
- Frydenberg, R. P., Hammershøj, M., Andersen, U., Greve, M. T. and Wiking, L. (2016). Protein denaturation of whey protein isolates (WPIs) induced by high intensity ultrasound during heat gelation. *Food Chemistry*, 192: 415–423.
- Gadalkar, S. M. and Rathod, V. K. (2020). Extraction of watermelon seed proteins with enhanced functional properties using ultrasound. *Preparative Biochemistry and Biotechnology*, 50: 133–140.
- Garcia, E. Suarez, van Leeuwen, J. J. A., Safi, C., Sijtsma, L., van den Broek, L. A. M., Eppink, M. H. M., Wijffels, R. H. and van den Berg, C. (2018). Techno-Functional Properties of Crude Extracts from the Green Microalga *Tetraselmis suecica*. *Journal of Agricultural and Food Chemistry*, 66: 7831–7838.
- Garcia, E. S., van Leeuwen, J., Safi, C., Sijtsma, L., Eppink, M. H. M., Wijffels, R. H. and van den Berg, C. (2018). Selective and energy efficient extraction of functional proteins from microalgae for food applications. *Bioresource Technology*, 268: 197–203.
- Geadá, P., Moreira, C., Silva, M., Nunes, R., Madureira, L., Rocha, C. M. R., Pereira, R. N., Vicente, A. A. and Teixeira, J. A. (2021). Algal proteins: Production strategies and nutritional and functional properties. *Bioresource Technology*, 332.
- Grossmann, L., Ebert, S., Hinrichs, J. and Weiss, J. (2018). Production of protein-rich extracts from disrupted microalgae cells: Impact of solvent treatment and lyophilization. *Algal Research*, 36: 67–76.
- Grossmann, L., Hinrichs, J. and Weiss, J. (2019). Solubility and aggregation behavior of protein fractions from the heterotrophically cultivated microalga *Chlorella protothecoides*. *Food Research International*, 116: 283–290.
- Hadiyanto, H. and Adetya, N. P. (2018). Response surface optimization of lipid and protein extractions from *Spirulina platensis* using ultrasound assisted osmotic shock method. *Food Science and Biotechnology*, 27: 1361–1368.
- Harnedy, P. A. and FitzGerald, R. J. (2013). Extraction of protein from the macroalga *Palmaria palmata*. *LWT - Food Science and Technology*, 51: 375–382.
- Hedenskog, G. and Hofsten, A. v (1970). *The Ultrastructure of Spirulina platensis-A New Source of Microbial Protein*.
- Hilali, S., Wils, L., Chevalley, A., Clément-Larosière, B. and Boudesocque-Delaye, L. (2022). Glycerol-based NaDES as green solvents for ultrasound-assisted extraction

- of phycocyanin from *Arthrospira platensis*—RSM optimization and ANN modelling. *Biomass Conversion and Biorefinery*.
- al Hinai, M., al Kalbani, A., al Rubkhi, B., al Kalbani, U. and Walke, S. (2019). Protein extraction from spirulina platensis. *International Journal of Innovative Technology and Exploring Engineering*, 8: 1524–1530.
- Hu, H., Cheung, I. W. Y., Pan, S. and Li-Chan, E. C. Y. (2015). Effect of high intensity ultrasound on physicochemical and functional properties of aggregated soybean β -conglycinin and glycinin. *Food Hydrocolloids*, 45: 102–110.
- Hu, H., Li-Chan, E. C. Y., Wan, L., Tian, M. and Pan, S. (2013). The effect of high intensity ultrasonic pre-treatment on the properties of soybean protein isolate gel induced by calcium sulfate. *Food Hydrocolloids*, 32: 303–311.
- Jain, S. and Anal, A. K. (2016). Optimization of extraction of functional protein hydrolysates from chicken egg shell membrane (ESM) by ultrasonic assisted extraction (UAE) and enzymatic hydrolysis. *LWT - Food Science and Technology*, 69: 295–302.
- Jambrak, A. R., Lelas, V., Mason, T. J., Krešić, G. and Badanjak, M. (2009). Physical properties of ultrasound treated soy proteins. *Journal of Food Engineering*, 93: 386–393.
- Jiang, L., Wang, J., Li, Y., Wang, Z., Liang, J., Wang, R., Chen, Y., Ma, W., Qi, B. and Zhang, M. (2014). Effects of ultrasound on the structure and physical properties of black bean protein isolates. *Food Research International*, 62: 595–601.
- Käferböck, A., Smetana, S., de Vos, R., Schwarz, C., Toepfl, S. and Parniakov, O. (2020). Sustainable extraction of valuable components from Spirulina assisted by pulsed electric fields technology. *Algal Research*, 48.
- Karki, B., Lamsal, B. P., Grewell, D., Pometto, A. L., van Leeuwen, J., Khanal, S. K. and Jung, S. (2009). Functional properties of soy protein isolates produced from ultrasonicated defatted soy flakes. *JAOCS, Journal of the American Oil Chemists' Society*, 86: 1021–1028.
- Kartik, A., Akhil, D., Lakshmi, D., Gopinath, P., Arun, J., Sivaramakrishnan, R. and Pugazhendhi, A. (2021). A critical review on production of biopolymers from algae biomass and their applications. *Bioresource Technology* (on-line), 329: 124868. <https://doi.org/10.1016/j.biortech.2021.124868>.
- Kazir, M., Abuhassira, Y., Robin, A., Nahor, O., Luo, J., Israel, A., Golberg, A. and Livney, Y. D. (2019). Extraction of proteins from two marine macroalgae, *Ulva* sp. and *Gracilaria* sp., for food application, and evaluating digestibility, amino acid composition and antioxidant properties of the protein concentrates. *Food Hydrocolloids*, 87: 194–203.
- Khatkar, A. B., Kaur, A. and Khatkar, S. K. (2020). Restructuring of soy protein employing ultrasound: Effect on hydration, gelation, thermal, in-vitro protein digestibility and structural attributes. *LWT*, 132.
- Kingwascharapong, P., Chaijan, M. and Karnjanapratum, S. (2021). Ultrasound-assisted extraction of protein from Bombay locusts and its impact on functional and antioxidative properties. *Scientific Reports*, 11.
- Koyande, A. K., Chew, K. W., Show, P. L., Munawaroh, H. S. H. and Chang, J. S. (2021). Liquid triphasic systems as sustainable downstream processing of *Chlorella*

- sp. biorefinery for potential biofuels and feed production. *Bioresource Technology*, 333.
- Kumar, K. S., Ganesan, K., Selvaraj, K. and Rao, P. V. S. (2013). Studies on the functional properties of protein concentrate of *Kappaphycus alvarezii* (Doty) Doty- An edible seaweed. <http://dx.doi.org/10.1016/j.foodchem.2013.12.058>.
- Kumar, K., Srivastav, S. and Sharanagat, V. S. (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrasonics Sonochemistry*, 70.
- Larrosa, A. P. Q., Camara, Á. S., Moura, J. M. and Pinto, L. A. A. (2018). Spirulina sp. biomass dried/disrupted by different methods and their application in biofilms production. *Food Science and Biotechnology*, 27: 1659–1665.
- Lavilla, I. and Bendicho, C. (2017). Fundamentals of Ultrasound-Assisted Extraction. In: *Water Extraction of Bioactive Compounds: From Plants to Drug Development*. Elsevier. pp.291–316.
- Li, S., Yang, X., Zhang, Y., Ma, H., Qu, W., Ye, X., Muatasim, R. and Oladejo, A. O. (2016). Enzymolysis kinetics and structural characteristics of rice protein with energy-gathered ultrasound and ultrasound assisted alkali pretreatments. *Ultrasonics Sonochemistry*, 31: 85–92.
- Liu, Y., Liu, X., Cui, Y. and Yuan, W. (2022). Ultrasound for microalgal cell disruption and product extraction: A review. *Ultrasonics Sonochemistry*, 87.
- Lohi, V., Lanjekar, K. and Rathod, V. (2021). Synergistic effect of ultrasonication and detergent on protein extraction from soymeal. *Journal of Food Processing and Preservation*, 45.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L. and Randall, R. J. (1951). *PROTEIN MEASUREMENT WITH THE FOLIN PHENOL REAGENT**.
- Lupatini, A. L., de Oliveira Bispo, L., Colla, L. M., Costa, J. A. V., Canan, C. and Colla, E. (2017). Protein and carbohydrate extraction from *S. platensis* biomass by ultrasound and mechanical agitation. *Food Research International*, 99: 1028–1035.
- Ma, W., Wang, J., Xu, X., Qin, L., Wu, C. and Du, M. (2019). Ultrasound treatment improved the physicochemical characteristics of cod protein and enhanced the stability of oil-in-water emulsion. *Food Research International*, 121: 247–256.
- Maag, P., Dirr, S. and Karslioglu, Ö. Ö. (2022). Investigation of Bioavailability and Food-Processing Properties of *Arthrospira platensis* by Enzymatic Treatment and Micro-Encapsulation by Spray Drying. *Foods*, 11.
- Magpusao, J., Giteru, S., Oey, I. and Kebede, B. (2021). Effect of high pressure homogenization on microstructural and rheological properties of *A. platensis*, *Isochrysis*, *Nannochloropsis* and *Tetraselmis* species. *Algal Research*, 56.
- Malik, M. A., Sharma, H. K. and Saini, C. S. (2017). High intensity ultrasound treatment of protein isolate extracted from dephenolized sunflower meal: Effect on physicochemical and functional properties. *Ultrasonics Sonochemistry*, 39: 511–519.
- Mansour, A. T., Alprol, A. E., Abualnaja, K. M., El-Beltagi, H. S., Ramadan, K. M. A. and Ashour, M. (2022). The Using of Nanoparticles of Microalgae in Remediation of Toxic Dye from Industrial Wastewater: Kinetic and Isotherm Studies. *Materials*, 15: 3922.

- Matos, Â. P. (2019). Microalgae as a Potential Source of Proteins. In: *Proteins: Sustainable Source, Processing and Applications*. Elsevier. pp.63–96.
- Menegotto, A. L. L., Fernandes, I. A., Colla, L. M., Duarte, J., Andrade, M. Z., Abirached, C., Franceschi, E., Steffens, J. and Valduga, E. (2020). Thermic and techno-functional properties of *Arthrospira platensis* protein fractions obtained by membrane separation process. *Journal of Applied Phycology* (on-line). <https://doi.org/10.1007/s10811-020-02219-9>.
- Menegotto, A. L. L., Souza, L. E. S. de, Colla, L. M., Costa, J. A. V., Sehn, E., Bittencourt, P. R. S., Moraes Flores, É. L. de, Canan, C. and Colla, E. (2019). Investigation of techno-functional and physicochemical properties of *Spirulina platensis* protein concentrate for food enrichment. *LWT*, 114.
- Mir, N. A., Riar, C. S. and Singh, S. (2019). Physicochemical, molecular and thermal properties of high-intensity ultrasound (HIUS) treated protein isolates from album (*Chenopodium album*) seed. *Food Hydrocolloids*, 96: 433–441.
- Mohammadi, M., Soltanzadeh, M., Ebrahimi, A. R. and Hamishehkar, H. (2022). *Spirulina platensis* protein hydrolysates: Techno-functional, nutritional and antioxidant properties. *Algal Research*, 65.
- Morales, R., Martínez, K. D., Pizones Ruiz-Henestrosa, V. M. and Pilosof, A. M. R. (2015). Modification of foaming properties of soy protein isolate by high ultrasound intensity: Particle size effect. *Ultrasonics Sonochemistry*, 26: 48–55.
- Nazari, B., Mohammadifar, M. A., Shojaee-Aliabadi, S., Feizollahi, E. and Mirmoghtadaie, L. (2018). Effect of ultrasound treatments on functional properties and structure of millet protein concentrate. *Ultrasonics Sonochemistry*, 41: 382–388.
- Parimi, N. S., Singh, M., Kastner, J. R., Das, K. C., Forsberg, L. S. and Azadi, P. (2015). Optimization of protein extraction from *Spirulina platensis* to generate a potential co-product and a biofuel feedstock with reduced nitrogen content. *Frontiers in Energy Research*, 3.
- Pereira, A. M., Lisboa, R. and Vieira Costa, J. A. (2018). High protein ingredients of microalgal origin: Obtainment and functional properties. *Innovative Food Science and Emerging Technologies* (on-line), 47: 187–194. <https://doi.org/10.1016/j.ifset.2018.02.015>.
- Phong, W. N., Show, P. L., Ling, T. C., Juan, J. C., Ng, E. P. and Chang, J. S. (2018). Mild cell disruption methods for bio-functional proteins recovery from microalgae—Recent developments and future perspectives. *Algal Research*, 31: 506–516.
- Preece, K. E., Hooshyar, N., Krijgsman, A., Fryer, P. J. and Zuidam, N. J. (2017). Intensified soy protein extraction by ultrasound. *Chemical Engineering and Processing - Process Intensification*, 113: 94–101.
- Putra, S. N. K. M., Ishak, N. H. and Sarbon, N. M. (2018). Preparation and characterization of physicochemical properties of golden apple snail (*Pomacea canaliculata*) protein hydrolysate as affected by different proteases. *Biocatalysis and Agricultural Biotechnology*, 13: 123–128.
- Qu, W., Zhang, X., Chen, W., Wang, Z., He, R. and Ma, H. (2018). Effects of ultrasonic and graft treatments on grafting degree, structure, functionality, and digestibility of

- rapeseed protein isolate-dextran conjugates. *Ultrasonics Sonochemistry*, 42: 250–259.
- Rahman, M. M. and Lamsal, B. P. (2021). Ultrasound-assisted extraction and modification of plant-based proteins: Impact on physicochemical, functional, and nutritional properties. *Comprehensive Reviews in Food Science and Food Safety*, 20: 1457–1480.
- Rajakumar, M. S. and Muthukumar, K. (2018). Influence of pre-soaking conditions on ultrasonic extraction of *Spirulina platensis* proteins and its recovery using aqueous biphasic system. *Separation Science and Technology (Philadelphia)*, 53: 2034–2043.
- Ramírez-Rodrigues, M. M., Estrada-Beristain, C., Metri-Ojeda, J., Pérez-Alva, A. and Baigts-Allende, D. K. (2021). Spirulina platensis protein as sustainable ingredient for nutritional food products development. *Sustainability (Switzerland)*, 13.
- Ruiz, J. S., Olivieri, G., de Vree, J., Bosma, R., Willems, P., Reith, J. H., Eppink, M. H. M., Kleinegris, D. M. M., Wijffels, R. H. and Barbosa, M. J. (2016). Towards industrial products from microalgae. *This journal is Cite this: Energy Environ. Sci* (on-line), 9: 3036. www.rsc.org/ees.
- Safi, C., Charton, Michaël, Pignolet, O., Silvestre, F., Vaca-Garcia, C. and Pontalier, P. Y. (2013). Influence of microalgae cell wall characteristics on protein extractability and determination of nitrogen-to-protein conversion factors. *Journal of Applied Phycology*, 25: 523–529.
- Safi, C., Charton, Michael, Ursu, A. V., Laroche, C., Zebib, B., Pontalier, P.-Y. and Vaca-Garcia, C. (2013). Release of hydro-soluble microalgal proteins using mechanical and chemical treatments. <http://dx.doi.org/10.1016/j.algal.2013.11.017>.
- Safi, C., Ursu, A. V., Laroche, C., Zebib, B., Merah, O., Pontalier, P. Y. and Vaca-Garcia, C. (2014). Aqueous extraction of proteins from microalgae: Effect of different cell disruption methods. *Algal Research*, 3: 61–65.
- Sánchez-Zurano, A., Morillas-España, A., González-López, C. V. and Lafarga, T. (2020). Optimisation of protein recovery from *arthrospira platensis* by ultrasound-assisted isoelectric solubilisation/precipitation. *Processes*, 8: 1–13.
- Schwenzfeier, A., Lech, F., Wierenga, P. A., Eppink, M. H. M. and Gruppen, H. (2013). Foam properties of algae soluble protein isolate: Effect of pH and ionic strength. *Food Hydrocolloids*, 33: 111–117.
- Schwenzfeier, A., Wierenga, P. A., Eppink, M. H. M. and Gruppen, H. (2014). Effect of charged polysaccharides on the techno-functional properties of fractions obtained from algae soluble protein isolate. *Food Hydrocolloids*, 35: 9–18.
- Silva, S. C., Almeida, T., Colucci, G., Santamaria-Echart, A., Manrique, Y. A., Dias, M. M., Barros, L., Fernandes, Â., Colla, E. and Barreiro, M. F. (2022). Spirulina (*Arthrospira platensis*) protein-rich extract as a natural emulsifier for oil-in-water emulsions: Optimization through a sequential experimental design strategy. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 648.
- Singla, M. and Sit, N. (2021). Application of ultrasound in combination with other technologies in food processing: A review. *Ultrasonics Sonochemistry*, 73.
- Soto-Sierra, L., Stoykova, P. and Nikolov, Z. L. (2018). Extraction and fractionation of microalgae-based protein products. *Algal Research*, 36: 175–192.

- Stanic-Vucinic, D., Minic, S., Nikolic, M. R. and Velickovic, T. C. (2018). Spirulina Phycobiliproteins as Food Components and Complements. In: *Microalgal Biotechnology*. InTech.
- Suresh Kumar, K., Ganesan, K., Selvaraj, K. and Subba Rao, P. v. (2014). Studies on the functional properties of protein concentrate of *Kappaphycus alvarezii* (Doty) Doty - An edible seaweed. *Food Chemistry*, 153: 353–360.
- Teuling, E., Schrama, J. W., Gruppen, H. and Wierenga, P. A. (2019). Characterizing emulsion properties of microalgal and cyanobacterial protein isolates. *Algal Research*, 39.
- Teuling, E., Wierenga, P. A., Agboola, J. O., Gruppen, H. and Schrama, J. W. (2019). Cell wall disruption increases bioavailability of *Nannochloropsis gaditana* nutrients for juvenile Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 499: 269–282.
- Ursu, A. V., Marcati, A., Sayd, T., Sante-Lhoutellier, V., Djelveh, G. and Michaud, P. (2014). Extraction, fractionation and functional properties of proteins from the microalgae *Chlorella vulgaris*. *Bioresource Technology*, 157: 134–139.
- Vanthoor-Koopmans, M., Wijffels, R. H., Barbosa, M. J. and Eppink, M. H. M. (2013). Biorefinery of microalgae for food and fuel. *Bioresource Technology*, 135: 142–149.
- Vernès, L., Abert-Vian, M., el Maâtaoui, M., Tao, Y., Bornard, I. and Chemat, F. (2019). Application of ultrasound for green extraction of proteins from spirulina. Mechanism, optimization, modeling, and industrial prospects. *Ultrasonics Sonochemistry*, 54: 48–60.
- Vilkhu, K., Mawson, R., Simons, L. and Bates, D. (2008). Applications and opportunities for ultrasound assisted extraction in the food industry - A review. *Innovative Food Science and Emerging Technologies*, 9: 161–169.
- Wang, M. and Yuan, W. (2015). Microalgal cell disruption in a high-power ultrasonic flow system. *Bioresource Technology*, 193: 171–177.
- Wang, Q., Wang, Y., Huang, M., Hayat, K., Kurtz, N. C., Wu, X., Ahmad, M. and Zheng, F. (2021). Ultrasound-assisted alkaline proteinase extraction enhances the yield of pecan protein and modifies its functional properties. *Ultrasonics Sonochemistry*, 80.
- Wang, X., Majzoobi, M. and Farahnaky, A. (2020). Ultrasound-assisted modification of functional properties and biological activity of biopolymers: A review. *Ultrasonics Sonochemistry*, 65.
- Wang, Z., Gong, S., Wang, Y., Liu, D. and Han, J. (2021). Structural and emulsifying properties of soybean protein isolate–sodium alginate conjugates under high hydrostatic pressure. *Foods*, 10.
- Wild, K. J., Steingäß, H. and Rodehutschord, M. (2018). Variability in nutrient composition and in vitro crude protein digestibility of 16 microalgae products. *Journal of Animal Physiology and Animal Nutrition*, 102: 1306–1319.
- Yan, J. K., Wang, Y. Y., Qiu, W. Y., Wang, Z. bin and Ma, H. (2018). Ultrasound synergized with three-phase partitioning for extraction and separation of *Corbicula fluminea* polysaccharides and possible relevant mechanisms. *Ultrasonics Sonochemistry*, 40: 128–134.
- Yüce-tepe, A., Saroğlu, Ö. and Özçelik, B. (2019). Response surface optimization of ultrasound-assisted protein extraction from *Spirulina platensis*: investigation of the

- effect of extraction conditions on techno-functional properties of protein concentrates. *Journal of Food Science and Technology*, 56: 3282–3292.
- Yücetepe, A., Yavuz-Düzgün, M., Şensu, E., Bildik, F., Demircan, E. and Özçelik, B. (2021). The impact of pH and biopolymer ratio on the complex coacervation of *Spirulina platensis* protein concentrate with chitosan. *Journal of Food Science and Technology*, 58: 1274–1285.
- Zayas, J. (1997). *Foaming Properties of Proteins*.
- Zayas, J. F. (1997). Water Holding Capacity of Proteins. In: *Functionality of Proteins in Food*. pp.76–133.
- Zeece, M. (2020). Food systems and future directions. In: *Introduction to the Chemistry of Food*. Elsevier. pp.345–397.
- Zhang, W., Zhao, P., Li, J., Wang, X., Hou, J. and Jiang, Z. (2022). Effects of ultrasound synergized with microwave on structure and functional properties of transglutaminase-crosslinked whey protein isolate. *Ultrasonics Sonochemistry*, 83.
- Zhang, Y., Wang, B., Zhang, W., Xu, W. and Hu, Z. (2019). Effects and mechanism of dilute acid soaking with ultrasound pretreatment on rice bran protein extraction. *Journal of Cereal Science*, 87: 318–324.
- Zhu, Y., Zhao, X., Zhang, X. and Liu, H. (2019). Extraction, structural and functional properties of *Haematococcus pluvialis* protein after pigment removal. *International Journal of Biological Macromolecules*, 140: 1073–1083.
- Zotte, A. D., Sartori, A., Bohatir, P., Rémygnon, H. and Ricci, R. (2013). Effect of dietary supplementation of *Spirulina* (*Arthrospira platensis*) and Thyme (*Thymus vulgaris*) on growth performance, apparent digestibility and health status of companion dwarf rabbits. *Livestock Science*, 152: 182–191.
- Zou, Y., Xu, P., Wu, H., Zhang, M., Sun, Z., Sun, C., Wang, D., Cao, J. and Xu, W. (2018). Effects of different ultrasound power on physicochemical property and functional performance of chicken actomyosin. *International Journal of Biological Macromolecules*, 113: 640–647.