

## REFERENCES

- AACE, 2020. 'Comprehensive Type 2 Diabetes Management Algorithm (2020) - EXECUTIVE SUMMARY' *American Association of Clinical Endocrinology*. URL: <http://pro.aace.com/disease-state-resources/diabetes/clinical-practice-guidelines-treatment-algorithms/comprehensive> (accessed on 9/7/2021).
- Abdelmohymen, A.M., Mahmoud, F.A.H., Nadwa, E.H., and Mostafa Ahmed, A., 2021. A pharmacovigilance Study on Critically Ill Patients Admitted In Beni-Suef University Teaching Hospital. *Egyptian Journal of Medical Research*, **2**: 170–202.
- ADA, 2020. Standards of Medical Care in Diabetes - 2020. *Diabetes Care*, **43**: S1–S212.
- Allredge, B.K., Corelli, R.L., and Ernst, M.E., 2012. *Koda-Kimble and Young's Applied Therapeutics: The Clinical Use of Drugs*. Lippincott Williams & Wilkins.
- Alwhaibi, M., Balkhi, B., Alhawassi, T.M., Alkofide, H., Alduhaim, N., Alabdulali, R., *et al.*, 2018. Polypharmacy among patients with diabetes: a cross-sectional retrospective study in a tertiary hospital in Saudi Arabia. *BMJ open*, **8**: e020852.
- Andersen, C.L. and Tobias, J.D., 2021. Cardiac Arrest Following the Administration of Intravenous Diphenhydramine for Sedation to an Infant With Congenital Heart Disease. *The Journal of Pediatric Pharmacology and Therapeutics : JPPT*, **26**: 311–314.
- ASHP, 1995. ASHP guidelines on adverse drug reaction monitoring and reporting. American Society of Hospital Pharmacy. *American journal of health-system pharmacy: AJHP: official journal of the American Society of Health-System Pharmacists*, **52**: 417–419.
- Ashraf, S., Upreti, P., Karki, S., Khan, M., and Nasr, R., 2022. Metformin-Associated Lactic Acidosis: A Case Report and Review. *Cureus*, **14**: e24220.
- Badan Pusat Statistik, 2021. 'Hasil Sensus Penduduk dari Berita Resmi Statistik No.07/01/Th, XXIV, 21 Januari 2021'.
- Bajwa, S.J.S. and Kaur, J., 2013. Clinical profile of levobupivacaine in regional anesthesia: A systematic review. *Journal of Anaesthesiology, Clinical Pharmacology*, **29**: 530–539.

- Ballentine, N., 2008. Polypharmacy in the Elderly: Maximizing Benefit, Minimizing Harm. *Critical care nursing quarterly*, **31**: 40–5.
- Bassi, P.U., Osakwe, A.I., Ogar, C.K., Elagbaje, C., Nwankwo, B.B., Balogun, S.T., *et al.*, 2017. Impact of comorbidity on adverse drug reaction profile in a cohort of patients treated with Artemisinin combination therapies for uncomplicated malaria in Nigeria. *Pharmacology Research & Perspectives*, **5**: e00302.
- Bonnet, F. and Scheen, A., 2017. Understanding and overcoming metformin gastrointestinal intolerance. *Diabetes, Obesity & Metabolism*, **19**: 473–481.
- Boyd, C.M. and Fortin, M., 2010. Future of multimorbidity research: How should understanding of multimorbidity inform health system design? *Public Health Reviews*, **32**: 451–474.
- BS, N. and Sharma, K., 2019. Study of adverse drug reactions and clinical profile of elderly in relation to polypharmacy. *Asian Journal of Medical Sciences*, **10**: 80–84.
- Bushardt, R.L., Massey, E.B., Simpson, T.W., Ariail, J.C., and Simpson, K.N., 2008. Polypharmacy: Misleading, but manageable. *Clinical Interventions in Aging*, **3**: 383–389.
- Cadogan, C., Ryan, C., Gormley, G., Passmore, P., Francis, J., Kerse, N., *et al.*, 2015. Dispensing appropriate polypharmacy to older people in primary care: a qualitative, theory-based study of community pharmacists' perceptions and experiences. *International Journal of Pharmacy Practice*, **23**: 32.
- Choi, H.Y. and Ha, S.K., 2013. Potassium Balances in Maintenance Hemodialysis. *Electrolytes & Blood Pressure : E & BP*, **11**: 9–16.
- Chong, J. and Ang, S., 2010. Polypharmacy in Hospitalized Older Adults. *Journal of the American Geriatrics Society*, **58**: 162.
- Cole, J.B., Stellpflug, S.J., Gross, E.A., and Smith, S.W., 2011. Wide complex tachycardia in a pediatric diphenhydramine overdose treated with sodium bicarbonate. *Pediatric Emergency Care*, **27**: 1175–1177.
- Compagna, R., Vigliotti, G., Coretti, G., Amato, M., Aprea, G., Puzziello, A., *et al.*, 2012. Comparative study between Levobupivacaine and Bupivacaine for hernia surgery in the elderly. *BMC Surgery*, **12**: S12.
- Coregliano-Ring, L., Goia-Nishide, K., and Rangel, É.B., 2022. Hypokalemia in Diabetes Mellitus Setting. *Medicina*, **58**: 431.

- Dagli, R.J. and Sharma, A., 2014. Polypharmacy: A Global Risk Factor for Elderly People. *Journal of International Oral Health : JIOH*, **6**: i–ii.
- Danan, G. and Benichou, C., 1993. Causality assessment of adverse reactions to drugs--I. A novel method based on the conclusions of international consensus meetings: application to drug-induced liver injuries. *Journal of Clinical Epidemiology*, **46**: 1323–1330.
- Dangoumau, J., Evreux, J.C., and Jouglard, J., 1978. Method for determination of undesirable effects of drugs. *Therapie*, **33**: 373–381.
- Dasopang, E.S., Harahap, U., and Lindarto, D., 2015. Polifarmasi dan Interaksi Obat Pasien Usia Lanjut Rawat Jalan dengan Penyakit Metabolik. *Indonesian Journal of Clinical Pharmacy*, **4**: 235–241.
- Deb, T., Chakrabarty, A., and Ghosh, A., 2017. Adverse drug reactions in Type 2 diabetes mellitus patients on oral antidiabetic drugs in a diabetes outpatient department of a tertiary care teaching hospital in the Eastern India. *International Journal of Medical Science and Public Health*, **6**: 1.
- DiPiro, J.T., DiPiro, C.V., Ellingrod, V., and Schwinghammer, T.L., 2020. *Pharmacotherapy Handbook, Eleventh Edition*. McGraw-Hill Education.
- Dobrică, E.-C., Găman, M.-A., Cozma, M.-A., Bratu, O.G., Pantea Stoian, A., and Diaconu, C.C., 2019. Polypharmacy in Type 2 Diabetes Mellitus: Insights from an Internal Medicine Department. *Medicina*, **55**: 436.
- Edwards, I.R. and Aronson, J.K., 2000. Adverse drug reactions: definitions, diagnosis, and management. *Lancet (London, England)*, **356**: 1255–1259.
- Danan, G. and Benichou, C., 1993. Causality assessment of adverse reactions to drugs--I. A novel method based on the conclusions of international consensus meetings: application to drug-induced liver injuries. *Journal of Clinical Epidemiology*, **46**: 1323–1330.
- Dangoumau, J., Evreux, J.C., and Jouglard, J., 1978. Method for Determination of Undesirable Effects of Drugs. *Therapie*, **33**: 373–381.
- Davies, E.C., Green, C.F., Taylor, S., Williamson, P.R., Mottram, D.R., and Pirmohamed, M., 2009. Adverse drug reactions in hospital in-patients: a prospective analysis of 3695 patient-episodes. *PloS One*, **4**: e4439.
- Fasipe, O.J., Akhideno, P.E., and Owhin, O.S., 2019. The observed effect of adverse drug reactions on the length of hospital stay among medical

inpatients in a Nigerian University Teaching Hospital. *Toxicology Research and Application*, **3**: 2397847319850451.

Fatima, M., Sadeeqa, S., and Nazir, S.U.R., 2018. Metformin and its gastrointestinal problems: A review. *Biomedical Research*, **29**: 2285–2289.

Filkova, M., Carvalho, J., Norton, S., Scott, D.L., and Mant, T., 2015. Polypharmacy Is a Predictor of Hospitalisation in Patients with Rheumatoid Arthritis. *ACR Meeting*, .

Forslund, S.K., Nielsen, T., and Falony, G., 2015. Disentangling Type 2 Diabetes and Metformin Treatment Signatures in the Human Gut Microbiota. *Nature*, **528**: .

Fosnes, G.S., Lydersen, S., and Farup, P.G., 2011. Constipation and diarrhoea - common adverse drug reactions? A cross sectional study in the general population. *BMC Clinical Pharmacology*, **11**: 2.

Fulton, M.M. and Allen, E.R., 2005. Polypharmacy in the elderly: a literature review. *Journal of the American Academy of Nurse Practitioners*, **17**: 123–132.

Gennari, F.J., 1998. Hypokalemia. *The New England Journal of Medicine*, **339**: 451–458.

Ghasemian, R., Shokri, M., Makhloogh, A., and Suraki-Azad, M.A., 2016. The course and outcome of renal failure due to human leptospirosis referred to a hospital in North of Iran; A follow-up study. *Caspian Journal of Internal Medicine*, **7**: 7–12.

Gillette, C., Prunty, L., Wolcott, J., and Broedel-Zaugg, K., 2015. A new lexicon for polypharmacy: Implications for research, practice, and education. *Research in social & administrative pharmacy: RSAP*, **11**: 468–471.

Hanif, I.F., Syafhan, N.F., Hersunarti, Y., and Andrajati, R., 2017. Gastrointestinal Side Effects of Proton Pump Inhibitors on Inpatients at Gatot Soebroto Hospital | Request PDF. *Journal of Young Pharmacist*, **9**:

Hartwig, S.C., Siegel, J., ND Schneider, P.J., 1992. Preventability and severity assessment in reporting adverse drug reactions. *American Journal of Hospital Pharmacy*, **49**: 2229–2232.

Heaton, K.W., Radvan, J., Cripps, H., Mountford, R.A., Braddon, F.E., and Hughes, A.O., 1992. Defecation frequency and timing, and stool form in the general population: a prospective study. *Gut*, **33**: 818–824.

- Hilleman, D.E. and Spinler, S.A., 2002. Conversion of recent-onset atrial fibrillation with intravenous amiodarone: a meta-analysis of randomized controlled trials. *Pharmacotherapy*, **22**: 66–74.
- Horn, J.R., Hansten, P.D., and Chan, L.-N., 2007. Proposal for a new tool to evaluate drug interaction cases. *The Annals of Pharmacotherapy*, **41**: 674–680.
- Hulley, S., Cummings, S., Browner, W., Grady, D., and Newman, T., 2013. *Designing Clinical Research: An Epidemiologic Approach. 4th Ed.* Lippincott Williams & Wilkins, Philadelphia.
- Hire, D.R., Kinage, D.P.J., and Gaikwad, D.N.N., 2013. Causality Assessment in Pharmacovigilance: A Step Towards Quality Care. *Scholar Journal of Applied Medical Sciences*, **5**: 386-392.
- Horn, J.R., Hansten, P.D., and Chan, L.-N., 2007. Proposal for a new tool to evaluate drug interaction cases. *The Annals of Pharmacotherapy*, **41**: 674–680.
- IDF, 2013. *IDF Global Guideline for Managing Older People with Type 2 Diabetes*. International Diabetes Federation, Brussels, Belgium.
- IDF, 2019. *IDF Diabetes Atlas Ninth Edition 2019*. International Diabetes Federation.
- Jain, A. and Paranjape, S., 2013. Prevalence of type 2 diabetes mellitus in elderly in a primary care facility: An ideal facility. *Indian Journal of Endocrinology and Metabolism*, **17**: S318–S322.
- Jareena, S.K., 2022. Ceftriaxone: A Suspected Cause for Increased Hepatic Transaminases and Blood Urea Nitrogen. *Asian Journal of Pharmaceutical and Health Sciences*, **11**: .
- Jiménez-Marrero, S., Cainzos-Achirica, M., Monterde, D., Garcia-Eroles, L., Enjuanes, C., Yun, S., *et al.*, 2020. Real-World Epidemiology of Potassium Derangements Among Chronic Cardiovascular, Metabolic and Renal Conditions: A Population-Based Analysis. *Clinical Epidemiology*, **12**: 941–952.
- Joaquim, J. and MC, C., 2011. Drug Use and Knowledge in a elderly polimedicated Portuguese Population. *Basic & Clinical Pharmacology & Toxicology*, **109**: 143.

- Kardalas, E., Paschou, S.A., Anagnostis, P., Muscogiuri, G., Siasos, G., and Vryonidou, A., 2018. Hypokalemia: a clinical update. *Endocrine Connections*, **7**: R135–R146.
- Kementerian Kesehatan RI, 2014. Peraturan Menteri Kesehatan Republik Indonesia Nomor 79 Tahun 2014 tentang Penyelenggaraan Pelayanan Geriatri di Rumah Sakit.
- Kementerian Kesehatan RI, 2019. *Laporan Nasional Riskesdas 2018*. Badan Penelitian dan Pengembangan Kesehatan.
- Kim, K.B., Kim, S.M., Park, W., Kim, J.S., Kwon, S.K., and Kim, H.-Y., 2012. Ceftiaxone-Induced Neurotoxicity: Case Report, Pharmacokinetic Considerations, and Literature Review. *Journal of Korean Medical Science*, **27**: 1120–1123.
- Kramer, M.S., Leventhal, J.M., Hutchinson, T.A., and Feinstein, A.R., 1979. An algorithm for the operational assessment of adverse drug reactions. I. Background, description, and instructions for use. *JAMA*, **242**: 623–632.
- Lacy, C.F., Armstrong, L.L., Goldman, M.P., and Lance, L.L., 2008. *Drug Information Handbook 17th Edition*. Lexi-Comp.
- Lombardo, L., Foti, M., Ruggia, O., and Chiecchio, A., 2010. Increased incidence of small intestinal bacterial overgrowth during proton pump inhibitor therapy. *Clinical Gastroenterology and Hepatology: The Official Clinical Practice Journal of the American Gastroenterological Association*, **8**: 504–508.
- Lavan, A.H. and Gallagher, P., 2016. Predicting risk of adverse drug reactions in older adults. *Therapeutic Advances in Drug Safety*, **7**: 11–22.
- Leung, E., Wongrakpanich, S., and Munshi, M.N., 2018. Diabetes Management in the Elderly. *Diabetes Spectrum : A Publication of the American Diabetes Association*, **31**: 245–253.
- Lindley, C.M., Tully, M.P., Paramsothy, V., and Tallis, R.C., 1992. Inappropriate medication is a major cause of adverse drug reactions in elderly patients. *Age and Ageing*, **21**: 294–300.
- Machado-Alba, J.E., Medina-Morales, D.A., dan Echeverri-Cataño, L.F., 2016. Evaluation of the quality of life of patients with diabetes mellitus treated with conventional or analogue insulins. *Diabetes Research and Clinical Practice*, **116**: 237–243.



- Maggiore, R.J., Gross, C.P., and Hurria, A., 2010. Polypharmacy in Older Adults with Cancer. *The Oncologist*, **15**: 507–522.
- Mangoni, A.A. and Jackson, S.H.D., 2004. Age-related changes in pharmacokinetics and pharmacodynamics: basic principles and practical applications. *British Journal of Clinical Pharmacology*, **57**: 6–14.
- Maria, V.A. and Victorino, R.M., 1997. Development and validation of a clinical scale for the diagnosis of drug-induced hepatitis. *Hepatology (Baltimore, Md.)*, **26**: 664–669.
- Masnoon, N., Shakib, S., Kalisch Ellett, L., and Caughey, G., 2017. What is polypharmacy? A systematic review of definitions. *BMC Geriatrics*, **17**: 230.
- Medeiros-Souza, P., Santos-Neto, L.L. dos, Kusano, L.T.E., and Pereira, M.G., 2007. Diagnosis and control of polypharmacy in the elderly. *Revista De Saude Publica*, **41**: 1049–1053.
- Molokhia, M. and Majeed, A., 2017. Current and future perspectives on the management of polypharmacy. *BMC family practice*, **18**: 70.
- Muneer, M. and Akbar, I., 2021. Acute Metabolic Emergencies in Diabetes: DKA, HHS and EDKA. *Advances in Experimental Medicine and Biology*, **1307**: 85–114.
- Murad, M.H., Coto-Yglesias, F., Wang, A.T., Sheidaee, N., Mullan, R.J., Elamin, M.B., *et al.*, 2009. Drug-Induced Hypoglycemia: A Systematic Review. *The Journal of Clinical Endocrinology & Metabolism*, **94**: 741–745.
- Naranjo, C.A., Busto, U., Sellers, E.M., Sandor, P., Ruiz, I., Roberts, E.A., *et al.*, 1981. A method for estimating the probability of adverse drug reactions. *Clinical Pharmacology and Therapeutics*, **30**: 239–245.
- Naranjo, C.A. and Lanctot, K.L., 1992. A Consultant's View on the Role of Bayesian Differential Diagnosis in the Safety Assessment of Pharmaceuticals. *Sage Journals*, **26**: 593–601.
- Nguyen, P.V.-Q. and Spinelli, C., 2016. Prescribing cascade in an elderly woman. *Canadian Pharmacists Journal : CPJ*, **149**: 122–124.
- Nordström, A., Hadrévi, J., Olsson, T., Franks, P.W., and Nordström, P., 2016. Higher Prevalence of Type 2 Diabetes in Men Than in Women Is Associated With Differences in Visceral Fat Mass. *The Journal of Clinical Endocrinology and Metabolism*, **101**: 3740–3746.

- Ochs, K.L., Zell-Kanter, M., Mycyk, M.B., and Toxikon Consortium, 2012. Hot, blind, and mad: avoidable geriatric anticholinergic delirium. *The American Journal of Emergency Medicine*, **30**: 514.e1–3.
- Osanlou, O., Pirmohamed, M., and Daly, A.K., 2018. Pharmacogenetics of Adverse Drug Reactions. *Advances in Pharmacology (San Diego, Calif.)*, **83**: 155–190.
- Patel, J.J. and Whittaker, C.T., 2007. Tachycardia-Induced Heart Failure. *The Permanente Journal*, **11**: 50–52.
- Pusdatin, 2017. *Analisis Lansia Di Indonesia*. Kementrian Kesehatan RI.
- Rademaker, M., 2001. Do women have more adverse drug reactions? *American Journal of Clinical Dermatology*, **2**: 349–351.
- Rahmawati, F., Dewa, I., Pramantara, P., Rohmah, W., Azhar, S., and Sulaiman, S., 2009. Polypharmacy and unnecessary drug therapy on geriatric hospitalized patients in Yogyakarta Hospitals, Indonesia. *International Journal of Pharmaceutical Sciences*, **1**: 6–11.
- Rathmann, W., Haastert, B., Icks, A., Herder, C., Kolb, H., Holle, R., *et al.*, 2005. The diabetes epidemic in the elderly population in Western Europe: data from population-based studies. *Gesundheitswesen (Bundesverband Der Ärzte Des Öffentlichen Gesundheitsdienstes (Germany))*, **67 Suppl 1**: S110–114.
- Rodrigues, M.C.S. and de Oliveira, C., 2016. Drug-drug interactions and adverse drug reactions in polypharmacy among older adults: an integrative review 1. *Revista Latino-Americana de Enfermagem*, **24**: e2800.
- Rollason, V. and Vogt, N., 2003. Reduction of Polypharmacy in the Elderly: A Systematic Review of the Role of the Pharmacist. *Drugs & aging*, **20**: 817–32.
- Sato, I. and Akazawa, M., 2013. Polypharmacy and adverse drug reactions in Japanese elderly taking antihypertensives: a retrospective database study. *Drug, Healthcare and Patient Safety*, **5**: 143–150.
- Scherthaner, G. and Scherthaner-Reiter, M.H., 2018. Diabetes in the older patient: heterogeneity requires individualisation of therapeutic strategies. *Diabetologia*, **61**: 1503–1516.
- Shah, A., Yousuf, T., Ziffra, J., Zaidi, A., and Raghuvir, R., 2015. Diphenhydramine and QT prolongation - A rare cardiac side effect of a drug used in common practice. *Journal of Cardiology Cases*, **12**: 126–129.



- Shen-Hua, W., Fan-Yi, M., Qing-Ling, Z., Li-Na, Z., and Li-Jun, M., 2016. Ceftriaxone-associated renal toxicity in adults: a case report and recommendations for the management of such cases. *Journal of Clinical Pharmacy and Therapeutics*, **41**: 348–350.
- Sinclair, A., Saeedi, P., Kaundal, A., Karuranga, S., Malanda, B., and Williams, R., 2020. Diabetes and global ageing among 65-99-year-old adults: Findings from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Research and Clinical Practice*, **162**: 108078.
- Spiering, M., 2014. Peripheral amiodarone-related phlebitis: an institutional nursing guideline to reduce patient harm. *Journal of Infusion Nursing: The Official Publication of the Infusion Nurses Society*, **37**: 453–460.
- Thakur, A.C., Aslam, A.K., Aslam, A.F., Vasavada, B.C., Sacchi, T.J., and Khan, I.A., 2005. QT interval prolongation in diphenhydramine toxicity. *International Journal of Cardiology*, **98**: 341–343.
- Turner, R., Holman, R., Stratton, I., Cull, C., Matthews, D., Manley, S., *et al.*, 1998. Effect of intensive blood-glucose control with metformin on complications in overweight patients with type 2 diabetes (UKPDS 34). *The Lancet*, **352**: 854–865.
- Vadakedath, S. and Kandi, V., 2017. Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure. *Cureus*, **9**: e1603.
- Venulet, J., Ciucci, A., and Berneker, G.C., 1980. Standardized assessment of drug-adverse reaction associations--rationale and experience. *International Journal of Clinical Pharmacology, Therapy, and Toxicology*, **18**: 381–388.
- Walter, S.R., Day, R.O., Gallego, B., and Westbrook, J.I., 2017. The impact of serious adverse drug reactions: a population-based study of a decade of hospital admissions in New South Wales, Australia - PMC. *British Journal of Clinical Pharmacology*, **83**: 416–426.
- Weiss, M., Badalamenti, J., and Fish, E., 2010. Tetanus as a cause of rhabdomyolysis and acute renal failure. *Clinical nephrology*, **73**: 64–7.
- WHO, 2006. Session 4: Assessing and Managing Medicine Safety, on: *Drug and Therapeutics Committee Training Course*.
- WHO, 2013. 'The use of the WHO-UMC system for standardised case causality assessment'. URL: <https://www.who.int/publications/m/item/WHO-causality-assessment> (accessed on 5/7/2021).

WHO, 2020. 'The top 10 causes of death'. URL: <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death> (accessed on 11/6/2021).

Wiholm, B.E., 1984. The Swedish drug-event assessment methods. Special workshop--regulatory. *Drug Information Journal*, **18**: 267–269.

Yuriani, Y., Andrajati, R., and Pramono, L.A., 2019. Comparison of Effects of The Hypoglycemia Management Protocol with 40% Dextrose Concentrated Solution to the Post-Correction Blood Sugar Response through Intravenous Infusion and Intravenous Bolus. *Indonesian Journal of Clinical Pharmacy*, **8**: 99–106.

Zarowitz, B.J., Stebelsky, L.A., Muma, B.K., Romain, T.M., and Peterson, E.L., 2005. Reduction of high-risk polypharmacy drug combinations in patients in a managed care setting. *Pharmacotherapy*, **25**: 1636–1645.

Zhang, M., Holman, C.D.J., Price, S.D., Sanfilippo, F.M., Preen, D.B., and Bulsara, M.K., 2009. Comorbidity and repeat admission to hospital for adverse drug reactions in older adults: retrospective cohort study. *The BMJ*, **338**: a2752.