



## Daftar Pustaka

- Aculey, P.C., Snitkjaer, P., Owusu, M., Bassompierre, M., Takrama, J., Nørgaard, L., Petersen, M.A., and Nielsen, D.S. 2010. Ghanaian cocoa bean fermentation characterized by spectroscopic and chromatographic methods and chemometrics. *Journal of Food Science* **75** (6): 300–307.
- Adabe, E. K. Dan Samnick, L. (2014). Cocoa: Production and processing. CTA : 42 hlm
- Afoakwa, E.O., Kongor, J.E., Takrama, J., and Budu, A.S. 2013. Changes in nib acidification and biochemical composition during fermentation of pulp pre-conditioned cocoa (*theobroma cacao*) beans. *International Food Research Journal* **20** (4): 1843–1853.
- Afoakwa, E.O., Paterson, A., Fowler, M., & Ryan, A. 2008. Flavor formation and character in cocoa and chocolate: a critical review. *Critical reviews in food science and nutrition*, **48** (9), 840-857
- Afoakwa, E.O., Quao, J., Takrama, F.S., Budu, A.S., and Saalia, F.K. 2012. Changes in the Polyphenol in Fermented Beans. *International Food Research Journal* **19** (3): 1071–1077.
- Apriyanto, M. 2016. Changes in Chemical Properties of Dreid Cocoa ( *Theobroma cacao* ) Beans during Fermentation . *International Journal of Fermented Foods* **5** (1): 11.
- Apriyanto, M., and Harmayani, E. 2018. Analysis of amino acids in cocoa beans produced during fermentation by high performance liquid chromatography (HPLC). *International Journal of Food and Fermentation Technology*, 7(1), 25-31.
- Ascrizzi, R., Flamini, G., Tessieri, C., and Pistelli, L. 2017. From the raw seed to chocolate: Volatile profile of Blanco de Criollo in different phases of the processing chain. *Microchemical Journal* **133**: 474–479.
- Atmaja, M.I.P., Haryadi, and Supriyanto. 2016. Peningkatan Kualitas Biji Kakao Non Fermentasi Melalui Quality Improvement of Non Fermented Cocoa Bean Through Pre-Incubation. *Jurnal Tanaman Industri dan Penyega* **3** (1): 11–20.
- Barbosa-Pereira, L., Rojo-Poveda, O., Ferrocino, I., Giordano, M., and Zeppa, G. 2019. Assessment of volatile fingerprint by HS-SPME/GC-qMS and E-nose for the classification of cocoa bean shells using chemometrics. *Food Research International* **123** (May): 684–696.
- Barišić, V., Kopjar, M., Jozinović, A., Flanjak, I., Ačkar, Đ., Miličević, B and Babić, J. 2019. The chemistry behind chocolate production. *Molecules*, **24**, 3163.
- Bastos, V.S., Uekane, T.M., Bello, N.A., de Rezende, C.M., Flosi Paschoalin, V.M., and Del Aguila, E.M. 2019. Dynamics of volatile compounds in TSH 565 cocoa clone fermentation and their role on chocolate flavor in Southeast Brazil. *Journal of Food Science and Technology* **56** (6): 2874–2887.
- Beckett, S.T. 2009. Industrial Chocolate Manufacture and Use: Fourth Edition. London: Blackwell Publishing. 688 hlm
- Bradford, M. M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*, **72**: 248–254.



- De Brito, E.S., García, N.H.P., and Amancio, A.C. 2004. Use of a proteolytic enzyme in cocoa (*Theobroma cacao* L.) processing. *Brazilian Archives of Biology and Technology* **47** (4): 553–558.
- De Brito, E.S., García, N.H.P., Gallão, M.I., Cortelazzo, A.L., Fevereiro, P.S., and Braga, M.R. 2001. Structural and chemical changes in cocoa (*Theobroma cacao* L) during fermentation, drying and roasting. *Journal of the Science of Food and Agriculture* **81** (2): 281–288.
- Britto de Andrade, A., Lins da Cruz, M., Antonia de Souza Oliveira, F., Soares, S.E., Druzian, J.I., Radomille de Santana, L.R., Oliveira de Souza, C., and da Silva Bispo, E. 2021. Influence of under-fermented cocoa mass in chocolate production: Sensory acceptance and volatile profile characterization during the processing. *Lwt* **149** (February): 112048.
- Cahyaningrum, N., Safitri, A., Kobarsih, M., Fajri, M., Marwati, T., 2019. Study of Cocoa Beans Drying in the End of Season Harvest in Gunungkidul. *Research Fair Unisri*. **3** (1): 655–662.
- Caligiani, A., Marseglia, A., Prandi, B., and Palla, G. 2016. Influence of fermentation level and geographical origin on cocoa bean oligopeptide pattern. *Food Chemistry*, **211**, 431-439.
- Caprioli, G., Fiorini, D., Maggi, F., Nicoletti, M., Ricciutelli, M., Toniolo, C., Prosper, B., Vittori, S., and Sagratini, G. 2016. Nutritional composition, bioactive compounds and volatile profile of cocoa beans from different regions of Cameroon. *International Journal of Food Sciences and Nutrition* **67** (4): 422–430.
- de Carvalho Neto, D.P., de Melo Pereira, G. V., Finco, A.M.O., Letti, L.A.J., da Silva, B.J.G., Vandenberghe, L.P.S., and Soccol, C.R. 2018. Efficient coffee beans mucilage layer removal using lactic acid fermentation in a stirred-tank bioreactor: Kinetic, metabolic and sensorial studies. *Food Bioscience* **26**: 80–87.
- Castro-Alayo, E. M., Idrogo-Vásquez, G., Siche, R., & Cardenas-Toro, F. P. 2019. Formation of aromatic compounds precursors during fermentation of Criollo and Forastero cocoa. *Heliyon*, **5** (1): 1-29.
- Chaurasiya, R.S., Sakhare, P.Z., Bhaskar, N., and Hebbar, H.U. 2015. Efficacy of reverse micellar extracted fruit bromelain in meat tenderization. *Journal of Food Science and Technology* **52** (6): 3870–3880.
- Chun Lin, Y., and Meng Choong, Y. 2021. Flavan-3-ols Monomer and Oligomer, and Flavor Profiles of Chocolates Produced from Fermented Cocoa Beans under Different Roasting Degree in Taiwan. *Journal of Food and Nutrition Research* **9** (9): 457–468.
- Crafack, M., Keul, H., Eskildsen, C.E., Petersen, M.A., Saerens, S., Blennow, A., Skovmand-Larsen, M., Swiegers, J.H., Petersen, G.B., Heimdal, H., and Nielsen, D.S. 2014. Impact of starter cultures and fermentation techniques on the volatile aroma and sensory profile of chocolate. *Food Research International* **63**: 306–316.
- Cupp-Enyard, C., and Aldrich, S. 2008. Sigma's non-specific protease activity assay - Casein as a substrate. *Journal of Visualized Experiments* (19): 2–4.
- David, J., and Tommy. 2011. Pengaruh Fermentasi Biji Kakao Terhadap Olahan Coklat Di Kalimantan Barat. *Biopropal Industri* **2** (1): 20–26.
- Deus, V.L., Bispo, E.S., Franca, A.S., and Gloria, M.B.A. 2021. Understanding



- amino acids and bioactive amines changes during on-farm cocoa fermentation. *Journal of Food Composition and Analysis* **97** (July 2020): 103776.
- Direktorat Statistik Tanaman Perkebunan. 2019. Statistik Kakao Indonesia. Badan Pusat Statistik Indonesia: Jakarta 74 hlm
- Van Durme, J., Ingels, I., and De Winne, A. 2016. Inline roasting hyphenated with gas chromatography-mass spectrometry as an innovative approach for assessment of cocoa fermentation quality and aroma formation potential. *Food Chemistry* **205**: 66–72.
- El-kalyoubi, M., Khallaf, M.F., Abdelrashid, A., and Mostafa, E.M. 2011. Quality characteristics of chocolate – Containing some fat replacer. *Annals of Agricultural Sciences* **56** (2): 89–96.
- Fang, Y., Li, R., Chu, Z., Zhu, K., Gu, F., and Zhang, Y. 2020. Chemical and flavor profile changes of cocoa beans (*Theobroma cacao L.*) during primary fermentation. *Food Science and Nutrition* **8** (8): 4121–4133.
- Febrianto, N.A., and Zhu, F. 2020. Changes in the Composition of Methylxanthines, Polyphenols, and Volatiles and Sensory Profiles of Cocoa Beans from the sul 1 Genotype Affected by Fermentation. *Journal of Agricultural and Food Chemistry* **68** (32): 8658–8675.
- Frauendorfer, F., and Schieberle, P. 2019. Key aroma compounds in fermented Forastero cocoa beans and changes induced by roasting. *European Food Research and Technology* **245** (9): 1907–1915.
- Gabriel, H., Leonor, M., Josu, Z., Cano-sarmiento, C., Yuritzi, C., and Gonz, O. 2022. Yeasts as Producers of Flavor Precursors during Cocoa Bean Fermentation and Their Relevance as Starter Cultures : A Review. .
- Hardt, N.A., Janssen, A.E.M., Boom, R.M., and Van Der Goot, A.J. 2014. Factors impeding enzymatic wheat gluten hydrolysis at high solid concentrations. *Biotechnology and Bioengineering* **111** (7): 1304–1312.
- Haryadi dan Supriyanto, 2012. Teknologi cokelat. Gadjah Mada University Press, Yogyakarta. 284 hlm
- Hashim, P., Selamat, J., Muhammad, S.K.S., and Ali, A. 1998. Changes in free amino acid, peptide-N, sugar and pyrazine concentration during cocoa fermentation. *Journal of the Science of Food and Agriculture* **78** (4): 535–542.
- Helena, D., Bastos, M., Shibao, J., Ferreira, E.L., and Bombo, A.J. 2011. Maillard reaction products in processed food. *Nutrire* **36** (3): 63–78.
- Hatmi, R. U., Kobarsih, M., & Cahyaningrum, N. (2015). Fungi level analysis of cocoa beans based on fermentation box type and duration. *Procedia Food Science*, 3, 371-382.
- Hernani, H., & Haliza, W. Optimasi Komposisi Nutrien Untuk Pembentukan Komponen Citarasa Pada Fermentasi Biji Kakao Asalan. *J. Pascapanen* **10** (2): 74-82
- Ho, V.T.T., Fleet, G.H., and Zhao, J. 2018. Unravelling the contribution of lactic acid bacteria and acetic acid bacteria to cocoa fermentation using inoculated organisms. *International Journal of Food Microbiology* **279** (April): 43–56.
- Hoyle, N.T. and Merritt, J. H. 1994. Quality of fish protein hydrolysates from herring (*Clupea harengus*). *Journal of food Science*. **59**: 76-79
- Hu, S.J., Kim, B.Y., and Baik, M.Y. 2016. Physicochemical properties and antioxidant capacity of raw, roasted and puffed cacao beans. *Food Chemistry* **194**: 1089–1094.



- Jinap, M.S., Jamilah, B., and Nazamid, S. 2004. Effect of polyphenol concentration on pyrazine formation during cocoa liquor roasting. *Food Chemistry* **85** (1): 73–80.
- Jinap, S., Ikrawan, Y., Bakar, J., Saari, N., and Lioe, H.N. 2008. Aroma precursors and methylpyrazines in underfermented cocoa beans induced by endogenous carboxypeptidase. *Journal of Food Science* **73** (7): .
- Jinap, S., Lioe, H.N., Yusep, I., Nazamid, S., and Jamilah, B. 2010. Role of carboxypeptidases to the free amino acid composition, methylpyrazine formation and sensory characteristic of under-fermented cocoa beans. *International Food Research Journal* **17** (3): 763–774.
- Jinap, S.M., Nazamid, S., and Jamilah, B. 2002. Activation of remaining key enzymes in dried under-fermented cocoa beans and its effect on aroma precursor formation. *Food Chemistry* **78** (4): 407–417.
- Kamnerdpetch, C., Weiss, M., Kasper, C., and Schepers, T. 2007. An improvement of potato pulp protein hydrolyzation process by the combination of protease enzyme systems. *Enzyme and Microbial Technology* **40** (4): 508–514.
- Khongdetch, J., Laohakunjit, N., and Kaprasob, R. 2022. King Boletus mushroom-derived bioactive protein hydrolysate: characterisation, antioxidant, ACE inhibitory and cytotoxic activities. *International Journal of Food Science and Technology* **57** (3): 1399–1410.
- Kongor, J.E., Hinneh, M., de Walle, D. Van, Afoakwa, E.O., Boeckx, P., and Dewettinck, K. 2016. Factors influencing quality variation in cocoa (*Theobroma cacao*) bean flavour profile - A review. *Food Research International* **82**: 44–52.
- Kuddus, M. 2018. Enzymes in Food Biotechnology : 1st Edition. Academic Press : UK. 909 hlm
- Laohakunjit, N., Kerdchoechuen, O., Kaprasob, R., and Matta, F.B. 2017. Volatile Flavor, Antioxidant Activity and Physicochemical Properties of Enzymatic Defatted Sesame Hydrolysate. *Journal of Food Processing and Preservation* **41** (4): 1–14.
- Laohakunjit, N., Selamassakul, O., and Kerdchoechuen, O. 2014. Seafood-like flavour obtained from the enzymatic hydrolysis of the protein by-products of seaweed (*Gracilaria sp.*). *Food chemistry* **158**: 162–170.
- Leite, P.B., Da, E., Bispo, S., Regina, L., and Santana, R.D.E. 2013. Sensory profiles of chocolates produced from cocoa cultivars resistant to *Moniliophthora Perniciosa* 1. 594–602.
- Lestari, P., and Suyata. 2019. Antibacterial activity of hydrolysate protein from Etawa goat milk hydrolysed by crude extract bromelain. *IOP Conference Series: Materials Science and Engineering* **509** (1)
- Li, Y., Feng, Y., Zhu, S., Luo, C., Ma, J., and Zhong, F. 2012. The effect of alkalization on the bioactive and flavor related components in commercial cocoa powder. *Journal of Food Composition and Analysis* **25** (1): 17–23.
- Liu, J., Liu, M., He, C., Song, H., Guo, J., Wang, Y., Yang, H., and Su, X. 2015. A comparative study of aroma-active compounds between dark and milk chocolate: Relationship to sensory perception. *Journal of the Science of Food and Agriculture* **95** (6): 1362–1372.
- Manzoor, Z., Nawaz, A., Mukhtar, H., and Haq, I. 2016. Bromelain: Methods of Extraction, Purification and Therapeutic Applications. *Brazilian Archives of*



*Biology and Technology* **59** (December): 1–16.

- Marseglia, A., Musci, M., Rinaldi, M., Palla, G., and Caligiani, A. 2020. Volatile fingerprint of unroasted and roasted cocoa beans (*Theobroma cacao L.*) from different geographical origins. *Food Research International* **132** (February): 109101.
- Martins, B.C., Rescolino, R., Coelho, D.F., Zanchetta, B., Tambourgi, E.B., and Silveira, E. 2014. Characterization of bromelain from ananas comosus agroindustrial residues purified by ethanol fractionation precipitation. *Chemical Engineering Transactions* **37**: 781–786.
- Di Mattia, C.D., Sacchetti, G., Mastroloca, D., and Serafini, M. 2017. From cocoa to chocolate: The impact of processing on in vitro antioxidant activity and the effects of chocolate on antioxidant markers in vivo. *Frontiers in Immunology* **8** (SEP): 1–7.
- Melo, T.S., Pires, T.C., Engelmann, J.V.P., Monteiro, A.L.O., Maciel, L.F., and Bispo, E. da S. 2021. Evaluation of the content of bioactive compounds in cocoa beans during the fermentation process. *Journal of Food Science and Technology* **58** (5): 1947–1957.
- Misnawi, A., Jinap, S., Jamilah, B., and Nazamid, S. 2004. Sensory properties of cocoa liquor as affected by polyphenol concentration and duration of roasting. *Food Quality and Preference* **15** (5): 403–409.
- Misnawi, Jinap, S., Jamilah, B., and Nazamid, S. 2003. Effects of incubation and polyphenol oxidase enrichment on colour, fermentation index, procyandins and astringency of unfermented and partly fermented cocoa beans. *International Journal of Food Science and Technology* **38** (3): 285–295.
- Misnawi, M., Tunjungsari, A.B., Febrianto, N.A., Adiandri, R.S., Fahrizal, F., and Fahrurrozi, F. 2017. Improvement of Small Scale Cocoa Fermentation Using Lactobacillus fermentumas Starter Culture. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)* **33** (3): 203.
- Misnawi, Selamat, J., Bakar, J., and Saari, N. 2002. Oxidation of polyphenols in unfermented and partly fermented cocoa beans by cocoa polyphenol oxidase and tyrosinase. *Journal of the Science of Food and Agriculture* **82** (5): 559–566.
- Nazaruddin, R., Seng, L.K., Hassan, O., and Said, M. 2006. Effect of pulp preconditioning on the content of polyphenols in cocoa beans (*Theobroma Cacao*) during fermentation. *Industrial Crops and Products* **24** (1): 87–94.
- Nelson, N. 1944. a Photometric Adaptation of the Somogyi Method for the Determination of Glucose. *Journal of Biological Chemistry* **153** (2): 375–380.
- Niemenak, N., Evina Eyamo, J.V., Mouafi Djabou, S.A., Ngouambe Tchouatcheu, A.G., Bernhardt, C., Lieberei, R., and Bisping, B. 2020. Assessment of the profile of free amino acids and reducing sugars of cacao beans from local Cameroonian Trinitario (SNK varieties) and Forastero (TIKO varieties) using fermentation-like incubation. *Journal of Applied Botany and Food Quality* **93** (2020): 321–329.
- Niemenak, N., Eyamo, J. A., Onomoa, P. E. dan Youmbi, E. 2014. Physical and chemical assessment quality of cocoa beans in south and center regions of Cameroon. *Journal of Syllabus Reviews Science Series*, 5: 27-33
- Noor-Soffalina, S.S., Jinap, S., Nazamid, S., and Nazimah, S.A.H. 2009. Effect of polyphenol and pH on cocoa Maillard-related flavour precursors in a lipidic



- model system. *International Journal of Food Science and Technology* **44** (1): 168–180.
- Nurhidayah, N., Masriany, M. dan Masri, M. 2013. Isolasi dan pengukuran aktivitas enzim bromelin dari ekstrak kasar batang nanas (*Ananas comosus*) berdasarkan variasi pH. Biogenesis: *Jurnal Ilmiah Biologi*, **1** (2): 116–122.
- Omotoyinbo, O. V., and Sanni, D.M. 2017. Characterization of Bromelain from Parts of Three Different Pineapple Varieties in Nigeria. **5** (3): 35–41.
- Ozturk, G., and Young, G.M. 2017. Food Evolution : The Impact of Society and Science on the Fermentation of Cocoa Beans. **16**: 431–455.
- Papalexandratou, Z., Vrancken, G., de Bruyne, K., Vandamme, P., and de Vuyst, L. 2011. Spontaneous organic cocoa bean box fermentations in Brazil are characterized by a restricted species diversity of lactic acid bacteria and acetic acid bacteria. *Food Microbiology* **28** (7): 1326–1338.
- Pasau, C. 2013. Efektivitas Penggunaan Asam Asetat Pada Pemeraman Biji Kakao Segar Sebagai Analog Fermentasi. *Jurnal Agrotekbis* **1** (2): 113–120.
- Peláez, P.P., Guerra, S., and Contreras, D. 2016. Changes in physical and chemical characteristics of fermented cocoa (*Theobroma cacao*) beans with manual and semi-mechanized transfer, between fermentation boxes. *Scientia Agropecuaria* **07** (02): 111–119.
- Praseptiangga, D., Zambrano, J.M.G., Sanjaya, A.P., and Muhammad, D.R.A. 2020. Challenges in the development of the cocoa and chocolate industry in Indonesia: A case study in Madiun, East Java. *AIMS Agriculture and Food* **5** (4): 920–937.
- Radojc, I., Markovic, K., and Jolic, S.M. 2011. Original article Changes of phenolic compounds and antioxidant capacity in cocoa beans processing. 1793–1800.
- Rahardjo, Y.P., Syamsu, K., Rahardja, S., Samsudin, and Mangunwijaya, D. 2022. Impact of controlled fermentation on the volatile aroma of roasted cocoa. *Brazilian Journal of Food Technology* **25**: 1–12.
- Ramli, N., Hassan, O., Said, M., Samsudin, W., and Idris, N.O.R.A. 2005. influence of roasting conditions on volatile flavor of roasted malaysian cocoa beans. **30** (2006): 280–298.
- Rao, M.B., Tanksale, A.M., and Ghatge, M.S. 1998. Molecular and Biotechnological Aspects of Microbial Proteases. **62** (3): 597–635.
- Rodriguez-Campos, J., Escalona-Buendía, H.B., Contreras-Ramos, S.M., Orozco-Avila, I., Jaramillo-Flores, E., and Lugo-Cervantes, E. 2012. Effect of fermentation time and drying temperature on volatile compounds in cocoa. *Food Chemistry* **132** (1): 277–288.
- Romero-Cortes, T., Salgado-Cervantes, M.A., García-Alamilla, P., García-Alvarado, M.A., del C Rodríguez-Jimenes, G., Hidalgo-Morales, M., and Robles-Olvera, V. 2013. Relationship between fermentation index and other biochemical changes evaluated during the fermentation of Mexican cocoa (*Theobroma cacao*) beans. *Journal of the Science of Food and Agriculture* **93** (10): 2596–2604.
- Rottiers, H., Tzompa Sosa, D.A., De Winne, A., Ruales, J., De Clippeleer, J., De Leersnyder, I., De Wever, J., Everaert, H., Messens, K., and Dewettinck, K. 2019. Dynamics of volatile compounds and flavor precursors during spontaneous fermentation of fine flavor Trinitario cocoa beans. *European Food Research and Technology* **245** (9): 1917–1937.



- Rutherford, S.M. 2010. Methodology for determining degree of hydrolysis of proteins in hydrolysates: A Review. *Journal of AOAC International* **93** (5): 1515–1522.
- Sabahannur, S., Mursalim, ., Asrul, L., and Bilang, M. 2015. Use of High Performance Liquid Chromatography (HPLC) for the Analysis of Amino Acid of Sulawesi and Local Clone Cocoa Bean Fermentation. *Journal of Food Research* **4** (4): 120.
- Sangkharak, K., Wangsirikul, P., Pichid, N., Yunu, T., and Prasertsan, P. 2016. Partitioning of bromelain from pineapple stem (Smooth cayenne) by aqueous two phase system and its application for recovery and purification of polyhydroxyalkanoate. *Chiang Mai Journal of Science* **43** (4): 794–807.
- Selamassakul, O., Laohakunjit, N., Kerdchoechuen, O., and Ratanakhanokchai, K. 2016. A novel multi-biofunctional protein from brown rice hydrolysed by endo/end-exoproteases. *Food and Function* **7** (6): 2635–2644.
- Septianti, E., Salengke, Langkong, J., Sukendar, N.K., and Hanifa, A.P. 2020. Characteristic Quality of Pinrang's Cocoa Beans During Fermentation Used Styrofoam Containers. *Canrea Journal: Food Technology, Nutritions, and Culinary Journal* **3** (1): 10–25.
- Shu, C.K. 1998. Pyrazine Formation from Amino Acids and Reducing Sugars, a Pathway Other than Strecker Degradation. *Journal of Agricultural and Food Chemistry* **46** (4): 1515–1517.
- Sonklin, C., Laohakunjit, N., and Kerdchoechuen, O. 2011. Physicochemical and flavor characteristics of flavoring agent from mungbean protein hydrolyzed by bromelain. *Journal of Agricultural and Food Chemistry* **59** (15): 8475–8483.
- Sonklin, C., Laohakunjit, N., Kerdchoechuen, O., and Ratanakhanokchai, K. 2018. Volatile flavour compounds, sensory characteristics and antioxidant activities of mungbean meal protein hydrolysed by bromelain. *Journal of Food Science and Technology* **55** (1): 265–277.
- Spinnler, H. E. 2011. Flavors from amino acids. *Food Flavors: Chemical, Sensory and Technological Properties*, 121-136.
- Spizzirri, U. G., Ieri, F., Campo, M., Paolino, D., Restuccia, D., & Romani, A. 2019. Biogenic amines, phenolic, and aroma-related compounds of unroasted and roasted cocoa beans with different origin. *Foods*, **8**(8): 306.
- Standar Nasional Indonesia. 200. SNI 2323 : 2008 Biji Kakao. Jakarta: Badan Standar Nasional. 44 hlm
- Sulaiman, K.B., and Yang, T.A. 2015. Color characteristics of dried cocoa using shallow box fermentation technique. *Inter Scholar Sci Res Innov* **9** (12): 1277–1281.
- Sutrisno, A. 2017. Teknologi Enzim. UB Press: Malang. 130 hlm
- Tavano, O.L. 2013. Journal of Molecular Catalysis B : Enzymatic Protein hydrolysis using proteases : An important tool for food biotechnology. *Journal of Molecular Catalysis. B, Enzymatic'* **90**: 1–11.
- Utami, T., Kusuma, E.N., Satiti, R., Rahayu, E.S., and Cahyanto, M.N. 2019. Hydrolyses of meat and soybean proteins using crude bromelain to produce halal peptone as a complex nitrogen source for the growth of lactic acid bacteria. *International Food Research Journal* **26** (1): 117–122.
- Utrilla-Vázquez, M., Rodríguez-Campos, J., Avendaño-Arazate, C.H., Gschaedler, A., and Lugo-Cervantes, E. 2020. Analysis of volatile compounds of five



varieties of Maya cocoa during fermentation and drying processes by Venn diagram and PCA. *Food Research International* **129**: 108834.

- Viesser, J.A., de Melo Pereira, G. V., de Carvalho Neto, D.P., Rogez, H., Góes-Neto, A., Azevedo, V., Brenig, B., Aburjaile, F., and Soccol, C.R. 2021. Co-culturing fructophilic lactic acid bacteria and yeast enhanced sugar metabolism and aroma formation during cocoa beans fermentation. *International Journal of Food Microbiology* **339** (December 2020): .
- Voigt, J., Heinrichs, H., Voigt, G., and Biehl, B. 1994. Cocoa-specific aroma precursors are generated by proteolytic digestion of the vicilin-like globulin of cocoa seeds. *Food Chemistry* **50** (2): 177–184.
- Witono, Y. 2014. Teknologi Flavor Alami. Pustaka Radja. Surabaya: 137 hlm
- Yuniar, L., Rachman, S.D., and Soedjanaatmadja, R.U.M.. 2018. YPengaruh Fermentasi Biji Kakao dengan Menggunakan Kluyveromyces sp., Lactobacillus plantarum, Acetobacter xylinum, Enzim Papain dan Bromelain serta Sistein Terhadap Prekursor Cita Rasa serta Kandungan Nutrisi dan Polifenolnya. *Chimica et Natura Acta* **6** (3): 127–135.
- Zhang, S.B. 2016. In vitro antithrombotic activities of peanut protein hydrolysates. *Food Chemistry* **202** (January): 1–8.
- Ziegleder, G. 2017. Flavour development in cocoa and chocolate. *Beckett's Industrial Chocolate Manufacture and Use* 185–215.
- Zzaman, W., Bhat, R., & Yang, T. A. 2014. Effect of superheated steam roasting on the phenolic antioxidant properties of cocoa beans. *Journal of food processing and preservation*, **38**(4): 1932-1938.