

DAFTAR PUSTAKA

- Abercrombie, G. dan Hovy, D., 2016. Putting sarcasm detection into context: The effects of class imbalance and manual labelling on supervised machine classification of twitter conversations. *54th Annual Meeting of the Association for Computational Linguistics, ACL 2016 - Student Research Workshop*, hal.107–113. Available at: <http://anthology.aclweb.org/P16-3016>.
- Acheampong, F.A., Nunoo-Mensah, H. dan Chen, W., 2021. Transformer models for text-based emotion detection: a review of BERT-based approaches. *Artificial Intelligence Review*, 54(8), hal.5789–5829. Available at: <https://doi.org/10.1007/s10462-021-09958-2>.
- Afiyati, A., Azhari, A., Sari, A.K. dan Karim, A., 2020. Challenges of Sarcasm Detection for Social Network: A Literature Review. *JUITA: Jurnal Informatika*, 8(2), hal.169.
- Amir, S., Wallace, B.C., Lyu, H., Carvalho, P. dan Silva, M.J., 2016. Modelling context with user embeddings for sarcasm detection in social media. *CoNLL 2016 - 20th SIGNLL Conference on Computational Natural Language Learning, Proceedings*, hal.167–177.
- Aponyi, A., 2021. What are sentence embedding and their applications. Available at: <https://blog.taus.net/what-are-sentence-embeddings-and-their-applications> [Diakses April 14, 2021].
- Arora, M. dan Kansal, V., 2019. Character level embedding with deep convolutional neural network for text normalization of unstructured data for Twitter sentiment analysis. *Social Network Analysis and Mining*, 9(1), hal.0. Available at: <http://dx.doi.org/10.1007/s13278-019-0557-y>.
- Ashok, D.M., Nidhi Ghanshyam, A., Salim, S.S., Burhanuddin Mazahir, D. dan Thakare, B.S., 2020. Sarcasm detection using genetic optimization on LSTM with CNN. *2020 International Conference for Emerging Technology, INCET 2020*, hal.4–7.
- Babanejad, N., Davoudi, H., An, A. dan Papagelis, M., 2020. Affective and Contextual Embedding for Sarcasm Detection. In *Proceedings of the 28th International Conference on Computational Linguistics*. Stroudsburg, PA, USA: International Committee on Computational Linguistics, hal. 225–243. Available at: <https://www.aclweb.org/anthology/2020.coling-main.20>.
- Bharti, S.K., Babu, K.S. dan Raman, R., 2018. Context-based Sarcasm Detection in Hindi Tweets. *2017 9th International Conference on Advances in Pattern Recognition, ICAPR 2017*, (December), hal.410–415.

- Bouazizi, M. dan Ohtsuki, T., 2017. A Pattern-Based Approach for Multi-Class Sentiment Analysis in Twitter. *IEEE Access*, 5, hal.20617–20639.
- Bouazizi, M. dan Ohtsuki, T., 2014. Sarcasm Detection in Twitter: “All Your Products Are Incredibly Amazing!!!” - Are They Really? In *2015 IEEE Global Communications Conference (GLOBECOM)*. IEEE, hal. 1–6. Available at: <https://ieeexplore.ieee.org/document/7417640>.
- Chaer, A., 2013. *Fonologi Bahasa Indonesia*,
- Chimote, A.K. dan Tandan, S.R., 2019. A research on detection of sarcasm using machine learning techniques. *International Journal of Recent Technology and Engineering*, 8(2 Special Issue 11), hal.968–971.
- Cho, D., Lee, H. dan Kang, S., 2021. An Empirical Study of Korean Sentence Representation with Various Tokenizations. *Electronics*, 10(7), hal.845. Available at: <https://www.mdpi.com/2079-9292/10/7/845>.
- Cho, K., Van Merriënboer, B., Gulcehre, C., Bahdanau, D., Bougares, F., Schwenk, H. dan Bengio, Y., 2014. Learning phrase representations using RNN encoder-decoder for statistical machine translation. *EMNLP 2014 - 2014 Conference on Empirical Methods in Natural Language Processing, Proceedings of the Conference*, hal.1724–1734.
- Chollet, F., 2018. *Deep Learning with Python*, IEEE.
- Christopher, J.G., Ahmed, I. dan Mishra, R.K., 2017. Need for Customized Soundex based Algorithm on Indian Names for Phonetic Matching. *Global Journal of Enterprise Information System*, 8(2), hal.30.
- Das, D. dan Clark, A.J., 2018. Sarcasm detection on Flickr using a CNN. *ACM International Conference Proceeding Series*, hal.56–61.
- Devlin, J., Chang, M.-W.W., Lee, K. dan Toutanova, K., 2019. BERT: Pre-training of deep bidirectional transformers for language understanding. *NAACL HLT 2019 - 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies - Proceedings of the Conference*, 1(Mlm), hal.4171–4186. Available at: <http://arxiv.org/abs/1810.04805>.
- Dong, X., Li, C. dan Choi, J.D., 2020. Transformer-based Context-aware Sarcasm Detection in Conversation Threads from Social Media. *arXiv*, hal.276–280.
- Doval, Y., Vilares, M. dan Vilares, J., 2018. On the performance of phonetic algorithms in microtext normalization. *Expert Systems with Applications*, 113, hal.213–222. Available at: <https://doi.org/10.1016/j.eswa.2018.07.016>.
- Du, Y., Li, T., Pathan, M.S., Teklehaimanot, H.K. dan Yang, Z., 2022. An Effective

Sarcasm Detection Approach Based on Sentimental Context and Individual Expression Habits. *Cognitive Computation*, 14(1), hal.78–90. Available at: <https://link.springer.com/10.1007/s12559-021-09832-x>.

Egorova, E. dan Burget, L., 2018. Out-of-Vocabulary Word Recovery using FST-Based Subword Unit Clustering in a Hybrid ASR System. In *2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, hal. 5919–5923. Available at: <https://ieeexplore.ieee.org/document/8462221/>.

Egorova, E., Vydana, H.K., Burget, L. dan Černocký, J., 2021. Out-of-vocabulary words detection with attention and CTC alignments in an end-to-end ASR system. *Proceedings of the Annual Conference of the International Speech Communication Association, INTERSPEECH*, 2, hal.991–995.

Eke, C.I., Norman, A.A. dan Shuib, L., 2021. Context-Based Feature Technique for Sarcasm Identification in Benchmark Datasets Using Deep Learning and BERT Model. *IEEE Access*, 9, hal.48501–48518. Available at: <https://ieeexplore.ieee.org/document/9383219/>.

El-Alami, F., Ouatik El Alaoui, S. dan En Nahnahi, N., 2021. Contextual semantic embeddings based on fine-tuned AraBERT model for Arabic text multi-class categorization. *Journal of King Saud University - Computer and Information Sciences*, (xxxx). Available at: <https://doi.org/10.1016/j.jksuci.2021.02.005>.

García, L., Moctezuma, D. dan Muñiz, V., 2019. A contextualized word representation approach for irony detection. In *CEUR Workshop Proceedings*. hal. 285–290.

Gautam, V., Pipal, A. dan Arora, M., 2019. SoundEx Algorithm Revisited for Indian Language. *International Conference on Innovative Computing and Communications*, 56, hal.47–55. Available at: http://dx.doi.org/10.1007/978-981-13-2354-6_6.

Ghosh, A. dan Veale, D.T., 2016. Fracking Sarcasm using Neural Network. In *Proceedings of the 7th Workshop on Computational Approaches to Subjectivity, Sentiment and Social Media Analysis*. Stroudsburg, PA, USA: Association for Computational Linguistics, hal. 161–169. Available at: <http://aclweb.org/anthology/W16-0425>.

Ghosh, A. dan Veale, T., 2017. Magnets for sarcasm: Making sarcasm detection timely, contextual and very personal. *EMNLP 2017 - Conference on Empirical Methods in Natural Language Processing, Proceedings*, (2002), hal.482–491.

Hanafiah, N., Kevin, A., Sutanto, C., Fiona, Arifin, Y. dan Hartanto, J., 2017. Text Normalization Algorithm on Twitter in Complaint Category. *Procedia Computer Science*, 116, hal.20–26. Available at:

<https://doi.org/10.1016/j.procs.2017.10.004>.

Hazarika, D., Poria, S., Gorantla, S., Cambria, E., Zimmermann, R. dan Mihalcea, R., 2018. CASCADE: Contextual Sarcasm Detection in Online Discussion Forums. , hal.1837–1848. Available at: <http://arxiv.org/abs/1805.06413>.

He, S., Guo, F. dan Qin, S., 2020. Sarcasm Detection Using Graph Convolutional Networks with Bidirectional LSTM. *ACM International Conference Proceeding Series*, hal.97–101.

Hiai, S. dan Shimada, K., 2016. A sarcasm extraction method based on patterns of evaluation expressions. *Proceedings - 2016 5th IIAI International Congress on Advanced Applied Informatics, IIAI-AAI 2016*, hal.31–36.

Hidayatullah, A.F., Ma'Arif, M. dan M R Ma'arif, 2017. Pre-processing Tasks in Indonesian Twitter Messages. *International Conference on Computing and Applied Informatics*, 801(1).

Huang, G., Chen, J. dan Sun, Z., 2020. A correction method of word spelling mistake for English text. *Journal of Physics: Conference Series*, 1693(1).

Jain, D., Kumar, A. dan Garg, G., 2020. Sarcasm detection in mash-up language using soft-attention based bi-directional LSTM and feature-rich CNN. *Applied Soft Computing Journal*, 91, hal.106198. Available at: <https://doi.org/10.1016/j.asoc.2020.106198>.

Jianqiang, Z. dan Xiaolin, G., 2017. Comparison research on text pre-processing methods on twitter sentiment analysis. *IEEE Access*, 5, hal.2870–2879.

Joshi, A., Tripathi, V., Patel, K., Bhattacharyya, P. dan Carman, M., 2016. Are word embedding-based features useful for sarcasm detection? *EMNLP 2016 - Conference on Empirical Methods in Natural Language Processing, Proceedings*, (2013), hal.1006–1011.

Kaliyar, R.K., Goswami, A. dan Narang, P., 2021. FakeBERT: Fake news detection in social media with a BERT-based deep learning approach. *Multimedia Tools and Applications*, 80(8), hal.11765–11788.

Kamal, A. dan Abulaish, M., 2021. CAT-BiGRU: Convolution and Attention with Bi-Directional Gated Recurrent Unit for Self-Deprecating Sarcasm Detection. *Cognitive Computation*, (0123456789). Available at: <https://doi.org/10.1007/s12559-021-09821-0>.

Kinariwala, M.R.S.P.S.A., 2015. Information Retrieval in Text Mining Using Pattern Based Approach. *International Journal of Science and Research (IJSR)*, 4(10), hal.1437–1441.

Koto, F., Lau, J.H. dan Baldwin, T., 2021. IndoBERTweet: A Pretrained Language

Model for Indonesian Twitter with Effective Domain-Specific Vocabulary Initialization. Available at: <http://arxiv.org/abs/2109.04607>.

- Koto, F., Rahimi, A., Lau, J.H. dan Baldwin, T., 2020. IndoLEM and IndoBERT: A Benchmark Dataset and Pre-trained Language Model for Indonesian NLP. In *Proceedings of the 28th International Conference on Computational Linguistics*. Stroudsburg, PA, USA: International Committee on Computational Linguistics, hal. 757–770. Available at: <https://www.aclweb.org/anthology/2020.coling-main.66>.
- Kumar, A. dan Garg, G., 2019. Empirical study of shallow and deep learning models for sarcasm detection using context in benchmark datasets. *Journal of Ambient Intelligence and Humanized Computing*. Available at: <http://link.springer.com/10.1007/s12652-019-01419-7>.
- Kumar, A., Narapareddy, V.T., Gupta, P., Srikanth, V.A., Neti, L.B.M. dan Malapati, A., 2020. Adversarial and Auxiliary Features-Aware BERT for Sarcasm Detection. *ACM International Conference Proceeding Series*, hal.163–170.
- Kumar, P. dan Sarin, G., 2022. WELMSD – word embedding and language model based sarcasm detection. *Online Information Review*, (2016).
- Kunneman, F., Liebrecht, C., van Mulken, M. dan van den Bosch, A., 2015. Signaling sarcasm: From hyperbole to hashtag. *Information Processing & Management*, 51(4), hal.500–509.
- Kwon, O., Kim, D., Lee, S.R., Choi, J. dan Lee, S.K., 2021. Handling out-of-vocabulary problem in hangeul word embeddings. *EACL 2021 - 16th Conference of the European Chapter of the Association for Computational Linguistics, Proceedings of the Conference*, hal.3213–3221.
- Lamsiyah, S., El Mahdaouy, A., Ouatik El Alaoui, S. dan Espinasse, B., 2021. Unsupervised query-focused multi-document summarization based on transfer learning from sentence embedding models, BM25 model, and maximal marginal relevance criterion. *Journal of Ambient Intelligence and Humanized Computing*, (0123456789). Available at: <https://doi.org/10.1007/s12652-021-03165-1>.
- Liu, S., Tan, N., Ge, Y. dan Lukač, N., 2021. Research on Automatic Question Answering of Generative Knowledge Graph Based on Pointer Network. *Information*, 12(3), hal.136. Available at: <https://www.mdpi.com/2078-2489/12/3/136>.
- Liu, Y., Ott, M., Goyal, N., Du, J., Joshi, M., Chen, D., Levy, O., Lewis, M., Zettlemoyer, L. dan Stoyanov, V., 2019. RoBERTa: A Robustly Optimized BERT Pretraining Approach. , (1). Available at:

<http://arxiv.org/abs/1907.11692>.

- Lochter, J. V., Silva, R.M. dan Almeida, T.A., 2022. Multi-level out-of-vocabulary words handling approach. *Knowledge-Based Systems*, 251, hal.108911. Available at: <https://doi.org/10.1016/j.knosys.2022.108911>.
- Loo, Mark,P.J.,van, der, 2014. The stringdist Package for Approximate String Matching. *The R Journal*, 6(1), hal.111. Available at: <https://journal.r-project.org/archive/2014/RJ-2014-011/index.html>.
- Majumder, N., Poria, S., Peng, H., Chhaya, N., Cambria, E., Gelbukh, A. dan Cambria, E., 2019. Sentiment and Sarcasm Classification With Multitask Learning. *IEEE Intelligent Systems*, 34(3), hal.38–43. Available at: <https://ieeexplore.ieee.org/document/8766192/>.
- Manjusha, P.D. dan Raseek, C., 2018. Convolutional neural network based simile classification system. *2018 International Conference on Emerging Trends and Innovations In Engineering And Technological Research, ICETIETR 2018*, hal.1–5.
- Martini, A.T., Farrukh, M. dan Ge, H., 2018. Recognition of ironic sentences in twitter using attention-based LSTM. *International Journal of Advanced Computer Science and Applications*, 9(8), hal.7–11.
- Mehndiratta, P., Sachdeva, S. dan Soni, D., 2017. Detection of sarcasm in text data using deep convolutional neural networks. *Scalable Computing*, 18(3), hal.219–228. Available at: <http://www.scpe.org/index.php/scpe/article/view/1302>.
- Michael, S. dan Zahra, A., 2019. Automatic Sarcasm Detection with Textual and Acoustic Data. *International Journal of Recent Technology and Engineering*, 8(4), hal.1357–1360.
- Mihuandayani, Utami, E. dan Luthfi, E.T., 2018. Profiling Analysis Based on Social Media for Prospective Employees Recruitment Using SVM and Chi-Square. *Journal of Physics: Conference Series*, 1140(1), hal.012043. Available at: <https://iopscience.iop.org/article/10.1088/1742-6596/1140/1/012043>.
- Mishra, A., Dey, K. dan Bhattacharyya, P., 2017. Learning cognitive features from gaze data for sentiment and sarcasm classification using convolutional neural network. *ACL 2017 - 55th Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference (Long Papers)*, 1, hal.377–387. Available at: <https://www.cse.iitb.ac.in/~pb/papers/acl17-cogfeatures.pdf>
<http://aclweb.org/anthology/P17-1035>
<https://www.cse.iitb.ac.in/~pb/papers/acl17-cogfeatures.pdf>.

- Moudhich, I. dan Fennan, A., 2021. A comparison of ml approaches on sentiment analysis, based on ontologies, sarcasm and subjectivity detections in the case study of US elections. *Journal of Theoretical and Applied Information Technology*, 99(5), hal.1033–1043.
- Muhammad, F. dan Purwarianti, A., 2017. Handling out of Vocabulary in supervised event extraction on Indonesian tweets: Using word representation, word list, word context and document level features. *Proceedings of 2016 International Conference on Data and Software Engineering, ICoDSE 2016*.
- Mulyanto, A., 2010. Analisis Edit Distance Menggunakan Algoritma Dynamic Programming. *Saintek*, 5(2), hal.1–10. Available at: http://repository.ung.ac.id/get/simlit_res/1/281/Analisis-Edit-Distance-Menggunakan-Algoritma-Dynamic-Programming.pdf.
- Naseem, U., Razzak, I., Eklund, P. dan Musial, K., 2020. Towards Improved Deep Contextual Embedding for the identification of Irony and Sarcasm. *Proceedings of the International Joint Conference on Neural Networks*.
- Nugraha, I.G.B.B. dan Rizqullah, R.D., 2019. Normalisasi Kata Tidak Baku yang Tidak Disingkat dengan Jarak Perubahan. *Jurnal Nasional Teknik Elektro dan Teknologi Informasi (JNTETI)*, 8(3), hal.218.
- Oprea, S. dan Magdy, W., 2020. iSarcasm: A Dataset of Intended Sarcasm. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*. Stroudsburg, PA, USA: Association for Computational Linguistics, hal. 1279–1289. Available at: <https://www.aclweb.org/anthology/2020.acl-main.118>.
- Pan, H., Lin, Z., Fu, P. dan Wang, W., 2020. Modeling the incongruity between sentence snippets for sarcasm detection. *Frontiers in Artificial Intelligence and Applications*, 325, hal.2132–2139.
- Del Pilar Angeles, M., Espino-Gamez, A. dan Gil-Moncada, J., 2015. Comparison of a Modified Spanish Phonetic, Soundex, and Phonex coding functions during data matching process. *2015 4th International Conference on Informatics, Electronics and Vision, ICIEV 2015*.
- Poria, S., Cambria, E., Hazarika, D. dan Vij, P., 2016. A deeper look into sarcastic tweets using deep convolutional neural networks. *COLING 2016 - 26th International Conference on Computational Linguistics, Proceedings of COLING 2016: Technical Papers*, 19(2), hal.1601–1612.
- Potamias, R.A., Siolas, G. dan Stafylopatis, A.-G., 2020. A transformer-based approach to irony and sarcasm detection. *Neural Computing and Applications*, 32(23), hal.17309–17320. Available at: <https://doi.org/10.1007/s00521-020-05102-3>.

- Rajadesingan, A., 2014. *Detecting Sarcasm on Twitter: A Behavior Modeling Approach*.
- Rajadesingan, A., Zafarani, R. dan Liu, H., 2015. Sarcasm detection on twitter:A behavioral modeling approach. *WSDM 2015 - Proceedings of the 8th ACM International Conference on Web Search and Data Mining*, hal.97–106. Available at: <http://dl.acm.org/citation.cfm?doid=2684822.2685316>.
- Ranti, K.S. dan Girsang, A.S., 2020. Indonesian sarcasm detection using convolutional neural network. *International Journal of Emerging Trends in Engineering Research*, 8(9), hal.4952–4955.
- Razali, M.S., Halin, A.A., Norowi, N.M. dan Doraisamy, S.C., 2018. The importance of multimodality in sarcasm detection for sentiment analysis. *IEEE Student Conference on Research and Development: Inspiring Technology for Humanity, SCORed 2017 - Proceedings*, 2018-Janua, hal.56–60.
- Reimers, N. dan Gurevych, I., 2019. Sentence-BERT: Sentence Embeddings using Siamese BERT-Networks. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*. Stroudsburg, PA, USA: Association for Computational Linguistics, hal. 3980–3990. Available at: <https://www.aclweb.org/anthology/D19-1410>.
- Reimers, N., Schiller, B., Beck, T., Daxenberger, J., Stab, C. dan Gurevych, I., 2020. Classification and clustering of arguments with contextualized word embeddings. *ACL 2019 - 57th Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference*, hal.567–578.
- Ren, L., Xu, B., Lin, H., Liu, X. dan Yang, L., 2020. Sarcasm Detection with Sentiment Semantics Enhanced Multi-level Memory Network. *Neurocomputing*, 401, hal.320–326.
- Ren, Y., Ji, D. dan Ren, H., 2018. Context-augmented convolutional neural networks for twitter sarcasm detection. *Neurocomputing*, 308, hal.1–7. Available at: <https://doi.org/10.1016/j.neucom.2018.03.047>.
- Riloff, E., Qadir, A., Surve, P., Silva, Lalindra De, Gilbert, N., Huang, R., De Silva, L, Gilbert, N., Huang, R., Silva, Lalindra De, Gilbert, N. dan Huang, R., 2013. Sarcasm as Contrast between a Positive Sentiment and Negative Situation. *EMNLP 2013 - 2013 Conference on Empirical Methods in Natural Language Processing, Proceedings of the Conference*, (Emnlp), hal.704–714.
- Salim, S.S., Nidhi Ghanshyam, A., Ashok, D.M., Burhanuddin Mazahir, D. dan Thakare, B.S., 2020. Deep LSTM-RNN with word embedding for sarcasm detection on twitter. *2020 International Conference for Emerging Technology, INCET 2020*, hal.4–7.

- Sangwan, S., Akhtar, M.A., Behera, P. dan Ekbal, A., 2020. Exploring Multimodality for Sarcasm Detection. *2020 International Joint Conference on Neural Networks (IJCNN)*, hal.0–7.
- Schifanella, R., De Juan, P., Tetreault, J. dan Cao, L., 2016. Detecting Sarcasm in Multimodal Social Platforms. *MM 2016 - Proceedings of the 2016 ACM Multimedia Conference*, (August 2016), hal.1136–1145. Available at: <http://arxiv.org/abs/1608.02289> <http://dx.doi.org/10.1145/2964284.2964321>.
- Shah, S. dan Chy, A.N., 2020. Fusion of Hand-crafted Features and Deep Semantic Features in a Unified Neural Model for Irony Detection in Microblogs. *IEEE Region 10 Humanitarian Technology Conference, R10-HTC*, 2020-Decem.
- Sharma, D.K., Singh, B., Agarwal, S., Kim, H. dan Sharma, R., 2022. Sarcasm Detection over Social Media Platforms Using Hybrid Auto-Encoder-Based Model. *Electronics (Switzerland)*, 11(18).
- Shrivastava, M. dan Kumar, S., 2021. A pragmatic and intelligent model for sarcasm detection in social media text. *Technology in Society*, 64(November 2020), hal.101489. Available at: <https://doi.org/10.1016/j.techsoc.2020.101489>.
- Shruthi, P. dan Anil Kumar, K.M., 2020. Novel approach for generating hybrid features set to effectively identify hate speech. *Inteligencia Artificial*, 23(66), hal.97–111.
- Son, L.H., Kumar, A., Sangwan, S.R., Arora, A., Nayyar, A. dan Abdel-Basset, M., 2019. Sarcasm detection using soft attention-based bidirectional long short-term memory model with convolution network. *IEEE Access*, 7, hal.23319–23328.
- Talman, A., Yli-Jyrä, A. dan Tiedemann, J., 2019. Sentence embeddings in NLI with iterative refinement encoders. *Natural Language Engineering*, 25(4), hal.467–482.
- Tang, Y., Tang, C. dan Zhu, C., 2020. Resolve out of Vocabulary with Long Short-Term Memory Networks for Morphology. In *2020 IEEE International Conference on Artificial Intelligence and Computer Applications (ICAICA)*. IEEE, hal. 115–119. Available at: <https://ieeexplore.ieee.org/document/9182586/>.
- Tay, Y., Tuan, L.A., Hui, S.C. dan Su, J., 2018. Reasoning with sarcasm by reading in-between. *ACL 2018 - 56th Annual Meeting of the Association for Computational Linguistics, Proceedings of the Conference (Long Papers)*, 1, hal.1010–1020.

- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A.N., Kaiser, Ł. dan Polosukhin, I., 2017. Attention is all you need. *Advances in Neural Information Processing Systems*, 2017-Decem(Nips), hal.5999–6009.
- Wahyuni, A.T., 2017. *Abbreviations Used in Social Media Facebook Instagram*,
- Wang, B. dan Kuo, C.-C.J., 2020. SBERT-WK: A Sentence Embedding Method by Dissecting BERT-Based Word Models. *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, 28, hal.2146–2157. Available at: <https://ieeexplore.ieee.org/document/9140343/>.
- Wicana, S.G., Ibisoglu, T.Y. dan Yavanoglu, U., 2017. A Review on Sarcasm Detection from Machine-Learning Perspective. *Proceedings - IEEE 11th International Conference on Semantic Computing, ICSC 2017*, hal.469–476.
- Wijnholds, G. dan Sadrzadeh, M., 2019. Evaluating Composition Models for Verb Phrase Elliptical Sentence Embeddings. In *Proceedings of the 2019 Conference of the North*. Stroudsburg, PA, USA: Association for Computational Linguistics, hal. 261–271. Available at: <http://aclweb.org/anthology/N19-1023>.
- Wu, Yang, Zhao, Y., Lu, X., Qin, B., Wu, Yin, Sheng, J. dan Li, J., 2021. Modeling Incongruity between Modalities for Multimodal Sarcasm Detection. *IEEE Multimedia*, (c), hal.1–11.
- Xu, L. dan Xu, V., 2019. Project Report : Sarcasm Detection.
- Yun, H., Hwang, Y. dan Jung, K., 2020. Improving Context-Aware Neural Machine Translation Using Self-Attentive Sentence Embedding. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(05), hal.9498–9506. Available at: <https://www.aaai.org/ojs/index.php/AAAI/article/view/6494>.
- Yunitasari, Y., Musdholifah, A. dan Sari, A.K., 2019. Sarcasm Detection For Sentiment Analysis in Indonesian Tweets. *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 13(1), hal.53.
- Zhang, Q., Chen, G. dan Chen, D., 2018. *Adversarial Training for Sarcasm Detection*, Springer International Publishing. Available at: http://dx.doi.org/10.1007/978-3-319-94307-7_4.
- Zhang, X., Povey, D. dan Khudanpur, S., 2020. OOV Recovery with Efficient 2nd Pass Decoding and Open-vocabulary Word-level RNNLM Rescoring for Hybrid ASR. *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings*, 2020-May, hal.6334–6338.
- Zhao, P., Tang, B., Liao, C. dan Wang, X., 2021. The Out-of-Vocabulary Spelling Correction Model in a New Domain for End-to-End Automatic Speech

Recognition. *Proceedings - 2021 17th International Conference on Computational Intelligence and Security, CIS 2021*, hal.118–122.

Sumber Gambar 3.6 Cosine Similarity:

<https://towardsdatascience.com/cosine-similarity-how-does-it-measure-the-similarity-maths-behind-and-usage-in-python-50ad30aad7db>