



DAFTAR PUSTAKA

- Abbas, M., Rao, B. P., Naga, S. M., Takahashi, M., and Kim, C., 2013, Synthesis of high magnetization hydrophilic magnetite (Fe₃O₄) nanoparticles in single reaction- surfactantless polyol process, *Ceram. Int.*, 39(7), 7605–7611.
- Abdulhady, Y., and Gedamy, Y., 2018, Synthesis of Iron Oxide/TiO₂ with Citric Acid Nano-Composite to Remove Some Inorganic Pollutants from Kema Drain -Aswan-Egypt, *Aus. J. Basic Appl. Sci.*, 12(7), 89–97.
- Abed, A., Derakhshan, M., Karimi, M., Shirazinia, M., Mahjoubin-Tehran, M., Homayonfal, M., Hamblin, M. R., Mirzaei, S. A., Soleimanpour, H., Dehghani, S., Dehkordi, F. F., and Mirzaei, H., 2022, Platinum Nanoparticles in Biomedicine: Preparation, Anti-Cancer Activity, and Drug Delivery Vehicles, *Front. Pharmacol.*, 13, 1–23.
- Agnestisia, R., 2017, Synthesis and Characterization of Magnetit (Fe₃O₄) and Its Applications As Adsorbent Methylene Blue, *JSTK*, 11(2), 61.
- Ahn, T., Kim, J. H., Yang, H. M., Lee, J. W., and Kim, J. D., 2012, Formation pathways of magnetite nanoparticles by coprecipitation method, *J. Phys. Chem. C.*, 116(10), 6069–6076.
- Albiter, E., Valenzuela, M. A., and Alfaro, S., 2015, Photocatalytic deposition of Ag nanoparticles on TiO₂: metal precursor effect on the structural and photoactivity properties, *J. Saudi Chem. Soc.*, 19(5), 563–573
- Ali, T., Ahmed, A., Alam, U., Uddin, I., Tripathi, P., and Muneer, M., 2018, Enhanced photocatalytic and antibacterial activities of Ag-doped TiO₂ nanoparticles under visible light, *Mater. Chem. Phys.*, 212, 325–335.
- Aliramaji, S., Zamanian, A., and Sohrabijam, Z., 2015, Characterization and Synthesis of Magnetite Nanoparticles by Innovative Sonochemical Method, *Procedia Mater. Sci.*, 11, 265–269.
- Almeida, L. A., Habran, M., Carvalho, R. D. S., da Costa, M. E. H. M., Cremona, M., Silva, B. C., Krambrock, K., Pandoli, O. G., Morgado, E., and Marinkovic, B. A., 2020, The influence of calcination temperature on photocatalytic activity of TiO₂-acetylacetone charge transfer complex towards degradation of Nox under visible light, *Catalysts*, 10(12), 1–18.
- Anjaneya, O., Souche, S. Y., Santoshkumar, M., and Karegoudar, T. B., 2011, Decolorization of sulfonated azo dye Metanil Yellow by newly isolated bacterial strains : Bacillus sp . strain AK1 and Lysinibacillus sp. strain AK2, *J. Hazard. Mater.*, 190(1–3), 351–358.
- Asnawati, D., Handayani, S. S., Kamali, S. R., Hamdiani, S., Sumarlan, I., Darmayanti, M. G., dan Aulia, L. G., 2020, Adsorpsi Metanil Yellow Menggunakan Karbon Aktif Limbah Cangkang Buah Kawista (*Limonia acidissima* L.), *Jurnal Pijar Mipa*, 15(3), 247–251.



- Atkins P.W., Overton T.L., J.P., R., M.T., W., and F.A., A., 2010, *Shriver and Atkins' inorganic chemistry*, 5th Ed., Oxford University Press, USA.
- Ayesha, A. A., Mukhtar, A., dan Yanti, P. H., 2015, Degradasi Senyawa Metanil Yellow Secara Fotokatalitik Menggunakan TiO₂ dan HNO₃, *Jurnal Online Mahasiswa Fakultas Matematika Dan Ilmu Pengetahuan Alam Universitas Riau*, 2(1), 31–37.
- Bagheri, S., and Julkapli, N. M., 2016, Magnetite hybrid photocatalysis: Advance environmental remediation, *Rev. Inorg. Chem.*, 36(3), 135–151.
- Banisharif, A., Elahi, S. H., Firooz, A. A., Khodadadi, A. A., and Mortazavi, Y., 2013, TiO₂/Fe₃O₄ Nanocomposite Photocatalysts for Enhanced Photo-Decolorization of Congo Red Dye, *Int. J. Nanosci. Nanotechnol.*, 9(4), 193–202.
- Bansal, P., and Verma, A., 2018, Applications of sunlight responsive Fe-Ag-TiO₂ composite incorporating insitu dual effect for the degradation of pentoxifylline, *Mat. Sci. Eng. B*, 236, 197-207.
- Basavarajappa, P. S., Patil, S. B., Ganganagappa, N., Reddy, K. R., Raghu, A. V., and Reddy, C. V., 2020, Recent progress in metal-doped TiO₂, non-metal doped/codoped TiO₂ and TiO₂ nanostructured hybrids for enhanced photocatalysis, *Int. J. Hydrot. Energy*, 45(13), 7764–7778.
- Bhagwat, U. O., Wu, J. J., Asiri, A. M., and Anandan, S., 2017, Sonochemical Synthesis of Mg-TiO₂ nanoparticles for persistent Congo red dye degradation, *J. Photochem. Photobiol. A: Chem.*, 346, 559–569.
- Biju, R., Ravikumar, R., Thomas, C., and Indulal, C. R., 2022, Enhanced photocatalytic degradation of Metanil Yellow dye using polypyrrole-based copper oxide–zinc oxide nanocomposites under visible light, *J. Nanoparticle Res.*, 24(6), 1–16.
- Bomila, R., Srinivasan, S., Gunasekaran, S., and Manikandan, A., 2018, Enhanced photocatalytic degradation of methylene blue dye, opto-magnetic and antibacterial behaviour of pure and la-doped ZnO nanoparticles, *J. Supercond. Nov. Magn.*, 31(3), 855–864.
- Canle L., M., Santaballa, J. A., and Vulliet, E., 2005, On the mechanism of TiO₂-photocatalyzed degradation of aniline derivatives, *J. Photochem. Photobiol. A: Chem.*, 175(2–3), 192–200.
- Chalasani, R., and Vasudevan, S., 2013, Cyclodextrin-functionalized Fe₃O₄@TiO₂: Reusable, magnetic nanoparticles for photocatalytic degradation of endocrine-disrupting chemicals in water supplies, *ACS Nano*, 7(5), 4093–4104.
- Chang, J., and Waclawik, E. R., 2014, Colloidal semiconductor nanocrystals: Controlled synthesis and surface chemistry in organic media, *RSC Adv.*, 4(45), 23505–23527.



- Cheng, J. P., Yu, J., Shi, D., Wang, D. S., Liu, Y. F., Liu, F., Zhang, X. B., and Li, J. G., 2012, Controllable one-step synthesis of magnetite/carbon nanotubes composite and its electrochemical properties, *Appl. Phys. A: Mater. Sci. and Process.*, 106(4), 837–842.
- Choi, J., Park, H., and Hoffman, M. R., 2010, Effects of Single Metal-Ion Doping on the Visible-Light Photo-reactivity of TiO₂, *J. Phys. Chem. C.*, 114, 788.
- Dheyab, M. A., Aziz, A. A., Jameel, M. S., Noqta, O. A., Khaniabadi, P. M., and Mehrdel, B., 2020, Simple rapid stabilization method through citric acid modification for magnetite nanoparticles, *Sci. Rep.*, 10(1), 1–8.
- Divband, B., Khatamian, M., Eslamian, G. R. K., and Darbandi, M., 2013, Synthesis of Ag/ZnO nanostructures by different methods and investigation of their photocatalytic efficiency for 4-nitrophenol degradation, *Appl. Surf. Sci.*, 284, 80–86.
- Dony, N., Azis, H., dan Syukri., 2013, Studi Fotodegradasi Biru Metilen Di Bawah Sinar Matahari Oleh ZnO-SnO₂ yang Dibuat Dengan Metoda Solid State Reaction, *Prosiding Semirata FMIPA Universitas Lampung*, 297–303.
- Endo, M., Wei, Z., Wang, K., Karabiyik, B., Yoshiiri, K., Rokicka, P., Ohtani, B., Markowska-Szczupak, A., and Kowalska, E., 2018, Noble metal-modified titania with visible-light activity for the decomposition of microorganisms, *Beilstein J. Nanotechnol.*, 9(1), 829–841.
- Farimani, M. H. R., Shahtahmasebi, N., Rezaee Roknabadi, M., Ghows, N., and Kazemi, A., 2013, Study of structural and magnetic properties of superparamagnetic Fe₃O₄/SiO₂ core-shell nanocomposites synthesized with hydrophilic citrate-modified Fe₃O₄ seeds via a sol-gel approach, *Physica E Low Dimens. Syst. Nanostruc.*, 53, 207–216.
- Fei, J., and Li, J., 2015, Controlled preparation of porous TiO₂-Ag nanostructures through supramolecular assembly for plasmon-enhanced photocatalysis, *Adv. Mater.*, 27(2), 314–319.
- Gabelica, I. ,Curkovi, L., Mandi, V., Panži, I., Ljubas, D., and Zadro, K., 2021, Rapid Microwave-Assisted Synthesis of Fe₃O₄/SiO₂/TiO₂ Core-2-Layer-Shell Nanocomposite for Photocatalytic Degradation of Ciprofloxacin, *Catalysts*, 11(10), 11.
- German, S. V., Inozemtseva, O. A., Markin, A. V., Metvalli, K., Khomutov, G. B., and Gorin, D. A., 2013, Synthesis of magnetite hydrosols in inert atmosphere, *Colloid Journal*, 75(4), 483–486.
- Ghosh, D., Singha, P. S., Firdaus, S. B., and Ghosh, S., 2017, Metanil yellow: The toxic food colorant, *Asian Pac. J. Health Sci.*, 4(4), 65–66.
- Gita Bhernama, B., Safni, S., dan Syukri, S., 2017, Degradasi Zat Warna Metanil Yellow Dengan Penyinaran Matahari Dan Penambahan Katalis TiO₂-SnO₂, *Lantanida J.*, 3(2), 116.



Gomathi Thanga Keerthana, B., Solaiyammal, T., Muniyappan, S., and Murugakoothan, P., 2018, Hydrothermal synthesis and characterization of TiO₂ nanostructures prepared using different solvents, *Mater. Lett.*, 220, 20–23.

Gorski, C. A., and Scherer, M. M., 2010, Determination of nanoparticulate magnetite stoichiometry by Mössbauer spectroscopy, acidic dissolution, and powder X-ray diffraction: A critical review, *Am. Min.*, 95(7),

Gupta, S. M., and Tripathi, M., 2011, A review of TiO₂ nanoparticles, *Chin. Sci. Bull.*, 56(16), 1639–1657.

Handoko, C. T., Moustakas, N. G., Peppel, T., Springer, A., Oropeza, F. E., Huda, A., Bustan, M. D., Yudono, B., Gulo, F., and Strunk, J., 2019, Characterization and effect of Ag(0) vs Ag(I) species and their localized plasmon resonance on photochemically inactive TiO₂, *Catalysts*, 9(4).

Harifi, T., and Montazer, M., 2015, A Robust Super-paramagnetic TiO₂ : Fe₃O₄: Ag Nanocomposite with Enhanced Photo and Bio Activities on Polyester Fabric via One Step Sonosynthesis, *Ultrason. Sonochem.*, 27, 543-551

Harikishore, M., Sandhyarani, M., Venkateswarlu, K., and Nellaippian, T. A., 2014, Effect of Ag doping on antibacterial and Photocatalytic Activity of cristalline TiO₂, *Procedia Mater. Sci.*, 6, 557–566.

Huang, F., Yan, A., and Zhao, H., 2016, Influences of Doping on Photocatalytic Properties of TiO₂ Photocatalyst, *Semiconductor Photocatalysis*.

Ibadon, A. O., and Fitzpatrick, P., 2013, Heterogeneous photocatalysis: Recent advances and applications, *Catalysts*, 3(1), 189–218.

Ijaz, M., and Zafar, M., 2021, Titanium dioxide nanostructures as efficient photocatalyst: Progress, challenges and perspective, *Int. J. Energy Res.*, 45(3), 3569–3589.

Jing, J., Li, J., Feng, J., Li, W., and Yu, W. W., 2013, Photodegradation of quinoline in water over magnetically separable Fe₃O₄/TiO₂ composite photocatalysts, *Chem. Eng. J.*, 219, 355–360.

Joo, J. B., Lee, I., Dahl, M., Moon, G. D., Zaera, F., and Yin, Y., 2013, Controllable Synthesis of Mesoporous TiO₂ Hollow Shells : Toward an Efficient Photocatalyst, *Adv. Funct. Matter.*, 1–9.

Khan, M. M., Ansari, S. A., Pradhan, D., Ansari, M. O., Han, D. H., Lee, J., and Cho, M. H., 2014, Band gap engineered TiO₂ nanoparticles for visible light induced photoelectrochemical and photocatalytic studies, *J. Mater. Chem. A.*, 2(3), 637–644.

Khan, M. R., Chuan, T. W., Yousuf, A., Chowdhury, M. N. K., and Cheng, C. K., 2015, Schottky barrier and surface plasmonic resonance phenomena towards the photocatalytic reaction: Study of their mechanisms to enhance



photocatalytic activity, *Catal. Sci. Technol.*, 5(5), 2522–2531.

- Khashan, S., Dagher, S., Tit, N., Alazzam, A., and Obaidat, I., 2017, Novel method for synthesis of Fe₃O₄@TiO₂ core/shell nanoparticles, *Surf. Coat. Technol.*, 322, 92–98.
- Khedr, T. M., El-Sheikh, S. M., Hakki, A., Ismail, A. A., Badawy, W. A., and Bahnemann, D. W., 2017, Highly active non-metals doped mixed-phase TiO₂ for photocatalytic oxidation of ibuprofen under visible light, *J. Photochem. Photobiol. A: Chem.*, 346, 530–540.
- Kim, Y. S., and Kim, J. G., 2019, Improvement of corrosion resistance for low carbon steel pipeline in district heating environment using transient oxygen injection method, *J. Ind. Eng. Chem.*, 70, 169–177.
- Komaraiah, D., Radha, E., Sivakumar, J., Ramana Reddy, M. V., and Sayanna, R. 2020, Photoluminescence and photocatalytic activity of spin coated Ag⁺ doped anatase TiO₂ thin films, *Opt. Mater.*, 108, 110401.
- Koo, K. N., Ismail, A. F., Othman, M. H. D., Bidin, N., and A Rahman, M., 2019, Preparation and characterization of superparamagnetic magnetite (Fe₃O₄) nanoparticles: A short review, *Mal. J. Fund. Appl. Sci.*, 15(1), 23–31.
- Kumar, S. G., and Devi, L. G., 2011, Review on modified TiO₂ photocatalysis under UV/visible light: Selected results and related mechanisms on interfacial charge carrier transfer dynamics, *J. Phys. Chem. A.*, 115(46), 13211–13241.
- Kunarti, E. S., Kartini, I., Syoufian, A., and Widayandari, K. M., 2018, Synthesis and photoactivity of Fe₃O₄/TiO₂-Co as a magnetically separable visible light responsive photocatalyst, *Indones. J. Chem.* 18(3), 403–410.
- Kuo, W. S., and Ho, P. H., 2001, Solar photocatalytic decolorization of methylene blue in water, *Chemosphere*, 45(1), 77–83.
- Li, Z. D., Wang, H. L., Wei, X. N., Liu, X. Y., Yang, Y. F., and Jiang, W. F., 2016, Preparation and photocatalytic performance of magnetic Fe₃O₄@TiO₂ core-shell microspheres supported by silica aerogels from industrial fly ash, *J. Alloys Compd.*, 659, 240-247
- Liang, Y., Sun, S., Deng, T., Ding, H., Chen, W., and Chen, Y., 2018, The preparation of TiO₂ film by the sol-gel method and evaluation of its self-cleaning property, *Materials*, 11(3), 1–12.
- Lima, F. M., Martins, F. M., Maia Júnior, P. H. F., Almeida, A. F. L., and Freire, F. N. A., 2018, Nanostructured titanium dioxide average size from alternative analysis of scherrer's equation | Tamanho médio das nanopartículas de dióxido de titânio a partir de uma nova abordagem na equação de scherrer, *Revista Materia*, 23(1).
- Low, J., Cheng, B., and Yu, J., 2017, Surface modification and enhanced photocatalytic CO₂ reduction performance of TiO₂: a review, *Appl. Surf. Sci.*,



392, 658–686.

- M. Fauzian, A. Taufik, and R. S., 2020, Photocatalytic performance of Fe₃O₄/TiO₂/Ag nanocomposites for photocatalytic activity under visible light irradiation Photocatalytic Performance of Fe₃O₄/TiO₂/Ag Nanocomposites for Photocatalytic Activity Under Visible Light Irradiation, *AIP Conf. Proc.*, 1862, 030031 (2017)
- Mahesh Datt Bhatt and Jae Sung Lee., 2017, Nanomaterials for Photocatalytic Hydrogen Production: from Theoretical Perspectives, *RSC Adv.*, 7, 34875-34885.
- Mansingh, S., Padhi, D. K., and Parida, K. M., 2017, Enhanced visible light harnessing and oxygen vacancy promoted N, S co-doped CeO₂ nanoparticle: A challenging photocatalyst for Cr(vi) reduction, *Catal. Sci. Technol.*, 7(13), 2772–2781.
- Matyszczak, G., Krzyczkowska, K., and Fidler, A., 2020, A novel, two-electron catalysts for the electro-Fenton process, *J. Water Process Eng.*, 36, 101242.
- Mehranpour, H., Askari, M., and Ghamsari, M. S. (2010). *Nucleation and Growth of TiO₂ Nanoparticles*, Nanomaterial, InTech, 358.
- Mittal, A., Mari, B., Sharma, S., Kumari, V., Maken, S., Kumari, K., and Kumar, N., 2019, Non-metal modified TiO₂: a step towards visible light photocatalysis, *J. Mater. Sci.: Mater. Electron.*, 30(4), 3186–3207.
- Monai, M., Montini, T., and Fornasiero, P., 2017, Brookite: Nothing new under the sun?, *Catalysts*, 7(10).
- Muliadi, F. N. A., Halmi, M. I. E., Wahid, S. B. A., Gani, S. S. A., Mahmud, K., and Shukor, M. Y. A., 2021, Immobilization of metanil yellow decolorizing mixed culture FN3 using gelling gum as matrix for bioremediation application, *Sustainability (Switzerland)*, 13(1), 1–18.
- Munir, S., Shah, S. M., Hussain, H., and Ali khan, R., 2016, Effect of carrier concentration on the optical band gap of TiO₂ nanoparticles, *Mater. Des.*, 92, 64–72.
- Nabavi, N., Peyda, M., and Sadeghi, G., 2017, The Photocatalytic Kinetics of the Methyl Orange Degradation in the Aqueous Suspension of Irradiated TiO₂, *J. Hum. Environ. Health Promot.*, 2(3), 154–160.
- Naik, B., Kim, S. M., Jung, C. H., Moon, S. Y., Kim, S. H., and Park, J. Y., 2014, Enhanced H₂ Generation of Au-Loaded, Nitrogen-Doped TiO₂ Hierarchical Nanostructures under Visible Light, *Adv. Mater. Interfaces*, 1(1), 1–6.
- Nanaji, K., Siri Kiran Janardhana, R. K., Rao, T. N., and Anandan, S., 2019, Energy level matching for efficient charge transfer in Ag doped-Ag modified TiO₂ for enhanced visible light photocatalytic activity, *J. Alloys Compd.*, 794, 662–671.
- Nasikhudin, Diantoro, M., Kusumaatmaja, A., and Triyana, K., 2018, Study on



Photocatalytic Properties of TiO₂ Nanoparticle in various pH condition, *J. Phys.: Conf. Ser.*, 1011(1).

Nor, N. A. M., Jaafar, J., Othman, M. H. D., and Rahman, M. A., 2013, A review study of nanofibers in photocatalytic process for wastewater treatment, *Jurnal Teknologi (Sciences and Engineering)*, 65(4), 83–88.

Nunzi, F., Agrawal, S., Selloni, A., and De Angelis, F., 2015, Structural and electronic properties of photoexcited TiO₂ nanoparticles from first principles, *J. Chem. Theory Comput.* 11(2), 635–645.

Nyamukamba, P., Tichagwa, L., Mamphweli, S., and Petrik, L., 2017, Silver/Carbon Codoped Titanium Dioxide Photocatalyst for Improved Dye Degradation under Visible Light, *Int. J. Photoenergy*, 2017.

Ohtani, B., 2014, *Encyclopedia of Applied Electrochemistry: Photocatalyst*, Springer, New York.

Oi, L. E., Choo, M. Y., Lee, H. V., Ong, H. C., Hamid, S. B. A., and Juan, J. C., 2016, Recent advances of titanium dioxide (TiO₂) for green organic synthesis, *RSC Adv.*, 6(110), 108741–108754.

Padmanaban, A., Dhanasekaran, T., Kumar, S. P., Gnanamoorthy, G., Stephen, A., Narayanan, V., Padmanaban, A., Dhanasekaran, T., Kumar, S. P., Gnanamoorthy, G., and Munusamy, S., 2017, Visible Light Photocatalytic Property of Ag/TiO₂ Composite, *Mec. Mater. Sci. Eng. J.*, 9(1)

Pan, L., Zhu, X., Xie, X., and Liu, Y., 2015, Smart Hybridization of TiO₂ Nanorods and Fe₃O₄ Nanoparticles with Pristine Graphene Nanosheets : Hierarchically Nanoengineered Ternary Heterostructures for High-Rate Lithium Storage, *Adv. Funct. Mater.*, 1–10.

Paschoalino, F.C.S., Paschoalino, M.P. dan Jordão, E., 2012, Evaluation of TiO₂, ZnO, CuO and Ga₂O₃ on The Photocatalytic Degradation of Phenol using an Annular-Flow Photocatalytic Reactor, *J. Sci. Res.*, 2, 135-140.

Paul A. Desario, Jeremy J. Pietron, Devyn E. DeVantier, Todd H. Brintlinger, R. M. S. and D. R. R., 2013, Plasmonic Enhancement of Visible-Light Water Splitting with Au-TiO₂ Composite Aerogels, *Nanoscale*, 5(17).

Pedanekar, R. S., Shaikh, S. K., and Rajpure, K. Y., 2020, Thin film photocatalysis for environmental remediation: A status review, *Curr. Appl. Phys.*, 20(8), 931–952.

Pozzo, R. L., Baltanás, M. A., and Cassano, A. E., 1997, Supported titanium oxide as photocatalyst in water decontamination: State of the art, *Catal. Today*, 39(3), 219–231.

Pradipta, A. R., Mauludi, K., Kartini, I., and Kunarti, E. S., 2020, Synthesis of Fe₃O₄/TiO₂ Nanocomposite as Photocatalyst in Photoreduction Reaction of CO₂ Conversion to Methanol, *Key Eng. Mater.*, 840, 454–458.



- Qiu, P., Li, W., Kang, K., Park, B., Luo, W., Zhao, D., and Khim, J., 2014, Ordered mesoporous C/TiO₂ composite as advanced sonocatalysts, *J. Mater. Chem. A Mater. Energy Sustain.*, 2, 16452–16458.
- Rabhi, S., Mahtout, L., Bououdina, M., Khezami, L., Belkacemi, H., Kerrami, A., and Sakher, E., 2021, Tuning the photocatalytic activity of TiO₂ by Ag loading: Experimental and modelling studies for the degradation of amlodipine besylate drug, *Ceram. Int.*, 47(15), 21509–21521.
- Rahmayanti, M., 2020, Synthesis of Magnetite Nanoparticles Using The Reverse Co-precipitation Method With NH₄OH as Precipitating Agent and Its Stability Test at Various pH, *JST*, 9(3), 54–58.
- Rahmayanti, M., Santosa, S. J., and Sutarno., 2016, Comparative study on the adsorption of [AuCl₄]-onto salicylic acid and gallic acid modified magnetite particles, *Indones. J. Chem.*, 16(3), 329–337.
- Rahmi, Lubis, S., Az-Zahra, N., Puspita, K., and Iqhammullah, M., 2021, Synergetic photocatalytic and adsorptive removals of metanil yellow using TiO₂/grass-derived cellulose/chitosan film composite, *Int. J. Eng. Trans. B: Appl.*, 34(8), 1827–1836.
- Rakshit, R., Hattori, A. N., Naitoh, Y., Shima, H., Akinaga, H., and Tanaka, H., 2019, Three-Dimensional Nanoconfinement Supports Verwey Transition in Fe₃O₄ Nanowire at 10 nm Length Scale, *Nano Lett.*, 19(8), 5003–5010.
- Ramadhan, M., Pradipta, A. R., and Kunarti, E. S, 2017, Synthesis of Fe₃O₄/TiO₂-Co Nanocomposite as Model of Photocatalyst with Magnetic Properties, *Matter. Sci. Forum*, 901, 14–19.
- Ramayanti, M., 2020, Sintesis dan Karakterisasi Magnetit (Fe₃O₄): Studi Komparasi Metode Konvensional dan Metode Sonokimia, *Al Ulum Sains Dan Teknologi*, 6(1), 26–31.
- Rani, N., and Brijnandan S Dehiya., 2020, Influence of anionic and non-ionic surfactants on the synthesis of core-shell Fe₃O₄@TiO₂ nanocomposite synthesized by hydrothermal method, *Ceram. Int.l*, 46(15), 23516-23525
- Ravulapalli, S., and Ravindhranath, K., 2019, Effective removal of methylene blue, a hazardous dye from industrial effluents using active carbon of F.infectoria plant, *Int. J. Environ. Sci. Technol.*, 16(12), 7837–7848.
- Ren, G., Yang, L., Zhang, Z., Zhong, B., Yang, X., and Wang, X., 2017, A new green synthesis of porous magnetite nanoparticles from waste ferrous sulfate by solid-phase reduction reaction, *J. Alloys Compd*, 710, 875–879.
- Sahoo, M., Yadav, A. K., Ghosh, S., Jha, S. N., Bhattacharyya, D., and Mathews, T., 2019, Structural studies of spray pyrolysis synthesized oxygen deficient anatase TiO₂ thin films by using X-ray absorption spectroscopy, *Phys. Chem. Chem. Phys.*, 21(11), 6198–6206.



- Salehi, M., Hashemipour, H., and Mirzaee, M., 2012, Experimental Study of Influencing Factors and Kinetics in Catalytic Removal of Methylene Blue with TiO₂ Nanopowder, *Am. J. Environ. Eng.*, 2(1), 1–7.
- Seery, M. K., George, R., Floris, P., and Pillai, S. C., 2007, Silver doped titanium dioxide nanomaterials for enhanced visible light photocatalysis, *J. Photochem. Photobiol. A: Chem.*, 189, 258–263.
- Siddiqui, H., 2020, *Modification of Physical and Chemical Properties of Titanium Dioxide (TiO₂) by Ion Implantation for Dye Sensitized Solar Cells*, Ion Beam Techniques and Applications, IntechOpen, 1–13.
- Silva-Silva, M. J., Mijangos-Ricardez, O. F., Vázquez-Hipólito, V., Martínez-Vargas, S., and López-Luna, J., 2016, Single and mixed adsorption of Cd(II) and Cr(VI) onto citrate-coated magnetite nanoparticles, *Desalin. Water Treat.*, 57(9), 4008–4017.
- Sleiman, M., Vildozo, D., Ferronato, C., and Chovelon, J. M., 2007, Photocatalytic degradation of azo dye Metanil Yellow: Optimization and kinetic modeling using a chemometric approach, *Appl. Catal. B: Environ.*, 77(1–2), 1–11.
- Stefan, M., Pana, O., Leostean, C., Bele, C., Silipas, D., Senila, M., and Gautron, E., 2014, Synthesis and characterization of Fe₃O₄-TiO₂ core-shell nanoparticles, *J. Appl. Phys.*, 116(11).
- Stephen, L., 2020, *Titanium Dioxide Versatile Solid Crystalline: An Overview*. Assorted Dimensional Reconfigurable Materials, IntechOpen, 1–16.
- Sukitpong, J., and Chiarakorn, S., 2019, Degradation of acetaldehyde by Ag/TiO₂ photocatalyst coated on polyester air filter, *IOP Conf. Ser. Earth Environ. Sci.*, 373(1).
- Sulistyaningsih, T., Santosa, S. J., Siswanta, D., and Rusdiarso, B., 2017, Synthesis and Characterization of Magnetites Obtained from Mechanically and Sonochemically Assisted Co-precipitation and Reverse Co-precipitation Methods, *Int. J. Mater. Mech. Manuf.*, 5(1), 16–19.
- Susanti, I., Iqbal, R. M., Rachman, R. A., and Pradana, T. A., 2021, Photocatalytic Activity and Kinetic Study of Methylene Blue Degradation using N-Doped TiO₂ with Zeolite-NaY, *CHEESA: Chemical Engineering Research Articles*, 4(2), 75.
- Suwarnkar, M. B., Dhabbe, R. S., Kadam, A. N., and Garadkar, K. M., 2014, Enhanced photocatalytic activity of Ag doped TiO₂ nanoparticles synthesized by a microwave assisted method, *Ceram. Int.*, 40(4), 5489–5496.
- Tedsree, K., Temnuch, N., Sriplai, N., and Pinitsoontorn, S., 2017, Ag modified Fe₃O₄@TiO₂ magnetic core-shell nanocomposites for photocatalytic degradation of methylene blue, *Mater. Today: Proc.*, 4(5), 6576–6584.
- Tian, Y., and Tatsuma, T., 2005, Mechanisms and applications of plasmon-induced



charge separation at TiO₂ films loaded with gold nanoparticles, *J. Am. Chem. Soc.*, 127(20), 7632–7637.

Togas, C., Wuntu, A. D., and Koleangan, H. S. J., 2014, Fotodegradasi Zat Warna Metanil Yellow Menggunakan Fotokatalis TiO₂-Karbon Aktif, *Jurnal MIPA*, 3(2), 87.

Tripathi, A. K., Mathpal, M. C., Kumar, P., Singh, M. K., Mishra, S. K., Srivastava, R. K., Chung, J. S., Verma, G., Ahmad, M. M., and Agarwal, A., 2014, Synthesis based structural and optical behavior of anatase TiO₂ nanoparticles, *Mater. Sci. Semicond. Process.* 23(1), 136–143.

Trisunaryanti, W., 2007, *Material katalis dan Karakternya*, UGM Press, Yogyakarta.

Umezawa, N., and Ye, J., 2012, Role of complex defects in photocatalytic activities of nitrogen-doped anatase TiO₂, *Phys. Chem. Chem. Phys.*, 14(17),

Vanaja, M., Paulkumar, K., Baburaja, M., Rajeshkumar, S., Gnanajobitha, G., Malarkodi, C., Sivakavinesan, M., and Annadurai, G., 2014, Degradation of methylene blue using biologically synthesized silver nanoparticles, *Bioinorg. Chem. Appl.*, 2014.

Wu, C. H., and Chern, J. M., 2006, Kinetics of photocatalytic decomposition of methylene blue, *Ind. Eng. Chem. Res.*, 45(19), 6450–6457.

Wu, F., Hu, X., Fan, J., Liu, E., Sun, T., Kang, L., Hou, W., Zhu, C., and Liu, H., 2013, Photocatalytic Activity of Ag/TiO₂ Nanotube Arrays Enhanced by Surface Plasmon Resonance and Application in Hydrogen Evolution by Water Splitting, *Plasmonics*, 8(2), 501–508.

Wu, S., Jiang, W., Sun, Z., Dai, J., Liu, L., and Li, F., 2011, Preparation of novel magnetic fluorescent nanospheres by sonochemical method, *J. Magn. Magn. Mater.*, 323(16), 2170–2173.

Wysocka, I., Kowalska, E., Ryl, J., Nowaczyk, G., and Zieli, A., 2019, Morphology , Photocatalytic and Antimicrobial Properties of TiO₂ Modified with Mono- and Bimetallic Copper, Platinum and Silver Nanoparticles, *Nanomaterials*, 9(8), 1129.

Xin, T., Ma, M., Zhang, H., Gu, J., Wang, S., Liu, M., and Zhang, Q., 2014, A facile approach for the synthesis of magnetic separable Fe₃O₄@TiO₂, core-shell nanocomposites as highly recyclable photocatalysts, *Appl. Surf. Sci.*, 288, 51–59.

Xu, J.-W., Gao, Z.-D., Han, K., Liu, Y., and Song, Y.-Y., 2014, Synthesis of Magnetically Separable Ag₃PO₄/TiO₂/Fe₃O₄ Heterostructure with Enhanced Photocatalytic Performance under Visible Light for Photoinactivation of Bacteria, *ACS Appl. Mater. Interfaces*, 6(17), 15122-15131.

Yang, Xiaohong; Wang, Yan; Zhang, Lingtong; Fu, Haitao; He, Peng; Han, Dezhi;



- Lawson, Tom; An, X., 2020, The Use of Tunable Optical Absorption Plasmonic Au and Ag Decorated TiO₂ Structures as Efficient Visible, *Catalysts*, 10, 1–14.
- Yang, H. Bin, Jing, X. Y., Yang, S. K., and Wang, W. K., 2010, Preparation of doping nano-TiO₂ by impregnation method and study on its photocatalytic performance for organic pollutants, *4th International Conference on Bioinformatics and Biomedical Engineering, ICBBE*, Chengdu, China, 2010, 4–7.
- Yein, C. K., Huat, K. S., Yarmo, M. A., and Bangi, U. K. M., 2019, Synthesis and Characterization of Magnetite Nanoparticles by Chemical Co-Precipitation, *Borneo J. Sci. Technol.*, 2–7
- Zaleska, A., 2008, Doped-TiO₂: A Review, *Recent Pat. Eng.*, 2(3), 157–164.
- Zhan, J., Zhang, H., and Zhu, G., 2014, Magnetic photocatalysts of cenospheres coated with Fe₃O₄/TiO₂ core/shell nanoparticles decorated with Ag nanopartilces, *Ceram. Int.*, 40(6), 8547–8559.
- Zhang, D., Chen, J., Xiang, Q., Li, Y., Liu, M., and Liao, Y., 2019, Transition-Metal-Ion (Fe, Co, Cr, Mn, Etc.) Doping of TiO₂ Nanotubes: A General Approach, *Inorg. Chem.*, 58(19), 12511–12515.
- Zhao, C., Zhu, D. chuan, Cheng, X. yao, and Cao, S. xi., 2017, Highly ordered Ag-TiO₂ nanocomposited arrays with high visible-light photocatalytic activity, *Front. Mater. Sci.*, 11(3), 241–249.
- Zheng, B., Guo, Q., Wang, D., Zhang, H., Zhu, Y., and Zhou, S., 2015, Energy-Transfer Modulation for Enhanced Photocatalytic Activity of Near Infra-red Upconversion Photocatalyst, *J. Am. Ceram. Soc.*, 98(1), 136-140.
- Zhu, J., Ren, J., Huo, Y., Bian, Z., and Li, H., 2007, Nanocrystalline Fe/TiO₂ visible photocatalyst with a mesoporous structure prepared via a nonhydrolytic sol-gel route, *J. Phys. Chem. C*, 111(51), 18965–18969.