

REFERENCES

- Aberg-Wistedt, A., Agren, H., Ekselius, L., Bengtsson, F. & Akerblad, A.C., 2000, Sertraline Versus Paroxetine in Major Depression: Clinical Outcome After Six Months of Continuous Therapy, Karolinska Institute at St Göran Hospital, Stockholm.
- Agency for Healthcare Research and Quality, 2018, Psychological and Pharmacological Treatments for Adults with Posttraumatic Stress Disorder: A Systematic Review Update, North Bethesda, Maryland.
- American Psychiatric Association, 2004, Practice Guideline for the Treatment of Patient with Acute Stress Disorder and Posttraumatic Stress Disorder, London, England.
- American Psychiatric Association, 2009, Practice Guideline for the Treatment of Patient with Acute Stress Disorder and Posttraumatic Stress Disorder: Guideline Watch, London, England.
- American Psychiatric Association, 2022, Diagnostic and statistical manual of mental disorders (5th ed., text rev.), London, England.
- American Psychological Association, 2017, Guideline Development Panel for the Treatment of PTSD in Adults, Washington D.C., United States.
- Amidfah, M. & Kim, Y., 2018, Recent Developments on Future Antidepressant-related Serotonin Receptors, Fasa University of Medical Sciences, Iran.
- Andrews, G., Slade, T. & Issakidis, C., 2002, Deconstructing current comorbidity: data from the Australian National Survey of Mental Health and Well-Being, University of New South Wales at St Vincent's Hospital, Sydney.
- Anxiety Disorders Association of Canada, 2014, Canadian Clinical Practice Guidelines for the Management of Anxiety, Posttraumatic Stress and Obsessive-compulsive Disorders, Vancouver, Canada.
- Australian Centre for Posttraumatic Mental Health, 2014, Australian Guidelines for the Treatment of Acute Stress Disorder and Posttraumatic Stress Disorder, Melbourne, Victoria.
- Bandelow, B., Behnke, K., Lenoir, S., Hendriks, G.J., Alkin, T., Goebel, C. & Clary, C.M., 2004, Sertraline Versus Paroxetine in the Treatment of Panic Disorder: An Acute, Double-blind Noninferiority Comparison, University of Göttingen, Germany.
- British Association of Psychopharmacology, 2014, Evidence-based Pharmacological Treatment of Anxiety Disorders, Post-traumatic Stress Disorder and Obsessive-compulsive Disorder: A Revision of the 2005 Guidelines from the British Association for Psychopharmacology, Cambridge, United Kingdom.
- Betancourt T.S., Agnew-Blais, J., Gilman, S.E., Williams, D.R. & Ellis, B.H., 2010, Past Horrors, Present Struggles: The Role of Stigma in the Association Between War Experiences and Psychosocial Adjustment among Former Child Soldiers in Sierra Leone, Harvard School of Public Health, Boston.

- Bloomer, J.C., Woods, F.R., Haddock, R.E., Lennard, M.S. & Tucker, G.T., 1992, The Role of Cytochrome P4502D6 in the Metabolism of Paroxetine by Human Liver Microsomes, SmithKline Beecham Pharmaceuticals, Hertfordshire.
- Brady, K., Pearlstein, T., Asnis, G.M., Baker, D., Rothbaum, B., Sikes, C.R. & Farfel, G.M., 2000, Efficacy and Safety of Sertraline Treatment of Posttraumatic Stress Disorder, Medical University of South Carolina, Charleston.
- Breslau, N., Davis, G.C., Andreski, P., Peterson, E., 1991, Traumatic Events and Posttraumatic Stress Disorder in an Urban Population of Young Adults, Henry Ford Hospital, Detroit.
- Breslau, N., Davis, G.C., Peterson, E.L. & Schultz, L.R., 2000, A Second Look at Comorbidity in Victims of Trauma: The Posttraumatic Stress Disorder-major Depression Connection, Henry Ford Health System, Detroit.
- Bryant, R.A., 2019, Post-traumatic Stress Disorder: A State-of-the-art Review of Evidence and Challenges, University of New South Wales, Sydney.
- Carty, J., O'Donnell, M.L. & Creamer, M., 2006, Australian Centre for Posttraumatic Mental Health, Australia.
- Cheng, H.L. & Mallinckrodt, B., 2015, Racial/ethnic discrimination, posttraumatic stress symptoms, and alcohol problems in a longitudinal study of Hispanic/Latino college students, Department of Counseling and Educational Psychology, New Mexico State University.
- Chilcoat, H.D. & Breslau, N., 1998, Posttraumatic Stress Disorder and Drug Disorders: Testing Causal Pathways, Henry Ford Health Sciences Center, Detroit.
- Cipriani, A., La Ferla, T., Furukawa, T.A., Signoretti, A., Nakagawa, A., Churchill, R., McGuire, H. *et al.*, 2010, Sertraline Versus Other Antidepressive Agents for Depression, University of Verona, Verona.
- Cohen, J.A., Mannerino, A.P. & Deblinger, E., 2006, Treating Trauma and Traumatic Grief in Children and Adolescents, Guilford, New York.
- Corrigan, P.W., 1998, The Impact of Stigma on Severe Mental Illness, Center for Psychiatric Rehabilitation, University of Chicago.
- Davidson, J.R.T., Rothbaum, B.O., Van der kolk, B.A., Sikes, C.R. & Farfel, G.M., 2001, Multicenter, Double-blind Comparison of Sertraline and Placebo in the Treatment of Posttraumatic Stress Disorder, Duke University Medical Center, Durham.
- De Arellano, M.A.R., Lyman, D.R, Jobe-Shields, L., George, P., Dougherty, R.H., Daniels, A.S. & Ghose, S.S., 2014, Trauma-Focused Cognitive-Behavioral Therapy for Children and Adolescents: Assessing the Evidence, University of South Carolina, Charleston.
- Deering, C.G., Glover, S.G., Ready, D., Eddleman, H.C., Alarcon, R.D. & 1996, Unique patterns of comorbidity in posttraumatic stress disorder from different sources of trauma, Emory University School of Medicine, Atlanta.

- DeVane, C.L., Liston, H.L. & Markowitz, J.S., 2002, Clinical Pharmacokinetics of Sertraline, Medical University of South Carolina, Charleston.
- Frank, E., Shear, M.K., Rucci, P., Cyranowski, J.M., Endicott, J. & Fagioli, A. *et al.*, 2000, Influence of panic-agoraphobic spectrum symptoms on treatment response in patients with recurrent major depression, University of Pittsburgh School of Medicine, Pennsylvania.
- Friedman, M.J., Marmar, C.R., Baker, D.G., Sikes, C.R., Farfel, G.M., 2006, Randomized, Double-Blind Comparison of Sertraline and Placebo for Posttraumatic Stress Disorder in a Department of Veterans Affairs Setting, National Center for Posttraumatic Stress Disorder; White River Junction.
- Frommberger, U., Stieglitz, R., Nyberg, E., Richter, H., Novelli-Fischer, U., Angenendt, J., Zaninelli, R. *et al.*, 2004, Comparison between Paroxetine and Behaviour Therapy in Patients with Posttraumatic Stress Disorder (PTSD): A Pilot Study, University of Freiburg, Germany.
- Germann, D., Ma, G., Han, F. & Tikhomirova, A., 2013, Paroxetine Hydrochloride, Apotex Inc., Canada.
- Greenblatt, D.J., von Moltke, L.L., Harmatz, J.S., Shader, R.I., 1999, Human Cytochromes Mediating Sertraline Biotransformation: Seeking Attribution, Tufts University School of Medicine Boston, Massachusetts.
- Gupta, R.N. & Dziurdzy, S.A., 1994, Therapeutic Monitoring of Sertraline, Henderson General Hospital, Hamilton.
- Guy, W., 1976, Clinical Global Impression (CGI), U.S. Department of Health, Education, and Welfare, Rockville.
- Haddock, R.E., Johnson, A.M., Langley, P.F., Nelson, D.R., Pope, J.A., Thomas, D.R. & Woods, F.R., 1989, Metabolic Pathway of Paroxetine in Animals and Man and the Comparative Pharmacological Properties of its Metabolites, Beecham Pharmaceuticals Research Division, United Kingdom.
- Hamelin, B.A., Trugeon J., Vallee, F., Belanger, P.M., Paquet, F. & LeBel, M., 1996, The disposition of fluoxetine but not sertraline is altered in poor metabolizers of debrisoquin, Université Laval, Canada.
- Hamer, R.M. & Simpson, P.M., 2009, Last Observation Carried Forward Versus Mixed Models in the Analysis of Psychiatric Clinical Trials, University of North Carolina School of Medicine, North Carolina.
- Institute of Health Metrics and Evaluation, 2019, Global Health Data Exchange (GHDx), <https://vizhub.healthdata.org/gbd-results/>, accessed on 25 October 2022.
- Ipsen, J.C. & Stein, D.J., 2012, Evidence-based Pharmacotherapy of Post-Traumatic Stress Disorder (PTSD), University of Cape Town, Cape Town.

- Kaguelidou F. & Acquaviva, E., Safety of Psychotropic Drugs in Children and Adolescents, Robert Debré University Hospital, Paris.
- Kaplan, M.J. & Klinetob, N.A., 2000, Childhood emotional trauma and chronic posttraumatic stress disorder in adult outpatients with treatment-resistant depression, University of Cincinnati College of Medicine, Ohio.
- Kaye, C.M., Haddock, R.E., Langley, P.F., Mellows, G., Tasker, T.C., Zussman, B.D. & Greb, W.H., 1989, A Review of the Metabolism and Pharmacokinetics of Paroxetine in Man, Clinical Pharmacology Research Institute, Germany.
- Kessler, R.C., Sonnega, A., Bromet, E., Hughes, M. & Nelson, C.B., 1995, Posttraumatic stress disorder in the National Comorbidity Survey, University of Michigan, USA.
- Kitaichi, Y., Inoue, T., Nakagawa, S., Boku, S., Kakuta, A., Izumi, T. & Koyama, T., 2010, Sertraline Increases Extracellular Levels Not Only of Serotonin, but also of dopamine in the nucleus accumbens and striatum of rats, Max Planck Institute of Psychiatry, Munich.
- Kolassa, I.T., Ertl, V., Eckart, C., Kolassa, S., Onyut, L.P. & Elbert, T., 2010, Spontaneous remission from PTSD depends on the number of traumatic event types experienced, University of Konstanz, Germany.
- Kulka, R.A., Schlenger, W.E., Fairbank, J.A., Hough, R.L., Jordan, B.K., Marmar, C.R. & Weiss, D.S., 1990, Trauma and the Vietnam War Generation: Report of Findings from the National Vietnam Veterans Readjustment Study, Brunner/Mazel, New York.
- Latha, K., Meena, K.S., Pravitha, M.R., Dasgupta M. & Chaturvedi, S.K., 2020, Effective use of social media platforms for promotion of mental health awareness, National Institute of Mental Health and Neuro Sciences, Bengaluru.
- Li, J., Liu, D., Wu, J., Fan, X. & Dong, Q., 2018, Dapoxetine for the Treatment of Premature Ejaculation: A Meta-analysis of Randomized Controlled Trials with Trial Sequential Analysis, Xinxiang Central Hospital, China.
- Li, W., Ma, Y., Yang, Q., Li, B., Meng, Q. & Zhang, Y., 2017, Effect and Safety of Sertraline for Treat Posttraumatic Stress Disorder: A Multicenter Randomised Controlled Study, Harbin, China.
- Lienemann, B.A., Siegel, J.T. & Crano, W.D., 2013, Persuading People with Depression to Seek Help: Respect the Boomerang. Health Communication, School of Behavioral and Organizational Sciences, Claremont Graduate University.
- Link, B.G. & Phelan, J.C., 2001, Conceptualizing Stigma, Columbia University, New York.
- Link, B.G. & Phelan, J.C., 2006, Stigma and Its Public Health Implications, Mailman School of Public Health, New York.
- Lebois, L.A.M., Wolff, J.D. & Ressler, K.J., 2016, Neuroimaging Genetic Approaches to Posttraumatic Stress Disorder, McLean Hospital, Belmont.

- Lecrubier, Y., 1998, The Impact of Comorbidity on the Treatment of Panic Disorder, Hôpital le Salpêtrière, Paris.
- Lund, J., Lomholt, B., Fabricius, J., Christensen, J.A. & Bechgaard, E., 1978, Paroxetine: Pharmacokinetics, Tolerance and Depletion of Blood 5-HT in Man, Bispebjerg Hospital, Denmark.
- Mak, W.W.S., Poon, C.Y.M., Pun, L.Y.K. & Cheung, S.F., 2007, Meta-analysis of Stigma and Mental Health, The Chinese University of Hong Kong, China.
- Marmar, C.R., Schoenfeld, F., Weiss, D.S., Metzler, T., Zatzick, D., Wu, R., Smiga, S. *et al.*, 1996, Open Trial of Fluvoxamine Treatment for Combat-related Posttraumatic Stress Disorder, University of California San Francisco, USA.
- Marshall, R.D., Schneier, F.R., Knight, C.B.G, Abbate, L.A., Fallon, B.A., Goetz, D., Campeas, R. *et al.*, 1998, An Open Trial of Paroxetine in Patients with Noncombat-related Chronic PTSD, New York State Psychiatric Institute, New York.
- Marshall, R.D., Beebe, K.L., Oldham, M. & Zaninelli, R., 2001, Efficacy and Safety of Paroxetine Treatment for Chronic PTSD: A Fixed-Dose, Placebo-Controlled Study, Columbia University College of Physicians and Surgeons, New York.
- Marshall, R.D., Lewis-Fernandez, R., Blanco, C., Simpson, H.B., Lin, S., Vermes, D., Garcia, W. *et al.*, 2007,
- Miao X., Chen, Q., Wei, K., Tao, K. & Lu, Z., 2018, Posttraumatic Stress Disorder: from Diagnosis to Prevention, Shanghai, China.
- Mittal, D., Drummond, K.L., Blevins, D., Curran, G., Corrigan, P. & Sullivan, G., 2013, Stigma Associated with PTSD: Perceptions of Treatment Seeking Combat Veterans, Central Arkansas Veterans Healthcare System, USA.
- National Institute of Clinical Excellence, 2005, Posttraumatic Stress Disorder: The Management of PTSD in Adults and Children in Primary and Secondary Care, National Collaborating Centre for Mental Health, London.
- National Institute for Health and Care Excellence, 2018, Post-traumatic stress disorder (NICE Quality Standard NG116), London, United Kingdom.
- National Institute of Health Research and Development, 2013, Basic Health Research, Jakarta, Indonesia.
- Naylor, J.C., Dolber, T.R., Strauss, J.L., Kilts, J.D., Strauman, T.J., Bradford, D.W., Szabo, S.T. *et al.*, 2013, A Pilot Randomized Controlled Trial with Paroxetine for Subthreshold PTSD in Operation Enduring Freedom/Operation Iraqi Freedom Era Veterans, VA Mid-Atlantic Mental Illness, Research and Clinical Center (MIRECC), Durham.
- Neigh, G.N. & Ali, F.F., 2016, Co-morbidity of PTSD and Immune System Dysfunction: Opportunities for Treatment, Virginia Commonwealth University, USA.

- Newport, D.J. & Nemeroff, C.B., 2009, *Neurobiology of Posttraumatic Stress Disorder*, Emory University School of Medicine, Atlanta.
- Ningrum, S.W., Sutarni, S., Gofir, A., 2016, *Narcotics, Psychotropics, and Addictive Uses Disorders as Cognitive Impairment's Risk Factor in Homeless Youth*, Faculty of Medicine UGM, Yogyakarta.
- Norris, F.H., Kaniasty, K., Conrad, M.L., Inman, G.L. & Murphy, A.D., 2002, *Placing age differences in cultural context: a comparison of the effects of age on PTSD after disasters in the United States, Mexico, and Poland*,
- Panahi, Y., Moghaddam, B.R., Sahebkar, A., Nazari, M.A., Beiraghdar, F., Karami, G. & Saadat, A.R., 2011, *A Randomized, Double-blind, Placebo-controlled Trial on the Efficacy and Tolerability of Sertraline in Iranian Veterans with Post-Traumatic Stress Disorder*, Baqiyatallah University of Medical Sciences, Tehran.
- Patel, J., Spencer, E.P. & Flanagan, R.J., 1996, *HPLC of Sertraline and Norsesertraline in Plasma or Serum*, Guy's and St Thomas' Hospital Trust, London.
- Pfizer Inc., 2001, *Zoloft® product information*, Roerig, New York.
- Popiel, A., Zawadzki, B., Pragłowska, E. & Teichman, Y., 2015, *Prolonged Exposure, Paroxetine, and the Combination in the Treatment of PTSD Following a Motor Vehicle Accident. A Randomized Clinical Trial - The "TRAKT" Study*, University of Social Sciences and Humanities, Warsaw.
- Proença, C.R., Markowitz, J.C., Coimbra, B.M., Cogo-Moreira, H., Maciel, M.R., Mello, A.F. & Mello, M.F., 2022, *Interpersonal Psychotherapy Versus Sertraline for Women with Posttraumatic Stress Disorder Following Recent Sexual Assault: A Randomized Clinical Trial*, Universidade Federal de São Paulo (UNIFESP), São Paulo.
- Resnick, H.S., Kilpatrick, D.G., Dansky, B.S., Saunders, B.E. & Best, C.L., 1993, *Prevalence of Civilian Trauma and Posttraumatic Stress Disorder in a Representative National Sample of Women*, Medical University of South Carolina, Charleston.
- Ripple Ranch Recovery Center, 2022, *What Is Drug Tolerance?* <https://rippleranch.com/drug-tolerance/>, accessed on 18 January 2023.
- Ronfeld, R.A., Wilner, K.D. & Baris, B.A., 1997, *Sertraline. Chronopharmacokinetics and the Effect of Coadministration with Food*, Pfizer Central Research, Groton.
- Roth, S., Newman, E., Pelcovitz, D., Van der kolk, B. & Mandel, F.S., 1997, *Complex PTSD in Victims Exposed to Sexual and Physical Abuse: Results from the DSM-IV Field Trial for Posttraumatic Stress Disorder*, Duke University, Durham.
- Sadock, B.J. & Sadock, V.A., 2010, *Kaplan & Sadock's Concise textbook of Clinical Psychiatry*, 2nd edition, ECG, Jakarta.
- Saletu, B., Grunberger, J. & Linzmayer, L., 1986, *On Central Effects of Serotonin Re-uptake Inhibitors: Quantitative EEG and Psychometric*

- Studies with Sertraline and Zimelidine, Psychiatric University Clinic of Vienna, Austria.
- Sanchez, C., Reines, E.H. & Montgomery, S.A., 2014, A Comparative Review of Escitalopram, Paroxetine, and Sertraline: Are They All Alike? Lundbeck Research USA Inc., Paramus.
- Schott, S., 2018, Effects of Mental Health Campaigns, Faculty of the Undergraduate College of Arts and Letters, James Madison University.
- Shapiro, F., 2001, Eye Movement Desensitization and Reprocessing (EMDR): basic principles, protocols and procedures, The Guilford Press, New York.
- Shapiro, F., 2012, EMDR Therapy Training Manual, EMDR Institute, California.
- Sibrava, N.J., Bjornsson, A.S., Pérez Benítez, A.C.I., Moitra, E., Weisberg, R.B. & Keller, M.B., 2019, Posttraumatic Stress Disorder in African American and Latinx Adults: Clinical Course and the Role of Racial and Ethnic Discrimination, Baruch College, The City University of New York.
- Solomon, S.D., Gerrity, E.T. & Muff, A.M., 1992, Efficacy of Treatments for Posttraumatic Stress Disorder: An Empirical Review, National Institute of Mental Health, Rockville.
- Stein, D.J., Ipser, J.C., Seedat, S., Sager, C. & Amos, T., 2006, Pharmacotherapy for Post traumatic Stress Disorder (PTSD), John Wiley & Sons, Ltd, USA.
- Tolin, D.F. & Foa, E.B., 2006, Sex Differences in Trauma and Posttraumatic Stress Disorder: A Quantitative Review of 25 Years of Research, The Institute of Living, Hartford.
- van Harten, J., 1993, Clinical Pharmacokinetics of Selective Serotonin Reuptake Inhibitors, Solvay Duphar BY, Weesp.
- Veterans Health Administration, 2017, VA/DoD Clinical Practice Guideline for the Management of Post-Traumatic Stress, Veterans Health Administration, Washington.
- Vindevogel, S., Schryver, M.D., Broekaert, E. & Derluyn, I., 2018, Challenges Faced by Former Child Soldiers in the Aftermath of War in Uganda, Ghent University, Belgium.
- Wang, Y., Hu, Y., Wang, W., Pang, R. & Zhang, A., 2012, Clinical Studies on Treatment of Earthquake-Caused Posttraumatic Stress Disorder Using Electroacupuncture, Chengdu Military General Hospital, China.
- Warrington, S.J., 1992, Clinical implications of the pharmacology of sertraline, Charterhouse Clinical Research Unit Limited, London.
- Weiss, D.S., 1996, The Impact of Event Scale: Revised, International and Cultural Psychology Series, 219 – 238.
- White, N., Litovitz, T. & Clancy, C., Suicidal Antidepressant Overdoses: A Comparative Analysis by Antidepressant Type, University of Virginia School of Medicine, Charlottesville.

- Wittchen, H.U., Zhao, S., Kessler, R.C. & Eaton, W.W., 1994, DSM-III-R generalized anxiety disorder in the National Comorbidity Survey, Max-Planck-Institut fur Psychiatrie Clinical Institute, Munich.
- Wynn, G.H., 2017, Posttraumatic Stress Disorder, Uniformed Services University of the Health Sciences, United States.
- Yang L.H., Kleinman, A., Link, B.G., Phelan, J.C., Lee, S. & Good, B., 2007, Culture and Stigma: Adding Moral Experience to Stigma Theory, Columbia University, USA.
- Zlotnik, C., Zakriski, A.L., Shea, M.T., Costello, E., Begin, A., Pearlstein, T. & Simpson, E., 1996, The Long-term Sequelae of Sexual Abuse: Support for a Complex Posttraumatic Stress Disorder, Brown University, Providence.
- Zohar, J., Amital, D., Miodownik, C., Kotler, M., Bleich, A., Lane, R.M. & Austin, C., 2002, Double-Blind Placebo-Controlled Pilot Study of Sertraline in Military Veterans with Posttraumatic Stress Disorder, Chaim-Sheba Medical Center, Tel-Hashomer.