

DAFTAR PUSTAKA

- Abdelwahab, S.I., Mohan, S. and Abdulla, M.A. 2011. The methanolic extract of *Boesenbergia rotunda* (L.) Mansf. and its major compound pinostrobin induces anti-ulcerogenic property *in vivo*: possible involvement of indirect antioxidant action. *Journal of Ethnopharmacology* 37:963-970.
- Abdul Rahim, N., Hassandarvish, P., Golbabapour, S., Ismail, S., Tayyab, S. and Abdulla, M.A. 2014. Gastroprotective effect of ethanolic extract of *Curcuma xanthorrhiza* leaf against ethanol-induced mucosal lesions in *Sprague-Dawley* rats. *Biomed Research International*. <http://dx.doi.org/10.1155/2014/416409>.
- Abirami, A., Nagarani, G. and Siddhuraju, P. 2015. Hepatoprotective effect of leaf extracts from *Citrus hystrix* and *C. maxima* against paracetamol induced liver injury in rats. *Food Sciences and Human Wellnes* 4: 35-41.
- Acimovic, M., Cabarkapa, I., Cvetkovic, M., Stankovic, J., Kiproviski, B., Gvozdenac, S. and Puvaca, N. 2019. *Cymbopogon citratus* (DC.) Stapf: Chemical composition, antimicrobial, and antioxidant activities, use in medicinal and cosmetic purpose. *Journal of Agronomy, technology and Engineering Management* 2 (6): 344-460.
- Agouillal, F., Taher, Z.M., Moghrani, H., Nasrallah, N. and El Enshasy, H. 2017. A review of genetic taxonomy, biomolecules chemistry and bioactive of *Citrus hystrix* DC. *Biosciences Biotechnology Research Asia* 14 (1): 285-305.
- Ahmad, N., Fazal, H., Abbasi, B.H., Farooq, S., Ali, M. and Khan, M.A. 2012. Biological role of *Piper nigrum* L. (Black pepper): A review. *Asian Pacific Journal of Tropical Biomedicine*: 1-10
- Ahmad, W., Jantan, I. and Bukhari, S.N.A. 2016. *Tinospora crispa* (L.) Hook. f. & Thomson: A review of its ethnobotanical, phytochemical, and pharmacological aspects. *Frontiers in Pharmacology* 7 (59).
- Aida, P., Rosa, V., Blamea, F., Thomas, A. and Salvador, C. 2001. Paraguayan plants used in traditional medicine. *Journal Ethnopharmacology* 16: 93-98
- Ajikumar, P.K., Tyo, K., Carlsen, S., Mucha, O., Phon, T.H. and Stephanopoulos, G. 2008. Terpenoids: Opportunities for biosynthesis of natural product drugs using engineered microorganisms. *Molecular Pharmaceutics* 5 (2): 167-190.
- Akhila, A. 2010. *Essential oil bearing plants: The genus Cymbopogon*. CRC Press Taylor & Francis Group. Florida.
- Akinyemi, A.J., Ademiluyi, A.O. and Oboh, G. 2014. Inhibition of angiotensin-1-converting enzyme activity by two varieties of ginger (*Zingiber officinale*) in rats fed a high cholesterol diet. *Journal of Medicinal Food* 17:37-323.
- Ali, A., Lim, X.Y. and Wahida, P.F. 2018. The fundamental study of antimicrobial activity of *Piper betle* extract in commercial toothpastes. *Journal of Herbal Medicine*. <https://doi.org/10.1016/j.hermed.2018.08.001>
- Ali, M.S., Dash, P.R., Nasrin, M. and Raihan, S.Z. 2014. Study of antidiarrhoeal activity of two medicinal plants of Bangladesh in castor-oil induced diarrhoea. *International Journal of Pharmaceutical Sciences and Research* 5 (9): 3864-3868.

- Almeyda, E. dan Widayanti, E. 2020. Analisis kadar Kurkuminoid dalam Filtrat, Residu, dan Campuran Filtrat-Residu jamu Kunir Asem. *Jurnal Ilmiah Sains* 21 (1): 1-8
- Ammon, H.P.T., Anazodo, M.I., Safayhi, H., Dhawan, B.N. and Srimal, R.C. 1992. Curcumin: a potent inhibitor of Leukotriene B₄ formation in rat peritoneal polymorphonuclear neutrophils (PMNL). *Planta Medica* 58: 26.
- Anibijuwun, I.I. and Udeze, A.O 2009. Antimicrobial activity of *Carica papaya* (pawpaw leaf) on some pathogenic organisms of clinical origin from South-Western Nigeria. *Ethnobotanical Leaflets* 13: 850-864.
- Anjusha, S. and Gangaprasad, A. 2014. Phytochemical and antibacterial analysis of two important *Curcuma* species, *Curcuma aromatica* Salisb. and *Curcuma xanthorrhiza* Roxb. (Zingiberaceae). *Journal of Pharmacognosy and Phytochemistry* 3(3): 50-53.
- Arambawela, L.S.R., Arawwawala, L.D.A.M. and Ratnasooriya, W.D. 2005. Antidiabetic activities of aqueous and ethanolic extracts of *Piper betle* leaves in rats. *Journal of Ethnopharmacology* 102: 239-245.
- Armenta, S., Garrigues, S. and de la Guardia, M. 2015. The role of green extraction techniques in Green Analytical Chemistry. *TrAC Trends in Analytical Chemistry* 71: 2-8.
- Arnao, M.B. and Hernandez-Ruiz, J. 2020. Melatonin in flowering, fruit set and fruit ripening. *Plant Reproduction* 33: 77-87.
- Asgarpanah, J. and Kazemivash, N. 2012. Phytochemistry and pharmacologic properties of *Myristica fragrans* Hoyutt: A review. *African Journal of Biotechnology* 11 (65): 12787-12793.
- Awaliyah D.Z., Santoso, H. dan Syaumi, A. 2018. Profil fitokimia pada Jamu Kunci-Sirih. *BIOSAIN TROPIS* 4 (1): 8-14.
- Ayunda, R., Andrie, M. dan Taurina, W. 2014. Uji aktivitas jamu gendong Kunyit Asam (*Curcuma domestica* Val.; *Tamarindus indica* L.) sebagai antidiabetes pada tikus yang diinduksi Streptozotocin. Prodi Farmasi Fakultas Kedokteran Universitas Tanjungpura. Pontianak.
- Badgular, S.B., Patel, V.V. and Bandivdekar, A.H. 2014. *Foeniculum vulgare* Mill. : A review of its botany, phytochemistry, pharmacology, contemporary application, and toxicology. *BioMed Research International* : 1-33.
- Basha, F.Y.S., Rajeshkumar, S. and Lakshmi, T. 2019. Anti-inflammatory activity of *Myristica fragrans* extract. *International Journal of Research in Pharmaceutical Science* 10 (4): 3118-3120.
- Batiha, G. E., Alkazmi, L.M., Wasef, L.G., Beshbishy, A.M., Nadwa, E.H. and Rashwan, E.K. 2020. *Syzygium aromaticum* L. (Myrtaceae): traditional uses, bioactive chemical constituents, pharmacological and toxicological activities. *Biomolecules* 10 (202). Doi:10.3390/biom10020202
- Bidinotto, L.T., Costa, C.A., Salvadori, D.M., Costa, M., Rodrigues, M.A. and Barbisan, L.F. 2011. Protective effect of lemongrass (*Cymbopogon citratus* Stapf.) essential oil on DNA damage and carcinogenesis in female Balb/ C mice. *J. Appl. Toxicol.* 31: 536-544.
- Borusiewicz, M., Trojanowska, D., Paluchowska, P., Janeczko, Z., Petitjean, M.W. and Budak, A. 2017. Cytostatic, cytotoxic, and antibacterial activities of essential oil isolated from *Citrus hystrix*. *Science Asia* 43: 96-106.

- BPOM RI. 2009. *Petunjuk Operasional Pelaksanaan Cara Pembuatan Obat yang Baik*. Jakarta . Hal 1-200.
- Burgos, R.A., Aguila, M.J., Santiesteban, E.T., Sanchez, N.S. and Hancke, J.L. 2001. *Andrographis paniculata* Nees. induces relaxation of uterus by blocking voltage operated calcium channel and inhibits Ca (2+) influx. *Phytotherapy Research* 15: 235-239.
- Chan, C.Y.V. and Lee, J. 2019. Anti-inflammatory and antioxidant effects of hot water extracts from *Kaempferia galanga* L. *Journal of Convergence for Information Technology* 9 (6): 218-226.
- Chanu, K.V., Devi, L.G., Srivastava, S.K., Thakuria, D., Kataria, M. and Telang, A. G. 2018. Phytochemical analysis and evaluation of anticancer activity of *Parkia javanica* seeds. *The Pharma Innovation Journal* 7 (5) : 305-311.
- Cheel, J., Theoduloz, C., Rodriguez, J. and Schmeda-Hirschmann. 2005. Free radical scavengers and antioxidants from Lemongrass (*Cymbopogon citratus* (DC.) Stapf.). *Journal of Agricultural and Food Chemistry* 53 (7): 2511-2517.
- Chen, D., Chen, G., Ding, Y., Wan, P., Peng, Y., Chen, C., Ye, H., Zeng, X. and Ran, L. Polysaccharide from the flowers of tea (*Camellia sinensis* L.) modulate gut health and ameliorate cyclophosphamide-induced immunosuppression. *Journal of Functional Foods* 61 103470.
- Chen, D., Chen, G., Sun, Y., Zeng, X. and Ye, H. 2020. Physiological genetics, chemical composition, health benefits and toxicology of tea (*Camellia sinensis* L.) flower: A review. *Food Research International* 137 109584.
- Chen, D., Ding, Y., Ye, H., Sun, Y. and Zeng, X.X. 2020. Effect of long term onsumption of tea (*Camellia sinensis* L.) flower polysaccharides on maintaining intestinal BALB/c mice. *Journal of Food Sciences* 85 (6): 1948-1955.
- Chen, Y., Zhou, Y., Zeng, L., Dong, F., Tu, Y. and Yang, Z. 2018. Occurence of functional molecules in the flowers of tea (*Camellia sinensis*) plants: Evidence for second resource. *Molecules* 23 (4) 790
- Ching, A.Y.L., Wah, T.S., Sukari, M.A., Lian, G.E.C., Rahmani, M. and Khalid, K. 2007. Characterization of Flavonoid derivates from *Boesenbergia rotunda* (L.). *The Malaysian Journal of Analytical Sciences* 11 (1): 154-159.
- Chi-Tun, R., Sio-Hong, I., Shoei-Sheng, L. and Ming-Jai, S. 2013. Hypoglycemic action of borapetoside A from the plant *Tinospora crispa* in mice. *Phytomedicine* 20: 667-675
- Choi, E. and Hwang, J. 2004. Antiinflamatory, analgesic, and antioxidant activities pf the fruit of *Foeniculum vulgare*. *Fitoterapia* 75 (6) : 557-565
- Darmakusuma, D., Suwari, Kadang, K., Hussin, T.M.A.R., Karyawati, A.T., Belli, H.L.L., Fobia, O.H.S., Boru, Y.L., Manek, S.A., Payong, V.A. dan Heliawati, L. 2019. Aktivitas antioksidan dan antikanker ekstrak P-100 dari buah *Eucalyptus alba*. *Sainstek* 4 (1): 11-16.
- Das, A., Pal, K. K. and Nag. S. 2018. Anatomy, micromophology, and histochemical localization of different phytochemical of two medicinally important taxa of the family Zingiberaceae. *Research Journal of Life Sciences, Bioinformatics, Pharmaceutical and Chemical Sciences* 4(1): 191-198.

- Das, S., Parida, R., Sandeep, I.S., Nayak, S. and Mohanty, S. 2016. Biotechnological intervention in betelvine (*Piper betle* L.): A review on recent advances and future prospects. *Asian Pacific Journal of Tropical Medicine*. <https://dx.doi.org/10.1016/j.apjtm.2016.07.029>
- Dash, B., Sahoo, A., Ray, A., Jena, S. and Nayak, S. 2020. Identification of chemical constituents of *Zingiber zerumbet* rhizome extracts using GC/MS. *Journal of Biologically Active Products from Nature* 10 (5): 411-417.
- Dash, P.R., Maou, K.M., Erina, I.N., Ripa, F.A., Al Masud, K.N. and Ali, M.S. 2017. Study of antihelmintic and insecticidal activities of different extracts of *Kaempferia galanga*. *International Journal of Pharmaceutical Sciences and Research* 8 (2): 729-733.
- De kroon, H., Whigham, D.F. and Watson, M.A. 1991. Developmant ecology of Mayapple: Effects of rhizome severing, fertilization and timing of shoot senescence. *Functional Ecology* 5 (3): 360-368.
- De Martino, L., De Feo, V., Fratianni, F. and Nazzaro, F. 2009. Chemistry, antioxidant, antibacterial and antifungal activities of volatile oils and their components. *Natural Product Communications* 4 (12): 1741-1750
- De, M., De, A.K., Sen, P. and Banerjee, A.B. 2002. Antimicrobial propertiesof star anise (*Illicium verum*). *Phytotherapy Research* 16: 94-95
- Deb, N., Majumdar, P. and Ghosh, A.L. 2013. Pharmacognostic and phytochemical evaluation of the rhizomes of *Curcuma longa* Linn. *Journal of PharmaSciTech* 2 (2): 81-86.
- Departemen Kesehatan RI. 2000. *Pedoman Pelaksanaan Uji Klinik Obat Tradisional*. Direktorat Jenderal Pengawasan Obat dan Makanan, Direktorat Pengawasan Obat Tradisional.
- Deschamps, J.D., Gautschi, J.T., Whitman, S., Johnson, T.A., Gassner, N.C., Crews, P. and Holman, T.R. 2007. Discovery of platelet-type 12-human lipoxygenase selective inhibitors by high-throughput screening of structurally diverse libraries. *Bioorg. Med. Chem.* 15: 6900-6908.
- Dewoto, H.R. 2007. Pengembangan Obat Tradisional Indonesia menjadi Fitofarmaka. *Majalah Kedokteran Indonesia* 57 (7) : 205-211
- Dhakad, A.K., Pandey, V.V., Beg, S., Rawat, J.M. and Singh, A. 2018. Biological, medicinal, and toxicological significance of *Eucalyptus* leaf essential oil: A review. *Journal of the Science of Food and Agriculture* 98 (3): 833-834.
- Dugasani, S., Pichika, M.R., Nadarajah, V.D., Balijepalli, M.K., Tandra, S. and Korlakunta, J.N. 2010. Comparative antioxidant and anti-inflammatory effects of (6)-gingerol, (8)-gingerol, (10)-gingerol and (6)-shogaol, *Journal of Ethnopharmacology* 127: 515-520
- Dwitiyanti, Dewanti, E.and Rachmania, R.A. 2018. Anti-hyperuricemia effect of water fraction cinnamon (*Cinnamomum burmanni* (Ness & T. Ness) Blume) on white male rats. *1st Muhammadiyah International Conference on Health and Pharmaceutical Development*: 103-106.
- Dwivedi, V. and Tripathi, S. 2014. Review study on potential activity of *Piper betle*. *Journal of Pharmacognosy and Phytochemistry* 3 (4): 93-98.
- Eguale, T., Tilahun, G., Debella, A., Feleke, A. and Makonnen, E. 2007. In vitro and in vivo antihelmintic activit of crude extracts of *Coriandrum*

- sativum* against *Haemonchus contortus*. *Journal of Ethnopharmacology* 110 (3): 428-433.
- Ekowati, H., Achmad, A., Prasasti, E., Wasito, H., Sri, K., Hidayati, Z. and Ekasari, T. 2012. *Zingiber officinale*, *Piper retrofractum* and combination induced apoptosis and p53 expression in Myeloma and WiDr cell lines. *Hayati J Biosc* 19 (3): 137-140.
- Emamghoreishi, M., Khasaki, M. and Aazam, M.F. 2005. *Coriandrum sativum*: evaluation of its anxiolytic effect in the elevated plus-maze. *Journal of Ethnopharmacology* 96 : 365-370.
- Eng-Chong, T., Yean-Kee, L., Chin-Fei, C., Choon-Han, H., Sher-Ming, W., Li-Ping, C., Gen-Teck, F., Khalid, N., Abd Rahman, N., Karsan, S.A., Othman, S., Othman, R. and Yusof, R. 2012. *Boesenbergia rotunda*: from ethnomedicine to drug discovery. *Evidence-based Complementary and Alternative Medicine* 473637. Doi:10.1155/2012.473637.
- Esperandim, V.R., Ferreira, D.S., Rezende, k.C.S., Magalhaes, L.G., Souza, J.M., Pauletti, P.M., Januario, A.H., de Laurentz, R.S., Bastos, J.K., Simaro, G.V., Cunha, W.R. and de Silva, M.L.A. 2013. In vitro antiparasitic activity and chemical composition of the essential oil obtained from the fruits of *Piper cubeba*. *Planta Medica* 79: 1653-1655.
- Eun-Mi, C. and Jae-Kwan, H. 2003. Investigations of anti-inflammatory and antinociceptive activities of *Piper cubeba*, *Physalis angulata* and *Rosa hybrida*. *Journal of Ethnopharmacology* 89: 171-175.
- Fagbemi, Ferdinand, J., Ugoji, Esther, Adenipekun, Tayo, Adelowotan and Omotoyin. 2009. Evaluation of the antimicrobial properties of unripe banana (*Musa sapientum* L.), lemon grass (*Cymbopogon citratus* S.) and turmeric (*Curcuma longa* L.) on pathogens. *African Journal of Biotechnology* 8 (7): 1176-1182.
- Farnsworth, N.R. and Bunyapraphatsara, N. 1992. *Thai Medicinal Plants. Recommended for Primary Health Care System*. Bangkok.
- Feng, X., Jiang, Z.T., Wang, Y. and Li, R. 2011. Composition comparison of essential oils extracted by hydrodistillation and microwave-assisted hydrodistillation from *Amomum kravanh* and *Amomum compactum*. *Journal Essential Oil-bearing* 14 (3): 354-359.
- Freidberg dan Claudine, 1995. Etnobotani, Prospek dan Masa Depan. *Prosiding Seminar Nasional Etnobotani*.
- Ganesh, P., Kumar, R.S. and Saranraj, P. 2014. Phytochemical analysis and antibacterial activity of Pepper (*Piper nigrum* L.) against some human pathogens. *Central European Journal of Experimental Biology* 3 (2): 36-41.
- Gardjito, M., Harmayani, E. dan Suharjono. 2018. *JAMU Pusaka Penjaga Kesehatan Bangsa Asli Indonesia*. Gadjah Mada University Press. Yogyakarta. 1-2
- Gastetter, E.F. 1944. The domain of ethnobotany. *American Naturalist* 78 : 158-170.
- Ghasemzadeh, A., Jaafar, H.Z.E. and Rahmat, A. 2016. Variation of the phytochemical constituents and antioxidant activities of *Zingiber officinale* var *rubrum* theilade associated with different drying methods and polyphenol oxidase activity. *Molecules* 21. 780, doi:3390/molecules21060780

- Gohari, A.R. and Saeidnia, S. 2011. A review on Phytochemistry of *Cuminum cyminum* seeds and its standards from field to market. *Pharmacognosy Journal* 3 (25): 1-5
- Golding, B.T., Pombo, E. and Samuel, C.J. 1982. Tumerones: isolation from turmeric and their structure determination. *Journal of the Chemical Society, Chemical Communication*: 363-364. <https://doi.org/10.1039/C39820000363>
- Gomez-Flores, R., Hernandez-Martinez, H., Tamez-Guerra, P., Tamez-Guerra, R., Quintanilla-Licea, R., Monreal-Cuevas, E. and Rodriguez-Padilla, C. 2010. Antitumor and immunomodulating potential of *Coriandrum sativum*, *Piper nigrum* and *Cinnamomum zeylanicum*. *Journal of Natural Products* (3):54-63.
- Gradist, P., Martla, M. and Sukpondma, Y. 2015. Cytotoxic activity of *Piper cubeba* extract in breast cancer cell lines. *Nutrients* 7: 2707-2718.
- Gregory, S. and Kelly, N.D. 2011. Quercetin. *Alternative medicine review. ACAM* 16 (2): 172-194.
- Gul, M.Z., Bhakshu, L.M., Ahmad, F., Kondapi, A.K., Qureshi, I.A. and Ghazi, I.A. 2011. Evaluation of *Abelmoschus moschatus* extracts for antioxidant, free radical scavenging, antimicrobial and antiproliferative activities using in vitro assays. *BMC Complementary and Alternative Medicine* 11 (64): 1-12.
- Guo, D.J., Cheng, H.L., Chan, S.W. and Yu, P.H.F. 2008. Antioxidative activities and the total phenolic content of tonic Chinese medicinal herbs. *Inflammopharmacology* 16: 201-207.
- Guo-Wei, W., Wen-Ting, H., Bao-Kang, H. and Lu-Ping, Q. 2011. *Illicium verum*: A review on its botany, traditional use, chemistry and pharmacology. *Journal of Ethnopharmacology* 136: 10-20.
- Haitami, Lutpiatina, L. and Muhlisin, A. 2020. *Citrus hystrix* DC. fluids inhibits the growth of *Escherichia coli*, *Pseudomonas aeruginosa*, and *Bacillus subtilis*. *Indian Journal of Forensic Medicine & Toxicology* 14 (3): 2328-2332.
- Hajare, R., Darvhekar, V.M., Shewale, A. and Patil, V. 2011. Evaluation of antihistaminic activity of *Piper betle* leaf in guinea pig. *African Journal of Pharmacy and Pharmacology* 5 (2): 113-117.
- Halim, M.R.A., Tan, M.S.M.Z., Ismail, S. and Mahmud, R. 2012. Standardization and phytochemical studies of *Curcuma xanthorrhiza* Roxb. *International Journal of Pharmacy and Pharmaceutical Sciences* 4 (3): 606-610.
- Hamid, A., Ibrahim, F.W., Ming, T.H., Nasrom, M.N., Eusoff, N., Husain, K. and Latif, M.A. 2018. Zingiber zerumbet L. (Smith) extract alleviates the ethanol-induced brain damage via its antioxidant activity. *BMC Complementary and Alternative Medicine* 18:101. <http://doi.org/10.1186/s12906-018-2161-5>
- Handayani, H., Achmad, H., Suci, A.D., Firman, M., Mappangara, S., Ramadhany, S., Pratiwi, R. and Wulansari, D.P. 2018. Analysis of antibacterial effectiveness of Red Ginger Extract (*Zingiber officinale* var Rubrum) compared to White Ginger Extract (*Zingiber officinale* var Amarum) in mouth cavity bacterial *Streptococcus mutans* (in vitro). *Journal of International Dental and Medical Research* 11 (2):676-681.

- Haris, J.G. and Haris, M.W. 1994. *Plants Identification Terminologi; An Illustrated Glosary*. Spring Lake Publishing. Utah.
- Hartady, T., Balia, R.L., Syamsunarno, M.R.A.A., Jasni, S. and Priosoeryanto. 2020. Bioactivity of *Amomum compactum* Soland Ex Maton (Java Cardamom) as natural antibacterial. *Systematic reviews in Pharmacy* 11 (9): 384-387.
- Hasibuan, M.S., Yasni, S., Bintang, M. and Ranti, A.S. 2016. Antihyperglycemic activity of *Piper crocatum* leaves and *Cinnamomum burmannii* bark mixture extract in Streptozotocin-induced diabetic rats. *Journal of Mathematical and Fundamental Sciences* 48 (2): 178-191.
- Hasim, H., Falah, S., Ayunda, R.D., and Faridah, D.N. 2015. Potential of lemongrass leaves extract (*Cymbopogon citratus*) as prevention for oil oxidation. *Journal of Chemical and Pharmaceutical Research* 7: 55-60.
- Henaulu, A. H. dan Kaihena, M. 2020. Potensi antibakteri ekstrak etanol daun kecipir (*Psophocarpus tetragonolobus* (L.) DC.) terhadap pertumbuhan *Escherichia coli* dan *Staphylococcus aureus in vitro*. *Biofaal Journal* 1(1) : 44-54.
- Hertiani, T., Yuswanto, A., Pratiwi, S.U.T. and Mashar, H.M. 2018. Effect of Massoia (*Massoia aromatica* Becc.) bark on the phagocytic activity of Wistar rat macrophages. *Scientia Pharmaceutical* 86 (19): 1-7
- Hossain, Md. S., Urbi, Z., Sule, A. and Rahman, K.M.H. 2014. *Andrographis paniculata* (Burm.f.) Wall. ex Nees: A Review of Ethnobotany, Phytochemistry, and Pharmacology. *The Scientific World Journal* 2014: 1-28
- <http://www.efloras.org>
- Huang, L., Yagura, T. and Chen, S. 2008. Sedative activity of hexane extract of *Kaempferia galanga* L. and its active compound. *Journal of Ethnopharmacology* 120: 123-125.
- Huang, Q., Lu, G., Shen, H.M., Chung, M.C. and Ong, C.N. 2007. Anticancer properties of anthraquinones from rhubarb. *Medicinal Research Reviews* 27:609-630.
- Hussein, N.N., Maeah, R.K., Sharba, Z.A., Aasoon, B., Sulaiman, G.M., Ayad, A., Taha, A.A. and Jwad, K.H. 2019. Cytotoxic, antioxidant and antibacterial activities of crude extract of *Syzygium aromaticum* plant. *Plant Archives* 19 (1): 350-355
- Ikpeama, Ahamefula, Onwuka, Nwanko, and Chibuzo. 2014. Nutritional composition of Tumeric (*Curcuma longa*) and its antimicrobial properties. *International Journal of Scientific & Engineering Research* 5 (10): 1085-1089.
- Irakli, M.N., Samanidou, V.F., Katsantonis, D.N., Biliaderis, C.G. and Papadoyannis, I.N. 2016. Phytochemical profiles and antioxidant capacity of pigmented and non-pigmented genotypes of rice (*Oryza sativa* L.). *Central Research Communications* 44 (1): 98-110.
- Iskandar, I., Hadju, V., As'ad, S. and Natsir, R. 2015. Effect of *Moringa oleifera* leaf extracts supplementation in preventing maternal anemia and low-birth-weight. *International Journal of Scientific and Research Publications* 5 (2): 376-378.

- Ismiyana, F. 2013. *Gambaran penggunaan obat tradisional untuk pengobatan sendiri pada masyarakat di Desa Jimus Polanharjo Klaten* Publikasi Skripsi. Universitas Muhammadiyah Surakarta. Surakarta.
- Jadid, N., Arraniry, B.A., Hidayati, D., Purwani, K.I., Wikanta, W., Hartanti, S.R. and Rachman, R.Y. 2018. Proximate composition, nutritional values and phytochemical screening of *Piper retrofractum* Vahl. fruits. *Asian Pac J Trop Biomed* 8: 37-43.
- Jadid, N., Hidayati, D., Hartanti, S.R., Arraniry, B.A., Rachman, R.Y. and Wikanta, W. 2017. Antioxidant activities of different solvent extracts of *Piper retrofractum* Vahl. using DPPH assay. *AIP Conferens Proceedings* 1854. <https://doi.org/10.1063/1.4985410>
- Jaiswal, P., Kumar, P., Singh, V.K. and Singh, D.K. 2009. Biological effects of *Myristica fragrans*. *Annual Review of Biomedical Science* 11:21-29.
- Jamal, J.A., Abdul Ghafar, Z. and Husain, K. 2011. Medicinal plants used for postnatal care in malay traditional medicine in the peninsular Malaysia. *Pharmacognosy Journal* 3 (24): 15-24.
- Jean, B. 1998. *Carica papaya*. In: *Pharmacognosy, Phytochemistry of medicinal plants*, 2nd ed. Lavoisier. France. 221-223.
- Jimoh, S.O., Arowolo, L.A. and Alabi, K.A. 2017. Phytochemical screening and antimicrobial evaluation of *Syzygium aromaticum* extract and essential oil. *International Journal of Current Microbiology and Applied Sciences* 6 (7): 4557-4567
- Johri, R.K. 2011. *Cuminum cyminum* and *Carum carvi*: An update. *Pharmacognosy Reviews* 5 (9): 63-72
- Jose, S. and Thomas, TD. 2014. Comparative phytochemical and anti-bacterial studies of two indigenous medicinal plants *Curcuma caesia* Roxb. and *Curcuma aeruginosa* Roxb. *International Journal of Green Pharmacy* 8: 65-71.
- Juwitaningsih, T., Jahro, I.S. and Sari, S.A. 2020. Evauation of North Sumatera Cardamom seed (*Amomum compactum*) extract as antibacterial and anticancer. *Journal of Physics: Conference Series* 1485.doi: 10.1088/1742-9696/1485/1/012019.
- Kamazeri, T. S. A. T., Samah, O.A., Taher, M., Susanti, D. and Qaralleh, H. 2012. Antimicrobial activity and essential oils of *Curcuma aeruginosa*, *Curcuma mangga* and *Zingiber cassumunar* from Malaysia. *Asian Pacific Journal of tropical Medicine* 2012:202-209.
- Kanjanasirirat, P., Suksatu, A., Manopwisedjaroen, S., Munyoo, B., Tuchinda, P., Jearawuttanakul, K., Seemakhan, S., Charoensutthivarakul, S., Wongtrakongate, P., Rangkasenee, N., Pitiporn, S., Waranuch, N., Chabang, N., Khemawoot, P., Sa-ngiamsuntorn, K., Pewkliang, Y., Thongsri, P., Chutipongtanate, S., Hongeng, S., Bornwornpinyo, S. and Thitithanyanont, A. 2020. High-content screening of Thai medicinal plants reveals *Boesenbergia rotunda* extract and its component Panduratin A as anti-SARS-CoV-2 agents. *Scientific Reports* 10:19963. <https://doi.org/10.1038/s41598-020-77003-3>
- Kanjwani, D.G., Marathe, T.P., Chiplunkar, S.V. and Sathaye, S.S. 2008. Evaluation of immunomodulatory activity of methanolic extract of *Piper betle*. *Scand. J. Immunol.* 67 (6): 589-593.

- Kaur, H., Amini, M.H., Prabhakar, P.K., Singh, A. and Suttee, A. 2016. Phytochemical screening and antimicrobial activity of *Caesalpinia sappan* L. leaves. *International Journal of Pharmacognosy and Phytochemical Research* 8 (6): 1064-1069.
- Kaviarasan, S., Naik, G.H., Gangabthagirathi, R., Anuradha, C.V. and Priyadarsini, K.I. 2007. In vitro studies on antiradical and antioxidant activities of fenugreek (*Trigonella foenum-graecum*) seeds. *Food chemistry* 103 (1): 31-37.
- Kedia, A., Prakash, B., Mishra, P.K. and Dubey, N.K. 2014. Antifungal and antiaflatoxic properties of *Cuminum cyminum* (L.) seed essential oil and its efficacy as a preservative in stored commodities. *International Journal of Food Microbiology* 168-169 : 1-7.
- Kemala, S., Sudiarto, Pribadi, E.R., Yuhono, J.T., Yusron, M., Mauludi, L., Raharjo, M., Waskito, B. dan Nurhayati, H. 2003. *Studi Serapan, Pasokan dan Pemanfaatan Tanaman Obat di Indonesia*. Laporan Teknis Penelitian Bagian Proyek Tanaman Rempah dan Obat APBN 2003. 61.
- Khalil, Mahmoud, I.M., Ibrahim, M.M., El-Gaaly, G.A. and Sultan, A.S. 2015. *Trigonella foenum* (fenugreek) induced apoptosis in hepatocellular carcinoma cell line, HepG2, mediated by upregulation of p53 and proliferating cell nuclear antigen. *Hindawi Publishing Corporation BioMed Research International* Volume 2015, Article ID 914645: 11 pages
- Kim, K.J., Lee, M.S., Jo, K. and Hwang, J.K. 2011. Piperidine alkaloids from *Piper retrofractum* Vahl. protect against high-fat diet-induced obesity by regulating lipid metabolism and activating AMP-activated protein kinase. *Biochemical and Biophysical Research Communications* 411: 219-225.
- Kim, M., Kim, C., Song, Y. and Hwang, J. 2014. Antihyperglycemic and anti-inflammatory effects of standardized *Curcuma xanthorrhiza* Roxb. extract and its active compound Xanthorrhizol in high-fat diet-induced obese mice. *Evidence-Based Complementary and Alternative Medicine*. <http://dx.doi.org/10.1155/2014/205915>
- Kumal, S., Kumari, R. and Mishra, S. 2019. Pharmacological properties and their medicinal uses of *Cinnamomum*: a review. *Journal of Pharmacy and Pharmacology* 71: 1735-1761
- Kumar Gupta, S., Kumar, B. and Srinivasan, B.P. 2013. Retinoprotective effects of *Moringa oleifera* via antioxidant, anti-inflammatory, and anti-angiogenic mechanisms in streptozotocin-induced diabetic rats. *Journal Ocular Pharmacology Therapy* 29: 419-426.
- Kumar, A. 2020. Phytochemical, pharmacological, activities and uses of traditional medicinal plant *Kaempferia galanga* L. *Journal of Ethnopharmacology* 253: 12667.
- Kumari, D.J. 2010. Hypoglycemic effect of *Moringa oleifera* and *Azadirachta indica* in type-2 diabetes. *Bioscan* 5: 211-214
- Kuptniratsaikul, V., Thanakhumtorn, S., Chinswangwatanakul, P., Wattanamongkonsil, L. and Thamlikitkul, V. 2009. Efficacy and safety of *Curcuma domestica* extract in patients with knee osteoarthritis. *The Journal of Alternative and Complementary Medicine* 15 (8): 891-897
- Kusumawati, I., Kurniawan, K.O., Rullyansyah, S., Prijo, T.A., Widyowati, R., Ekowati, J., Hestianah, P., Maat, S. and Matsunami, K. 2018. Anti-aging

- properties of *Curcuma heyneana* Valetton & Zipj: A scientific approach to its use in Javanese tradition. *Journal of Ethnopharmacology* 18. <https://doi.org/10.1016/jep.2018.06.038>.
- Laily, A.N. 2017. *Etnobotani dan Upaya mempertahankan Tumbuhan Bahan Baku Jamu Gendong oleh Masyarakat di Kecamatan Nguter Kabupaten Sukoharjo Provinsi Jawa Tengah*. Fakultas FMIPA UIN Maulana Malik Ibrahim. Malang.
- Lal, M., Munda, S., Dutta, S., Baruah, J. and Pandey, S.K. 2017. Identification of the new high oil and rhizome yielding variety of *Kaempferia galanga* (JOR LAB K-1): A highly important indigenous medicinal plants of North East India. *Journal of Essential Oil Bearing Plants* 20 (5): 1275-1282
- Laribi, B., Kouki, K., M'Hamdi, M. and Bettaieb, T. 2015. Coriander (*Coriandrum sativum* L.) and its bioactive constituents. *Fisioterapia* 103: 9-26.
- Latha, L.Y., Sasidharan, S., Zuraini, Z., Suryani, S., Shirley, L., Sangetha, S., and Davaselvi, M. 2007. Antimicrobial activities and toxicity of crude extract of the *Psophocarpus tetragonolobus* pods. *African Journal Traditional Complementary and Alternative Medicines* 4 (1): 59-63.
- Latifah, N.J., Andrie, M. dan Taurina, W. 2014. *Naskah Publikasi: Uji aktivitas jamu gendong Beras Kencur (Oryza sativa L.; Kaempferia galanga L.) sebagai Antidiabetes pada tikus putih jantan galur Wistar yang diinduksi Streptozotocin*. Prodi Farmasi Fakultas Kedokteran Universitas Tanjungpura. Pontianak. p 4
- Lee, K.H., Padzil, A.M., Syahida, A., Abadullah, N., Zuhainis, S.W., Maziah, M., Sulaiman, M.R., Israf, D.A., Shaari, K. and Lajis, N.H. 2011. Evaluation of anti-inflammatory, antioxidant and anti-nociceptive activities of six Malaysian medicinal plants. *Journal of Medicinal Plants Research* 5 (23): 5555-5563.
- Leelarasamee, A., Trakulsomboon, S. and Sittisomwong. 1990. Undetectable anti-bacterial activity of *Andrographis paniculata* (Burm.) Wall. ex Ness. *Journal of Medical Association of Thailand* 73 : 299-304.
- Leone, A., Spada, A., Battezzati, A., Schiraldi, A. Aristil, J. and Bertoli, S. 2015. Cultivation, genetic, ethnopharmacology, phytochemistry and pharmacology of *Moringaoleifera* leaves: An overview. *International Journal of Molecular Sciences* 16: 12791-12835.
- Lim, T.K. 2013. *Amomum compactum*. In *Edible Medicinal and Non-Medicinal Plants*. Springer Sciences & Busines Media. Dordrecht. p 797-800
- Liu, I.M., Liou, S.S. and Cheng, J.T. 2006. Mediation of beta-endorphin by myricetin to lower plasma glucose in streptozotocin-induced diabetic rats. *Journal Ethnopharmacology* 104: 199-206.
- Liu, Y., Roy, S.S., Nebie, R.H.C., Zhang, Y. and Nair, M.G. 2013. Functional food quality of *Curcuma caesia*, *Curcuma zedoaria* and *Curcuma aeruginosa* endemic to Northeastern India. *Plant Foods Hum Nutr* 68: 72-77.
- Lopez, E.I.C., Balcazar, M.F.H., Mendoza, J.M.R., Ortiz, A.D.R., Melo, M.T.O., Parrales, R.S. and Delgado, T.H. 2017. Antimicrobial activity of essential oil of *Zingiber officinale* Roscoe (Zingiberaceae). *American Journal of Plant Sciences* 8 (7): 1511-1524

- Lukitaningsih, E., Rohman, A., Rafi, M., Nurulhidayah, A.F. and Windarsih, A. 2020. *In vivo* antioxidant activities of *Curcuma longa* and *Curcuma xanthorrhiza*: A review. *Food Research* 4 (1): 13-19.
- Maged, R., Nordin, N. ad Abdulla, M.S. 2013. Anti-inflammatory effects of *Zingiber officinale* roscoe involve suppression of nitric oxide and prostaglandin E2 production. *Zanco Journal of Medical Sciences* 17 (1):349-356.
- Mahesh, C.M., Gowda, K.P.S. and Gupta, A.K. 2010. Protective action of *Cuminum cyminum* against gentamicin-induced nephrotoxicity. *Journal of Pharmacy Research* 3 (4): 753-757.
- Mahmood. A.A., Mariod, A.A., Abdelwahab, S.I., Ismail, S. and Al-Bayaty, F. 2010. Potential activity of ethanolic extract of *Boesenbergia rotunda* (L.) rhizomes extract in accelerating wound healing in rats. *Journal of Medicinal Plants Research* 4 (15): 1570-1576.
- Mantena, K.R. and Soni, D. 2012. Diuretic activity of extract of *Abelmoschus moschatus* L. *Asian Pacific Journal Tropic Biomed* 1:1-3
- Marianne, Harahap, U., Hasibuan, P.A.Z., Thampati, C.M. and Harefa, H.S. 2020. Hepatoprotective activity of the ethanol extract of *Curcuma heyneana* rhizome o isoniazid and fampin-induced liver injury rats. *Journal of Hermed Pharmacology* 9(4):333-338
- Matsuda, H., Ninomiya, K., Morikawa, T., Yasuda, D., Yamaguchi, I. and Yoshikawa, M. 2008. Protective effect of amide constituents from the fruit of *Piper chaba* on G-galactosamine/TNF- α induced cell death in mouse hepatocytes. *Bioorg Med Chem Lett* 18: 2038-2042.
- Matsumoto, K., Akao, Y., Yi, H., Ohguchi, K., Ito, T., Iinuma, M., Nozawa, Y. 2004. Prefential target is mitochondria in α -mangostin induced apoptosis in human leukemia HL60 cells. *Bioorg. Med. Chem.* 12: 5799-5806
- Mayrowani, H. dan Ashari. 2011. Pengembangan *Agroforestry* untuk Mendukung Ketahanan Pangan dan Pemberdayaan Petani Sekitar Hutan. *Forum Penelitian Agro Ekonomi* 29 (2): 83-98
- Meher, B. and Das, D. K. 2013. Evaluation of hepatoprotective and antioxidant activity of *Tamarindus indica* seeds extracts in Streptozotocin induced diabetic rats. *International Journal of Phytomedicine* 5: 228-297.
- Meher, B., Das, D. K. and Bhoi, B. B. 2013. Evaluation of in vitro antioxidant and antimicrobial properties of hydroalcoholic and aqueous seeds extracts of *Tamarindus indica*. *World Journal of Pharmacy and Pharmaceutical Science* 3 (1): 436-452.
- Meher, B., Das, D. K. and Roy, A. 2014. A review on: phytochemistry, pharmacology and traditional uses of *Tamarindus indica* L.. *World World Journal of Pharmacy and Pharmaceutical Science* 3 (10): 229-240.
- Mehmood, M.H. and Gilani, A.H. 2010. Pharmacological basis for the medicinal use of Black Pepper and Piperine in Gastrointestinal Disorders. *Journal of Medicinal Food* 13 (5): 1086-1096.
- Mesfin, K., Gebru, T. and Teklemichael, T. 2013. Ethnobotanical study of traditional medicinal plants used by indigenous people of Gemad District, Northern Ethiopia. *Journal of Medicinal Plants Studies* 1 (4): 32-37.
- Metananda, A.A. 2012. *Etnobotani pangan dan obat masyarakat sekitar Taman Nasional Gunung Rinjani (Studi kasus pada Suku Sasak di Desa Jeruk*

- Manis, Kecamatan Sikur Kabupaten Lombok Timur Nusa Tenggara Barat*). Skripsi, Fakultas Kehutanan IPB. Bogor.
- Moghadamtousi, S.Z., Fadaeinasab, M., Nikzad, S., Mohan, G., Ali, H.M. and Kadir, H.A. 2015. *Annona muricata* (Annonaceae): A review of its traditional uses, isolated acetogenins and biological activities. *International Journal of Molecular Sciences* 16 : 15625-15658.
- Moghadamtousi, S.Z., Kadir, H.A., Paydar, M., Rouhollahi, E. and Karimian, H. 2014. *Annona muricata* leaves induced apoptosis in A549 cells through mitochondrial-mediated pathway and involvement of NF-kB. *BMC Complementary Alternative Medicine* 14 : 299.
- Mohamad, R. H., El-Bastawesy, A.M. and Abdel-Monem, M.G. 2011. Antioxidant and anticarcinogenic effects pf methanolic extract and volatile oil of fennel seeds (*Foeniculum vulgare*). *Journal of Medicinal Food* 14 (9) : 986-1001.
- Murnigsih, T., Subeki, Matsuura, H., Takahashi, K., Yamasaki, M., Yamato, O., Maede, Y., Katakura, K., Suzuki, M., Kobayashi, S., Chairul. and Yoshihara, T. 2005. Evaluation of the inhibitory activities of the extracts of Indonesians traditional medicinal plants againts *Plasmodium falciparum* and *Babesia gibsoni*. *Journal Veterinary Medicinal Science* 67 (8) : 829-831.
- Nahak, G. and Sahu, R.K. 2011. Phytochemical evaluation and antioxidant activity of *Piper cubeba* and *Piper nigrum*. *Journal Applied Pharmaceutical Science* 01 (08): 153-157.
- Nakamura, T., Okuyama, E. and Yamazaki, M. 1996. Neurotropic components from star Anise (*Illicium verum* hook. f.). *Chemical and Pharmaceutical Bulletin* 44: 1908-1914.
- Nakatani, K., Atsumi, M., Arakawa, T., Oosawa, K., Shimura, S., Nakahata, N. and Ohizumi, Y. 2002. Inhibitions of histamine release and prostaglandin E2 synthesis by mangosteen, a Thai medicinal plant. *Biological Pharmacology Bulletin* 25:1137-1141.
- Navigio, D., Scarano, P., Ciaravalo, M. and Gallo, M. 2019. Rapid Solid-Liquid Dynamic Extraction (RSLDE): A powerful and greener alternative to thr latest Solid-Liquid extraction techniques. *Foods* 8:245. doi:103390/foods8070245
- Nejad, S.M., Ozgunes, H. and Basaran, N. 2017. Pharmacological and toxicological properties of eugenol. *Turk. J. Pharm. Sci.* 14: 201-206.
- Nillian, E., Mathialagan, M., Benjamin, P.G., Lihan, S. and Bebey, G. 2018. Antimicrobial activity of *Kaempferia galanga* rhizome against biofilm of *Vibrio cholerae* outbreak from Limbang Sarawak. *Journal of Advanced Research in Apllied Sciences and Engineering Technology* 12 (1):24-31
- Nurcholis, W., Khumaida, N., Syukur, M. and Bintang, M. 2016. Variability of curcuminoid content and lack of correlation with toxicity in ethanolic extracts from 20 accession of *Curcuma aeruginosa* Roxb. *Asian Pacific Journal of Tropical Disease* 6(11): 887-891.
- Nursetiani, A. dan Herdiana, Y. 2018. Potensi biji klabet (*Trigonella foenum-graecum* L.) sebagai alternatif pengobatan herbal: review jurnal. *Farmaka Suplemen* 16 (2): 475-484.
- Oagay, Y. 2013. *Pemanfaatan Tumbuhan sebagai Obat Tradisional oleh Masyarakat Suku Sougb di Kampung Warbiadi Distrik Oransbari*

- Kabupaten Manokwari*. Skripsi Program Studi Kehutanan, Jurusan Kehutanan, Universitas Negeri Papua. Manokwari. pp 79.
- Oboh, G., Ademiluyi, A.O., and Akinyemi, A.J. 2012. Inhibition of acetylcholinesterase activities and some pro-oxidant induced lipid peroxidation in rat brain by two varieties of ginger (*Zingiber officinale*). *Experimental and Toxicologic Pathology* 64 (4): 315-319.
- Oloyede, I.O. 2009. Chemical profile and antimicrobial activity of *Cymbopogon citratus* leaves. *J. Nat. Prod.* 71: 467-470.
- Omar, M.N., Rahman, S.M.M.A., Ichwan, S.J.A., Hasali, N.H.M., Rasid, F.A. and Halim, F.A. 2017. Cytotoxicity effect of extracts and essential oil of *Kaempferia galanga* on Cervical Cancer C33A cell line. *Oriental Journal of Chemistry* 33 (4): 1659-1664
- Otsuki, N., Dang, N.H., Kumagai, E., Kondo, A., Iwata, S. and Morimoto, C. 2010. Aqueous extract of *Carica papaya* leaves exhibits anti-tumor and immunomodulatory effects. *Journal Ethnopharmacology* 127 (3): 760-767.
- Owoyele, B.V., Adebukola, O.M., Fummilayo, A.A. and Soladoye, A.O. 2008. Anti-inflammatory activities of ethanolic extract of *Carica papaya* leaves. *Inflammopharmacology* 16 (4): 168-173
- Ozbek, H., Ugras, S., and Dulger, H. 2003. Hepatoprotective effect of *Foeniculum vulgare* essential oil. *Fitoterapia* 74 (3) : 317-219.
- Panda, S., Kar, A., Sharma, P. and Sharma, A. 2012. Cardioprotective potential of N, α -1-rhamnosylpyranosyl vincosiamide, an indole alkaloid, isolated from the leaves of *Moringa oleifera* in isoproterenol induced cardiotoxic rats: *in vitro* and *in vivo* studies. *Bioorg Med Chem Lett*.
- Paryono dan Kurniarum, A. 2014. Kebiasaan Konsumsi Jamu untuk Menjaga Kesehatan Tubuh pada Saat Hamil dan Setelah Melahirkan di Desa Kajoran Klaten Selatan. *Jurnal Terpadu Ilmu Kesehatan* 3 (1) : 64-72
- Pathan, A.R., Kothawade, K.A. and Logade, M.N. 2011. Anxiolytic and analgesic effect of *Coriandrum sativum* Linn. *International Journal of Research in Pharmacy and Chemistry* 1 (4): 1087-1099
- Pawar, A.T. and Vyawahare, N.S. 2017. Phytopharmacology of *Abelmoschus moschatus* Medik.: A review. *International Journal of Green Pharmacy* 11 (4).
- Pedraza-Chaverri, J., Cadrenas-Rodriguez, N., Orozco-Ibarra, M. and Perez-Rojas, J.M. 2008. Review medicinal properties of mangosteen (*Garcinia mangostana*). *Food and Chemical Toxicology* 46 : 3227-3239.
- Perkins S., Verschoyle, R.D., Hill, K., Parveen, I., Threadgill, M.D., Sharma, R.A., Williams, M.L., Steward, W.P. and Gescjer, A.J. 2002. Chemopreventive efficacy and pharmacokinetics of curcumin in the min/+ mouse, a model of familial adenomatus polyposis. *Cancer Epidemiology and Prevention Biomarkers* 11 (6):535-540.
- Perum Perhutani. 2006. *Statistik Perum Perhutani Tahun 2001-2005*. Direksi Perum Perhutani. Jakarta.
- Piaru, S.P., mahmud, R., Abdul Majid, A.M.S., Ismail, S. and Che Nin, M. 2011. Chemical composition, antioksidan dan cytotoxicity activities of the essential oils of *Myristica fragrans* and *Morinda citrifolia*. *Journal Sci Food Agric* 92: 593-597.

- Pieroni, A., Price, L.L. and Vandeboeck, I. 2005. Welcome to Journal of Ethnobiology and Ethnomedicine. *Journal of Ethnobiology and Ethnomedicine* 1 (1).
- Pokja Kebijakan Konservasi. 2008. *Konservasi Indonesia, Sebuah Potret Pengelolaan & Kebijakan*. Perpustakaan Nasional. Jakarta. 21-22
- Pramono E. 2002. The commercial use of traditional knowledge and medicinal plants in Indonesia. *Submitted for multi-stakeholder dialogue on trade, intellectual property and biological resources in Asia*.
- Prance, G.T., Balee, W. and Boom, B.M. 1987. Quantitive Ethnobotany and the Case for Conservation in Amazonia. *Conservation Biology* 1 (4) : 296-310
- Pribadi, E.R. 2009. Pasokan Peminatan Tanaman Obat Indonesia serta Arah Penelitian dan Pengembangannya. *Perspektif* 8(1): 52-64.
- Purwanto, Y. 1999. Peran dan Peluang Etnobotani Masa Kini di Indonesia dalam menunjang Upaya Konservasi dan Pengembangan Keanekaragaman Hayati. *Prosiding Seminar Hasil-Hasil Penelitian Bidang Ilmu Hayati* : 214-229
- Qadr, S.W., Abdulla, M.A., Chua, L.S., Najim, N., Zain, M.M. and Hamdan, S. 2011. Antioxidant, total phenolic content and cytotoxicity evaluation of selected malaysian plants. *Molecules* 16: 3433-3443.
- Rahman, N.N.N.A., Furuta, T., Kojima, S., Takane, K. and Mohd, M.A. 1999. Antimalarial activity of extracts of Malaysian medicinal plants. *Journal of Ethnopharmacology* 64: 249-254.
- Rasul, A., Akhtar, N., Khan, B.A., Mahmood, T., Uz Zaman, S. and Shoaib Khan, H.M. 2012. Formulation development pf a cream containing fennel extract: in vivo for anti-aging effects. *Pharmazie* 67 (1): 54-58.
- Rathore, S.S., Saxena, S.N., Kakani, R.K., Singh, B. 2013. Rapid and mass screening method for galactomannan content in fenugreek seeds. *International Journal Seed Spices* 3 (2): 9193
- Reshmi, S.K., Sathya, E. and Devi, P.S. 2010. Isolation of piperdine from *Piper nigrum* and its antiproliferative activity. *Journal of medicinal Plants Research* 4 (15): 1535-1546.
- Rifqiyati, N., Sulistiyawati, Sunaini. 2016. Pengaruh ekstrak ethanol daun adas (*Foeniculum vulgare* Mill.) pada induk tikus (*Rattus norvegicus*) masa laktasi terhadap pertumbuhan anak. *Integrated Lab Journal* 4 (2) : 199-296.
- Rollando, R. dan Sitepu, R. 2018. Efek antibakteri dari kombinasi minyak atsiri masoyi dan kayu manis. *Jurnal Kefarmasian Indonesia* 8 (1): 26-33
- Sa'roni, S. dan Adjirni, A. 1999. Efek antiinflamasi kulit batang *Massoia aromaticum* Becc. (Masoyi) pada tikus putih. *Warta Tumbuhan Obat Indonesia* 5: 9-10
- Sahu, A.K., Panda, C. and Nayak, B.S. 2018. Determination of phytochemical and antihelminticactivity of rhizome of Zingiber zerumbet. *Journal of Pharmaceutical Advanced Research* 1 (9): 399-402.
- Saifudin, A. 2014. *Senyawa Alam Metabolit Sekunder Teori, Konsep, dan Teknik Pemurnian*. Deepublish. Yogyakarta. 47.
- Saleh, W.M.N.H.W. and Ahmad, F. 2020. Phytopharmacological investigations of *Piper retrofractum* Vahl.- A review. *Agric. Conspec. Sci.* 85 (3): 193-202
- Sam, M.F.R., Hamid, A., Ghazali, A.R., Louis, S.R. and Budin, S.B. 2019. Protective effects of *Zingiber zerumbet* ethyl acetate extract on hydrogen

- peroxide-induced damage of red blood cells. *Sains Malaysiana* 48 (4): 781-790.
- Samate, A.D., Nacro, M., Menut, C., Lamaty, G. and Bessiere, J.M. 1998. Aromatic plants of tropical West Africa. VII. chemical composition of two *Eucalyptus* species (Myrtaceae) from burkina Faso: *Eucalyptus alba* Muell. and *Eucalyptus camaldulensis* Dehnhardt. *Journal of Essential Oil Research* 10: 321-324.
- Samy, R.P., Thwin, M.M. and Gopalakrishnakone, P. 2007. Phytochemistry, Pharmacology and Clinical Use of *Andrographis paniculata*. *Natural Product Communications* 2 (5) : 607-618.
- Sangat, H.M. and Larasati, I. 2002. Some ethnobotanical aspects and conservation strategy of several medicinal plants in Java, Indonesia. *BIODIVERSITAS* 3 (2): 231-235.
- Sangat, H.M., Zuhyud, E.A.M. dan Damayanti, E.K. 2000. *Penyakit dan Tumbuhan Obat Indonesia (Etnofitomedika)*. Yayasan Obor Indonesia. Jakarta. xi
- Sari, L. O. R. K. 2006. Pemanfaatan obat tradisional dengan pertimbangan manfaat dan keamanannya. *Majalah Ilmu Kefarmasian* 3 (1) : 1-7
- Shah, S.K., Garg, G, Jhade, D. and Patel, N. 2016. *Piper betle*: Phytochemical, pharmacological and nutritional value in health management. *International Journal of Pharmaceutical Sciences Review and Research* 38 (2): 181-189.
- Shahrajabian, M.H., Sun, W. and Cheng, Q. 2019. Clinical aspects and health benefits of ginger (*Zingiber officinale*) in both traditional Chinese medicine and modern industry. *Acta Agriculturae Scandinavica, Section B-Soil and Plant Science*, DOI:10.1080.09064710.2019.1606930
- Shen, Y.H., Li, R.T., Xiao, W.L., Xu, G., Lin, Z.W., Zhao, Q.S. and Sun, H.D. 2006. *ent*-Labdane diterpenoid from *Andrographis paniculata*. *Journal of Natural Products* 69: 319-322
- Shirke, S.S., Jadhav, S.R. and Jagtap, A.G. 2008. Methanolic extract of *Cuminum cyminum* inhibits ovariectomy-induced bone loss in rats. *Experimental Biology and Medicine* 233 (11): 1403-1410.
- Silalahi, M. Bioaktivitas *Amomum compactum* Soland Ex Maton dan perspektif konservasinya. *Journal Pro-Life* 4 (2): 320-328.
- Silalahi, M., Jatna, S., Eko, B.W., dan Nisyawati. 2013. Pengetahuan lokal dan keanekaragaman tumbuhan obat pada kelompok sub etnis *Batak Karo* di Sumatera Utara. *Seminar Nasional BioETI*.
- Silalahi, M., Nisyawati, Walujo, E.B., Supriatna, J. and Mangunwardoyo, W. 2015. The local knowledge of medicinal plants trader and diversity of medicinal plants in the Kabanjahe traditional market, North Sumatra, Indonesia. *Journal of Ethnopharmacology* 175: 432-443.
- Silva, M.L.A., Coimbra, H.S., Pereira, A.C., Almeida, V.A., Lima, T.C., Costa, E.S., Vinholis, A.H.C., Royo, V.A., Silva, R., Filho, A.A.S., Cunha, W.R., Furtado, N.A.J.C., Martins, C.H.G., Carvalho, T.C. and Bastos, J.K. 2007. Evaluation of *Piper cubeba* extract, (-)-cubebin and its semi-synthetic derivatives against oral pathogens. *Phytotherapy Research* 21: 420-422.
- Sirat, H.M. and Meng, L.L. 2009. Chemical components of the rhizome oil of *Curcuma heyneana* Val. *Malaysian Journal of Science* 28 (3): 323-328.

- Sithara, T., Dhanya, B.P., Arun, K.B., Sini, S., Dan, M., Vasu, R.K. and Nisha, P. 2018. Zerumbone, a cyclic sesquiterpene from *Zingiber zerumbet* induces apoptosis, cell cycle arrest, and antimigratory effects in SW480 colorectal cancer cells. *Journal of Agricultural and Food Chemistry* 66: 602-612
- Sreelatha, S. and Padma, P.R. 2011. Modulatory effects of *Moringa oleifera* extract against hydrogen peroxide-induced cytotoxicity and oxidative damage. *Human Experimental Toxicology* 30: 1359-1368.
- Sreelatha, S., Jeyachitra, A. and Padma, P.R. 2011. Antiproliferation and induction apoptosis by *Moringa oleifera* leaf extract on human cancer cells. *Food Chemical Toxicology* 49: 1270-1275.
- Srichamroen, A., Thomson, A.B. R., Field, C.J. and Basu, T.K. 2008. In vitro intestinal glucose uptake is inhibited by fenugreek seed (*Trigonella foenum-graecum* L.) in genetically lean and obese rats. *Nutrition Research* 29: 49-54.
- Stohs, S.J. and Hartman, M.J. 2015. Review of the safety and efficacy of *Moringa oleifera*. *Phytotherapy Research* 29: 796-804
- Suciyati, S.W. and Adnyana, I.K. 2017. Red ginger (*Zingiber officinale* Roscoe var rubrum): a review. *Pharmacology Online* 2: 60-65.
- Sugiyono. 2008. *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Alfabeta. Bandung. 300
- Sukari, M.A., Wah, T.S., Saad, S.M., Rashid, N.Y., Rahmani, M., Lajis, N.H. and Hin, T. Y. 2010. Bioactive sesquiterpenes from *Curcuma ochrorhiza* and *Curcuma heyneana*. *Natural Product Research* 24 (9): 838-845.
- Suparman, Diniatik, Kusumaningrum, D. dan Yulianto. 2012. Stu etnobotani sub kelas Rosidae dan penggunaannya sebagai obat tradisional di kecamatan Baturraden kabupaten Banyumas. *Sainteks* 9 (2): 1-8.
- Supriatna, J. 2008. *Melestarikan Alam Indonesia*. Yayasan Obor Indonesia. Jakarta. 23
- Suryadarma, IGP. 2008. *Diktat Kuliah Etnobotani*. Jurusan Pendidikan Biologi FMIPA UNY. Yogyakarta.
- Swarnakar, A. 2014. Literary approach to *Annona muricata* and its role in cancer-A review. *International Journal of Research in Pharmacology & Pharmacotherapeutics* 3 (4) : 320-327.
- Syafitri, F.R., Sitawati, dan L. Setyobudi. 2014. Kajian etnobotani masyarakat desa berdasarkan kebutuhan hidup. *Journal Produksi Tumbuhan* 2 (2) :172-179.
- Syahruding, A.N., Dahlan, C.K. and Taslim, N.A. 2017. The effects of *Kaempferia galanga* L. extract on pain, stiffness and functional physic in patient with knee osteoarthritis: double blind randomized clinical trial. *International Journal of Sciences and Healthcare Research* 2 (4): 37-43.
- Taechowisan, T., Chaisaeng, S. and Phutdhawong, W.S. 2017. Antibacterial, antioxidant and anticancer activities of biphenyls from *Streptomyces* sp. BO-07: an endophyte in *Boesenbergia Rotunda* (L.) Mansf A. *Food and Agricultural Immunology* 28 (6): 1330-1346.
- Takoore, H., Aumeeruddy, M.Z., Rengasamy, K.R.R., Venugopala, K.N., Jeewon, R., Zengin, G. and Mahomoodally, M.F. 2019. A systematic review on black pepper (*Piper nigrum* L.): from folk uses to pharmacological

- application. *Critical Reviews in Food Science and Nutrition* 59 (51): 5210-5243.
- Takoy, D.M., Linda, R. dan Lovadi, 5. 2013. Tumbuhan Berkhasiat Obat Suku Dayak Seberuang di Kawasan Hutan Desa Ensabang Kecamatan Sepau Kabupaten Sintang. *Protobiont* 2(3): 122-128
- Theanphong, O., Mingvanish, W. and Kirdmanee, C. 2015. Chemical constituents and biological activities of essential oil from *Curcuma aeruginosa* Roxb. rhizome. *Bulletin of Health Science and Technology* 13(1): 06-16.
- Timotius, K.H., Sari, I.N. and Santoso, A.W. 2015. Major bioactive compounds of pilis plant materials: a GC-MS analysis. *Pharmacognosy Communications* 5 (3): 190-196.
- Tjandrawinata, R.R., and Nailufar, F. 2020. Gastroprotective effect of DLBS2411 bioactive fraction from *Cinnamomum burmannii* against ethanol-induced gastric damage in rats. *Journal of Experimental Pharmacology* 12: 87-95.
- Tjitrosoepomo, G. 1988. *Morfologi Tumbuhan*. Gadjah Mada University Press. Yogyakarta.
- Torri, M.C. 2013. Knowledge and Risk Perceptions of Traditional Jamu Medicine among Urban Consumers. *European Journal of Medicinal Plants* 3 (1): 25-39
- Turrini, F., Malaspina, P., Giordani, P., Catena, S., Zunin, P. and Boggia, R. Traditional decoction and PUAE aqueous extracts of Pomegranate peels as potential low-cost anti-tyrosine ingredients. *Applied Sciences* 10:2795. doi:103390/app10082795
- Verma, D.K. and Srivastav, P.P. 2020. Bioactive compound of rice (*Oryza sativa* L.): Review on paradigm and its potential benefit in human health. *Trend in Food Science and Technology* 97:335-365.
- Vij, T. and Prashar, Y. 2015. A review on medicinal properties of *Carica papaya* Linn. *Asian Pacific Journal of Tropical Disease* 5 (1): 1-6
- Vinita, P.A., Trupti, B.B., Mitesh, T.R., Nitin, M.D. and Khandelwal, K.R. 2013. Formulation and evaluation of dental gel containing essential oil of coriander against oral pathogens. *International Research Journal of Pharmacy* 4 (10): 48-54
- Vongsak, B., Sithisarn, P., Mangmool, S., Thongpraditchote, S., Wongkrajang, Y. and Gritsanapan, W. 2013. Maximizing total phenolics, total flavonoids contents and antioxidant activity of *Moringa oleifera* leaf extract by the appropriate extraction method. *Industrial Crops and Products* 44: 566-571
- Wahyudi, A. 2016. Strategi stabilisasi kinerja pasar cengkeh nasional. *Perspektif* 15 (1): 73-85.
- Wahyuni, D.K., Ekasari, W., Witono, J. R. dan Purnobasuki, H. 2016. *Toga Indonesia*. Airlangga University Press. Surabaya. 5-6
- Wahyuni, T.S., Permatasari, A.A., Widiandani, T., Fuad, A., Widyawaruyanti, A., Aoki-Utsubo, C. and Hotta, H. 2018. Antiviral activities of *Curcuma* genus against Hepatitis C Virus. *Natural Product Communications* 13 (12): 1579-1582.
- Walujo, E.B. 2011. Sumbangan Ilmu Etnobotani dalam Memfasilitasi Hubungan Manusia dengan Tumbuhan dan Lingkungannya. *Jurnal Biologi Indonesia* 7 (2): 375-391.

- Wang, X., Chen, H., Chang, C., Jiang, M., Wang, X. and Xu, L. 2017. Study the therapeutic mechanism of *Amomum compactum* in gentamicin-induced acute kidney injury rat based on a back propagation neural network algorithm. *Journal of Chromatography B* 1040: 81-88.
- Wang, Y., Ren, N., Rankin, G.O., Li, B., Rojanasakul, Y., Tu, Y. and Chen Y.C. 2017. Anti-proliverative effect and cell cycle arrest induced by saponins extracted from tea (*Camellia sinensis*) flower in human ovarian cancer cells. *Journal of Functional Foods* 36: 310-321.
- Warrier, P.K., Nambiar, V.P. and Ramankutty, C. 1994. *Indian Medicinal Plants-A Compendium of 500 Species 1st ed.* Orient Longman Publishers. India. p 4-6
- Warsito, Noorhamdani, Sukardi, and Suratmo. 2018. Assessment of antioxidant activity of citronellal extract and fractions of essential oils of *Citrus hystrix* DC. *Tropical Journal of Pharmaceutical Research* 17 (6):1119-1125.
- Weecharansan, W., Opanosopit, P., Sukma, M., Ngawhirunpat, T., Sotanaphun, U., Siripong, P. 2006. Antioxidative and neuroprotective activities of extracts from the fruit hull of mangosteen (*Garcinia mangostana* Linn.) *Med. Princ. Pract.* 15: 281-287.
- Wewitayaklung, P., Phaechamud, T. and Keokitichai, S. 2005. The antioxidant activity of *Caesalpinia sappan* L. heartwood in various ages. *Naresuan University Journal* 13 (2): 43-52.
- Widowati, W., Fauziah, N., Herdiman, H., Afni, M., Afifah, E., Kusuma, H.S.W., Nufus, H., Arumwardana, S. and rihibiha, D.D. 2016. Antioxidant and anti aging assays of *Oryza sativa* extracts, vanilin and coumaric acid. *Journal of Natural Remedies* 16 (3):89-99.
- Widyaningrum, H. 2011. *Kitab Tanaman Obat Nusantara Disertai Indeks Pengobatan*. MedPress. Yogyakarta. 195-196, 394, 397-398, 480, 551-552, 588-590, 764, 756, 1035, 1092
- Widyaningsih, S., Chasani, M., Diastuti, H. and Fredyono, W.N. 2018. Liquid soap from Nyamplung seed oil (*Calophyllum inophyllum* L.) with Ketapang (*Terminalia catappa* L) as antioxidant and Cardamom (*Amomum compactum*) as fragrance. *Molekul* 13 (2): 172-179.
- Wiryani, E., Perwati, L.K. and Murningsih. 2012. Study of ethnobotany for bioconservation medical plant (Zingiberaceae). *Proceeding ISNPINSA*: 113-117.
- Wulandari, R.A. dan Azrianingsih, R. 2014. Etnobotani Jamu Gendong Berdasarkan Persepsi Produsen Jamu Gendong di Desa Karangrejo, Kecamatan Kromengan, Kabupaten Malang. *Jurnal Biotropika* 2 (4) : 198-202.
- Yadav, D., Yadav, S.K., Khar, R.K., Mujeeb, M. and Akhtar, M. 2013. Turmeric (*Curcuma longa* L.): A promising spice for phytochemical and pharmacological activities. *International Journal of Green Pharmacy* 7 : 85-89.
- Yoshikawa, M., Sugimoto, S., Kato, Y., Nakamura, S., Wang, T., Yamashita, C. and Matsuda, H. 2009. Acylated oleanane-type triterpene saponins with acceleration of gastrointestinal transit and inhibitory effect on pancreatic lipase from flower buds of chinese tea plant (*Camellia sinensis*). *Chemistry & Biodiversity* 6 (6): 903-915.



- Youn, K. and Jun, M. 2019. Biological evaluation and docking analysis of potent BACE1 inhibitors from *Boesenbergia rotunda*. *Nutrients* 11: doi:10.3390/nu11030662
- Yulianto, S. 2016. Pengetahuan Masyarakat tentang Taman Obat Keluarga di Nglinggi, Klaten Selatan. *Kebidanan dan Kesehatan Tradisional* 1 (2): 100-144
- Yunita, F., Hanani, E. and Kristanto, J. 2012. The effect of *Carica papaya* L. leaves extract capsules on platelets count and hematocrit level in dengue fever patient. *International Journal Medicinal Aromatical Plants* 2 (4): 573-578.
- Yussof, M., Hamid, H. and Houghton, P. 2014. Anticholinesterase inhibitory activity of quaternary alkaloids from *Tinospora crispa*. *Molecules* 19: 1201-1211.
- Zuhud, E.A.M., B. Sambas, S. Rinekso, Ekarelawan dan S. Erna. 1994. Perkembangan dan Program Penelitian Tumbuhan Obat di Indonesia. Prosiding Seminar Pelestarian Peman-faan Keanekaragaman Tumbuhan Obat Hutan Tropika Indonesia. Fakultas kehutanan IPB dan LATIN. Bogor.
- Zulkefli, H.N., Mohamad, J. and Abidin, N.Z. 2013. Antioxidant activity of methanol extract of *Tinospora crispa* and *Tabernaemontana corymbosa*. *Sains Malaysiana* 42 (6): 697-706.