

## TABLE OF CONTENTS

UNDERGRADUATE THESIS	i
RATIFICATION PAGE	ii
STATEMENT PAGE	iii
DEDICATION PAGE	iv
PREFACE	v
TABLE OF CONTENTS	vi
LIST OF FIGURES	viii
LIST OF TABLES	ix
LIST OF APPENDICES	x
ABSTRACT	xi
INTISARI	xii
CHAPTER I	1
INTRODUCTION	1
I.1 Background	1
I.2 Research Purpose	4
I.3 Research Benefits	4
CHAPTER II	4
LITERATURE REVIEW AND HYPOTHESIS FORMULATION	5
II.1 Literature Review	5
II.1.1 Titanium dioxide	5
II.1.2 Synthesis methods and Fe-doped TiO <sub>2</sub>	6
II.1.3 Iron-doped titanium dioxide	7
II.1.4 Photosynthesis in Visible Light	9
II.1.5 Photosynthesis Process	10
II.1.7 Chlorophyll in Photosynthetic	13
II.2 Hypothesis Formulation and Research Design	15
II.2.1 Formulation of hypothesis I	15
II.2.2 Formulation of hypothesis II	15
II.2.3 Formulation of hypothesis III	16
II.2.4 Research Design	16
CHAPTER III	18
METHOD	18
III.1 Material	18
III.2 Equipment	18
III.3 Work procedures	19

III.3.1 Preparation of nano-anatase TiO <sub>2</sub>	19
III.3.2 Preparation of Fe-doped TiO <sub>2</sub> 0.01% m/v	19
III.3.3 Preparation of Fe-doped TiO <sub>2</sub> 0.05% m/v	20
III.3.4 Preparation of Fe-doped TiO <sub>2</sub> 0.10% m/v	20
III.3.5 Preparation of Fe-doped TiO <sub>2</sub> 0.25% m/v	21
III.3.6 <i>Alternanthera sissoo</i> plant and growth preparation	21
III.3.7 Photosynthesis rate test on <i>Alternanthera sissoo</i> plants	22
III.3.8 Total chlorophyll on <i>Alternanthera sissoo</i> plant leaves	22
CHAPTER IV	24
RESULTS AND DISCUSSION	24
IV.1 Synthesis and Characterizations of TiO <sub>2</sub>	24
IV.1.1 FT-IR characterization analysis	24
IV.1.2. UV-DR characterization analysis	27
IV.1.4 X-RD characterization analysis	30
IV.1.6 SAA characterization analysis	31
IV.2 Photosynthetic activity analysis	32
IV.2.1 Li-cor data analysis	32
IV.2.2 Chlorophyll test analysis	33
IV.2.3 Photosynthetic Progress	36
IV.2.4 X-RF characterization analysis	42
IV.2.5 SEM characterization analysis	44
CHAPTER V	47
CONCLUSIONS AND SUGGESTIONS	47
V.1 Conclusions	47
V.2 Suggestions	47
REFERENCES	48
APPENDICES	54

## LIST OF FIGURES

Figure II.1	Crystal structures of TiO <sub>2</sub> anatase (a), rutile (b), and brookite (c)	5
Figure II.2	TiO <sub>2</sub> ribbon surface anatase phase (a) and rutile (b)	6
Figure II.3	Mechanism TiO <sub>2</sub> for reducing band gap energy and produce organic pollutant	8
Figure II.4	Illustration of propagation of photocatalytic CO <sub>2</sub> reduction	8
Figure II.6	Photosystems I and II (PS I and II)	11
Figure II.7	Calvin cycle	12
Figure II.8	Cross-section of a leaves	13
Figure III.1	A Set of tools for photosynthesis observation	18
Figure IV.1	FT-IR Spectra Fe-doped TiO <sub>2</sub> variation	26
Figure IV.2	FT-IR Spectra Fe-doped TiO <sub>2</sub> 0.10% and Anatase TiO <sub>2</sub>	26
Figure IV.3	Reaction of the formation of TiO <sub>2</sub> by sol-gel method	27
Figure IV.4	Electronic spectra and band gap energy values	28
Figure IV.5	X-RD diffractogram of TiO <sub>2</sub> anatase (a) and Fe-TiO <sub>2</sub> with variation of Fe concentration (b) 0.01%, (c) 0.05%, (d) 0.10%, (e) 0.25%	30
Figure IV.6	Net Photosynthetic rate of each variation	33
Figure IV.7	Chlorophyll content of <i>Alternanthera sissoo</i> leaves	35
Figure IV.8	Carotenoid content of <i>Alternanthera sissoo</i> leaves	36
Figure IV.9	Sample growth for 5 weeks	38
Figure IV.10	Different height values before and after planting variation of doping Fe (% m/v)	38
Figure IV. 11	Photosystems Ti <sup>2+</sup> mechanism (Tikhonov, 2013)	41
Figure IV.12	Calvin cycle Ti <sup>2+</sup> mechanism (Tikhonov, 2013)	41
Figure IV.13	Chemical elements in blank	43
Figure IV.14	Chemical element in TiO <sub>2</sub> anatase	43
Figure IV.15	Chemical element in Fe-doped TiO <sub>2</sub> 0.01%	43
Figure IV.16	Chemical element in Fe-doped TiO <sub>2</sub> 0.10%	43
Figure IV.17	Element content of Ti from 5 grams leaves sample	44
Figure IV.18	Element content of Fe <sub>2</sub> O <sub>3</sub>	44
Figure IV.19	Surface image and EDX spectra of the leaves with Fe-doped TiO <sub>2</sub> 0.01% treatment	45
Figure IV.20	Grain size distribution of Fe-doped TiO <sub>2</sub> 0.01% leaves	45

## LIST OF TABLES

Table II.1 Properties of TiO <sub>2</sub> polymorph structure	5
Table IV.1 Functional group of Fe-doped TiO <sub>2</sub>	27
Table IV.2 Band Gap Energy Values	28
Table IV.3 The relationship between TiO <sub>2</sub> anatase and Fe-TiO <sub>2</sub> variation with crystallite size of material	31
Table IV.4 Surface area, pore size, and pore volume of the material	31
Table IV.5 Photosynthetic rate, conductance to H <sub>2</sub> O, internal CO <sub>2</sub> concentration, and transpiration rate <i>Alternanthera sissoo</i>	32
Table IV.6 Absorption values with light wavelength variation in samples	34
Table IV.7 Absorption values with light wavelength variation in samples	34
Table IV.8 Plant height over 5 weeks in centimeters	37

## LIST OF APPENDICES

Appendix 1.	Synthesis of Fe-doped TiO <sub>2</sub>	54
Appendix 2.	UV-DR Band Gap Calculation	54
Appendix 3.	Anatase TiO <sub>2</sub> and Fe-doped TiO <sub>2</sub> Spectra	58
Appendix 4.	X-RD Diffractogram	63
Appendix 5.	Surface Area Analyzer	72
Appendix 6.	Li-cor data	85
Appendix 7.	Photosynthetic calculations	90
Appendix 8.	Chlorophyll test calculations	92
Appendix 9.	XRF Element Data	94
Appendix 10.	SEM 1000x	98