

REFERENCES

- Adisarwanto, T. 2005. Soybean. Penebar Swadaya. Jakarta
- Afandi, F. N., Siswanto, B., & Nuraini, Y. 2017. The effect of applying various types of organic matter on soil chemical properties on the growth and production of sweet potato plants in Entisol Ngrangkah Pawon, Kediri. *Jurnal Tanah dan Sumberdaya Lahan*, 2(2), 237-244.
- Amin, A. E. E. A. Z. 2020. Carbon sequestration, kinetics of ammonia volatilization and nutrient availability in alkaline sandy soil as a function on applying calotropis biochar produced at different pyrolysis temperatures. *Science of The Total Environment*, 726, 138489.
- Amir, B.A.S.O., Indradewa, D.I.D.I.K. and Putra, E.T.S. 2015. Relationship of root nodules and nitrate reductase activity with N uptake in some soybean cultivars (*Glycine max*). In Proc. Seminar Nasional Masyarakat Biodiversitas Indonesia, 1(5):1132-1135.
- Arimurti, S. 2009. Characterization of edamame indigenous rhizobia as a candidate of biofertilizer. *J. Ilmu Dasar*, 10(1) : 30-37
- Bai, Y.Y., Xiao, L.P., Shi, Z.J. and Sun, R.C., 2013. Structural variation of bamboo lignin before and after ethanol organosolv pretreatment. *International journal of molecular sciences*, 14(11), pp.21394-21413.
- Bandyopadhyay, K.K., Misra, A.K., Ghosh, P.K. and Hati, K.M., 2010. Effect of integrated use of farmyard manure and chemical fertilizers on soil physical properties and productivity of soybean. *Soil and Tillage research*, 110(1), pp.115-125.
- Beck DA , Johnson GR , and Spolek GA. 2011. Improving greenroof soils with biochar to affect the quantity and quality of runoff water. *Pencemaran Lingkungan* , 159 , 2111 – 2118
- Bedin, F.C.B., Faust, M.V., Guarneri, G.A., Assmann, T.S., Lafay, C.B.B., Soares, L.F., de Oliveira, P.A.V. and dos Santos-Tonial, L.M., 2021. NIR associated to PLS and SVM for fast and non-destructive determination of C, N, P, and K contents in poultry litter. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 245, p.118834.

- Berek, F. N., and Neonbeni, E. Y. 2018. Effect of biochar type and cow manure dose on green bean growth and yield (*Vigna radiata* L.). *Savana Cendana*, 3(03), 53-57.
- Berutu, R. K., Aziz, R., and Hutapea, S. 2019. Effect of Giving Various Sources of Biochar and Various Manure on the Growth and Production of black corn (*Zea mays* L.). *Jurnal Ilmiah Pertanian (JIPERTA)*, 1(1), 16-25.
- Bhowmik, S. K., Sarkar, M. A. R., and Zaman, F. 2012. Effect of spacing and number of seedlings per hill on the performance of aus rice cv. NERICA 1 under dry direct seeded rice (DDSR) system of cultivation. *Journal of the Bangladesh Agricultural University*, 10(2), 191-196.
- Boehm, H. P. 1994. Some aspect of the surface chemistry of carbon blacks and other carbons. *Carbon*. 32: 759-769.
- Břendová, K., Tlustoš, P., Száková, J., and Habart, J. 2012. Biochar properties from different materials of plant origin. *European Chemical Bulletin*, 1(12), 535-539.
- Chan, K. Y., Van Zwieten, L., Meszaros, I., Downie, A., and Joseph, S. 2007. Agronomic values of greenwaste biochar as a soil amendment. *Soil Research*, 45(8), 629-634.
- Chen, B., Zhou, D., and Zhu, L. 2008. Transitional adsorption and partition of nonpolar and polar aromatic contaminants by biochars of pine needles with different pyrolytic temperatures. *Environmental science & technology*, 42(14), 5137-5143.
- Chen, Haoming, Jinyi Ma, Jiaying Wei, Xin Gong, Xichen Yu, Hui Guo, and Yanwen Zhao. 2018. Biochar increases plant growth and alters microbial communities via regulating the moisture and temperature of green roof substrates. *Science of The Total Environment* 635: 333-342.
- Daisuke, S. 2021. Utilization of Food-Grade Soybean in Japan. USDA, United State
- Damanik, M. M. B., B. Effendi, Fauzi, Sarifuddin, H. Hanum. 2010. Soil Fertility and Fertilization. Faculty of Agriculture. Universitas Sumatera Utara Press. Medan.

- Das, S.K., Ghosh, G.K., Avasthe, R.K. and Sinha, K., 2021. Compositional heterogeneity of different biochar: effect of pyrolysis temperature and feedstocks. *Journal of Environmental Management*, 278, p.111501.
- Ding, W., Dong, X., Ime, I. M., Gao, B., and Ma, L. Q. 2014. Pyrolytic temperatures impact lead sorption mechanisms by bagasse biochars. *Chemosphere*, 105, 68-74.
- El-Naggar, A., Lee, S.S., Rinklebe, J., Farooq, M., Song, H., Sarmah, A.K., Zimmerman, A.R., Ahmad, M., Shaheen, S.M. and Ok, Y.S., 2019. Biochar application to low fertility soils: A review of current status, and future prospects. *Geoderma*, 337, pp.536-554.
- Eswaran, H., Lal, R. and Reich, P.F., 2019. Land degradation: an overview. *Response to land degradation*, pp.20-35.
- Fachruddin, L. 2000. Nut Cultivation. Kanisius, Yogyakarta.
- Fu, Q., Yan, J., Li, H., Li, T., Hou, R., Liu, D., and Ji, Y. 2019. Effects of biochar amendment on nitrogen mineralization in black soil with different moisture contents under freeze-thaw cycles. *Geoderma*, 353, 459-467.
- Gao, T., M. Gao, J. Peng, and N. Li. 2018. Effect of different amount of biochar on nitrogen, fosforus and potassium nutrient in soil. IOP Conf. Series: Materials Science and Engineering. 394:1-7.
- Gao, Y., Guo, X., Liu, Y., Fang, Z., Zhang, M., Zhang, R., You, L., Li, T. and Liu, R.H., 2018. A full utilization of rice husk to evaluate phytochemical bioactivities and prepare cellulose nanocrystals. *Scientific reports*, 8(1), pp.1-8.
- Gentili, R., R. Ambrosini, C. Montagnanni, S. Caronni, and S. Citterio. 2018. Effect of soil pH on the growth, reproductive investment and pollen allergenicity of *Ambrosia artemisiifolia* L. *Frontiers in Plant Science*. 9:1-12.
- Glaser, B. and V-I. Lehr. 2019. Biochar effects on fosforus availability in agricultural soils: a meta-analysis. 9: 1-9.
- Gogoi, D., Dutta, S., Dutta, M., Karmakar, R.M., Basumatary, A. and Bordoloi, A., 2022. Characterization and soil-site suitability evaluation for different crops in Sarupathar block of Golaghat district, Assam. *Journal of the Indian Society of Soil Science*, 70(2), pp.149-159.

- Gülsoy, S.K., Pekgözlü, A.K. and Aktaş, A.C., 2015. Utilization of the pomegranate tree (*Punica granatum* L.) in the paper industry. *Turkish Journal of Agriculture and Forestry*, 39(2), pp.295-299.
- Hasanah, Y., Sitepu, F. E., and Yanti, D. 2020. The role of shallot extract concentration application on soybean varieties production. In *IOP Conference Series: Earth and Environmental Science* (Vol. 454, No. 1, p. 012138). IOP Publishing.
- Hassen-Trabelsi, A. B., Kraiem, T., Naoui, S., and Belayouni, H. 2014. Pyrolysis of waste animal fats in a fixed-bed reactor: Production and characterization of bio-oil and bio-char. *Waste management*, 34(1), 210-218.
- He, X., Yin, H., Han, L., Cui, R., Fang, C., and Huang, G., 2019. Effects of biochar size and type on gaseous emissions during pig manure/wheat straw aerobic composting: insights into multivariate-microscale characterization and microbial mechanism. *Bioresour. Technol.* 271, 375–382.
- Herawati, N., Aisah, A. R., and Hidayah, B. N. 2019. Photosynthate accumulation and distribution on soybean crop during vegetative and generative phases influenced by phosphor and organic fertilizers. In *AIP Conference Proceedings* 29(1), p. 040002
- Ikawati, R., Rianto, F., and Palupi, T. 2022. The Increasing Tomato Plant Yield in Ultisol Soil with Various Types of Organic Fertilizer Enriched with *Trichoderma* sp. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 50(2), 186-192.
- Ippolito, J.A., Cui, L., Kammann, C., Wrage-Mönnig, N., Estavillo, J.M., Fuertes-Mendizabal, T., Cayuela, M.L., Sigua, G., Novak, J., Spokas, K. and Borchard, N., 2020. Feedstock choice, pyrolysis temperature and type influence biochar characteristics: a comprehensive meta-data analysis review. *Biochar*, 2(4), pp.421-438.
- Iwama, K., Araki, H., Yamada, T., Nakatsuji, H., Kataoka, T. and Yamamoto, Y., 2009. Agriculture in Hokkaido.
- Jahiding, M., 2021. The Biomass Waste Pyrolysis for Biopesticide Application. In *Recent Perspectives in Pyrolysis Research*. IntechOpen.

- Jeffery, S., Verheijen, F. G., van der Velde, M., and Bastos, A. C. 2011. A quantitative review of the effects of biochar application to soils on crop productivity using meta-analysis. *Agriculture, ecosystems & environment*, 144(1), 175-187.
- Jiang, X., Haddix, M. L., and Cotrufo, M. F. 2016. Interactions between biochar and soil organic carbon decomposition: Effects of nitrogen and low molecular weight carbon compound addition. *Soil Biology and Biochemistry*, 100, 92-101.
- Kamoshita, H., 1955. Soil type map of Japan. *Journal of Japan Soil and Fertilizer Science*, 25 (6), pp.253-258.
- Keiluweit, M., Nico, P.S., Johnson, M.G. and Kleber, M., 2010. Dynamic molecular structure of plant biomass-derived black carbon (biochar). *Environmental science & technology*, 44(4), pp.1247-1253.
- Kohara, H. and Nakai, S., 2004. Nationwide variation of available phosphoric acid in agricultural soils: Characteristic variation of agricultural soils (II). *Journal of Soil and Fertilizer Science of Japan*, 75 (1), pp.59-67.
- Kohara, H., Takada, Y., Kamiyama, K., Okura, T., Maeshima, Y., Wakabayashi, M. and Kanda, T., 2016. 1/200,000 soil map of Japan based on the first draft of comprehensive soil classification.
- Komarayati, S., and Pari, G. 2014. Combination of biological charcoal and wood vinegar to the growth of jabon and sengon. *Jurnal Penelitian Hasil Hutan*, 32(1):12-20.
- Konovsky, J., Lumpkin, T.A. and McClary, D., 2020. Edamame: the vegetable soybean. In *Understanding the Japanese Food and Agrimarket* (pp. 173-181). CRC Press.
- Kristensen, E., Quintana, C.O., Valdemarsen, T. and Flindt, M.R., 2021. Nitrogen and phosphorus export after flooding of agricultural land by coastal managed realignment. *Estuaries and Coasts*, 44(3), pp.657-671.
- Kristin, G., Umran, I., and Manurung, R. 2022. Effectiveness of Bradyrhizobium japonicum Isolates from Several Alluvial Soil Sites in Limestone Village Against Nitrogen Uptake by Soybean Plants on Sand Media. *Jurnal Sains Mahasiswa Pertanian*, 11(2)

- Kuo, Y, C. Lee, and S Jien. 2020. Reduction of nutrient leaching potential in coarse-textured soil by using biochar. *Water*. 12:1-15
- Kusmanadhi, B., and Poerwoko, M. S. 2018. Production and quality of some edamame varieties affected by residual effect of worm compost application. In *IOP Conference Series: Earth and Environmental Science*, 215(1), p. 012020.
- Laird D , Fleming P , Wang B , Horton R , and Karlen D. 2010. Biochar has an impact on nutrient leaching from agricultural land Midwestern . *Geoderma* , 158 , 436 – 442
- Lehmann, J. 2007. A handful of carbon. *Nature*, 447(7141), 143-144.
- Lehmann, J., and S. Joseph. 2009. Biochar for Environmental Management: An Introduction. In: Lehmann, J., & S. Joseph. *Biochar for Environmental Management: Science and Technology*. Earthscan, London. p.1-12.
- Li, Qinglin, Min Wang, Qiang Fu, Tianxiao Li, Dong Liu, Renjie Hou, Heng Li, SongCui, and Yi Ji. 2020. Short-term influence of biochar on soil temperature, liquid moisture content and soybean growth in a seasonal frozen soil area." *Journal of Environmental Management* 266: 110609.
- Liu, X. H., and Zhang, X. C. 2012. Effect of biochar on pH of alkaline soils in the loess plateau: results from incubation experiments. *International Journal of Agriculture & Biology*, 14(5).
- Lubis, A. U., Halim, A., and Mayani, N. 2022. Effect of Biochar and Nasa Liquid Organic Fertilizer on Edamame Soybean Plant Growth and Yield (*Glycine max* L. Merrill). *Jurnal Ilmiah Mahasiswa Pertanian*, 7(3).
- Luo, L., Xu, C., Chen, Z., and Zhang, S., 2015. Properties of biomass-derived biochars: combined effects of operating conditions and biomass types. *Bioresour. Technol.* 192, 83–89.
- Madari, B. E., M. A. S. Silva., M. T. M. Carvalho., A. H. N. Maia, F. A. Petter, J. L. S. Santos, S. M. Tsai, W. G. O. Leal, and W. M. Zeviani. 2017. Properties of a sandy clay loam haplic ferralsol and soybean grain yield in a five-year field trial as affected by biochar amendment. *Geoderma*. 305.100-112.
- Mahmud, K., Franklin, D., Ney, L., Cabrera, M., Habteselassie, M., Hancock, D., Newcomer, Q., Subedi, A. and Dahal, S., 2021. Improving inorganic

nitrogen in soil and nutrient density of edamame bean in three consecutive summers by utilizing a locally sourced bio-inocula. *Organic Agriculture*, 11(1), pp.133-143.

Maimunah, Margi Asih, Valensi Kautsar, Putu Oki Bimantara, Samuel Munyaka Kimani, Ren Torita, Keitaro Tawaraya, Hideki Murayama, Sri Nuryani Hidayah Utami, Benito Heru Purwanto, and Weiguo Cheng. 2021. Weeding Frequencies Decreased Rice–Weed Competition and Increased Rice N Uptake in Organic Paddy Field." *Agronomy* 11, no. 10: 1904.

Makabe, S., Kakuda, K.I., Sasaki, Y., Ando, T., Fujii, H. and Ando, H., 2009. Relationship between mineral composition or soil texture and available silicon in alluvial paddy soils on the Shounai Plain, Japan. *Soil science and plant nutrition*, 55(2), pp.300-308.

Malik, S., Syakur, S., and Darusman, D. 2022. Effect of Several Types of Biochar on Nutrient Growth and Uptake of Soybean Plants (*Glycine max* L. Merr). *Jurnal Ilmiah Mahasiswa Pertanian*, 7(1).

Manu, S. M., Halagalimath, S. P., Biradar, B. D., and Chandranath, H. T. 2020. Influence of nutrient levels and plant growth regulators on relative chlorophyll content (SPAD value), days to 50% flowering and nodulation of soybean (*Glycine max*). *International Journal of Communication Systems*, 8, 2079-2081.

Mao, Z. H., Deng, L., Duan, F. Z., Li, X. J., and Qiao, D. Y. 2020. Angle effects of vegetation indices and the influence on prediction of SPAD values in soybean and maize. *International Journal of Applied Earth Observation and Geoinformation*, 93, 102198.

Marris, E. 2006. Putting the carbon back: Black is the new green. *Nature*, 442(7103), 624-626.

Mayani, N., Jumini, J., and Maulidan, D. A. 2021. Growth and Yield Response of Soybean Crops (*Glycine max* L. Merrill) At Various Doses of Vermicompost Fertilizer and Spacing Planting. *Jurnal Agrium*, 18(2).

Mendez, A., Cárdenas-Aguilar, E., Paz-Ferreiro, J., Plaza, C., and Gasco, G. 2017. The effect of sewage sludge biochar on peat-based growing media. *Biological Agriculture & Horticulture*, 33(1), 40-51

- Mitsuchi, Masanori, 1984. Lowland Soils and Related Soils (<Symposium Special Issue> Problems of Unified Classification and Nomenclature of Japanese Soils, The 23rd Pedologist Symposium). *Pedologist* , 28 (2), pp.176-183.
- Munir, M. 1996. Main Soils in Indonesia, Their Characteristics, Classification and Utilization. Pustaka Jaya. Jakarta.
- Naoya Katsumi, Takanori Kusube, Akio Miyazato, Atsushi Matsuki, Seiya Nagao, Hiroshi Okochi and Masanori Okazaki, 2019, September. Structure, Function and Dynamics of Components, 2019 Shizuoka Conference) .
- Neina, D. (2019). The role of soil pH in plant nutrition and soil remediation. *Applied and Environmental Soil Science*, 2019.
- Ono, Tsuyoshi, 2005. Agriculture and Soil Fertilizer in Iwate Prefecture: Kuroboku Soil and Organic Resource Recycling (2005 Annual Meeting Program of the Japan Society of Soil and Fertilizer Science). *Journal of Japan Society of Soil and Fertilizer Science* , 76 (4), pp.547-548.
- Orlando, M.Q. and Borja, V.M. 2020. Pretreatment of animal manure biomass to improve biogas production: a review. *Energies*, 13(14), p.3573.
- Pambudi, S. 2013. Cultivation and Benefits of Edamame Soybeans Healthy and Delicious Snacks Multi-Benefit. Pustaka Baru, Yogyakarta.
- Passioura, J.B., 1991. Soil structure and plant growth. *Soil Research*, 29(6), pp.717-728.
- Peres, C., Maulidi, M., and Surachman, S. 2021. Effect of corn cob biochar and npk fertilizer on the growth and yield of edamame bean crops on peat soils. *Jurnal Sains Mahasiswa Pertanian*, 10(4).
- Puig, S., Serra, M., Coma, M., Cabré, M., Balaguer, M. D., and Colprim, J. 2010. Effect of pH on nutrient dynamics and electricity production using microbial fuel cells. *Bioresource technology*, 101(24), 9594-9599.
- Puslittanak. 2003. *Farming on Dry Land*. Agricultural Research and Development Agency of the Ministry of Agriculture. Bogor.
- Resman, A.S. Syamsul., and H.S. Bambang. 2006. Study of several chemical and physical properties of inceptisol on the toposekuen of the southern slopes of Mount Merapi, Sleman regency, *Jurnal Ilmu Tanah dan Lingkungan*. Vol. 6 (2): 101-108

- Riyantini, I. P., Sudiarso, and S. Y. Tyasmoro. 2016. Effect of goat manure and KCl fertilizer on the growth and yield of edamame crops (*Glycine max* (L.) Merr). Jurnal Produksi Tanaman. 4 (2) : 97 – 103.
- Rochman, A., Maryanto, J. dan Herliana, O. 2021. Nitrogen and phosphorus uptake and yield of edamame soybeans (*Glycine max* (L.) Merrill) on alfisol soils due to biochar and vermicompost applications. Buletin Palawija, 19(1):22-30.
- Rukmana, H.R. and Yuniarsih, Y. 1996. Soybean. Kanisius, Yogyakarta.
- Saidy A. R., 2018. Soil Organic Matter: Classification, Functions and Study Methods. Mangkurat hull University press. ISBN : 978-602-6483-65-2
- Sarkhot, D. V., Berhe, A. A., and Ghezzehei, T. A. 2012. Impact of biochar enriched with dairy manure effluent on carbon and nitrogen dynamics. *Journal of Environmental Quality*, 41(4), 1107-1114.
- Schulz, H., and Glaser, B. 2012. Effects of biochar compared to organic and inorganic fertilizers on soil quality and plant growth in a greenhouse experiment. *Journal of Plant Nutrition and Soil Science*, 175(3), 410-422.
- Sohi, S. P., Krull, E., Lopez-Capel, E., and Bol, R. 2010. A review of biochar and its use and function in soil. *Advances in agronomy*, 105, 47-82.
- Soratto, R. P., Fernandes, A. M., Santos, L. A. D., and Job, A. L. G. 2013. Nutrient extraction and exportation by common bean cultivars under different fertilization levels: I-macronutrients. *Revista Brasileira de Ciência do Solo*, 37, 1027-1042.
- Sudantha, I.M. and Suwardji, S. 2019. Application of biochar and biocompost to the growth, yield, and uptake of n soybean crops (*Glycyne Max* (L) Merr.). Jurnal Pertanian Agros, 21(2):265-274.
- Sudirja R. 2007. The response of some chemical properties of Inceptisol of rajamandala origin and the yield of Cocoa seeds through the application of organic fertilizers and biological fertilizers. Research institutes Universitas Padjadjaran. Bandung.
- Takashi Kanda, Yusuke Takada, Masakichi Wakabayashi, Kazunori Kamiyama and Hiroshi Ohara, 2017. Creation of a 1/50,000-scale digital agricultural

land soil map based on the comprehensive soil classification first draft. *Japan Soil and Fertilizer Science Journal* , 88 (1)), pp.29-34.

Tanwar, S.P.S., Rao, S.S., Regar, P.L., Datt, S., Jodha, B.S., Santra, P., Kumar, R. and Ram, R., 2014. Improving water and land use efficiency of fallow-wheat system in shallow Lithic Calciorthid soils of arid region: Introduction of bed planting and rainy season sorghum–legume intercropping. *Soil and Tillage Research*, 138, pp.44-55.

Tarigan, A.A.L.B., Riniarti, M., Prasetia, H., Hidayat, W., Niswati, A., Banuwa, I.S. and Hasanudin, U. 2021. Influence of biochar on rhizobium symbiosis and sea sengon root (*paraserianthes falcataria*) in growing media. *Journal of People, Forest and Environment*, 1(1):11-20.

Tomczyk, A., Sokołowska, Z. and Boguta, P., 2020. Biochar physicochemical properties: pyrolysis temperature and feedstock kind effects. *Reviews in Environmental Science and Bio/Technology*, 19(1), pp.191-215.

Uchida, R. 2000. Essential nutrients for plant growth: nutrient functions and deficiency symptoms. *Plant nutrient management in Hawaii's soils*, 4, 31-55.

Utami, S.W., Sunarminto, B.H. and Hanudin, E. 2018. Effect of cow biogas waste on the availability of inceptisol macro-micro nutrients. *Soil and Water Journal*, 14(2):50-59.

Wang, L., Olsen, M.N., Moni, C., Dieguez-Alonso, A., de la Rosa, J.M., Stenrød, M., Liu, X. and Mao, L., 2022. Comparison of properties of biochar produced from different types of lignocellulosic biomass by slow pyrolysis at 600° C. *Applications in Energy and Combustion Science*, 12, p.100090.

Wang, X., Dong, A., Hu, Y., Qian, J. and Huang, S., 2020. A review of recent work on using metal–organic frameworks to grow carbon nanotubes. *Chemical Communications*, 56(74), pp.10809-10823.

Winarso, S. 2005. *Soil Fertility: Basic Soil Health and Quality*. Gava Media, Yogyakarta.

Xiao, R., Awasthi, M.K., Li, R., Park, J., Pensky, S.M., Wang, Q., Wang, J.J., Zhang, Z., 2017. Recent developments in biochar utilization as an additive in

organic solid waste composting: a review. *Bioresour. Technol.* 246, 203–213.

- Xu, Cailong, Ruidong Li, Wenwen Song, Tingting Wu, Shi Sun, Shuixiu Hu, Tianfu Han, and Cunxiang Wu. 2021. Responses of branch number and yield component of soybean cultivars tested in different planting densities. *Agriculture* 11, no. 1: 69.
- Y. Ise, T. Kanda, Y. Maeshima, T. Yagi, R. Takahashi, S. Nakagawa, H. Iwasa, T. Homma, Y. Ohashi, S. Komatsu and M. Matsuyama. 2022. Factors. *Japan Journal of Soil and Fertilizer Science* , 93 (3), pp.108-120
- Zeipina, S., Alsiņa, I. and Lepse, L., 2017. Insight in edamame yield and quality parameters: a review. *Research for rural development*, 2, pp.40-45.
- Zhang Q, Wu Z, Zhang X, Duan P, Shen H, Gunina A, Yan X, and Xiong Z. 2021. Biochar amendment mitigated N₂O emissions from paddy field during the wheat growing season, *Environmental Pollution*, Volume 281, 117026
- Zhang, H., Chen, C., Gray, E. M., Boyd, S. E., Yang, H., and Zhang, D. 2016. Roles of biochar in improving phosphorus availability in soils: a phosphate adsorbent and a source of available phosphorus. *Geoderma*, 276, 1-6.
- Zustika, S., Syakur, S., and Darusman, D. 2021. Effect of Several Types of Biochar on Soil Chemical Properties and Production Yield of Edamame Variety Soybeans (*Glycine max* L Merrill). *Jurnal Ilmiah Mahasiswa Pertanian*, 6(4).