

DAFTAR PUSTAKA

- Abdelfatah Younis, M., Alhamdan, A., Sorour, H., Abdelkarim, D., & Younis, M. (2014). Creep-Recovery Behavior for Eight Dates Cultivars At Two Different Maturity Stages. *Impact: International Journal of Research in Engineering & Technology (IMPACT: IJRET)*, 2(3), 73–80. <https://www.researchgate.net/publication/276061719>
- Abdelhamid, M. A., Sudnik, Y., Alshinayyin, H. J., & Shaaban, F. (2021). Non-destructive method for monitoring tomato ripening based on chlorophyll fluorescence induction. *Journal of Agricultural Engineering*, 52(1). <https://doi.org/10.4081/JAE.2020.1098>
- Aday, M. S., & Caner, C. (2013). The shelflife extension of fresh strawberries using an oxygen absorber in the biobased package. *LWT-Food Science and Technology*, 52(2), 102–109. <https://doi.org/10.1016/j.lwt.2012.06.006>
- Aday, M. S., Caner, C., & Rahvali, F. (2011). Effect of oxygen and carbon dioxide absorbers on strawberry quality. *Postharvest Biology and Technology*, 62(2), 179–187. <https://doi.org/10.1016/j.postharvbio.2011.05.002>
- Adubofuor, J., Akyereko, Y. G., Batsa, V., Apeku, O. J. D., Amoah, I., & Diako, C. (2021). Nutrient Composition and Physical Properties of Two Orange Seed Varieties. *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/6415620>
- Akbarnia, A., & Rashvand, M. (2019). An evaluation of the physical, dynamic and aerodynamic properties of olives. *Research in Agricultural Engineering*, 65(2), 48–55. <https://doi.org/10.17221/5/2018-RAE>
- Albaloushi N, N. S., Azam, M. M., & Amer Eissa, A. H. (2012). Mechanical Properties of Tomato Fruits Under Storage Conditions. In *Journal of Applied Sciences Research* (Vol. 8, Issue 6).
- Albaloushi, N. S. (2013). Rheological Behavior of Tomato Fruits Affected by Various Loads Under Storage Conditions. *American Journal of Engineering Research*, 02(03), 36–43. www.ajer.us
- Al-Dairi, M., & Pathare, P. B. (2021). *Kinetic modeling of quality changes of tomato during storage* (Vol. 23, Issue 1). <http://www.cigrjournal.org>

- Alhamdan, A., Sorour, H., Younis, M., & Abdelkarim, D. (2014). *The Mechanical Properties of Different Cultivars Dates at Three Maturity Stages*. 2, 51–60. www.impactjournals.us
- Alipasandi, A., Ghaffari, H., Marghoub, N., Kahnamuyi, H., & marghoub, N. (2013). Study of some physical, chemical and hydrodynamic properties of two varieties persimmon in ripening. *International Journal of Agriculture and Crop Sciences*, 5(13), 1418–1423. www.ijagcs.com
- Altuntas, E., & Sekeroglu, A. (2010). Mechanical behavior and physical properties of chicken egg as affected by different egg weights. *Journal of Food Process Engineering*, 33(1), 115–127. <https://doi.org/10.1111/j.1745-4530.2008.00263.x>
- Ansari, S., Maftoon-Azad, N., Hosseini, E., Farahnaky, A., & Asadi, G. H. (2015). Kinetic of color and texture changes in rehydrated figs. *Tarim Bilimleri Dergisi*, 21(1), 108–122. <https://doi.org/10.15832/tbd.47774>
- Arias, R., Lee, T. C., Logendra, L., & Janes, H. (2000a). Correlation of lycopene measured by HPLC with the L*, a*, b* color readings of a hydroponic tomato and the relationship of maturity with color and lycopene content. *Journal of Agricultural and Food Chemistry*, 48(5), 1697–1702. <https://doi.org/10.1021/jf990974e>
- Arias, R., Lee, T. C., Logendra, L., & Janes, H. (2000b). Correlation of lycopene measured by HPLC with the L*, a*, b* color readings of a hydroponic tomato and the relationship of maturity with color and lycopene content. *Journal of Agricultural and Food Chemistry*, 48(5), 1697–1702. <https://doi.org/10.1021/jf990974e>
- Arshad, M., Shahnawaz, M., Shahkeela, S., Hussain, M., Ahmad, M., & Khan, S. S. (2014). Significance of physical properties of apple fruit influenced by preharvest orchard management factors. *Pelagia Research Library European Journal of Experimental Biology*, 4(5), 82–89. www.pelagiaresearchlibrary.com
- ASAE. (2008). *S T A N D A R D ASAE S368.4 DEC2000 (R2008) Compression Test of Food Materials of Convex Shape*.
- Ashadi, R., & Alimuddin, S. (2022). Pengaruh Suhu Dan Jenis Kemasan Terhadap Daya Simpan Dan Kualitas Buah Tomat (*Solanum Lycopersicum L.*) (effect of temperature and type of packaging on storage and quality of tomato (*solanum lycopersicum l.*). In *Solanum Lycopersicum L.) Jurnal AGrotekMAS* (Vol. 2, Issue 3). <https://jurnal.fp.umi.ac.id/index.php/agrotekmas>

- Ayvaz, H., Sierra-Cadavid, A., Aykas, D. P., Mulqueeney, B., Sullivan, S., & Rodriguez-Saona, L. E. (2016). Monitoring multicomponent quality traits in tomato juice using portable mid-infrared (MIR) spectroscopy and multivariate analysis. *Food Control*, 66, 79–86. <https://doi.org/10.1016/J.FOODCONT.2016.01.031>
- Azriyenni, & Syaibi, H. (2022). Metode Pengukuran Transmisi Daya Listrik Untuk Sistem Area Luas - Google Books. In *Azka Pustaka*. Azka Pustaka. https://www.google.co.id/books/edition/METODE_PENGUKURAN_TRANSMISI_DAYA_LISTRIK/_xF2EAAAQBAJ?hl=en&gbpv=1&dq=Metode+Pengukuran+Transmisi+Daya+Listrik+Untuk+Sistem+Area+Luas&printsec=frontcover
- Badan Pusat Statistik. (2020). *Badan Pusat Statistik*. Produksi Tanaman Sayuran 2020. <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html>
- Batu, A. (2004). Determination of acceptable firmness and colour values of tomatoes. *Journal of Food Engineering*, 61(3), 471–475. [https://doi.org/10.1016/S0260-8774\(03\)00141-9](https://doi.org/10.1016/S0260-8774(03)00141-9)
- Bil Der, T., Ansari, S., Maftoon-azad, N., Hosseini, E., Farahnaky, A., Hassan Asadi, G., & Tabi Tutulan Kuru İncirde Renk ve Doku Değişim Kinetiği Eser Bilgisi Araştırma Makalesi Sorumlu Yazar, R. (2015). Tarım Bilimleri Dergisi Kinetic of Color and Texture Changes in Rehydrated Figs. *Journal of Agricultural Sciences*, 21, 108–122. www.agri.ankara.edu.tr/dergi
- Birania, S., Attkan, A. K., Kumar, S., Kumar, N., & Singh, V. K. (2022). Mass modeling of strawberry (*Fragaria* × *Ananasa*) based on selected physical attributes. *Journal of Food Process Engineering*, 45(5). <https://doi.org/10.1111/jfpe.14023>
- Biswas, P., East, A. R., Brecht, J. K., Hewett, E. W., & Heyes, J. A. (2012). Intermittent warming during low temperature storage reduces tomato chilling injury. *Postharvest Biology and Technology*, 74, 71–78. <https://doi.org/10.1016/J.POSTHARVBIO.2012.07.002>
- Budynas, R. G. (Richard G., Nisbett, J. Keith., & Shigley, J. Edward. (2011). *Shigley's mechanical engineering design*. McGraw-Hill.
- Bui, H. T., Makhlof, J., & Ratti, C. (2010). Postharvest Ripening Characterization of Greenhouse Tomatoes. *International Journal of Food Properties*, 13(4), 830–846. <https://doi.org/10.1080/10942910902895234>

- Bureau, S., Arbex de Castro Vilas Boas, A., Giovinazzo, R., Jaillais, B., & Page, D. (2020). Toward the implementation of mid-infrared spectroscopy along the processing chain to improve quality of the tomatoes based products. *LWT*, *130*, 109518. <https://doi.org/10.1016/J.LWT.2020.109518>
- Burubai, W., Amula, E., Davies, R. M., Etekpe, G. W. W., & Daworiye, S. P. (2008). Determination of Poisson's ratio and elastic modulus of African nutmeg (*Monodora myristica*). *International Agrophysics*, *22*(2), 99–102. <http://www.international-agrophysics.org/Determination-of-Poisson-s-ratio-and-elastic-modulus-of-African-nutmeg-Monodora-myristica,106478,0,2.html>
- Cecilia, M., & Nunes, N. (2011). Shelf life of vine tomato (*Lycopersicum esculentum*) stored at non-chilling temperature and different relative humidity levels. *Proc. Fla. State Hort. Soc.*, *124*, 246–255. <https://www.researchgate.net/publication/276848498>
- Chakespari, A. G., Rajabipour, A., & Molbi, H. (2010). *Anisotropic Relaxation and Creep Properties of Apple (cv. Shafi Abadi and Golab Kohanz)*. <https://www.researchgate.net/publication/45492323>
- Chusniasih, D., Ellyzarti, dan, & Jurusan Biologi, D. (2014). Prosiding Seminar Nasional Pengembangan Teknologi Pertanian Politeknik Negeri Lampung 24 Mei. *Prosiding Seminar Nasional Pengembangan Teknologi Pertanian Politeknik Negeri Lampung*, 87–93.
- Contreras, L. T., López, Y. U., & Laín, S. (2017). CFD simulation of a horizontal axis hydrokinetic turbine. *Renewable Energy and Power Quality Journal*, *1*(15), 512–517. <https://doi.org/10.24084/REPQJ15.376>
- Cruz, R. M. S., Khmelinskii, I., & Vieira, M. M. C. (2016). *Methods in food analysis*. CRC Press.
- Dakogol, F. A., Obetta, S. E., & Ijabo, O. J. (2015). Creep Properties of Local Variety of Lime (*Lemun tsami*) under Quasi-Static Loading. *International Journal of Scientific Engineering and Technology*, *4*(9), 466–471. <https://doi.org/10.17950/IJSET/V4S9/903>
- Dehghani, S., Hosseini, E., & Rousta, E. (2022). Shelf-life extension of tomato (*Solanum lycopersicum* L.) using an edible coating of bitter almond gum-fish gelatin conjugates. *Progress in Organic Coatings*, *170*, 106980. <https://doi.org/10.1016/J.PORGCOAT.2022.106980>

- Dos, J., Becho, S., & Greco, M. (2021). Influence of Retardation Time on Viscoelastic Behavior of Plane Beams Modeled by the Nonlinear Positional Formulation of the Finite Element Method. *Mathematical Problems in Engineering*, 2021, 1–23. <https://doi.org/10.1155/2021/2684127>
- E. Mirzae, Rafiee, S., A, K., & Emam Djom-eh, Z. (2009). Physical properties of apricot to characterize best post harvesting options. *Australian Journal of Crop Science Southern Cross Journals*©2009, 3(2), 95–100. www.cropj.com
- Ehiem, J. C., Ndirika, V. I. O., & Vijaya Raghavan, G. S. (2015). Frictional Properties of *Canarium Schweifurthii* Engl. Fruits and Their interaction with Moisture Content and Shape. *International Journal of Engineering and Applied Science (IJEAS)*, 2(8), 2394–3661. www.ijeas.org
- Eissa, H. A., & Ali, H. (2013). Optimizing Oil Reduction in Fried Eggplant Rings. *Journal of Applied Sciences Research*, 9(6), 3708–3717. <https://www.researchgate.net/publication/268011199>
- Ertekin, C., Gozlekci, S., Kabas, O., Sonmez, S., & Akinci, I. (2006). Some physical, pomological and nutritional properties of two plum (*Prunus domestica* L.) cultivars. *Journal of Food Engineering*, 75(4), 508–514. <https://doi.org/10.1016/J.JFOODENG.2005.04.034>
- Fox, E., & Giovannoni, J. (2011). Regulating the Ripening Process. In *Comprehensive Biotechnology* (pp. 351–359). Pergamon. <https://doi.org/10.1016/B978-0-444-64046-8.00229-9>
- Frabetti, A. C. C., de Moraes, J. O., Jury, V., Boillereaux, L., & Laurindo, J. B. (2021). Adhesion of Food on Surfaces: Theory, Measurements, and Main Trends to Reduce It Prior to Industrial Drying. *Food Engineering Reviews*, 13(4), 884–901. <https://doi.org/10.1007/s12393-021-09286-9>
- Gadyszewska, B., & Ciupak, A. (2011). A Storage Time Influence on Mechanical Parameters Of Tomato Fruit Skin. In *TEKA Kom. Mot. i Energ. Roln.-OL PAN* (Vol. 11).
- Gajc-Wolska, J., & Korzeniewska, A. A. (2008). J. Benton Jones Jr: Tomato plant. Culture in the field, greenhouse, and home garden. In *Acta Physiologiae Plantarum 2008 31:2* (Vol. 31, Issue 2). Springer. <https://doi.org/10.1007/S11738-008-0228-5>

- Gebregziabher, A. A., Supriyadi, S., Indarti, S., & Setyowati, L. (2021a). Texture Profile and Pectinase Activity in Tomato Fruit (*Solanum Lycopersicum*, Servo F1) at Different Maturity Stages and Storage Temperatures. *PLANTA TROPIKA: Jurnal Agrosains (Journal of Agro Science)*, 9(1), 20–34. <https://doi.org/10.18196/pt.v9i1.9139>
- Gebregziabher, A. A., Supriyadi, S., Indarti, S., & Setyowati, L. (2021b). Texture Profile and Pectinase Activity in Tomato Fruit (*Solanum Lycopersicum*, Servo F1) at Different Maturity Stages and Storage Temperatures. *PLANTA TROPIKA: Jurnal Agrosains (Journal of Agro Science)*, 9(1), 20–34. <https://doi.org/10.18196/pt.v9i1.9139>
- Ghaffari, H., Ghassemzadeh, H. R., Sadeghi, M., & Alijani, S. (2015a). Some physical, mechanical and chemical properties of tomato fruit related to mechanical damage and bruising models. *Biological Forum – An International Journal*, 7(2), 712–718. www.researchtrend.net
- Ghaffari, H., Ghassemzadeh, H. R., Sadeghi, M., & Alijani, S. (2015b). Some physical, mechanical and chemical properties of tomato fruit related to mechanical damage and bruising models. *Biological Forum – An International Journal*, 7(2), 712–718. www.researchtrend.net
- Gomez, A. A., & Gomez, K. A. (1984). Statistical procedures for agricultural research: second Edition. *A Wiley-Interscience Publication*, 6, 1–690. <https://www.wiley.com/en-us/Statistical+Procedures+for+Agricultural+Research%2C+2nd+Edition-p-9780471870920>
- Guiné, R. P. F. (2012). Variation of Textural Attributes of S. Bartolomeu Pears at Maturation, Storage, and Drying. *Http://Dx.Doi.Org/10.1080/10942912.2010.535191*, 16(1), 180–192. <https://doi.org/10.1080/10942912.2010.535191>
- H. Zulkarnain. (2022). *Budidaya sayuran tropis*. Bumi Aksara.
- Hadi Samimi, A., & Jalan, K. (2011). Some physical properties of strawberry (Kurdistan variety). *World Applied Science Journal*, 13(2), 206–212.
- Hazbavi, E., Khoshtaghaza, M. H., Mostaan, A., & Banakar, A. (2015). Effect of storage duration on some physical properties of date palm (cv. Stamaran). *Journal of the*

Saudi Society of Agricultural Sciences, 14(2), 140–146.
<https://doi.org/10.1016/J.JSSAS.2013.10.001>

Ince, A., Cevik, M. Y., & Vursavus, K. K. (2016). Effects of maturity stages on textural mechanical properties of tomato. *International Journal of Agricultural and Biological Engineering*, 9(6), 200–206. <https://doi.org/10.3965/j.ijabe.20160906.1999>

Iqbal, T., & Fitzpatrick, J. J. (2006). Effect of storage conditions on the wall friction characteristics of three food powders. *Journal of Food Engineering*, 72(3), 273–280. <https://doi.org/10.1016/J.JFOODENG.2004.12.007>

Islam, A., Altuntas, E., Cangi, R., Kaya, C., & Yildiz, A. (2012). Physicochemical and colour properties of organic and conventional kiwifruits as affected by storage periods. *International Journal of Food Engineering*, 8(4). <https://doi.org/10.1515/1556-3758.2770>

Jahanbakhshi, A., Rasooli Sharabiani, V., Heidarbeigi, K., Kaveh, M., & Taghinezhad, E. (2019). Evaluation of engineering properties for waste control of tomato during harvesting and postharvesting. *Food Science and Nutrition*, 7(4), 1473–1481. <https://doi.org/10.1002/fsn3.986>

Janick, J. (2016). *Horticultural reviews. Volume 44* (Vol. 44). Wiley Blackwall. <https://www.wiley.com/en-gb/Horticultural+Reviews%2C+Volume+44-p-9781119281269>

Jha, S. N., Kingsly, A. R. P., & Chopra, S. (2006). Physical and mechanical properties of mango during growth and storage for determination of maturity. *Journal of Food Engineering*, 72(1), 73–76. <https://doi.org/10.1016/J.JFOODENG.2004.11.020>

K. Kheiralipour, A. Tabatabaeefar, H. Mobli, S. Rafiee, M. Sharifi, A. Jafari, & A. Rajabipour. (2008). Some physical and hydrodynamic properties of two varieties of apple (*Malus domestica* Borkh L.). *International Agrophysics*, 22, 225–229.

Kabas, O., Kabas, K., Zengin, S., Aydin, S., Vuran, F. A., & Ertekin, C. (2020). *Effects of ripening stages and storage durations on resistance parameters of beef type tomatoes: part 1: spring period*. <https://doi.org/10.3/JQUERY-UIJS>

Kabas, O., & Ozmerzi, A. (2008). Determining The Mechanical Properties of Cherry Tomato Varieties for Handling. *Journal of Texture Studies*, 39(3), 199–209. <https://doi.org/10.1111/J.1745-4603.2008.00137.X>

- Kabas, O., Ozmerzi, A., & Akinci, I. (2006). Physical properties of cactus pear (*Opuntia ficus india* L.) grown wild in Turkey. *Journal of Food Engineering*, 73(2), 198–202. <https://doi.org/10.1016/J.JFOODENG.2005.01.016>
- Kahnamuyi, H. H., Ghaffari, H., Marghoub, N., & Alipasandi, A. (2013). Study of some physical, chemical and hydrodynamic properties of two varieties persimmon in ripening. *International Journal of Agriculture and Crop Sciences (IJACS)*, 5(13), 1418–1423.
- Kajuna, S., & Rugenga, E. (1998). Relationship between the angle of repose and angle of internal friction for agricultural granular materials. *Tanzania Journal of Agricultural Sciences*.
- Kamgar, S., Zare, D., Ebadi, H., & Ghofrani, A. (2017). Determination of viscoelastic properties of dates (Mazafati Variety). *AgricEngInt: CIGR Journal*, 19(2), 210–216. <http://www.cigrjournal.org>
- Kasampalis, D. S., Tsouvaltzis, P., & Siomos, A. S. (2020). Chlorophyll fluorescence, non-photochemical quenching and light harvesting complex as alternatives to color measurement, in classifying tomato fruit according to their maturity stage at harvest and in monitoring postharvest ripening during storage. *Postharvest Biology and Technology*, 161. <https://doi.org/10.1016/j.postharvbio.2019.111036>
- Kaymak, H. Ç., Rastilantie, M., Caglar Kaymak, H., Ozturk, I., Kalkan, F., Kara, M., & Ercisli, S. (2010). Color and physical properties of two common tomato (*Lycopersicon esculentum* Mill.) cultivars. *Agriculture & Environment*, 8(2), 44–46. <https://www.researchgate.net/publication/265944331>
- Keener, K. M. (2013). Food Regulations. *Handbook of Farm, Dairy and Food Machinery Engineering: Second Edition*, 13–42. <https://doi.org/10.1016/B978-0-12-385881-8.00002-1>
- Kelbaliyev, G. I. (2011). Drag coefficients of variously shaped solid particles, drops, and bubbles. *Theoretical Foundations of Chemical Engineering*, 45(3), 248–266. <https://doi.org/10.1134/S0040579511020084>
- Kementerian Pertanian Republik Indonesi, K. P. R. I. (2017). *Kementerian Pertanian - Upaya Kementan Agar Petani Rasakan Manisnya Tomat*. Kementerian Pertanian Republik Indonesi. <https://www.pertanian.go.id/home/?show=news&act=view&id=2328>

- Khairi, A. N., Falah, M. A. F., Suyantohadi, A., Takahashi, N., & Nishina, H. (2015). Effect of Storage Temperatures on Color of Tomato Fruit (*Solanum Lycopersicum* Mill.) Cultivated under Moderate Water Stress Treatment. *Agriculture and Agricultural Science Procedia*, 3, 178–183. <https://doi.org/10.1016/j.aaspro.2015.01.035>
- Khan, M. I. H., Kumar, C., Joardder, M. U. H., & Karim, M. A. (2017). Determination of appropriate effective diffusivity for different food materials. *Drying Technology*, 35(3), 335–346. <https://doi.org/10.1080/07373937.2016.1170700>
- Kheiralipour, K., & Marzbani, F. (2016). Multivariate modeling of settling depth of apple fruit (Red Delicious variety) in water. *Food Science & Nutrition*, 4(2), 138–142. <https://doi.org/10.1002/FSN3.265>
- Kheiralipour, K., Tabatabaeefar, A., Mobli, H., Mohtasebi, S. S., Rafiee, S., Rajabipour, A., & Jafari, A. (2010a). Terminal velocity and its relationship to physical characteristics of apple (*Malus Domestica* Borkh L.). *International Journal of Food Properties*, 13(2), 261–271. <https://doi.org/10.1080/10942910802331298>
- Kheiralipour, K., Tabatabaeefar, A., Mobli, H., Mohtasebi, S. S., Rafiee, S., Rajabipour, A., & Jafari, A. (2010b). Terminal Velocity and Its Relationship to Physical Characteristics of Apple (*Malus Domestica* Borkh L.). [Http://Dx.Doi.Org/10.1080/10942910802331298](http://Dx.Doi.Org/10.1080/10942910802331298), 13(2), 261–271. <https://doi.org/10.1080/10942910802331298>
- Kheiralipour, K., Tabatabaeefar, A., Mobli, H., Rafiee, S., Rajabipour, A., Jafari, A., & Mirzaee, E. (2010). Modeling of Dropping Time of Kiwi Fruit in Water. *International Journal of Food Properties*, 13(6), 1315–1322. <https://doi.org/10.1080/10942910903061877>
- Kiani Deh Kiani, M., Maghsoudi, H., & Minaei, S. (2011). Determination of poisson's ratio and young's modulus of red bean grains. *Journal of Food Process Engineering*, 34(5), 1573–1583. <https://doi.org/10.1111/J.1745-4530.2009.00391.X>
- Korley Kortei, N., Tawia Odamtten, G., Obodai, M., Appiah, V., & Toah Akonor, P. (2015). Determination of color parameters of gamma irradiated fresh and dried mushrooms during storage. *Croatian Journal of Food Technology, Biotechnology and Nutrition*, 10(1–2), 66–71.

- Ł. Dzadz, Markowski, M., Sadowski, P., A. Jakóbczak, & M. Janulin. (2015). Creep and recovery characteristics of chicken meat frankfurters. *J. Agr. Sci. Tech.*, 17, 827–835. <https://www.researchgate.net/publication/282379772>
- Li, Z., Li, P., & Liu, J. (2011). Physical and mechanical properties of tomato fruits as related to robot's harvesting. *Journal of Food Engineering*, 103(2), 170–178. <https://doi.org/10.1016/J.JFOODENG.2010.10.013>
- Liu, Z., Li, Z., Yue, T., Diels, E., & Yang, Y. (2020). Differences in the cell morphology and microfracture behaviour of tomato fruit (*Solanum lycopersicum* L.) tissues during ripening. *Postharvest Biology and Technology*, 164, 111182. <https://doi.org/10.1016/J.POSTHARVBIO.2020.111182>
- López Camelo, A. F., & Gómez, P. A. (2004). Comparison of color indexes for tomato ripening. *Horticultura Brasileira*, 22(3), 534–537. <https://doi.org/10.1590/S0102-05362004000300006>
- Lundqvist, J. , C. de F., & D. Molden. (2008). Saving Water: From Field to Fork Curbing Losses and Wastage in the Food Chain. *SIWI Policy Brief. SIWI.* http://www.siwi.org/documents/Resources/Policy_Briefs/CSD_More_nutrition_per_d_rop_2004.pdf
- Made, N., Janurianti, D., Made, I., Utama, S., Bagus, I., & Gunam, W. (2021). Colour and Quality of Strawberry fruit (*Fragaria x ananassa* Duch.) at Different Levels of Maturity. *SEAS (Sustainable Environment Agricultural Science)*, 5(1), 22–28. <https://doi.org/10.22225/SEAS.5.1.3166.22-28>
- Mahiuddin, M., Godhani, D., Feng, L., Liu, F., Langrish, T., & Karim, M. A. (2020). Application of Caputo fractional rheological model to determine the viscoelastic and mechanical properties of fruit and vegetables. *Postharvest Biology and Technology*, 163. <https://doi.org/10.1016/j.postharvbio.2020.111147>
- Mahmoodi-Eshkaftaki, M., & Maleki, A. (2013). Available online at. *International Journal of Agriculture and Crop Sciences*, 5(16), 1739–1744. www.ijagcs.com
- Manera, F. J., Legua, P., Melgarejo, P., Brotons, J. M., Hernández, F. C. A., & Martínez, J. J. (2013). Determination of a colour index for fruit of pomegranate varietal group “Mollar de Elche.” *Scientia Horticulturae*, 150, 360–364. <https://doi.org/10.1016/j.scienta.2012.11.036>

- Maria, C. (2008). *Color Atlas of Postharvest Quality of Fruit and Vegetables*. Blackwell Publishing.
- Marques, S. P. C., & Creus, G. J. (2012). Computational viscoelasticity. *SpringerBriefs in Applied Sciences and Technology*, 9783642253102, iv–v. <https://doi.org/10.1007/978-3-642-25311-9>
- Messina, V., Domínguez, P. G., Sancho, A. M., Walsöe de Reça, N., Carrari, F., & Grigioni, G. (2012). Tomato Quality during Short-Term Storage Assessed by Colour and Electronic Nose. *International Journal of Electrochemistry*, 2012, 1–7. <https://doi.org/10.1155/2012/687429>
- Mezger, T. (2020). The Rheology Handbook. In *The Rheology Handbook*. Vincentz Network. <https://doi.org/10.1515/9783748603702/HTML>
- Mohsenin, N. (1986). *Physical properties of plant and animal materials structure, physical characteristics, and mechanical properties* (2nd Edition). Gordon and Breach Publishers.
- Moneruzzaman, K. M., Hossain, A. B. M. S., Sani, W., & Saifuddin, M. (2008). Effect of stages of maturity and ripening conditions on the physical characteristics of tomato. *American Journal of Biochemistry and Biotechnology*, 4(4), 329–335. <https://doi.org/10.3844/ajbbsp.2008.329.335>
- Moradi, M., Rahmatian, M., & Raoufat, M. H. (2017). Physical Properties of Three Varieties of Tomato, A Comparative Study Development and validation of mathematical modeling for terminal velocity of Cantaloupe View project Physical Properties of Three Varieties of Tomato, A Comparative Study View project. *Thai J. Agric. Sci.*, 50(2), 87–95. <https://www.researchgate.net/publication/324683981>
- Mousavi, M., Taheri-Garavand, A., Mohammad Taghi Gharib-Zahedi, S., Mohammad Mousavi, S., moayedi, A., Taheri Garavand, A., & Mahdi Alizadeh, S. (2010). Moisture-dependent engineering properties of black cumin (*Nigella Sativa* L.) seed Intelligent classification of Common Carp (*Cyprinus carpio*) based on freshness View project Octenyl succinylation of kefir: Preparation, characterization and functional properties View project Moisture-dependent engineering properties of black cumin (*Nigella sativa* L.) seed. In *Agric Eng Int: CIGR Journal* (Vol. 12, Issue 1). <http://www.cigrjournal.org>

- Murakonda, S., Patel, G., & Dwivedi, M. (2022). Characterization of engineering properties and modeling mass and fruit fraction of wood apple (*Limonia acidissima*) fruit for post-harvest processing. *Journal of the Saudi Society of Agricultural Sciences*, 21(4), 267–277. <https://doi.org/10.1016/J.JSSAS.2021.09.005>
- Nagle, M., Intani, K., Romano, G., Mahayothee, B., Sardud, V., & Müller, J. (2016). Determination of surface color of “all yellow” mango cultivars using computer vision. *Int J Agric & Biol Eng*, 9(1), 42–50. <https://doi.org/10.3965/j.ijabe.20160901.1861>
- Nunak, N., & Suesut, T. (2009). Measuring Geometric Mean Diameter of fruits and vegetables using Light Sectioning Method. *Songklanakarinn J. Sci. Technol.*, 31(6), 629–633.
- Ohtaki, V. M., Lise, C. C., Oldoni, T. L. C., Lima, V. A. de, Secco Junior, H., & Mitterer-Daltoé, M. L. (2022). Ultra-refined yerba mate (*Ilex paraguariensis* St. Hil) as a potential naturally colored food ingredient. *Scientia Agricola*, 80. <https://doi.org/10.1590/1678-992x-2022-0054>
- Ozturk, B., Kucuker, E., Karaman, S., & Ozkan, Y. (2012). The effects of cold storage and aminoethoxyvinylglycine (AVG) on bioactive compounds of plum fruit (*Prunus salicina* Lindell cv. ‘Black Amber’). *Postharvest Biology and Technology*, 72, 35–41. <https://doi.org/10.1016/J.POSTHARVBIO.2012.04.015>
- Pădureț, S., Oroian, M., Gutt, G., & Amariei, S. (2017). Evaluation of strawberry texture in close relation with their anisotropy. *International Journal of Food Properties*, 20(2), 247–259. <https://doi.org/10.1080/10942912.2016.1155054>
- Pandurangaiah, S., & Rao, S. D. (2020). Carotenoid Content in Cherry Tomatoes Correlated to the Color Space Values L*, a*, b*: A Non-destructive Method of Estimation. In *J. Hortl. Sci* (Vol. 15, Issue 1).
- Pardini, A., Consumi, M., Leone, G., Bonechi, C., Tamasi, G., Sangiorgio, P., Verardi, A., Rossi, C., & Magnani, A. (2021). Effect of different post-harvest storage conditions and heat treatment on tomatine content in commercial varieties of green tomatoes. *Journal of Food Composition and Analysis*, 96, 103735. <https://doi.org/10.1016/J.JFCA.2020.103735>
- Pereira, G. da S., Machado, F. L. de C., & da Costa, J. M. C. (2016). Quality of ‘valencia delta’ orange after degreening and coating with wax. *Revista Brasileira de*

- Engenharia Agricola e Ambiental*, 20(10), 936–940. <https://doi.org/10.1590/1807-1929/agriambi.v20n10p936-940>
- Petean, P. G. C., & Aguiar, M. L. (2015). Determining the adhesion force between particles and rough surfaces. *Powder Technology*, 274, 67–76. <https://doi.org/10.1016/J.POWTEC.2014.12.047>
- Pinheiro, J., Alegria, C., Abreu, M., Gonçalves, E. M., & Silva, C. L. M. (2013a). Kinetics of changes in the physical quality parameters of fresh tomato fruits (*Solanum lycopersicum*, cv. 'Zinac') during storage. *Journal of Food Engineering*, 114(3), 338–345. <https://doi.org/10.1016/j.jfoodeng.2012.08.024>
- Pinheiro, J., Alegria, C., Abreu, M., Gonçalves, E. M., & Silva, C. L. M. (2013b). Kinetics of changes in the physical quality parameters of fresh tomato fruits (*Solanum lycopersicum*, cv. 'Zinac') during storage. *Journal of Food Engineering*, 114(3), 338–345. <https://doi.org/10.1016/J.JFOODENG.2012.08.024>
- Proulx, E., Cecilia, M., Nunes, N., Emond, J.-P., & Brecht, J. K. (2005). Quality attributes limiting papaya postharvest life at chilling and non-chilling temperatures Increasing Postharvest Quality and Safety of Florida Blueberries and Peaches by Development of Best Temperature Management Practices View project Reducing storage decay in fresh sweetcorn by optimizing postharvest sanitation and cooling View project. *HortScience*, 36, 509. <https://www.researchgate.net/publication/290794036>
- Quinet, M., Angosto, T., Yuste-Lisbona, F. J., Blanchard-Gros, R., Bigot, S., Martinez, J. P., & Lutts, S. (2019). Tomato Fruit Development and Metabolism. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.01554>
- Rady, A. M., & Soliman, S. N. (2013). Effect of mechanical treatments on creep behavior of potato tubers. *American Society of Agricultural and Biological Engineers Annual International Meeting 2013, ASABE 2013*, 6, 5051–5073. <https://doi.org/10.13031/AIM.20131621817>
- Rapp, B. E. (2016). Microfluidics: Modeling, mechanics and mathematics. In *Microfluidics: Modeling, Mechanics and Mathematics*. Elsevier Inc. <https://doi.org/10.1016/C2012-0-02230-2>
- Rehm, B., Consultant, D., Haghshenas, A., Paknejad, A. S., & Schubert, J. (2008). Situational Problems in MPD. In *Managed Pressure Drilling* (pp. 39–80). Gulf Publishing Company. <https://doi.org/10.1016/B978-1-933762-24-1.50008-5>

- Rodrigues de Oliveira, Z. R. C., Santos, F. L., Magalhães Valente, D. S., Francisco de Assis de Carvalho Pinto, & Velloso, N. S. (2018). Mechanical properties of the rachis from macaw palm bunches. *Agricultural Engineering Universidade Estadual de Mangia*, 40(504).
- Rozbahani, A., Movahhed, S., & Ahmadi Chenarbon, H. (2019). Mathematical modeling of hydrodynamic properties of lime (Mexican lime). *Journal of Food Process Engineering*, 42(4). <https://doi.org/10.1111/jfpe.13054>
- Saad, A., Ibrahim, A., & El-Biale, N. (2016). Internal quality assessment of tomato fruits using image color analysis. *AgricEngInt: CIGR Journal*, 18(1), 339. <http://www.cigrjournal.org>
- Sabbah, M. A., Soliman, S. N., & M.A, A. (1994). Creep properties of tomatoes and their dependence on maturity. *Mist, J. Ag. Eng.*, 11(11).
- Sahin, F., T. AKTAS, H. ORAK, & P. ULGER. (2011). Influence of Pretreatments and Different Drying Methods on Color Parameters and Lycopene Content Lignin Parçalayan Bakterilerin İzolasyonu ve Farklı Bitkisel Artıklarla Kompostlanarak Tarımda Kullanım Olanaklarının Araştırılması View project Alexidine dihydrochloride on pancreatic cancer View project. *Bulgarian Journal of Agricultural Science*, 17(6), 867–881. <https://www.researchgate.net/publication/332268291>
- Sahin, S., & Sumnu, S. (2005). *Physical Properties of Foods*. Springer.
- Sandhya, Kumar, M., & Singh, D. (2018). Engineering characterization of tomato using image processing. *Agricultural Research Journal*, 55(3), 510. <https://doi.org/10.5958/2395-146x.2018.00091.1>
- Saracoglu, T., Ucer, N., & Ozarslan, C. (2012). Selected Geometric Characteristics, Hydrodynamic Properties, and Impact Parameters of Quince Fruit (*Cydonia vulgaris Pers.*). <Http://Dx.Doi.Org/10.1080/10942912.2010.501468>, 15(4), 758–769. <https://doi.org/10.1080/10942912.2010.501468>
- Sari, B. P., Suwerda, B., & Istiqomah, S. H. (2017). Pemanfaatan Limbah Tomat Sebagai Pupuk Organik Cair di Pasar Giwangan, Yogyakarta. . . *Journal Jurusan Kesehatan Lingkungan Poltekkes Kemenkes Yogyakarta Environmental Health Department of The Polytechnic of Health of Yogyakarta*, 8(4), 189–194.

- Seifi, M. R., & Alimardani, R. (2010). The Moisture Content Effect on Some Physical and Mechanical Properties of Corn (Sc 704). In *Journal of Agricultural Science* (Vol. 2, Issue 4). www.ccsenet.org/jas
- Selvan, S. S., Edukondalu, L., Ashok Kumar, A., & Madhava, M. (2021). Determination of engineering properties of sweet orange (*Citrus sinensis* L.) fruits. *The Pharma Innovation Journal*, *10*(3), 786–790. <http://www.thepharmajournal.com>
- Seyedabadi, E., Khojastehpour, M., & Sadrnia, H. (2015). Predicting Cantaloupe Bruising Using Non-Linear Finite Element Method. *International Journal of Food Properties*, *18*(9), 2015–2025. <https://doi.org/10.1080/10942912.2014.951892>
- Shafaei, S. M., Nourmohamadi-Moghadami, A., & Kamgar, S. (2016). Analytical study of friction coefficients of pomegranate seeds as essential parameters in design of post-harvest equipment. *Information Processing in Agriculture*, *3*(3), 133–145. <https://doi.org/10.1016/j.inpa.2016.05.003>
- Shafaei, S. M., Nourmohamadi-Moghadami, A., & Kamgar, S. (2017). Experimental analysis and modeling of frictional behavior of lavender flowers (*Lavandula stoechas* L.). *Journal of Applied Research on Medicinal and Aromatic Plants*, *4*, 5–11. <https://doi.org/10.1016/j.jarmap.2016.07.001>
- Shamsudin, R., Ariffin, S. H., Zainol Abdullah, W. N. Z., Azmi, N. S., & Halim, A. A. A. (2021). Modelling the kinetics of color and texture changes of dabai (*Canarium odontophyllum* miq.) during blanching. *Agronomy*, *11*(11). <https://doi.org/10.3390/agronomy11112185>
- Simonyan, K. J., Yiljep, Y. D., Oyatoyan, O. B., & Bawa, G. S. (2009). Effects of Moisture Content on Some Physical Properties of Lablab purpureus (L.) Sweet Seeds. *Agricultural Engineering International*.
- Sirisomboon, P., & Posom, J. (2018). A new creep model for studying the non-linear viscoelastic behavior of cooked white, brown and germinated brown Thai jasmine rice by large deformation testing. *Heliyon*, *4*, 745. <https://doi.org/10.1016/j.heliyon.2018>
- Sirisomboon, P., Tanaka, M., & Kojima, T. (2012). Evaluation of tomato textural mechanical properties. *Journal of Food Engineering*, *111*(4), 618–624. <https://doi.org/10.1016/j.jfoodeng.2012.03.007>

- Soliman, S. N., & El-Wersh El-Sayed, A. (2017). *PROCESS ENGINEERING CREEP BEHAVIOR OF POTATO TUBERS DURING STORAGE*.
- Soltani, M., Alimardani, R., & Omid, M. (2011). Changes in physico-mechanical properties of banana fruit during ripening treatment. *The Journal of American Science*, 7(5), 14–19.
- T., S., Al-Ismaili, A. M., Janitha Jeewantha, L. H., & Al-Habsi, N. A. (2019). Effect of solar drying methods on color kinetics and texture of dates. *Food and Bioprocess Processing*, 116, 227–239. <https://doi.org/10.1016/J.FBP.2019.03.012>
- Tadesse, T. N., Ibrahim, A. M., & Abteu, W. G. (2015). Degradation and formation of fruit color in tomato (*Solanum lycopersicum* L.) in response to storage temperature. *American Journal of Food Technology*, 10(4), 147–157. <https://doi.org/10.3923/AJFT.2015.147.157>
- Tarighi, J., Dadashi, S., Ghazvini, M. A., & Mahmoudi, A. (2011a). Comparison of Physical and Hydrodynamic Properties of Two Iranian Commercial Pomegranates. *Agricultural Engineering International: CIGR Journal*, 13(3).
- Tarighi, J., Dadashi, S., Ghazvini, M. A., & Mahmoudi, A. (2011b). Manuscript No.1852. Comparison of Physical and Hydrodynamic Properties of Two Iranian Commercial Pomegranates. In *Agricultural Engineering International: CIGR Journal* (Vol. 13, Issue 3).
- Thompson, A. J., Andrews, J., Mulholland, B. J., McKee, J. M. T., Hilton, H. W., Horridge, J. S., Farquhar, G. D., Smeeton, R. C., Smillie, I. R. A., Black, C. R., & Taylor, I. B. (2007). Overproduction of Abscisic Acid in Tomato Increases Transpiration Efficiency and Root Hydraulic Conductivity and Influences Leaf Expansion. *Plant Physiology*, 143(4), 1905–1917. <https://doi.org/10.1104/PP.106.093559>
- Uba, F., Esandoh, E. O., Zogho, D., & Anokye, E. G. (2020). Physical and mechanical properties of locally cultivated tomatoes in Sunyani, Ghana. *Scientific African*, 10. <https://doi.org/10.1016/j.sciaf.2020.e00616>
- Urbonaviciene, D., Viskelis, P., & Viškėlis, J. (2005). Lycopene and β -carotene in non-blanching and blanching tomatoes. *Article in Journal of Food Agriculture and Environment*. <https://doi.org/10.13140/2.1.4302.0800>

- Varith, J., Chanisara, N., Tipaporn, & Adisorn, P. (2008). Changes in viscoelastic properties of longan during hot-air drying in relation to its indentation Ozone technology for food safety View project Physical Properties of longan drying View project. *Article in Maejo International Journal of Science and Technology*, 2(2), 320–330. <https://www.researchgate.net/publication/26530221>
- Wu, Q., Bai, J., Tao, X., Mou, W., Luo, Z., Mao, L., Ban, Z., Ying, T., & Li, L. (2018). Synergistic effect of abscisic acid and ethylene on color development in tomato (*Solanum lycopersicum* L.) fruit. *Scientia Horticulturae*, 235, 169–180. <https://doi.org/10.1016/J.SCIENTA.2018.02.078>
- Wu, Z., Li, G., Yang, R., Fu, L., Li, R., & Wang, S. (2022). Coefficient of restitution of kiwifruit without external interference. *Journal of Food Engineering*, 327. <https://doi.org/10.1016/j.jfoodeng.2022.111060>
- Wulandari, D., & Ambarwati, E. (2022a). Laju Respirasi Buah Tomat (*Lycopersicon esculentum* Mill.) yang Dilapisi dengan Kitosan Selama Penyimpanan. *Vegetalika*, 11(2), 135. <https://doi.org/10.22146/veg.53561>
- Wulandari, D., & Ambarwati, E. (2022b). Laju Respirasi Buah Tomat (*Lycopersicon esculentum* Mill.) yang Dilapisi dengan Kitosan Selama Penyimpanan. *Vegetalika*, 11(2), 135. <https://doi.org/10.22146/veg.53561>
- Yang, S. H., & Panjaitan, B. P. (2021). A multi-country comparison of consumers' preferences for imported fruits and vegetables. *Horticulturae*, 7(12). <https://doi.org/10.3390/HORTICULTURAE7120578>
- Yuce, M. I., & Kareem, D. A. (2016). A Numerical Analysis of Fluid Flow Around Circular and Square Cylinders. *Journal - American Water Works Association*, 108(10), E546–E554. <https://doi.org/10.5942/JAWWA.2016.108.0141>
- Yurtlu, Y. B., & Erdoğan, D. (2005). Effect of Storage Time on Some Mechanical Properties and Bruise Susceptibility of Pears and Apples. *Turkish Journal of Agriculture and Forestry*, 29(6), 469–482. <https://doi.org/>
- Zebua, M. J., Suharsi, T. K., & Syukur, M. (2019). Studi Karakter Fisik dan Fisiologi Buah dan Benih Tomat (*Solanum lycopersicum* L.) Tora IPB. *Buletin Agrohorti*, 7(1), 69–75. <https://doi.org/10.29244/AGROB.V7I1.24418>

- Zhang, B., Zhou, J., Meng, Y., Zhang, N., Gu, B., Yan, Z., & Idris, S. I. (2018). Comparative study of mechanical damage caused by a two-finger tomato gripper with different robotic grasping patterns for harvesting robots. *Biosystems Engineering*, 171, 245–257. <https://doi.org/10.1016/J.BIOSYSTEMSENG.2018.05.003>
- Zhang, J. J. (2019). Applied petroleum geomechanics. In *Applied Petroleum Geomechanics*. Elsevier. <https://doi.org/10.1016/C2017-0-01969-9>
- Znidarcic, D., Hribar, J., Simčič, M., Rastilantie, M.-, Požrl, T., Žnidarčič, D., & Kopjar, M. (2010). Change of textural properties of tomatoes due to storage and storage temperatures. *Agriculture & Environment*, 8(2), 292–296. www.world-food.net
- Zulkifli, N., Hashim, N., Harith, H. H., Mohamad Shukery, M. F., Onwude, D. I., & Sairi, M. (2021). Finite element modelling for predicting the puncture responses in Papayas. *Foods*, 10(2). <https://doi.org/10.3390/foods10020442>