

DAFTAR PUSTAKA

- Akinyamoju, C.A., Ogunrinde, T.J., Taiwo, J.O., dan Dosumu, O.O., 2017, Comparison of Patient Satisfaction with Acrylic and Flexible Partial Dentures. *Nigerian Postgraduate Medical Journal*. 24: 143-149.
- Alice, 2022, What are The Causes and Solutions for Air Bubbles in Injection Molded Parts? *Zenodo Journal*. <https://doi.org/10.5281/zenodo.7008671>.
- Angeline dan Tamin, H., 2016, Pengaruh Penambahan Nilon Murni pada Nilon Daur Ulang terhadap Penyerapan Air Basis Gigi Tiruan Nilon Termoplastik. *Jurnal B-Dent*. 3(1): 46-53.
- Anusavice, K.J., Shen, C., dan Rawls, H.R., 2013, *Phillip's Science of Dental Materials*. 12th ed. St. Louis: Elsevier. pp. 487.
- Anwar, B., dan Yuliani, G., 2019, *Kimia Polimer*. 2nd ed. Tangerang Selatan: Universitas Terbuka. pp. 127.
- Bociaga, E., dan Palutkiewicz, P., 2013, The Impact of Mould Temperature and Blowing Agent Content on Structure and Properties of Injection Moulded Parts. *Cellular Polymers*. 32(5): 257-278.
- Campbell, S.D., Cooper, L., Craddock, H., Hyde, T.P., Nattress, B., Pavitt, S.H., dan Seymour, D.W., 2017, Review Removable partial dentures: The clinical need for innovation. *The Journal of Prosthetic Dentistry*. 118(3): 273-280.
- Carek, A., Babic, J.Z., Schauperl, Z., dan Badel, T., 2011, Mechanical Properties of Co-Cr Alloys for Metal Base Framework. *International Journal of Prosthodontics and Restorative Dentistry*. 1(1): 13-19.
- Carr, A.B., dan Brown, D.T., 2016, *McCracken's Removable Partial Prosthodontics*. 13th ed. St.Louis: Elsevier. pp. 67, 70, 102, dan 105.
- Carrasco, I.M., Hotta, J., Sugio, C.Y.C., Procopio, A.L.F., dan Urban, V.M., 2020, Nonmetal Clasp Dentures: What is The Evidence about Their Use. *The Journal of Indian Prosthodontic Society*. 20(3): 278-284.
- Chen, J., Cai, H., Suo, L., Xue, Y., Wang, J., dan Wan, Q., 2017, A Systematic Review of The Survival and Complication Rates of Inlay-Retained Fixed Dental Prostheses. *Journal of Dentistry*. 59: 2-10.
- Chondro, R.T., Nanik, C.D., dan Sari, R.P., 2019, Efektivitas Penambahan Hidroksiapatit terhadap Penurunan Porositas Basis Resin Akrilik Heat Cured. *Denta Jurnal Kedokteran Gigi*. 13(2): 37-42.

- Crystal, E., dan Nasution, H., 2019, Perbedaan Transmisi Tekanan pada Basis Gigi Tiruan Resin Akrilik Polimerisasi Panas dan Nilon Termoplastik. *Jurnal Ilmiah PANNMED*. 14(2): 97-102.
- Figueroa, R.M.S., Conterno, B., Arrais, C.A.G., Sugio, C.Y.C., Urban, V.M., dan Neppelenbroek, K.H., 2018, Porosity, Water Sorption and Solubility of Denture Base Acrylic Resins Polymerized Conventionally or in Microwave. *Journal of Applied Oral Science*. 26:1-7.
- Fitri, A.A., 2019, Perbedaan Modulus Elastisitas dan Kekerasan Permukaan Bahan Basis Gigi Tiruan Resin Akrilik Polimerisasi Panas dan Beberapa Nilon Termoplastik. Medan: Skripsi Fakultas Kedokteran Gigi. pp 21-23.
- Fitri, A.A., Nasution, H., Andryas, I., Wahyuni, S., Ritonga, P.W.U., Chairunnisa, R., dan Dallmer, A., 2020, The Difference and Correlation of Modulus of Elasticity and Surface Hardness of PMMA and Thermoplastic Nylon Denture Base Materials. *Journal of International Dental and Medical Research*. 13(4): 1598-1603.
- Faurschou, A., Menne, T., Johansen, J.D., dan Thyssen, J.P., 2011, Metal Allergen of The 21st Century - a Review on Exposure, Epidemiology and Clinical Manifestations of Palladium Allergy. *Contact Dermatitis*. 64: 185-195.
- Fueki, K., Ohkubo, C., Yatabe, M., Arakawa, I., Arita, M., dan Ino, S., 2014, Clinical Application of Removable Partial Dentures Using Thermoplastic Resin. Part I: Definition and Indication of Non-metal Clasp Dentures. *Journal of Prosthodontic Research*. 58: 3-10.
- Fueki, K., Ohkubo, C., Yatabe, M., Arakawa, I., Arita, M., dan Ino, S., 2014, Clinical Application of Removable Partial Dentures Using Thermoplastic Resin. Part II: Material Properties and Clinical Features of Non-metal Clasp Dentures. *Journal of Prosthodontic Research*. 58(2): 71-84.
- Fueki, K., 2016, Non-metal Clasp Dentures: More Evidence is Needed for Optimal Clinical Application. *Journal of Prosthodontic Research*. 60: 227-228.
- Gupta, V., dan Kumar, P.S., 2019, Single Complete Maxillary Denture with Metal Denture Base – A Case Report. *International Journal of Advanced Research*. 7(4): 1632-1636.
- Hafizi, I., Widjijono, W., dan Soesatyo, M.H.N.E., 2016, Penentuan Konsentrasi *Stainless Steel* 316L dan Kobalt Kromium Remanium GM-800 pada Uji GMPT. *Maj Ked Gi Ind*. 2(3): 121-127.
- Hamad, T.I., Fatihallah, A.A., dan Abdulsahib, A.J., 2015, The Effects of Different Investment Materials on Dimensional Accuracy and Surface Roughness of Thermosens Maxillary Complete Denture. *J Bagh College Dentistry*. 27(3): 1-7.

- Hanum, H.M., Siswomihardjo, W., dan Sunarintyas, S., 2019, Pelepasan Ion Kobalt dari Aloji CoCr L605 pada Saliva Asam. *Jurnal Material Kedokteran Gigi*. 8(2): 34-39.
- Ismiyati, T., dan Alhasyimi, A.A., 2022, Effect of Chitosan and Acrylic Acid Addition to Acrylic Resin on Porosity and Streptococcus mutans Growth in Denture Base. *European Journal of Dentistry*.
- Jayasingha, R.M., Tilakaratne, A., Amarasena, N., Mack, F., dan Anandamoorthy, T., 2013, Impact of Marginal Contact of Removable Acrylic Partial Dentures on Periodontal Parameters. *International Journal of Research In Medical and Health Sciences*. 1(3): 1-10.
- Kasina, S.P., Ajaz, T., Attili, S., Surapaneni, H., Cherukuri, M., dan Srinath, H.P., 2014, To Evaluate and Compare the Porosities in the Acrylic Mandibular Denture Bases Processed by Two Different Polymerization Techniques, Using Two Different Brands of Commercially Available Denture Base Resins - an in Vitro Study. *Journal of International Oral Health*. 6(1): 72-77.
- Kassapidou, M., Stenport, V.F., Hjalmarsson, L., dan Johansson, C.B., 2017, Cobalt-chromium Alloys in Fixed Prosthodontics in Sweden. *Acta Biomaterialia Odontologica Scandinavica*. 3(1): 53-62.
- Kementrian Kesehatan RI, 2019, *Kesehatan Gigi Nasional*. Jakarta Selatan: Pusat Data dan Informasi Kementerian Kesehatan RI. pp. 1.
- Khoiriyah, Y.N., 2018, Porositas Lempeng Resin Akrilik Pasca Perendaman Rebusan Daun Sirih dan Kayu Siwak. *Jurnal Vokasi Kesehatan*. 4(1): 39-45.
- Lenggogeny, P., dan Masulili, S.L.C., 2015, Gigi Tiruan Sebagian Kerangka Logam sebagai Penunjang Kesehatan Jaringan Periodontal. *Majalah Kedokteran Gigi Indonesia*. 1(2): 123-129.
- Manappallil, J.J., 2010, *Basic Dental Materials*. 3rd ed. Ajanta: Jaypee Brothers Medical Publishers. pp. 264 dan 409.
- McGrath, C., dan Bedi, R., 2001, Can Dentures Improve the Quality of Life of Those Who Have Experienced Considerable Tooth Loss?. *Journal of Dentistry*. 29: 243-246.
- Milutinovic, M., Lendjel, R., Balos, S., Zlatanovic, D.L., Sevsek, L., dan Pepelnjak, T., 2021, Characterisation of Geometrical and Physical Properties of a Stainless Steel Denture Framework Manufactured by Single-Point Incremental Forming. *Journal of Materials Research and Technology*. 10: 605-623.
- Odell, E.W., 2010, *Clinical Problem Solving in Dentistry*. 3rd ed. St. Louis: Elsevier. pp. 58.

- Pintadi, H., 2013, Kombinasi Gigi Tiruan Kerangka Logam dengan Termoplastik. *Jurnal PDGI*. 62(2): 45-47.
- Rasheed, F.M., dan Hasan, R.M.A., 2022, The Effect of Different Fabrication Techniques on Porosity of Cobalt-Chromium Cast Removable Partial Denture Frameworks. *EDJ*. 5(2): 140-147.
- Ruquet, M., dan Hue, O., 2016, Metal Framework Design for a Partial Removable Dental Prosthesis to Enhance the Addition of an Artificial Tooth or Clasp. *The Journal of Prosthetic Dentistry*. 632-633.
- Salazar, A., Rico, A., Rodriguez, J., Escudero, J.S., Seltzer, R., dan Cutillas, M.E., 2014, Fatigue Crack Growth of SLS Polyamide 12: Effect of Reinforcement and Temperature. *Composites*, 59: 285-292.
- Shah, J., Bulbule, N., Kulkarni, S., Shah, R., dan Kakade, D., 2014, Comparative Evaluation of Sorption, Solubility and Microhardness of Heat Cure Polymethylmethacrylate Denture Base Resin and Flexible Denture Base Resin. *Journal of Clinical and Diagnostic Research*. 8(8): 1-4.
- Shatta, M., Badawy, M., dan Haddad, D., 2021, Porosity Evaluation of a Thermoplastic Nylon Denture Base Material. *Al-Azhar Journal of Dental Sciences*. 24(3): 247-250.
- Siagian, K.V., 2016, Kehilangan Sebagian Gigi pada Rongga Mulut. *Journal e-Clinic*. 4(1): 1-6.
- Soesetijo, FX. A., Prijatmoko, D., dan Hidajati, L., 2016, Biocompatibility of Thermoplastic Nylon Flexible Removable Partial Denture – A Review. *Int J Curr Res Aca Rev*. 4(10): 75-83.
- Soesetijo, FX. A., 2016, Pertimbangan Laboratoris dan Klinis Nilon Termoplastis sebagai Basis Gigi Tiruan Sebagian Lepas. *Proccedings Book FORKINAS VI FKG UNEJ 14th-15th*, 57-65.
- Tim Riskesdas 2018, 2019, *Laporan Nasional Riskesdas 2018*. Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan. pp. 182.
- Utami, M., Febrida, R., dan Djustiana, N., 2009, The Comparison of Surface Hardness between Thermoplastic Nylon Resin and Heat-cured Acrylic Resin, *Padjadjaran Journal of Dentistry*. 21(3): 200-203.
- Veeraiyan, D.N., Ramalingam, K., dan Bhat, V., 2003, *Textbook of Prosthodontics*. 1st ed. New Delhi: Jaypee Brothers Medical Publishers. pp. 333 dan 342.
- Veeraiyan, D.N., 2017, *Textbook of Prosthodontics*. 2nd ed. New Delhi: Jaypee Brothers Medical Publishers. pp. 365-366, 432.
- Wanzura, A., dan Wahyuni, S., 2019, Perbedaan Penyerapan Air dan Stabilitas Warna Basis Gigi Tiruan Poliamida 6 dan Poliamida Mikrokristalin setelah

Perendaman Teh. *B-Dent: Jurnal Kedokteran Gigi Universitas Baiturrahmah*. 6(1): 9-16.

Wong, M.C.M., dan McMillan, A.S., 2004, Emotional Effects of Tooth Loss in Community-Dwelling Elderly People in Hongkong. *The International Journal of Prosthodontics*. 17(2):172-176.

Yan, J., Nie, L., Li, G., Zhu, Y., Gao, M., Wu, R., dan Wang, B., 2022, Axial Crystal Growth Evaluation and Crystallization Characteristics of Bi-Continuous Polyamide 66 Membranes Prepared via the Cold Non-Solvent-Induced Phase Separation Technique. *Polymers*. 14(1706): 1-16.

Yuliharsini, S., dan Syafrinani, 2015, Gigi Tiruan Sebagian Lepas Kerangka Logam Kombinasi Bahan Fleksibel sebagai Upaya Memenuhi Kebutuhan Estetik pada Gigi Penyangga dengan Resesi Gingiva (Laporan Kasus). *Jurnal B-Dent*. 3(1): 9-17.