

DAFTAR PUSTAKA

- Abels, E.R., Maas, S.L., Nieland, L., Wei, Z., Cheah, P.S., Tai, E., Kolsteeg, C.J., Dusoswa, S.A., Ting, D.T., Hickman, S. dan El Khoury, J., 2019. Glioblastoma-associated microglia reprogramming is mediated by functional transfer of extracellular miR-21. *Cell Rep.* 28(12): 3105-3119.
- Ahn, S., Han, K.D., Park, Y.M., Bae, J.M., Kim, S.U., Jeun, S.S. dan Yang, S.H., 2020. Cigarette smoking is associated with increased risk of malignant gliomas: a nationwide population-based cohort study. *Cancers*, 12(5): 1343.
- Alifieris, C. dan Trafalis, D.T., 2015. Glioblastoma multiforme: Pathogenesis and treatment. *Pharmacol. Ther.* 152: 63-82.
- Altieri, R., Zenga, F., Ducati, A., Melcarne, A., Cofano, F., Mammi, M., Di Perna, G., Savastano, R. dan Garbossa, D., 2018. Tumor location and patient age predict biological signatures of high-grade gliomas. *Neurosurgical review*, 41(2): 599-604.
- Arshad, H., Ahmad, Z. dan Hasan, S.H., 2010. Gliomas: correlation of histologic grade, Ki67 and p53 expression with patient survival. *Asian Pac J Cancer Prev*, 11(6): 1637-1640.
- Aucher, A., Rudnicka, D. dan Davis, D.M., 2013. MicroRNAs transfer from human macrophages to hepato-carcinoma cells and inhibit proliferation. *J. Immunol.*, 191(12): 6250-6260.
- Balss, J., Meyer, J., Mueller, W., Korshunov, A., Hartmann, C. dan von Deimling, A., 2008. Analysis of the IDH1 codon 132 mutation in brain tumors. *Acta neuropathol.* 116(6): 597-602.
- Baraniskin, A., Kuhnhen, J., Schlegel, U., Maghnouj, A., Zöllner, H., Schmiegel, W., Hahn, S. dan Schroers, R., 2012. Identification of microRNAs in the cerebrospinal fluid as biomarker for the diagnosis of glioma. *Neuro-oncology*.14(1): 29-33.
- Bautista-Sánchez, D., Arriaga-Canon, C., Pedroza-Torres, A., De La Rosa-Velázquez, I.A., González-Barrios, R., Contreras-Espinosa, L., Montiel-Manríquez, R., Castro-Hernández, C., Fragoso-Ontiveros, V., Álvarez-Gómez, R.M. dan Herrera, L.A., 2020. The promising role of miR-21 as a cancer biomarker and its importance in RNA-based therapeutics. *Mol. Ther. Nucleic Acids*. 20: 409-420.
- Beyer, S., Fleming, J., Meng, W., Singh, R., Haque, S.J. dan Chakravarti, A., 2017. The role of miRNAs in angiogenesis, invasion and metabolism and their therapeutic implications in gliomas. *Cancers*. 9(7): 85.
- Blumenthal, D.T. dan Cannon-Albright, L.A., 2008. Familiality in brain tumors. *Neurology*, 71(13): 1015-1020.
- Brennan, C.W., Verhaak, R.G., McKenna, A., Campos, B., Nounshmehr, H., Salama, S.R., Zheng, S., Chakravarty, D., Sanborn, J.Z., Berman, S.H. dan Beroukhim, R., 2013. The somatic genomic landscape of glioblastoma. *Cell*. 155(2): 462-477.

- Bronisz, A., Wang, Y., Nowicki, M.O., Peruzzi, P., Ansari, K.I., Ogawa, D., Balaj, L., De Rienzo, G., Mineo, M., Nakano, I. dan Ostrowski, M.C., 2014. Extracellular vesicles modulate the glioblastoma microenvironment via a tumor suppression signaling network directed by miR-1. *Cancer Res.* 74(3): 738-750.
- Cahill, J., LoBiondo-Wood, G., Bergstrom, N. dan Armstrong, T., 2012. Brain tumor symptoms as antecedents to uncertainty: an integrative review. *J. Nurs. Scholarsh.* 44(2): 145-155.
- Cai, Q., Zhu, A. dan Gong, L., 2018. Exosomes of glioma cells deliver miR-148a to promote proliferation and metastasis of glioblastoma via targeting CADM1. *Bull. Cancer.* 105(7-8): 643-651.
- Calo, N., Ramadori, P., Sobolewski, C., Romero, Y., Maeder, C., Fournier, M., Rantakari, P., Zhang, F.P., Poutanen, M., Dufour, J.F. dan Humar, B., 2016. Stress-activated miR-21/miR-21* in hepatocytes promotes lipid and glucose metabolic disorders associated with high-fat diet consumption. *Gut*, 65(11): 1871-1881.
- Cancer Genome Atlas (TCGA) Research Network, 2008. Comprehensive genomic characterization defines human glioblastoma genes and core pathways. *Nature.* 455(7216), p.1061.
- Chang, W.T., 2019. Smoking May Contribute to an Increase of miR-21 and a Worse Outcome in Pulmonary Hypertension. *Acta Cardiol. Sin.* 35(3):350.
- Chen, X., Yang, F., Zhang, T., Wang, W., Xi, W., Li, Y., Zhang, D., Huo, Y., Zhang, J., Yang, A. dan Wang, T., 2019. MiR-9 promotes tumorigenesis and angiogenesis and is activated by MYC and OCT4 in human glioma. *J. Exp. Clin. Cancer. Res.* 38(1): 1-16.
- Chen, Z. dan Hambardzumyan, D., 2018. Immune microenvironment in glioblastoma subtypes. *Front. Immunol.* 9: p.1004.
- Cheng, J., Meng, J., Zhu, L. dan Peng, Y., 2020. Exosomal noncoding RNAs in Glioma: biological functions and potential clinical applications. *Mol. Cancer.* 19(1): 1-14.
- Claus, E.B., Walsh, K.M., Wiencke, J.K., Molinaro, A.M., Wiemels, J.L., Schildkraut, J.M., Bondy, M.L., Berger, M., Jenkins, R. dan Wrensch, M., 2015. Survival and low-grade glioma: the emergence of genetic information. *Neurosurg. Focus.* 38(1): p.E6.
- Cohen, A.L., Holmen, S.L. and Colman, H., 2013. IDH1 and IDH2 mutations in gliomas. *Current neurology and neuroscience reports*, 13(5), pp.1-7.
- Dahlan, S. 2013. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.
- Dai, Z.F., Huang, Q.L. dan Liu, H.P., 2015. Different body mass index grade on the risk of developing glioma: a meta-analysis. *Chinese Neurosurgical Journal*, 1(1): 1-6.
- Dang, L., White, D.W., Gross, S., Bennett, B.D., Bittinger, M.A., Driggers, E.M., Fantin, V.R., Jang, H.G., Jin, S., Keenan, M.C. dan Marks, K.M., 2009. Cancer-associated IDH1 mutations produce 2-hydroxyglutarate. *Nat.* 462(7274): 739-744.

- Denzler, R., McGeary, S.E., Title, A.C., Agarwal, V., Bartel, D.P. dan Stoffel, M., 2016. Impact of microRNA levels, target-site complementarity, and cooperativity on competing endogenous RNA-regulated gene expression. *Mol. Cell.* 64(3): 565-579.
- De Leeuw, B.I., Van Baarsen, K.M., Snijders, T.J. dan Robe, P.A., 2019. Interrelationships between molecular subtype, anatomical location, and extent of resection in diffuse glioma: a systematic review and meta-analysis. *Neurooncol. Adv.* 1(1): vdz032.
- Di Carlo, D.T., Cagnazzo, F., Benedetto, N., Morganti, R. dan Perrini, P., 2019. Multiple high-grade gliomas: epidemiology, management, and outcome. A systematic review and meta-analysis. *Neurosurgical review*, 42(2): 263-275.
- Enerly, E., Steinfeld, I., Kleivi, K., Leivonen, S.K., Aure, M.R., Russnes, H.G., Rønneberg, J.A., Johnsen, H., Navon, R., Rødland, E. dan Mäkelä, R., 2011. miRNA-mRNA integrated analysis reveals roles for miRNAs in primary breast tumors. *PloS one.* 6(2):e16915.
- Fabbri, M., Paone, A., Calore, F., Galli, R., Gaudio, E., Santhanam, R., Lovat, F., Fadda, P., Mao, C., Nuovo, G.J. dan Zanesi, N., 2012. MicroRNAs bind to Toll-like receptors to induce prometastatic inflammatory response. *Proc. Nat. Acad. Sci. USA.* 109(31): E2110-E2116.
- Fareh, M., Almairac, F., Turchi, L., Burel-Vandenbos, F., Paquis, P., Fontaine, D., Lacas-Gervais, S., Junier, M.P., Chneiweiss, H. dan Virolle, T., 2017. Cell-based therapy using miR-302-367 expressing cells represses glioblastoma growth. *Cell. Death. Dis.* 8(3): e2713-e2713.
- Feng, Y.H. dan Tsao, C.J., 2016. Emerging role of microRNA-21 in cancer. *Biomed. Rep.* 5(4): 395-402.
- Fisher, J.L., Palmisano, S., Schwartzbaum, J.A., Svensson, T. dan Lönn, S., 2014. Comorbid conditions associated with glioblastoma. *J. Neurooncol.*, 116(3): 585-591.
- Fujita, S., Ito, T., Mizutani, T., Minoguchi, S., Yamamichi, N., Sakurai, K. dan Iba, H., 2008. miR-21 Gene expression triggered by AP-1 is sustained through a double-negative feedback mechanism. *Journal of molecular biology*, 378(3), pp.492-504.
- Gallo, A., Tandon, M., Alevizos, I. dan Illei, G.G., 2012. The majority of microRNAs detectable in serum and saliva is concentrated in exosomes. *PloS One.* 7(3): 30679.
- George, G.P. dan Mittal, R.D., 2010. MicroRNAs: Potential biomarkers in cancer. *Indian J. Clin. Biochem.* 25(1): 4-14.
- Griffiths-Jones, S., Grocock, R.J., Van Dongen, S., Bateman, A. dan Enright, A.J., 2006. miRBase: microRNA sequences, targets and gene nomenclature. *Nucleic Acids Res.* 34(suppl_1): D140-D144.
- Gu, J., Liu, Y., Kyritsis, A.P. dan Bondy, M.L., 2009. Molecular epidemiology of primary brain tumors. *Neurother.* 6(3): 427-435.
- Guo, X., Qiu, W., Liu, Q., Qian, M., Wang, S., Zhang, Z., Gao, X., Chen, Z., Xue, H. dan Li, G., 2018. Immunosuppressive effects of hypoxia-induced glioma

- exosomes through myeloid-derived suppressor cells via the miR-10a/Rora and miR-21/Pten Pathways. *Oncogene*. 37(31): 4239-4259.
- Guo, X., Qiu, W., Wang, J., Liu, Q., Qian, M., Wang, S., Zhang, Z., Gao, X., Chen, Z., Guo, Q. dan Xu, J., 2019. Glioma exosomes mediate the expansion and function of myeloid-derived suppressor cells through microRNA-29a/Hbp1 and microRNA-92a/Prkar1a pathways. *Int. J. Cancer*. 144(12): 3111-3126.
- Gümürdü, A., Yildiz, R., Eren, E., Karakulah, G., Ünver, T., Şermin, G.E.N.Ç. dan Park, Y., 2017. MicroRNA exocytosis by large dense-core vesicle fusion. *Sci. Rep.*, 7(1): 1-10.
- Haase, S., Garcia-Fabiani, M.B., Carney, S., Altshuler, D., Núñez, F.J., Méndez, F.M., Núñez, F., Lowenstein, P.R. dan Castro, M.G., 2018. Mutant ATRX: uncovering a new therapeutic target for glioma. *Expert Opin. Ther. Targets*. 22(7): 599-613.
- Han, L., Yue, X., Zhou, X., Lan, F.M., You, G., Zhang, W., Zhang, K.L., Zhang, C.Z., Cheng, J.Q., Yu, S.Z. dan Pu, P.Y., 2012. MicroRNA-21 expression is regulated by β -catenin/STAT3 pathway and promotes glioma cell invasion by direct targeting RECK. *CNS Neurosci. Ther.* 18(7): 573-583.
- Hannafon, B.N., Carpenter, K.J., Berry, W.L., Janknecht, R., Dooley, W.C. dan Ding, W.Q., 2015. Exosome-mediated microRNA signaling from breast cancer cells is altered by the anti-angiogenesis agent docosahexaenoic acid (DHA). *Mol. Cancer*, 14(1): 1-13.
- Hartmann, C., Meyer, J., Balss, J., Capper, D., Mueller, W., Christians, A., Felsberg, J., Wolter, M., Mawrin, C., Wick, W. dan Weller, M., 2009. Type and frequency of IDH1 and IDH2 mutations are related to astrocytic and oligodendroglial differentiation and age: a study of 1,010 diffuse gliomas. *Acta Neuropathol.* 118(4): 469-474.
- Hegi, M.E., Diserens, A.C., Gorlia, T., Hamou, M.F., De Tribolet, N., Weller, M., Kros, J.M., Hainfellner, J.A., Mason, W., Mariani, L. dan Bromberg, J.E., 2005. MGMT gene silencing and benefit from temozolomide in glioblastoma. *N. Engl. J. Med.* 352(10): 997-1003.
- Hill, D.A., Inskip, P.D., Shapiro, W.R., Selker, R.G., Fine, H.A., Black, P.M. dan Linet, M.S., 2003. Cancer in first-degree relatives and risk of glioma in adults. *Cancer Epidemiol. Biomarkers Prev.*, 12(12): 1443-1448.
- Hofer, S., Rushing, E., Preusser, M. dan Marosi, C., 2014. Molecular biology of high-grade gliomas: what should the clinician know?. *Chin. J. Cancer*. 33(1):4.
- Hu, Y., Rao, S.S., Wang, Z.X., Cao, J., Tan, Y.J., Luo, J., Li, H.M., Zhang, W.S., Chen, C.Y. dan Xie, H., 2018. Exosomes from human umbilical cord blood accelerate cutaneous wound healing through miR-21-3p-mediated promotion of angiogenesis and fibroblast function. *Theranostics*. 8(1):169.
- Huang, J., Yu, J., Tu, L., Huang, N., Li, H. dan Luo, Y., 2019. Isocitrate dehydrogenase mutations in glioma: from basic discovery to therapeutics development. *Front. Oncol.* 9: 506.
- Huntzinger, E. dan Izaurralde, E., 2011. Gene silencing by microRNAs: contributions of translational repression and mRNA decay. *Nat. Rev. Genet.* 12(2): 99-110.

- Jiang, G., Mu, J., Liu, X., Peng, X., Zhong, F., Yuan, W., Deng, F., Peng, X., Peng, S. dan Zeng, X., 2020. Prognostic value of miR-21 in gliomas: comprehensive study based on meta-analysis and TCGA dataset validation. *Sci. Rep.* 10(1): 1-10.
- Jonas, S. dan Izaurralde, E., 2015. Towards a molecular understanding of microRNA-mediated gene silencing. *Nat. Rev. Genetic.* 16(7): 421-433.
- Jones, D.T., Kocialkowski, S., Liu, L., Pearson, D.M., Bäcklund, L.M., Ichimura, K. dan Collins, V.P., 2008. Tandem duplication producing a novel oncogenic BRAF fusion gene defines the majority of pilocytic astrocytomas. *Cancer Res.* 68(21): 8673-8677.
- Jones, D.T.W., Kocialkowski, S., Liu, L., Pearson, D.M., Ichimura, K.P.C.V. dan Collins, V.P., 2009. Oncogenic RAF1 rearrangement and a novel BRAF mutation as alternatives to KIAA1549: BRAF fusion in activating the MAPK pathway in pilocytic astrocytoma. *Oncogene.* 28(20): 2119-2123.
- Jungk, C., Mock, A., Exner, J., Geisenberger, C., Warta, R., Capper, D., Abdollahi, A., Friauf, S., Lahrmann, B., Grabe, N. dan Beckhove, P., 2016. Spatial transcriptome analysis reveals Notch pathway-associated prognostic markers in IDH1 wild-type glioblastoma involving the subventricular zone. *BMC medicine*, 14(1): 1-16.
- Katakowski, M., Buller, B., Zheng, X., Lu, Y., Rogers, T., Osobamiro, O., Shu, W., Jiang, F. dan Chopp, M., 2013. Exosomes from marrow stromal cells expressing miR-146b inhibit glioma growth. *Cancer. Let.* 335(1): 201-204.
- Khalil, A.A., Jameson, M.J., Broaddus, W.C., Lin, P.S. dan Chung, T.D., 2013. Nicotine enhances proliferation, migration, and radioresistance of human malignant glioma cells through EGFR activation. *Brain tumor pathology*, 30(2): 73-83.
- Komine, C., Watanabe, T., Katayama, Y., Yoshino, A., Yokoyama, T. dan Fukushima, T., 2003. Promoter hypermethylation of the DNA repair gene O6-methylguanine-DNA methyltransferase is an independent predictor of shortened progression free survival in patients with low-grade diffuse astrocytomas. *Brain Pathol.* 13(2): 176-184.
- Kosaka, N., Iguchi, H., Yoshioka, Y., Takeshita, F., Matsuki, Y. dan Ochiya, T., 2010. Secretory Mechanisms and Intercellular Transfer of MicroRNAs in Living Cells. *J. Biol. Chem.* 285(23): 17442-17452.
- Kumarswamy, R., Volkmann, I. dan Thum, T., 2011. Regulation and function of miRNA-21 in health and disease. *RNA Biol.* 8(5): 706-713.
- Kyritsis, A.P., Bondy, M.L., Rao, J.S. dan Sioka, C., 2010. Inherited predisposition to glioma. *Neuro-oncology*, 12(1): 104-113.
- Lachance, D.H., Yang, P., Johnson, D.R., Decker, P.A., Kollmeyer, T.M., McCoy, L.S., Rice, T., Xiao, Y., Ali-Osman, F., Wang, F. dan Stoddard, S.M., 2011. Associations of high-grade glioma with glioma risk alleles and histories of allergy and smoking. *Am. J. Epidemiol.* 174(5): 574-581.
- Lan, F., Qing, Q., Pan, Q., Hu, M., Yu, H. dan Yue, X., 2018. Serum exosomal miR-301a as a potential diagnostic and prognostic biomarker for human glioma. *Cell. Oncol.* 41(1): 25-33.

- Larjavaara, S., Mäntylä, R., Salminen, T., Haapasalo, H., Raitanen, J., Jääskeläinen, J. dan Auvinen, A., 2007. Incidence of gliomas by anatomic location. *Neuro-oncology*, 9(3): 319-325.
- Leece, R., Xu, J., Ostrom, Q.T., Chen, Y., Kruchko, C. dan Barnholtz-Sloan, J.S., 2017. Global incidence of malignant brain and other central nervous system tumors by histology, 2003–2007. *Neurooncol.* 19(11): 1553-1564.
- Li, H.X., Peng, X.X., Zong, Q., Zhang, K., Wang, M.X., Liu, Y.Z. dan Han, G.L., 2016. Cigarette smoking and risk of adult glioma: a meta-analysis of 24 observational studies involving more than 2.3 million individuals. *OncoTargets and therapy*, 9: 3511.
- Li, Z., Bao, S., Wu, Q., Wang, H., Eyler, C., Sathornsumetee, S., Shi, Q., Cao, Y., Lathia, J., McLendon, R.E. dan Hjelmeland, A.B., 2009. Hypoxia-inducible factors regulate tumorigenic capacity of glioma stem cells. *Cancer Cell*. 15(6): 501-513.
- Louis, D.N., Perry, A., Wesseling, P., Brat, D.J., Cree, I.A., Figarella-Branger, D., Hawkins, C., Ng, H.K., Pfister, S.M., Reifenberger, G. dan Soffietti, R., 2021. The 2021 WHO classification of tumors of the central nervous system: a summary. *Neuro-oncology*, 23(8): 1231-51.
- Louis, D.N., Wesseling, P., Aldape, K., Brat, D.J., Capper, D., Cree, I.A., Eberhart, C., Figarella-Branger, D., Fouladi, M., Fuller, G.N. dan Giannini, C., 2020. cIMPACT-NOW update 6: new entity and diagnostic principle recommendations of the cIMPACT-Utrecht meeting on future CNS tumor classification and grading.
- Luo, G., Luo, W., Sun, X., Lin, J., Wang, M., Zhang, Y., Luo, W. dan Zhang, Y., 2017. MicroRNA-21 promotes migration and invasion of glioma cells via activation of Sox2 and β -catenin signaling. *Molecular medicine reports*, 15(1): 187-193.
- Malueka, R.G., Dwianingsih, E.K., Bayuangga, H.F., Panggabean, A.S., Argo, I.W., Donurizki, A.D., Shaleh, S., Wicaksono, A.S., Dananjoyo, K., Asmedi, A. dan Hartanto, R.A., 2020. Clinicopathological features and prognosis of Indonesian patients with gliomas with IDH mutation: insights into its significance in a Southeast Asian population. *Asian Pacific Journal of Cancer Prevention: APJCP*, 21(8): 2287.
- Mansouri, A., Karamchandani, J. dan Das, S., 2017. Molecular genetics of secondary glioblastoma. *Exon Publications*: 27-42.
- Massey, S.C., Whitmire, P., Doyle, T.E., Ippolito, J.E., Mrugala, M.M., Hu, L.S., Canoll, P., Anderson, A.R., Wilson, M.A., Fitzpatrick, S.M. dan McCarthy, M.M., 2021. Sex differences in health and disease: A review of biological sex differences relevant to cancer with a spotlight on glioma. *Cancer letters*, 498: 178-187.
- Mentlein, R., Hattermann, K. and Held-Feindt, J., 2012. Lost in disruption: role of proteases in glioma invasion and progression. *Biochim. Biophys. Acta*. 1825(2): 178-185.
- Mitchell, P.S., Parkin, R.K., Kroh, E.M., Fritz, B.R., Wyman, S.K., Pogosova-Agadjanyan, E.L., Peterson, A., Noteboom, J., O'Briant, K.C., Allen, A. dan

- Lin, D.W., 2008. Circulating microRNAs as stable blood-based markers for cancer detection. *Proc. Natl. Acad. Sci. U.S.A.* 105(30):10513-10518.
- Molinaro, A.M., Taylor, J.W., Wiencke, J.K. dan Wrensch, M.R., 2019. Genetic and molecular epidemiology of adult diffuse glioma. *Nat. Rev. Neurol.* 15(7): 405-417.
- Mudduluru, G., George-William, J.N., Muppala, S., Asangani, I.A., Kumarswamy, R., Nelson, L.D. dan Allgayer, H., 2011. Curcumin regulates miR-21 expression and inhibits invasion and metastasis in colorectal cancer. *Biosci. Rep.* 31(3): 185-197.
- Murugan, A.K. dan Alzahrani, A.S., 2022. Isocitrate Dehydrogenase IDH1 and IDH2 Mutations in Human Cancer: Prognostic Implications for Gliomas. *British Journal of Biomedical Science*: 8.
- National Comprehensive Cancer Network, 2020. *NCCN Clinical Practice Guidelines in Oncology: Central Nervous System Cancers*.
- Nicolas, S., Abdellatef, S., Haddad, M.A., Fakhoury, I. dan El-Sibai, M., 2019. Hypoxia and EGF stimulation regulate VEGF expression in human glioblastoma multiforme (GBM) cells by differential regulation of the PI3K/Rho-GTPase and MAPK pathways. *Cells.* 8(11): 1397.
- Nishi, K., Nishi, A., Nagasawa, T., Ui-Tei, K., 2013. Human TNRC6A is an Argonaute-navigator protein for microRNA-mediated gene silencing in the nucleus. *Rna.* 19(1): 17-35.
- O'Brien, J., Hayder, H., Zayed, Y. dan Peng, C., 2018. Overview of microRNA biogenesis, mechanisms of actions, and circulation. *Front. Endocrinol.* 9:402.
- Ørom, U.A., Nielsen, F.C. dan Lund, A.H., 2008. MicroRNA-10a binds the 5' UTR of ribosomal protein mRNAs and enhances their translation. *Mol. Cell.* 30(4): 460-471.
- Ostrom, Q.T., Patil, N., Cioffi, G., Waite, K., Kruchko, C. dan Barnholtz-Sloan, J.S., 2020. CBTRUS statistical report: primary brain and other central nervous system tumors diagnosed in the United States in 2013–2017. *Neuro-oncology.* 22(Supplement_1): iv1-iv96.
- Ostrom, Q.T., Cote, D.J., Ascha, M., Kruchko, C. dan Barnholtz-Sloan, J.S., 2018. Adult glioma incidence and survival by race or ethnicity in the United States from 2000 to 2014. *JAMA oncology*, 4(9): 1254-1262.
- Ostrom, Q.T., Kinnersley, B., Wrensch, M.R., Eckel-Passow, J.E., Armstrong, G., Rice, T., Chen, Y., Wiencke, J.K., McCoy, L.S., Hansen, H.M. dan Amos, C.I., 2018. Sex-specific glioma genome-wide association study identifies new risk locus at 3p21. 31 in females, and finds sex-differences in risk at 8q24. 21. *Scientific reports*, 8(1): 1-15.
- Parsons, D.W., Jones, S., Zhang, X., Lin, J.C.H., Leary, R.J., Angenendt, P., Mankoo, P., Carter, H., Siu, I.M., Gallia, G.L. dan Olivi, A., 2008. An integrated genomic analysis of human glioblastoma multiforme. *Sci.* 321(5897):1807-1812.
- ParvizHamidi, M., Haddad, G., Ostadrahimi, S., Ostadrahimi, N., Sadeghi, S., Fayaz, S. dan Fard-Esfahani, P., 2019. Circulating miR-26a and miR-21 as

- biomarkers for glioblastoma multiform. *Biotechnology and Applied Biochemistry*, 66(2): 261-265.
- Peeters, M.C., Dirven, L., Koekkoek, J.A., Numans, M.E. dan Taphoorn, M.J., 2019. Prediagnostic presentations of glioma in primary care: a case-control study. *CNS Oncol.*, 8(3): CNS44.
- Pellerino, A., Caccese, M., Padovan, M., Cerretti, G. dan Lombardi, G., 2022. Epidemiology, risk factors, and prognostic factors of gliomas. *Clinical and Translational Imaging*: 1-9.
- Péus, D., Newcomb, N. dan Hofer, S., 2013. Appraisal of the Karnofsky Performance Status and proposal of a simple algorithmic system for its evaluation. *BMC Medical Inform. Decis. Mak.* 13(1): 1-7.
- Pucci, S., Fasoli, F., Moretti, M., Benfante, R., Di Lascio, S., Viani, P., Daga, A., Gordon, T.J., McIntosh, M., Zoli, M. dan Clementi, F., 2021. Choline and nicotine increase glioblastoma cell proliferation by binding and activating $\alpha 7$ - and $\alpha 9$ -containing nicotinic receptors. *Pharmacological Research*, 163: 105336.
- Qian, M., Wang, S., Guo, X., Wang, J., Zhang, Z., Qiu, W., Gao, X., Chen, Z., Xu, J., Zhao, R. dan Xue, H., 2020. Hypoxic glioma-derived exosomes deliver microRNA-1246 to induce M2 macrophage polarization by targeting TERF2IP via the STAT3 and NF- κ B pathways. *Oncogene*. 39(2): 428-442.
- Qu, K., Lin, T., Pang, Q., Liu, T., Wang, Z., Tai, M., Meng, F., Zhang, J., Wan, Y., Mao, P. dan Dong, X., 2016. Extracellular miRNA-21 as a novel biomarker in glioma: Evidence from meta-analysis, clinical validation and experimental investigations. *Oncotarget*, 7(23):33994.
- Rasmussen, B.K., Hansen, S., Laursen, R.J., Kosteljanetz, M., Schultz, H., Nørgård, B.M., Guldberg, R. dan Gradel, K.O., 2017. Epidemiology of glioma: Clinical characteristics, symptoms, and predictors of glioma patients grade I-IV in the the Danish Neuro-Oncology Registry. *Journal of Neuro-oncology*, 135(3): 571-579.
- Russo, M., Villani, V., Taga, A., Genovese, A., Terrenato, I., Manzoni, G.C., Servadei, F., Torelli, P. dan Pace, A., 2018. Headache as a presenting symptom of glioma: a cross-sectional study. *Cephalalgia*, 38(4): 730-735.
- Sanai, N., Alvarez-Buylla, A. dan Berger, M.S., 2005. Neural stem cells and the origin of gliomas. *New England Journal of Medicine*, 353(8): 811-822.
- Santangelo, A., Imbrucè, P., Gardenghi, B., Belli, L., Agushi, R., Tamanini, A., Munari, S., Bossi, A.M., Scambi, I., Benati, D. dan Mariotti, R., 2018. A microRNA signature from serum exosomes of patients with glioma as complementary diagnostic biomarker. *Journal of neuro-oncology*, 136(1): 51-62.
- Sastroasmoro, S. dan Ismael, S. 2011. *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto.
- Sakha, S., Muramatsu, T., Ueda, K. dan Inazawa, J., 2016. Exosomal microRNA miR-1246 induces cell motility and invasion through the regulation of DENND2D in oral squamous cell carcinoma. *Sci. Rep.* 6(1): 1-11.

- Schwartzbaum, J.A., Fisher, J.L., Aldape, K.D. dan Wrensch, M., 2006. Epidemiology and molecular pathology of glioma. *Nat. Clin. Prac. Neurol.* 2(9): 494-503.
- Sekar, D., Venugopal, B., Sekar, P. dan Ramalingam, K., 2016. Role of microRNA 21 in diabetes and associated/related diseases. *Gene.* 582(1): 14-18.
- Seliger, C., Ricci, C., Meier, C.R., Bodmer, M., Jick, S.S., Bogdahn, U., Hau, P. dan Leitzmann, M.F., 2015. Diabetes, use of antidiabetic drugs, and the risk of glioma. *Neuro-oncology.* 18(3): 340-349.
- Shao, C., Tang, H., Wang, X., He, J., Wang, P. dan Wu, N., 2022. Body mass index and glioma risk: A prospective multicenter study. *Frontiers in endocrinology*, 13.
- Shi, R., Wang, P.Y., Li, X.Y., Chen, J.X., Li, Y., Zhang, X.Z., Zhang, C.G., Jiang, T., Li, W.B., Ding, W. dan Cheng, S.J., 2015. Exosomal levels of miRNA-21 from cerebrospinal fluids associated with poor prognosis and tumor recurrence of glioma patients. *Oncotarget.* 6(29): 26971.
- Singh, H., Maurya, V. dan Gill, S.S., 2002. Computerised tomography features in gliomas. *Med. J. Armed Forces India*, 58(3): 221-225.
- Singh, D., Chan, J.M., Zoppoli, P., Niola, F., Sullivan, R., Castano, A., Liu, E.M., Reichel, J., Porrati, P., Pellegatta, S. dan Qiu, K., 2012. Transforming fusions of FGFR and TACC genes in human glioblastoma. *Sci.* 337(6099): 1231-1235.
- Singh, S., Deora, H., Neyaz, A., Das, K.K., Mehrotra, A., Srivastava, A.K., Behari, S., Jaiswal, A.K. dan Jaiswal, S., 2021. Trends in clinico-epidemiology profile of surgically operated glioma patients in a tertiary care center over 12 years—through the looking glass! *Egyptian Journal of Neurosurgery*, 36(1): 1-8.
- Stupp, R., Mason, W.P., Van Den Bent, M.J., Weller, M., Fisher, B., Taphoorn, M.J., Belanger, K., Brandes, A.A., Marosi, C., Bogdahn, U. dan Curschmann, J., 2005. Radiotherapy plus concomitant and adjuvant temozolomide for glioblastoma. *N Engl J Med.* 352(10): 987-996.
- Sun, X., Ma, X., Wang, J., Zhao, Y., Wang, Y., Bihl, J.C., Chen, Y. dan Jiang, C., 2017. Glioma stem cells-derived exosomes promote the angiogenic ability of endothelial cells through miR-21/VEGF signal. *Oncotarget.* 8(22): 36137.
- Szylberg, M., Sokal, P., Śledzińska, P., Bebyn, M., Krajewski, S., Szylberg, Ł., Szylberg, A., Szylberg, T., Krystkiewicz, K., Birski, M. and Harat, M., 2022. MGMT Promoter Methylation as a Prognostic Factor in Primary Glioblastoma: A Single-Institution Observational Study. *Biomedicines*, 10(8): 2030.
- Teplyuk, N.M., Mollenhauer, B., Gabriely, G., Giese, A., Kim, E., Smolsky, M., Kim, R.Y., Saria, M.G., Pastorino, S., Kesari, S. dan Krichevsky, A.M., 2012. MicroRNAs in cerebrospinal fluid identify glioblastoma and metastatic brain cancers and reflect disease activity. *Neuro-oncology.* 14(6): 689-700.

- Ullrich, R.T., Kracht, L.W. dan Jacobs, A.H., 2008, September. Neuroimaging in patients with gliomas. In *Seminars in neurology* (Vol. 28, No. 04, pp. 484-494). © Thieme Medical Publishers.
- Uno, M., Oba-Shinjo, S.M., Camargo, A.A., Moura, R.P., de Aguiar, P.H., Cabrera, H.N., Begnami, M., Rosemberg, S., Teixeira, M.J. and Marie, S.K.N., 2011. Correlation of MGMT promoter methylation status with gene and protein expression levels in glioblastoma. *Clinics*, 66(10): 1747-1755.
- Van der Vos, K.E., Abels, E.R., Zhang, X., Lai, C., Carrizosa, E., Oakley, D., Prabhakar, S., Mardini, O., Crommentuijn, M.H., Skog, J. dan Krichevsky, A.M., 2015. Directly visualized glioblastoma-derived extracellular vesicles transfer RNA to microglia/macrophages in the brain. *Neuro-oncology*. 18(1): 58-69.
- Vasudevan, S. dan Steitz, J.A., 2007. AU-rich-element-mediated upregulation of translation by FXR1 and Argonaute 2. *Cell*. 128(6): 1105-1118.
- Visani, M., De Biase, D., Marucci, G., Cerasoli, S., Nigrisoli, E., Reggiani, M.L.B., Albani, F., Baruzzi, A., Pession, A. and PERNO Study Group, 2014. Expression of 19 microRNAs in glioblastoma and comparison with other brain neoplasia of grades I–III. *Mol. Oncol.* 8(2): 417-430.
- Wang, Q., Li, P., Li, A., Jiang, W., Wang, H., Wang, J. dan Xie, K., 2012. Plasma specific miRNAs as predictive biomarkers for diagnosis and prognosis of glioma. *J. Exp. Clin. Cancer Res.* 31(1): 1-10.
- Wang, Z.F., Liao, F., Wu, H. dan Dai, J., 2019. Glioma stem cells-derived exosomal miR-26a promotes angiogenesis of microvessel endothelial cells in glioma. *J. Exp. Clin. Cancer Res.* 38(1): 1-15.
- Wei, F., Ma, C., Zhou, T., Dong, X., Luo, Q., Geng, L., Ding, L., Zhang, Y., Zhang, L., Li, N. dan Li, Y., 2017. Exosomes derived from gemcitabine-resistant cells transfer malignant phenotypic traits via delivery of miRNA-222-3p. *Mol. Cancer*. 16(1): 1-14.
- Wickramasinghe, N.S., Manavalan, T.T., Dougherty, S.M., Riggs, K.A., Li, Y. dan Klinge, C.M., 2009. Estradiol downregulates miR-21 expression and increases miR-21 target gene expression in MCF-7 breast cancer cells. *Nucleic Acid. Res.* 37(8): 2584-2595.
- Yang, C.H., Yue, J., Pfeffer, S.R., Fan, M., Paulus, E., Hosni-Ahmed, A., Sims, M., Qayyum, S., Davidoff, A.M., Handorf, C.R. dan Pfeffer, L.M., 2014. MicroRNA-21 promotes glioblastoma tumorigenesis by down-regulating insulin-like growth factor-binding protein-3 (IGFBP3). *Journal of biological chemistry*, 289(36): 25079-25087.
- Yang, J.K., Yang, J.P., Tong, J., Jing, S.Y., Fan, B., Wang, F., Sun, G.Z. dan Jiao, B.H., 2017. Exosomal miR-221 targets DNMT3 to induce tumor progression and temozolomide resistance in glioma. *J. Neuro-Oncology*. 131(2): 255-265.
- Yang, L., Wang, B., Zhou, Q., Wang, Y., Liu, X., Liu, Z. dan Zhan, Z., 2018. MicroRNA-21 prevents excessive inflammation and cardiac dysfunction after myocardial infarction through targeting KBTBD7. *Cell Death Dis.* 9(7): 1-14.

- Yue, X., Lan, F. dan Xia, T., 2019. Hypoxic glioma cell-secreted exosomal miR-301a activates Wnt/ β -catenin signaling and promotes radiation resistance by targeting TCEAL7. *Mol. Ther.* 27(11): 1939-1949.
- Zhao, J., Ma, W. dan Zhao, H., 2014. Loss of heterozygosity 1p/19q and survival in glioma: a meta-analysis. *Neurooncol.* 16(1): 103-112.
- Zhao, M., Xu, J., Zhong, S., Liu, Y., Xiao, H., Geng, L. dan Liu, H., 2019. Expression profiles and potential functions of circular RNAs in extracellular vesicles isolated from radioresistant glioma cells. *Oncol. Rep.* 41(3): 1893-1900.
- Zhao, X., Xiao, Z., Li, B., Li, H., Yang, B., Li, T. dan Mei, Z., 2021. miRNA-21 may serve as a promising noninvasive marker of glioma with a high diagnostic performance: a pooled analysis of 997 patients. *Therapeutic advances in medical oncology*, 13: 1758835920987650.
- Zhou, Q., Liu, J., Quan, J., Liu, W., Tan, H. dan Li, W., 2018. MicroRNAs as potential biomarkers for the diagnosis of glioma: A systematic review and meta-analysis. *Cancer Sci.* 109(9): 2651-2659.
- Zhou, W., Fong, M.Y., Min, Y., Somlo, G., Liu, L., Palomares, M.R., Yu, Y., Chow, A., O'Connor, S.T.F., Chin, A.R. dan Yen, Y., 2014. Cancer-secreted miR-105 destroys vascular endothelial barriers to promote metastasis. *Cancer Cell.* 25(4): 501-515.
- Zhu, J.J., Liu, Y.F., Zhang, Y.P., Zhao, C.R., Yao, W.J., Li, Y.S., Wang, K.C., Huang, T.S., Pang, W., Wang, X.F. dan Wang, X., 2017. VAMP3 and SNAP23 mediate the disturbed flow-induced endothelial microRNA secretion and smooth muscle hyperplasia. *Proc. Nat. Aca. Sci. USA.* 114(31): 8271-8276