

DAFTAR PUSTAKA

- Adams HP. 2002. Emergency use of Anticoagulation for Treatment of Patients with Acute Ischemic Stroke. *Stroke*. 33:856-861
- Adams HP, Adams RJ, Brott T, *et.al.* 2003. Guidelines for the early management of patients with ischemic stroke: A scientific statement from the Stroke Council of the American Stroke Association. *Stroke* 34:1956-1083
- Adams HP, Bendixen BH, Kapelle LJ, *et.al.* 1993. Classification of Subtype of Acute Ischemic Stroke. *Stroke* 24(1):35-41
- Adams R, Albers G, Alberts MJ, *et.al.* 2008. American Heart Association; American Stroke Association Council on Stroke; Council on Cardiovascular Radiology and Intervention; American Academy of Neurology: Update to the AHA/ASA Recommendations for the prevention of stroke in patients with stroke and transient ischemic attack. *Stroke* 39:1647-1652
- Alkhachroum AM, Miller B, Chami T, *et.al.* A troponin study on patients with ischemic stroke, intracerebral hemorrhage and subarachnoid hemorrhage: Type II myocardial infarction is significantly associated with stroke severity, discharge disposition and mortality. *Journal of Clinical Neuroscience* 64 (2019) 83–88
- Amarencu P, Labreuche J, dan Touboul PJ. High-density lipoprotein-cholesterol and risk of stroke and carotid atherosclerosis: A systematic review. *Atherosclerosis* 196 (2008) 489–496
- Armaro P, Martin-Baranera M, Ceresuela LM, *et.al.* Blood pressure in the initial phase of acute ischaemic stroke: Evolution and its role as an independent prognosis factor at discharge and after 3 months of follow-up. *Blood Pressure*. 2008; 17: 284–290
- Artanti K, Martini S, Widati S, *et.al.* Risk Factor based on the Type of Stroke at RSUD Soetomo, Surabaya, Indonesia. *Indian Journal of Forensic Medicine & Toxicology*, 1379, 14(1)
- Auffray C, Sieweke MH, dan Giessmann F. 2009. Blood monocytes: development, heterogeneity, and relationship with dendritic cells. *Annu Rev Immunol* 27:669-692
- Balta, S., Celik, T., Ozturk, C., *et.al.* 2016. The relation between monocyte to HDL ratio and no-reflow phenomenon in the patients with acute ST-segment elevation myocardial infarction. *American Journal of Emergency Medicine*, 34(8), 1542–1547
- Bandera E. 2006. Cerebral Blood Flow Treshold of Ischemic Penumbra and Infarct Core in Acute Ischemic Stroke. *Stroke* 37:1334-1339
- Bang OY. 2014. Intracranial Atherosclerosis: Current understanding and perspectives. *Journal of Stroke* 16(1):27-35
- Barone FC, Tuma RF, Legos JL, *et.al.* 2002. *Brain Inflammation, Cytokines, and p38 MAP Kinase Signaling in Stroke in Lin RCS: New Concept in Cerebral Ischemia*. Boca Raton: CRC Press
- Barter PJ, Nicholls S, Rye KA, *et.al.* 2015. Antiinflammatory Properties of HDL. *Circ Res* 95:764-772

- Bolayir A, Gokce S, Cigdem B, *et.al.* 2018. Monocyte/high-density lipoprotein ratio predicts the mortality in ischemic stroke patients. *Neurologia i Neurochirurgia Polska* 52(2):150-155
- Brown MM, Markus H, dan Oppenheimer S. 2006. *Textbook of Stroke Medicine*. Boca Raton: CRC Press
- Budiyanto, A K. 2002. *Gizi dan Kesehatan*. Malang. Bayu Media UMM Press
- Charla E, Mercer J, Maffia P, *et.al.* 2020. Extracellular vesicle signalling in atherosclerosis. *Cellular Signalling* 75:109751
- Choi H, Nam HS, Han E. Body mass index and clinical outcomes in patients after ischaemic stroke in South Korea: a retrospective cohort study. *BMJ Open* 2019;9:e028880.
- Connor JA dan Shuttleworth CWR. 2002. *Intracellular Ca²⁺ signals underlying rapid and delayed excitotoxicity in mature CNS in Rick, CSL. New Concept in Cerebral Ischemia*. Boca Raton: CRC Press
- Dahlan, S. 2013. *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. Jakarta: Salemba Medika.
- Dirnagl U, Iadecola C, dan Moskowitz MA. 1999. Pathobiology of ischemic stroke: an integrated view. *Trends Neurosci* 22(9):391-397
- Dulli DA, Stanko H, dan Levine RL. Atrial Fibrillation Is Associated with Severe Acute Ischemic Stroke. *Neuroepidemiology* 2003;22:118-123
- ElAli A dan LeBlanc N. 2016. The Role of Monocytes in Ischemic Stroke Pathobiology: New Avenues to Explore. *Front Aging Neurosci* 8:29
- Fagan SC, Hess DC, Hohnadel EJ, *et.al.* Targets for vascular protection after acute ischemic stroke. *Stroke* 35(9):2220-2225
- Faizin, Irawan B, dan Hariawan H. 2020. Association between monocyte-high density lipoprotein ratio (MHR) and severity level of lower extremity artery disease (LEAD). *Journal of The Medical Sciences (Berkala Ilmu Kedokteran)* 54(4)
- Ganjali S, Gotto A, Ruscica M, *et.al.* 2018. Monocyte-to-HDL-cholesterol ratio as a prognostic marker in cardiovascular diseases. *Journal of Cellular Physiology* 233(12):9237-9246
- Garcia-Bonilla L, Faraco G, Moore J, *et.al.* 2016. Spatiotemporal profile, phenotypic diversity, and fate of recruited monocytes into the post-ischemic brain. *J Neuroinflammation* 13(1):285
- Gliem M, Mausberg AK, Lee JI, *et.al.* 2012. Macrophages prevent hemorrhagic infarct transformation in murine stroke models. *Ann Neurol* 71(6):743-752
- Gofir A. 2011. *Manajemen Stroke: Evidence Based Medicine*. Yogyakarta: Pustaka Cendekia Press
- Gomes J dan Wachsman AM. 2013. *Types of Strokes in Handbook of Clinical Nutrition and Stroke*. New York: Humana Press
- Gordon T, Castelli WP, Hjortland MC, *et.al.* 1977. High Density Lipoprotein as a Protective Factor Against Coronary Heart Disease: The Framingham Study. *American Journal of Medicine* 62:707-&14
- Gusev E, dan Skvortsova I. 2003. *Brain Ischemia*. New York: Kluwer Academic/Plenum Publisher.

- Han D, Liu H, dan Gao Y. 2020. The role of peripheral monocytes and macrophages in ischemic stroke. *Neurological Sciences* 41(12):3589-3607
- Hastuti M., Wibowo S, Setyopranoto I. 2014. Hubungan antara kadar Zink (Zn) serum dengan defisit neurologis pada pasien stroke iskemik akut. Laporan hasil penelitian. Program Pendidikan Dokter Spesialis FK UGM: Yogyakarta
- Hao W dan Friedman A. 2014. The LDL-HDL profile determines the risk of atherosclerosis: A mathematical model. *PLoS ONE*: 9(3)
- Huang P. 2009. A comprehensive definition for metabolic syndrome. *DMM Disease Models and Mechanism*, 2(5-6), 231-237, 2(5-6)
- Jin R, Liu L, Zhang S, et.al. 2013. Role of inflammation and its mediators in acute ischemic stroke. *J Cardiovasc Transl Res* 6(5):834-851
- Johnson W, Onuma O, Owolabi M, et.al. 2016. Stroke: a global response is needed. *Bulletin of the World Health Organization*. 634A-635A, 94(9)
- Kaito M, Araya SI, Gondo Y, et.al. 2013. Relevance of Distinct Monocyte Subsets to Clinical Course of Ischemic Stroke Patients. *PLoS ONE* 8(8):e69409
- Kalafut MA dan Saver JL. 2000. *The Acute Stroke Patient: The first six hours in Cohen, S.N. Management of Ischemic Stroke*. New York: McGraw Hill
- Kanbay M, Solak Y, Unal HU, et.al. 2014. Monocyte count/HDL cholesterol ratio and cardiovascular events in patients with chronic kidney disease. *Int Urol Nephrol* 46(8):1619-1625
- Karataş MB., Çanga Y., Özcan KS., et.al. 2016. Monocyte to high-density lipoprotein ratio as a new prognostic marker in patients with STEMI undergoing primary percutaneous coronary intervention. *American Journal of Emergency Medicine*, 34(2), 240–244.
- Katsanos AH, Parissis J, Frogoudaki A, et.al. Heart failure and the risk of ischemic stroke recurrence: a systematic review and meta-analysis. *Journal of the Neurological Sciences* (16)30055-7
- Kementerian Kesehatan RI. 2018. Laporan Nasional Riskesdas 2018.
- Koseoglu HI, Pazarli AC, Kanbay A, et.al. Monocyte Count/HDL Cholesterol Ratio and Cardiovascular Disease in Patients With Obstructive Sleep Apnea Syndrome: A Multicenter Study. *Clinical and Applied Thrombosis/Hemostasis* 2016:1-6
- Lau KK, Chua BJ, Ng A, et.al. Low-Density Lipoprotein Cholesterol and Risk of Recurrent Vascular Events in Chinese Patients with Ischemic Stroke With and Without Significant Atherosclerosis. *J Am Heart Assoc* 2021;10:e021855
- Liu H, Liu K, Pei L, et.al. 2020. Monocyte-to-high-density lipoprotein ratio predicts the outcome of acute ischemic stroke. *Journal of Atherosclerosis and Thrombosis* 27(9):959-968
- Liu H, Zhan F, dan Wang Y. 2020. Evaluation of monocyte-to-high-density lipoprotein cholesterol ratio and monocyte-to-lymphocyte ratio in ischemic stroke. *Journal of International Medical Research* 48(7):1-12
- Mianoki A, Gofir A, dan Nuradyo D. 2019. Korelasi antara indeks aterogenik plasma dengan derajat defisit neurologis pasien stroke iskemia akut. *Berkala NeuroSains* 18(3)

- Mineo C, Deguchi H, Griffin JH, *et.al.* 2006. Endothelial and Antithrombotic Actions of HDL. *Circ Res* 98:1352-1364
- Mottillo S, Filion, KB, Genest J, *et.al.* 2010. The metabolic syndrome and cardiovascular risk: A systematic review and meta-analysis. *Journal of the American College of Cardiology*, 56(14), 1113–1132
- Murray PJ dan Wynn TA. 2011. Protective and pathogenic functions pf macrophage subsets. *Nat Rev Immunol* 11(11):723-737
- Olsen TS, Christensen RHB, Kammergaard LP, *et.al.* Higher Total Serum Cholesterol Levels Are Associated with Less Severe Strokes and Lower All-Cause Mortality: Ten-Year Follow-Up of Ischemic Strokes in the Copenhagen Stroke Study. *Stroke*. 2007; 38:2646-2651
- Ossoli A, Pavanello C, dan Calabresi L. 2016. High-Density Lipoprotein, Lecithin: Cholesterol Acyltransferase, and Atherosclerosis. *Endocrinol Metab (Seoul)* 31(2):223-9
- Putala J, Liebkind R, Gordin D, *et.al.* Diabetes mellitus and ischemic stroke in the young: Clinical features and long-term prognosis. *Neurology* 2011;76:1831–1837
- Rock KL, Latz E, Ontiveros F, *et.al.* 2010. The sterile inflammatory response. *Annu Rev Immunol* 28:321-342
- Ruscica M, Baragetti A, Catapano AL, *et.al.* 2017. Translating the biology of adipokines in atherosclerosis and cardiovascular diseases: Gaps and open questions. *Nutrition, Metabolism, and Cardiovascular Diseases*, 27(5), 379–395.
- Sastroasmoro, S. & Ismael, S. 2011. *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto.
- Shah PK. 2003. Mechanism of plaque vulnerability and rupture. *Journal of the American College of Cardiology* 41(4):18-22
- Shah R, Vyas C, Vora J, *et.al.* 2014. NIHSS Score: A handy tool to predict vascular occlusion in acute ischemic stroke. *NHL Journal of Medical Science* 3(2): 18-22
- Solensky NJ. 2004. Transient ischemic attacks: Part I Diagnosis and Evaluation. *American Family Physician* 69:1666-1674
- Tietge U. 2014. Hyperlipidemia and cardiovascular disease: Inflammation, dyslipidemia, and atherosclerosis. *Current Opinion in Lipidology* 25(1):94-95
- Tziomalos K, Athyros VG, Karagiannis A, *et.al.* 2009. Dyslipidemia as a Risk Factor for Ischemic Stroke. *Current Topics in Medical Chemistry* 9:1291-1297
- Uslu AU, Sekin Y, Tarhan G, *et.al.* 2018. Evaluation of monocyte to high-density lipoprotein cholesterol ratio in the presence and severity of metabolic syndrome. *Clinical and Applied Thrombosis/Hemostasis*, 24(5), 828–833.
- Vahit D, Mehmet KA, Samet Y, *et.al.* 2017. Assessment of monocyte to high density lipoprotein cholesterol ratio and lymphocyte- to-monocyte ratio in patients with metabolic syndrome. *Biomarkers in Medicine*, 11(7), 535–540

- Wang H, Shi W, Yi X, *et.al.* 2019. Assessing the performance of monocyte to high-density lipoprotein ratio for predicting ischemic stroke: Insights from a population-based Chinese cohort. *Lipids in Health and Disease*
- Wei X, Che F, Huang J, *et.al.* 2017. Novel risk biomarker for infective endocarditis patients with normal left ventricular ejection fraction—Monocyte to high-density lipoprotein cholesterol ratio. *Circulation Journal*, 82, 283–288
- Westendorp WF, Nederkoorn PJ, Vermeij JD. Post-stroke infection: A systematic review and meta-analysis. *BMC Neurol* 2011;11:110
- You S, Zhong C, Zheng D, *et.al.* Monocyte to HDL cholesterol ratio is associated with discharge and 3-month outcome in patients with acute intracerebral hemorrhage. *Journal of the Neurological Sciences* 372 (2017) 157–161
- Zhao L, Du W, Zao W, *et.al.* 2013. Favorable Functional Recovery in Overweight Ischemic Stroke Survivors: Findings from the China National Stroke Registry. *Journal of Stroke and Cerebrovascular Diseases* 23(3): e201-e206