

DAFTAR PUSTAKA

- Abraira, L., Toledo, M., Guzman, L. *et al.*, 2019. "Long-term epilepsy after early post-stroke status epilepticus," *Seizure*, vol. 69, pp. 193–197.
- Afsar, N., Kaya, D., Aktan, S., and Aykut-Bingol, C. 2003. "Stroke and status epilepticus: stroke type, type of status epilepticus, and prognosis," *Seizure*, vol. 12, no. 1, pp. 23–27.
- Ahangar, A.A., Hosseinim S., Saghebi, R. 2008. Clinical features of post stroke seizure in Babol, northern Iran. *Neurosciences*.13(1):88–90.
- Aho, K., Harmsen, P., Hatano, S., Marquardsen, J., Smirnov, V.E., Strasser, T. 1980. Cerebrovascular disease in the community: results of a WHO collaborative study. *Bull World Health Organ*, 58:113–130.
- Anadani, A., Lekoubou, A., Almallouhi, E. *et al.*, 2019. "Incidence, predictors, and outcome of early seizures after mechanical thrombectomy," *Journal of the Neurological Sciences*, vol. 396, pp. 235–239.
- Arboix, A., Comes, E., García-Eroles, L., Massons, J.B., Oliveres, M., Balcells, M. 2003. "Prognostic value of very early seizures for in-hospital mortality in atherothrombotic infarction," *European Neurology*, vol. 50, no. 2, pp. 78–84.
- Arboix, A., García-Eroles, L., Massons, J. B., Oliveres, M., and Comes, E. 1997. Predictive factors of early seizures after acute cerebrovascular disease. *Stroke*, 28, 1590–1594. doi: 10.1161/01.str.28.8.1590.
- Arimura, K., Ago, T., Kamouchi, M., Nakamura, K., Ishitsuka, K., Kurodam, J., *et al.*, 2012. Pdgf receptor beta signaling in pericytes following ischemic brain injury. *Curr Neurovasc Res*, 2012;9:1–9.
- Arntz, R., Rutten, J.L., Maaijwee, N., *et al.*, 2014. Post-stroke epilepsy in young adults: a long term follow-up study. *PLoS ONE*, 8:e55498.
- Arntz, R.M., Rutten-Jacobs, L.C., Maaijwee, N.A., *et al.*, 2015. Poststroke epilepsy is associated with a high mortality after a stroke at young age: Follow-up of transient ischemic attack and stroke patients and unelucidated risk factor evaluation study. *Stroke*, 46:2309–11
- Back, T., Ginsberg, M.D., Dietrich, W.D., Watson, B.D. 1996. Induction of spreading depression in the ischemic hemisphere following experimental middle cerebral artery occlusion: effect on infarct morphology. *J Cereb Blood Flow Metab*. 16(2):202–13
- Bamford, J., Sandercock, P., Dennis, M., *et al.*, 1991. Classification and natural history of clinically identifiable subtypes of cerebral infarction. *Lancet*, 337:1521–1526.
- Beghi, E., Carpio, A., Forsgren, L. *et al.*, 2010. Recommendation for a definition of acute symptomatic seizure. *Epilepsia*, 51: 671–675
- Beghi, E., D'Alessandro, R., Beretta, S. *et al.*, 2011. Incidence and predictors of acute symptomatic seizures after stroke. *Neurology*, 77: 1785–1793.
- Belcastro, V., Pierguidi, L., & Tambasco, N. 2011. "Levetiracetam in brain ischemia: clinical implications in neuroprotection and prevention of post-stroke epilepsy," *Brain and Development*, vol. 33, no. 4, pp. 289–293.
- Beleza, P. 2012. Acute symptomatic seizures: a clinically oriented review. *Neurologist*, 18(3):109–19.
- Bladin, C.F., Alexandrov, A.V., Bellavance, A., Bornstein, N., Chambers, B., Coté, R. 2000. Seizures after stroke: a prospective multicenter study. *Arch Neurol*, 57:1617–1622. doi: 10.1001/archneur.57. 11.1617

- Broderick, J., Adams, H.Jr., Barsen, W., *et al.*, 1999. Guidelines for the management of spontaneous intracerebral haemorrhage: a statement for the health care professionals from the special writing group of the Stroke Council, American Heart Association. *Stroke*, 30:905–15.
- Browne, T.R., Holmes, G.L. 2001. Epilepsy. *N Engl J Med*, 344:1145–51.
- Bryndziar, T., Sedova, P., Kramer, N.M., *et al.*, 2016. Seizures following ischemic stroke: Frequency of occurrence and impact on outcome in a long-term population-based study. *J Stroke Cerebrovasc Dis*, 25:150–6.
- Burn, J., Dennis, M., Bamford, J., Sandercock, P., Wade, D., and Warlow, C. 1997. “Epileptic seizures after a first stroke: the Oxfordshire community stroke project,” *BMJ*, vol. 315, no. 7122, pp. 1582–1587.
- Burneo, J.G., Fang, J., Saposnik, G. 2010. Impact of seizures on morbidity and mortality after stroke: a Canadian multi-centre cohort study. *Eur J Neurol*, 17:52–58
- Butzkueven, H., Evans, A.H., Pitman, A. *et al.*, 2000. “Onset seizures independently predict poor outcome after subarachnoid hemorrhage,” *Neurology*, vol. 55, no. 9, pp. 1315–1320.
- Camilo, O., Goldstein, L.B. 2004. Seizures and epilepsy after ischemic stroke. *Stroke*, 35:1769–1775.
- Carrera, E., Michel, P., Despland, P.A., Maeder, I.M., Ruffieux, C., Debatisse, D., Ghika, J., Devuyst, G., Bogousslavsky, J. 2006. Continuous assessment of electrical epileptic activity in acute stroke. *Neurology*, 67(1):99–104.
- Chen, S., Wu, H., Klebe, D., Hong, Y., Zhang, J. 2014. Valproic acid: a new candidate of therapeutic application for the acute central nervous system injuries. *Neurochem. Res*, 39(9), 1621–1633.
- Chen, T.C., Chen, Y.Y., Cheng, P.Y., Lai, C.H. 2012. The incidence rate of post-stroke epilepsy: a 5-year follow-up study in Taiwan. *Epilepsy Res*, 102:188–194. doi:10.1016/j.epilepsyres.2012.06.003
- Cheung, C.M., Tsoi, T.H., Au-Yeung, M., Tang, A.S.Y. 2003. “Epileptic seizure after stroke in Chinese patients,” *Journal of Neurology*, vol. 250, no. 7, pp. 839–843.
- Cheung, C.M., Tsoi, T.H., Au-Yeung, M., *et al.*, 2003. Epileptic seizure after stroke in Chinese patients. *J Neurol*, 250:839–43.,).
- Conrad, J., Pawlowski, M., Dogan, M., Kovac, S., Ritter, M.A., Evers, S. 2013. Seizures after cerebrovascular events: Risk factors and clinical features. *Seizure*.
- Consoli, D., Bosco, D., Postorino, P., *et al.*, 2012. Levetiracetam versus carbamazepine in patients with late poststroke seizures: a multicenter prospective randomized openlabel study (EpIC Project). *Cerebrovasc Dis*, 34: 282–289.
- Costa, C., Martella, G., Picconi, B., Prosperetti, C., Pisani, A., Di Filippo, M., Pisani, F., Bernardi, G., Calabresi, P. 2006. Multiple mechanisms underlying the neuroprotective effects of antiepileptic drugs against *in vitro* ischemia. *Stroke*, 37(5), 1319–1326.
- De Herdt, V., Dumont, F., Hénon, H., *et al.*, 2011. Early seizures in intracerebral hemorrhage: incidence, associated factors, and outcome. *Neurology*, 77:1794–1800. doi:10.1212/WNL.0b013e31823648a6
- De Reuck, J. 2009. Management of stroke-related seizures. *Acta Neurol. Belg*, 109, 271–276.
- Doria, J.W. & Forgacs, P.B. 2019. “Incidence, implications, and management of seizures following ischemic and hemorrhagic stroke,” *Current Neurology and Neuroscience Reports*, vol. 19, no. 7, p. 37.

- Feigin, V.L., Krishnamurthi, R.V., Parmar, P., Norrving, B., Mensah, G.A., Bennett, D.A., *et al*; 2013 Stroke Panel Experts Group. Update on the Global Burden of Ischemic and Hemorrhagic Stroke in 1990-2013: the GBD 2013 study. *Neuroepidemiology*, 2015;45:161-176
- Feyissa, M., Hasan, T.F. and Meschia, J.F. 2019. "Stroke-related epilepsy," *European Journal of Neurology*, vol. 26, no. 1, p. 18.
- Fujikawa, D.G., Itabashi, H.H., Wu, A., Shinmei, S.S. 2000. Status epilepticus-induced neuronal loss in humans without systemic complications or epilepsy. *Epilepsia*, 41:981-91.
- Gean, P.W., Huang, C.C., Hung, C.R., Tsai, J.J. 1994. Valproic acid suppresses the synaptic response mediated by the NMDA receptors in rat amygdalar slices. *Brain Res. Bull*, 33(3), 333-336.
- Gidal, B., Spencer, N., Maly, M., *et al.*, 1994. Valproate-mediated disturbances of hemostasis: relationship to dose and plasma concentration. *Neurology*, 44: 1418-1422)
- Gilad, R. 2012. Management of seizures following a stroke: what are the options? *Drugs Aging*, 29(7):533-8.
- Gilad, R., Lampl, Y., Eschel, Y., Sadeh, M. 2001. Antiepileptic treatment in patients with early postischemic stroke seizures: a retrospective study. *Cerebrovasc Dis*, 12(1):39-43.
- Goldstein, L.B. 1995. Common drugs may influence motor recovery after stroke. The Sygen in acute stroke study investigators. *Neurology*, 45:865-871. [PubMed: 7746398]
- Goswami, R.P., Karmarkar, P.S., Ghosh, A. 2012. Early seizures in first-ever acute stroke patients in India: incidence, predictive factors and impact on early outcome. *Eur J Neurol*, 19:1361-1366.
- Graham, N.S., Crichton, S., Koutroumanidis, M., Wolfe, C.D., Rudd, A.G. 2013. Incidence and associations of poststroke epilepsy: the prospective South London Stroke Register. *Stroke*, 44(3):605-11
- Guo, J., Li, J. 2015. Statin treatment reduces the risk of poststroke seizures. *Neurology*, 85: 701-707.
- Gupta, S.R., Naheedy, M.H., Elias, D., Rubino, F.A. 1988. "Postinfarction seizures. A clinical study," *Stroke*, vol. 19, no. 12, pp. 1477-1481.
- Haapaniemi, E., Strbian, D., Rossi, C. Putaala, J., Sipii, T., Mustanoja, S., *et al.*, 2014. The CAVE score for predicting late seizures after intracerebral hemorrhage. *Stroke*, 45: 1971-1976. doi: 10.1161/strokeaha.114.004686
- Hart, Y.M., Sander, J.W., Johnson, A.L., *et al.*, 1990. National general practice study of epilepsy: recurrence after a first seizure. *Lancet*, 336:1271-4.
- Hemphill, J.C., Greenberg, S.M., Anderson, C.S., *et al.*, 2015. Guidelines for the management of spontaneous intracerebral hemorrhage: A guideline for healthcare professionals from the American Heart Association/ American Stroke Association. *Stroke*, 46:2032-60.
- Herman, S.T. 2002. Epilepsy after brain insult. *Neurology*, 12;59(9 Suppl 5):S21-6.
- Herman, S.T. 2011. Early poststroke seizures: is it time for prospective treatment trials? *Neurology*, 77:1776-1178. doi:10.1212/WNL.0b013e31823b4e73
- Hesdorffer, D.C., Benn, E.K., Cascino, G.D., Hauser, W.A. 2009. Is a first acute symptomatic seizure epilepsy? Mortality and risk for recurrent seizure. *Epilepsia*, 50:1102-8.

- Holtkamp, M., Beghi, E., Benninger, F. *et al.*, 2017. European Stroke Organisation guidelines for the management of post-stroke seizures and epilepsy. *European Stroke Journal*, Vol. 2(2) 103–115
- Hong, K.S., Bang, O.Y., Kang, D.W., Yu, K.H., Bae, H.J., Lee, J.S., Heo, J.H., Kwon, S.U., Oh, C.W., Lee, B.C., *et al.*, 2013. Stroke statistics in Korea: part I. Epidemiology and risk factors: a report from the Korean stroke society and clinical research center for stroke. *J Stroke*, 15(1):2–20
- Huang, C.W., Saposnik, G., Fang, J., Steven, D.A., Burneo, J.G. 2014. Influence of seizures on stroke outcomes: a large multicenter study. *Neurology*, 82(9):768–76.
- Huang, Y.H., Chi, N.F., Kuan, Y.C., *et al.*, 2015. Efficacy of phenytoin, valproic acid, carbamazepine and new antiepileptic drugs on control of late-onset post-stroke epilepsy in Taiwan. *Eur J Neurol*, 22(11):1459–1468.
- Huttunen, J., Kurki, M.I., Vonundzu, F.M., *et al.*, 2015. Epilepsy after aneurysmal subarachnoid hemorrhage: A population-based, long-term follow-up study. *Neurology*, 84: 2229–2237
- Ingeman, A., Andersen, G., Hundborg, H.H. *et al.*, 2011. In-Hospital Medical Complications, Length of Stay, and Mortality Among Stroke Unit Patients. *Stroke*, 42:3214–3218.
- Johannessen, C.U. 2000. Mechanisms of action of valproate: a commentary. *Neurochem. Int*, 37(2-3), 103–110
- Johannessen, C.U., Johannessen, S.I. 2003. Valproate: past, present, and future. *CNS Drug Rev*, 9(2), 199–216.
- Johnell, K. & Fastbom, J. 2011 Antiepileptic drug use in community-dwelling and institutionalized elderly: a nationwide study of over 1,300,000 older people. *Eur J Clin Pharmacol*. 67(10):1069–1075.
- Johnston, K.C., Li, J.Y., Lyden, P.D., Hanson, S.K., Feasby, T.E., Adams, R., Faught, E., Haley, E.C., for the RANTTAS Investigators. 1999. Medical and neurological complications of ischemic stroke: experience from the RANTTAS trial. *Stroke*, 29:447–453
- Jungehulsing, G.J., Heuschmann, P.U., Holtkamp, M., *et al.*, 2013. Incidence and predictors of post-stroke epilepsy. *Acta Neurol Scand*, 127: 427–430.
- Kalpatrick, C.J., Davis, S.M., Tress, B.M. *et al.*, 1990. Epileptic seizures in acute stroke. *Arch Neurol*, 47:157–60.
- Kamp, M.A., Dibue, M., Schneider, T., Steiger, H.J and Hanggi, D. 2012 “Calcium and potassium channels in experimental subarachnoid hemorrhage and transient global ischemia,” *Stroke Research and Treatment*, vol. 2012, Article ID 382146, 8 pages.
- Karhunen, H., Jolkonen, J., Sivenius, J., Pitkanen, A. 2005. Epileptogenesis after experimental focal cerebral ischemia. *Neurochem Res*, 30(12):1529–42.
- Karhunen, H., Jolkonen, J., Sivenius, J., Pitkanen, A. 2005. Epileptogenesis after experimental focal cerebral ischemia. *Neurochem Res*, 30(12):1529–42.
- Keller, L., Hobohm, C., Zeynalova, S., *et al.*, 2015. Does treatment with t-PA increase the risk of developing epilepsy after stroke?, *J Neurol*, 262: 2364–2372.
- Kelly, K.M., Gross, R.A., Macdonald, R.L. 1990. Valproic acid selectively reduces the low-threshold (T) calcium current in rat nodose neurons. *Neurosci. Lett*, 116(1-2), 233–238.
- Kementerian Kesehatan Republik Indonesia. 2021. Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/6485/2021 Tentang Formularium Nasional.

- Kementerian Kesehatan Republik Indonesia. 2019. Laporan Nasional Rikesdas 2018. Jakarta : Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan
- Kim, H.J, Lee, H.W., Cohen, L.G., Park, K.D., Choi, K.G. 2008. Motor cortical excitability in patients with poststroke epilepsy. *Epilepsia*, 49(1):117–24
- Kim, H.J., Park, K.D., Choi, K.G., *et al.*, 2016. Clinical predictors of seizure recurrence after the first post-ischemic stroke seizure. *BMC Neurol*, 16:212 DOI 10.1186/s12883-016-0729-6
- Knake, S 2006. Status epilepticus after stroke is associated with increased long-term case fatality. *Epilepsia*, 47, 2020–2026, <https://doi.org/10.1111/j.1528-1167.2006.00845.x>.
- Koubeissi, M. 2015. Seizures worsen stroke outcome: new evidence from a large sample. *Epilepsy Curr*, 15:30–1.
- Krakow, K. 2010. Predictors of acute poststroke seizures. *Cerebrovasc. Dis*, 30, 584–589, <https://doi.org/10.1159/000319777>.
- Kwan, J. & Wood, E. 2010. “Antiepileptic drugs for the primary and secondary prevention of seizures after stroke,” *Cochrane Database of Systematic Reviews*, vol. 24, no. 1.
- Kwon, S.Y., Obeidat, A.Z., Sekar, P. *et al.*, 2020. Risk Factors for Seizures after Intracerebral Hemorrhage: Ethnic/ Racial Variations of Intracerebral Hemorrhage (ERICH) Study. *Clin Neurol Neurosurg*.
- Labovitz, D.L., Hauser, W.A., Sacco, R.L. 2001. Prevalence and predictors of early seizure and status epilepticus after first stroke. *Neurology*, 57: 200–206.
- Laccheo, I., Ablah, E., Heinrichs, R., *et al.*, 2008. Assessment of quality of life among the elderly with epilepsy. *Epilepsy Behav*, 12:257–61.
- Lahti, A.M., Saloheimo, P., Huhtakangas, J. *et al.*, 2017. “Poststroke epilepsy in long-term survivors of primary intracerebral hemorrhage,” *Neurology*, vol. 88, no. 23, pp. 2169–2175.
- Lai, T. W., Zhang, S., and Wang, Y. T. (2014). Excitotoxicity and stroke: identifying novel targets for neuroprotection. *Prog. Neurobiol.* 115, 157–188. doi: 10.1016/j.pneurobio.2013.11.006
- Lamy, C., Domigo, V., Semah, F. 2003. Early and late seizures after cryptogenic stroke in young adults. *Neurology*, 60:400–404.
- Langhorne, P., Stott, D.J., Robertson, L. *et al.*, 2000. Medical Complications After Stroke A Multicenter Study. *American Heart Association*
- Lees, A. 2010. Retrospective study of seizure-related injuries in older people: a 10- year observation. *Epilepsy Behav*, 19(3):441–4.
- Leung, T. *et al.* 2017. The prognosis of acute symptomatic seizures after ischaemic stroke. *J Neurol Neurosurg Psychiatry*, 88, 86–94
- Liao, H.C., Chen, S.H., Yang, C.D. *et al.*, 2019. Clinical Profile and Outcomes of Early Seizures in Asian Patients With Acute Intracerebral Hemorrhage. *Journal of Acute Medicine*, 9(4): 172-177, 2019 DOI:10.6705/j.jacme.201912_9(4).0003.
- Lin, R., Yu, Y., Wang, Y. 2021. Risk of Post-stroke Epilepsy Following Stroke-Associated Acute Symptomatic Seizures. *Frontiers in Aging Neuroscience*, volume 13 : Article 707732
- Lo, Y.K., Yiu, C.H., Hu, H.H., Su, M.S., Laeuchli, S.C. 1994. Frequency and characteristics of early seizures in Chinese acute stroke. *Acta Neurol Scand*, 90(2):83-5
- Löscher, W. 2002. Basic pharmacology of valproate: a review after 35 years of clinical use for the treatment of epilepsy. *CNS Drugs*, 16(10), 669-694.

- Löschner, W. 2011. Critical review of current animal models of seizures and epilepsy used in the discovery and development of new antiepileptic drugs. *Seizure*, 20(5), 359-368.
- Marigold, R., Gunther, A., Tiwari, D., *et al.*, 2013. Antiepileptic drugs for the primary and secondary prevention of seizures after subarachnoid haemorrhage. *Cochrane Database Syst Rev*, CD008710.
- Marrero, C., Diez, E., Ivanez, V., *et al.*, 1998. Early and late epileptic crisis following cerebral hemisphere ischemia. *Rev Neurol*, 27:676-81
- Marson, A., Jacoby, A., Johnson, A., Kim, L., Gamble, C., Chadwick, D. 2005. Immediate versus deferred antiepileptic drug treatment for early epilepsy and single seizures: a randomised controlled trial. *Lancet*, 365(9476):2007-13.
- Masuch, A., Shieh, C.H., van Rooijen, N., van Calker, D., Biber, K. 2016. Mechanism of microglia neuroprotection: Involvement of P2X7, TNF α , and valproic acid. *Glia*, 64(1), 76-89.
- Matsubara, S., Tanaka, T., Tomari, S. *et al.*, 2020. Statin treatment can reduce incidence of early seizure in acute ischemic stroke: A propensity score analysis. *Scientific Reports*, (2020) 10:1968
- Meador, K.J., Gevins, A., Loring, D.W., *et al.*, 2007. Neuropsychological and neurophysiologic effects of carbamazepine and levetiracetam. *Neurology*. 69:2076-2084
- Mintzer, S., Trinka, E., Kraemer, G., Chervoneva, I., & Werhahn, K. J. 2018. Impact of carbamazepine, lamotrigine, and levetiracetam on vascular risk markers and lipid-lowering agents in the elderly. *Epilepsia*, 59(10), 1899-1907
- Myint, P.K., Staufenberg, E.F.A., Sabanathan, K. 2006. Post-stroke seizure and post-stroke epilepsy. *Postgrad Med*, 82:568-572. doi: 10.1136/pgmj.2005.041426.
- Naidech, A.M., Beaumont, J., Muldoon, K., *et al.*, 2018. Prophylactic seizure medication and health-related quality of life after intracerebral hemorrhage. *Crit Care Med*, 46:1480-1485
- Naidech, A.M., Garg, R.K., Liebling, S., *et al.*, 2009. Anticonvulsant use and outcomes after intracerebral hemorrhage. *Stroke*, 40: 3810-3815.
- Naidech, M., Kreiter, K.T., Janjua, N., *et al.*, 2005. "Phenytoin exposure is associated with functional and cognitive disability after subarachnoid hemorrhage," *Stroke*, vol. 36, no. 3, pp. 583- 587.
- Neshige, S., Kuriyama, M., Yoshimoto, T., Takeshima, S., Himeno, T., Takamatsu, K., *et al.*, 2015. Seizures after intracerebral hemorrhage; risk factor, recurrence, efficacy of antiepileptic drug. *J Neurol Sci*, 359:318-22.
- Noebels, J. 2015. "Pathway-driven discovery of epilepsy genes," *Nature Neuroscience*, vol. 18, no. 3, pp. 344-350.
- Okuda, S., Takano, S., Ueno, M., Hamaguchi, H., Kanda, F. 2012. Clinical features of late-onset poststroke seizures. *J Stroke Cerebrovasc Dis*, 21(7): 583-586.
- Olsen, T.S. 2001. Post-stroke epilepsy. *Curr Atheroscler Rep*. 3:340-344. [PubMed: 11389801]
- Oros, M.M., Smolanka, V.I., Sofilkanich, N.V., Borovik, O.I., Luts, V.V., Andruk, P.G. 2018. Epilepsy after ischemic stroke: is it worth administering anticonvulsants after the first attack? *Wiad Lek*. 71(2 Pt 1): 269-272.
- Packiaseli, C.R., Radha, M., Bobby, E. *et al.*, 2017. Recurrent Seizures in Stroke and Anatomical Correlation: A Prospective Study. *International Journal of Scientific Study*, Vol 5; Issue 2

- Pande S.D., Lwin, M.T., Kyaw, K.M. *et al.*, Post-stroke seizure—Do the locations, types and managements of stroke matter?. *Epilepsia Open*, 3(3):392–398, 2018 doi: 10.1002/epi4.12249
- Passero, R., Rocchi, R., Rossi, S., Ulivelli, M., and Vatti, G. 2002. “Seizures after spontaneous supratentorial intracerebral hemorrhage,” *Epilepsia*, vol. 43, no. 10, pp. 1175–1180.
- Perucca, E. 2002. Pharmacological and therapeutic properties of valproate: a summary after 35 years of clinical experience. *CNS Drugs*, 16(10), 695-714.
- Perucca, E. 2006. Clinically relevant drug interactions with antiepileptic drugs. *Br J Clin Pharmacol*, 2006;61:246-255
- Perucca, E., Meador, K.J. 2005. Adverse effects of antiepileptic drugs. *Acta Neurol Scand Suppl*, 2005;181:30-35.
- Perucca, P., Carter, J., Vahle, V., Gilliam, F.G. 2009. Adverse antiepileptic drug effects: toward a clinically and neurobiologically relevant taxonomy. *Neurology*. 2009;72:1223-1229.
- Peterson, G.M., Naunton, M. 2005. Valproate: a simple chemical with so much to offer. *J. Clin. Pharm. Ther*, 30(5), 417-421.
- Petrides, G., Braga, R.J., Fink, M., Mueller, M., Knapp, R., Husain, M., Rummans, T., Bailine, S., Malur, C., O'Connor, K. 2009. Seizure threshold in a large sample: implications for stimulus dosing strategies in bilateral electroconvulsive therapy: a report from CORE. *J ECT*, 25(4):232–7.
- Picascia, A., Grimaldi, V., Iannone, C., Soricelli, A., Napoli, C. 2015. Innate and adaptive immune response in stroke: Focus on epigenetic regulation. *J. Neuroimmunol*, 289, 111-120.
- Pitkänen, A., Roivainen, R. & Lukasiuk, K. 2016. Development of epilepsy after ischaemic stroke. *Lancet Neurol*, 15, 185–197.
- Pohlmann-Eden, B., Marson, A. G., Noack-Rink, M., Ramirez, F., Tofighy, A., Werhahn, K. J., Wild, I., & Trinka, E. 2016. Comparative effectiveness of levetiracetam, valproate and carbamazepine among elderly patients with newly diagnosed epilepsy: Subgroup analysis of the randomized, unblinded KOMET study. *BMC Neurology*
- Powers, W. J. 2018. American Heart Association Stroke Council. 2018 Guidelines for the Early Management of Patients With Acute Ischemic Stroke: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke*, 49, e46–e110 (2018).
- Procaccianti, G., Zaniboni, A., Rondelli, F., Crisci, M., Sacquegna, T. 2012. Seizures in acute stroke: incidence, risk factors and prognosis. *Neuroepidemiology*, 39:45-50. doi:10.1159/000338374
- Pugh, M.J., Knoefel, J.E., Mortensen, E.M., Amuan, M.E., Berlowitz, D.R., Van Cott, A.C. 2009. New-onset epilepsy risk factors in older veterans. *J Am Geriatr Soc*. 57(2):237–242.
- Pugh, M.J., Van Cott, A.C., Cramer, J.A., *et al.*, 2008. Trends in antiepileptic drug prescribing for older patients with new-onset epilepsy: 2000–2004. *Neurology*. 70(22 Pt 2):2171–2178.
- Qian, C., Löppönen, P., Tetri, S., *et al.*, 2014. Immediate, early and late seizures after primary intracerebral hemorrhage. *Epilepsy Res*, 108:732–9.
- Qureshi, A., Tuhim, S., Broderick, J., *et al.*, 2001. Spontaneous intracerebral haemorrhage. *N Engl J Med*, 344:1450–60.

- Keith, J., Jorgensen, H.S., Nakayama, H., Raaschou, H.O. 1997. Olsen TS. Seizures in acute stroke: predictors and prognostic significance. The Copenhagen Stroke Study. *Stroke*,28(8):1585–9.
- Rodríguez, F., Lucci, M., Alet, Ameriso, S. 2018. “Post-stroke epilepsy,” *Medicina (B Aires)*, vol. 78, no. 2, pp. 86–90.
- Rogawski, M.A. & Löscher, W. 2004. The neurobiology of antiepileptic drugs. *Nat. Rev. Neurosci*, 5(7), 553-564.
- Roivainen, R., Haapaniemi, E., Putaala, J., Kaste, M., and Tatlisumak, T. 2013. Young adult ischaemic stroke related acute symptomatic and late seizures: risk factors. *Eur J Neurol*, 20: 1247–1255. doi: 10.1111/ene.12157
- Romoli, M., Mazzocchetti, P., Alonzo, R.D. et al. 2019. Valproic Acid and Epilepsy: From Molecular Mechanisms to Clinical Evidences. *Current Neuropharmacology*, Vol. 17, No. 10
- Rossi, C., De, H.V., Dequatre, P., et al., 2013. Incidence and predictors of late seizures in intracerebral hemorrhages. *Stroke*, 44: 1723–1725.
- Ryvlin, P., Montavont, A., Nighoghossian, N. 2006. Optimizing therapy of seizures in stroke patients. *Neurology*,67:S3–9. [PubMed: 17190919]
- Sacco, R.L., Scott, E., Broderick, J.P. et al., 2013. An Updated Definition of Stroke for the 21st Century A Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. *Stroke*, 44:2064-2089.
- Serafini, A., Gigli, G.L., Gregoraci, G. et al., 2015. Are early seizures predictive of epilepsy after a stroke? Results of a population-based study. *Neuroepidemiology*, 45: 50–58
- Shehta, N., Fahmi, R., Ramadan, B., Emad, E.M., Elsaid, A.F. 2018. “Early post-stroke seizures in a sample of Egyptian patients with first-ever stroke,” *Neurology India*, vol. 66, no. 4, pp. 1031–1035.
- Silverman, I.E., Restrepo, L., Mathews, G.C. 2002. Poststroke seizures. *Arch Neurol*, 59:195–201.
- So, E.L., Annegers, J.F., Hauser, W.A. et al., 1996. Population-based study of seizure disorders after cerebral infarction. *Neurology*, 46: 350–355.
- Srivastava, A.K., White, H.S. 2013. Carbamazepine, but not valproate, displays pharmacoresistance in lamotrigine-resistant amygdala kindled rats. *Epilepsy Res.*, 2013, 104(1-2), 26-34
- Stefanidou, M., Das, R.R., Beiser, A.S., et al., 2017. Incidence of seizure following initial ischemic stroke in a community-based cohort: the Framingham Heart Study. *Seizure*, 47:105–110.
- Stein, D.G. 2008. Progesterone exerts neuroprotective effects after brain injury. *Brain Res Rev.* 57(2):386–97.)
- Stephen, L.J. 2003. Drug treatment of epilepsy in elderly people: focus on valproic Acid. *Drugs Aging*, 20 (2):141–52. Epub 2003/01/22. 200205 [pii]. PMID: 12534314.
- Strzelczyk, A. 2017. Costs, length of stay, and mortality of super-refractory status epilepticus: A population-based study from Germany. *Epilepsia*, 58, 1533–1541, <https://doi.org/10.1111/epi.13837>.
- Sun, D.A., Sombati, S., Blair, R.E. and DeLorenzo, R.J. 2002. “Calcium-dependent epileptogenesis in an in vitro model of stroke-induced “Epilepsy”,” *Epilepsia*, vol. 43, no. 11, pp. 1296– 1305, 2002.
- Sun, D.A., Sombati, S., DeLorenzo, R.J. 2001. Glutamate injury-induced epileptogenesis in hippocampal neurons: an in-vitro model of stroke-induced ‘epilepsy’. *Stroke*, 32:2344–2350.

- Sykes, L., Wood, E., Kwan, J. 2014. Antiepileptic drugs for the primary and secondary prevention of seizures after stroke. *Cochrane Database Syst Rev*, CD005398
- Szaflarski, P., Rackley, A.Y., Kleindorfer, D.O. *et al.*, 2008. "Incidence of seizures in the acute phase of stroke: a population-based study," *Epilepsia*, vol. 49, no. 6, pp. 974–981.
- Tan, N.N., Tang, H.L., Lin, G.W., Chen, Y.H., Lu, P., Li, H.J., Gao, M.M., Zhao, Q.H., Yi, Y.H., Liao, W.P., Long, Y.S. 2017. Epigenetic downregulation of *Scn3a* expression by valproate: a possible role in its anticonvulsant activity. *Mol. Neurobiol*, 54(4), 2831–2842.
- Tanaka, T. & Ihara, M. 2017. Post-stroke epilepsy. *Neurochem Int*, 107, 219–228
- Tanaka, T., Yamagami, H., Ihara, M., *et al.*, 2015. Seizure Outcomes and Predictors of Recurrent Post-Stroke Seizure: A Retrospective Observational Cohort Study. *PLOS ONE*, DOI:10.1371/journal.pone.0136200.
- Taverna, S., Mantegazza, M., Franceschetti, S., Avanzini, G. 1998. Valproate selectively reduces the persistent fraction of Na⁺ current in neocortical neurons. *Epilepsy Res*, 32(1-2), 304–308.
- Taylor, S., Heinrichs, R.J., Janzen, J.M., *et al.*, 2011. Levetiracetam is associated with improved cognitive outcome for patients with intracranial hemorrhage. *Neurocrit Care*, 15: 80–84.
- Tomari, S., Tanaka, T., Ihara, M., *et al.*, 2017. Risk factors for post stroke seizure recurrence after the first episode. *Seizure*, 52:22–26. doi:10.1016/j.seizure.2017.09.007.
- Van den Berg, R.J., Kok, P., Voskuyl, R.A. 1993. Valproate and sodium currents in cultured hippocampal neurons. *Exp. Brain Res*, 93(2), 279–287
- Velioglu, S.K., Ozmenoglu, M., Boz, C., Alioglu, Z. 2001. Status epilepticus after stroke. *Stroke*, 32(5):1169–72
- Venkatasubramanian, N., Yoon, B.W., Pandian, J., Navarro, J.C. 2017. Stroke Epidemiology in South, East, and South-East Asia: A Review. *Journal of Stroke*, 19(3):286–294
- Walden, J., Altrup, U., Reith, H., Speckmann, E. J. 1993. Effects of valproate on early and late potassium currents of single neurons *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*, 3, 137–141.
- Wang, G., Jia, H., Chen, C. *et al.*, 2013. Analysis of Risk Factors for First Seizure after Stroke in Chinese Patients. Hindawi Publishing Corporation BioMed Research International Volume 2013, Article ID 702871, 9 pages
- Wang, Z., Leng, Y., Tsai, L.K., Leeds, P., Chuang, D.M. 2011. Valproic acid attenuates blood-brain barrier disruption in a rat model of transient focal cerebral ischemia: the roles of HDAC and MMP-9 inhibition. *J. Cereb. Blood Flow Metab.*, 31(1), 52–57
- Werhahn, K. J., Trinka, E., Dobesberger, J., Unterberger, I., Baum, P., Deckert-Schmitz, M., Kniess, T., Schmitz, B., Bernedo, V., Ruckes, C., Ehrlich, A., & Krämer, G. 2015. A randomized, double-blind comparison of antiepileptic drug treatment in the elderly with new-onset focal epilepsy. *Epilepsia*, 56(3), 450–459.
- Willmore, L.J., Ueda, Y. 2009. Posttraumatic epilepsy: hemorrhage, free radicals and the molecular regulation of glutamate. *Neurochem Res*. 34(4):688–97.
- Winstein, C. J., Stein, J., Arena, R., Bates, B., Cherney, L. R., Cramer, S. C., Deruyter, F., Eng, J. J., Fisher, B., Harvey, R. L., Lang, C. E., MacKayLyons, M., Ottenbacher, K. J., Pugh, S., Reeves, M. J., Richards, L. G., Stiers, W., &

- Zorowitz, R. D.; American Heart Association Stroke Council, Council on Cardiovascular and Stroke Nursing, Council on Clinical Cardiology, and Council on Quality of Care and Outcomes Research. (2016). Guidelines for adult stroke rehabilitation and recovery: A guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*, 47(6), e98–e169.
- Xie, W.J., Dong, M., Liu, Q., & Meng, H.M. 2016. “Early predictors and prevention for post-stroke epilepsy: changes in neurotransmitter levels,”. *Translational Neuroscience*, vol. 7, no. 1, pp. 1–5.
- Xu, Y. 2017. Frequency, determinants, and effects of early seizures after thrombolysis for acute ischemic stroke: The ENCHANTED trial. *Neurol. Clin. Pract*, 7, 324–332, <https://doi.org/10.1212/CPJ.0000000000000384>.
- Zelano, J. 2016. Poststroke epilepsy: update and future directions. *Ther Adv Neurol Disord*, 9:424–35
- Zelano, J., Redfors, P., Åsberg, S., *et al.*, 2016. Association between poststroke epilepsy and death: A nationwide cohort study. *Eur Stroke J*, 1:272–8.
- Zhao, Y., Li, X., Zhang, K., Tong, T., and Cui, R. 2018. The progress of epilepsy after stroke. *Curr. Neuropharmacol.* 16, 71–78. doi: 10.2174/1570159X15666170613083253
- Zöllner, J.P., Misselwitz, B., Kaps, M. *et al.*, 2020. National Institutes of Health Stroke Scale (NIHSS) on admission predicts acute symptomatic seizure risk in ischemic stroke: a population-based study involving 135,117 cases. *Scientific Reports*, (2020) 10:3779.