

DAFTAR PUSTAKA

- [1] E. Indonesia, *OUTLOOK ENERGI INDONESIA 2022*. Jakarta: Dewan Energi Nasional.
- [2] *Neraca Energi Indonesia 2017 - 2021*. Badan Pusat Statistik.
- [3] R. Andrew, "Electricity and the wealth of nations," 2018. <http://euanmearns.com/electricity-and-the-wealth-of-nations/>.
- [4] "P. Data, D. A. N. Teknologi, K. Energi, D. A. N. Sumber, and D. Mineral, Data Inventory Emisi GRK Sektor Energi."
- [5] S. Diskusi and P. Energi, *Akses Energi yang Berkelanjutan untuk Masyarakat Desa* : IESR, 2021.
- [6] B. H. Yan, C. Wang, and L. G. Li, "The technology of micro heat pipe cooled reactor: A review," *Ann. Nucl. Energy*, vol. 135, 2020, doi: 10.1016/j.anucene.2019.106948.
- [7] N. W. P. R. B. e. a. Edson, "Market and technical assessment of micro nuclear reactors," Warrington, 2016.
- [8] Nuclear Energy Institute, "Roadmap for the Deployment of Micro-Reactors for U.S. Department of Defense Domestic Installations," 2018, [Online]. Available: <https://www.nei.org/CorporateSite/media/filefolder/resources/reports-and-briefs/Road-map-micro-reactors-department-defense-201810.pdf>.
- [9] K. P. Ananth, M. McKellar, J. Werner, and J. Sterbentz, "Portable Special Purpose Nuclear Reactor (2 MW) for Remote Operating Bases and Microgrids," *2017 Jt. Serv. Power Expo*, pp. 1–27, 2017.
- [10] M. Gibson, D. Poston, P. McClure, T. Godfroy, M. Briggs, and J. Sanzi, "The kilowatt reactor using stirling technology (KRUSTY) nuclear ground test results and lessons learned," *2018 Int. Energy Convers. Eng. Conf.*, no. September, 2018, doi: 10.2514/6.2018-4973.
- [11] R. U. S. A. Data, L. Alamos, J. Richard, and L. Alamos, "(12) Patent Application Publication (10) Pub. No.: US 2016/0027536A1," vol. 1, no. 19, 2016.
- [12] T. J. Klemp and G. D. Scott, "United States Patent (19)," no. 19, 1996.
- [13] D. Q. Wang, B. H. Yan, and J. Y. Chen, "The opportunities and challenges of micro heat piped cooled reactor system with high efficiency energy conversion units," *Ann. Nucl. Energy*, vol. 149, p. 107808, 2020, doi: 10.1016/j.anucene.2020.107808.
- [14] H. Sun, C. Wang, X. Liu, W. Tian, S. Qiu, and G. Su, "Reactor core design and analysis for a micronuclear power source," *Front. Energy Res.*, vol. 6, no. MAR, pp. 1–6, 2018, doi: 10.3389/fenrg.2018.00014.
- [15] J. Li, Q. Zhou, J. Mou, R. Zhai, B. Lin, and Y. Xia, "Neutronic design study of an integrated space nuclear reactor with Stirling engine," *Ann. Nucl. Energy*, vol. 142, p. 107382, 2020, doi: 10.1016/j.anucene.2020.107382.
- [16] H. Guo, K. Y. Feng, H. Y. Gu, X. Yao, and L. Bo, "Neutronic modeling of megawatt-class heat pipe reactors," *Ann. Nucl. Energy*, vol. 154, 2021, doi: 10.1016/j.anucene.2021.108140.
- [17] C. Wang, H. Sun, S. Tang, W. Tian, S. Qiu, and G. Su, "Thermal-hydraulic analysis of a new conceptual heat pipe cooled small nuclear reactor system," *Nucl. Eng. Technol.*, vol. 52, no. 1, pp. 19–26, 2020, doi: 10.1016/j.net.2019.06.021.
- [18] X. Liu *et al.*, "Core thermal-hydraulic evaluation of a heat pipe cooled nuclear reactor," *Ann. Nucl. Energy*, vol. 142, p. 107412, 2020, doi: 10.1016/j.anucene.2020.107412.

- [19] X. Liu *et al.*, “Core thermal-hydraulic evaluation of a heat pipe cooled nuclear reactor,” *Ann. Nucl. Energy*, vol. 142, 2020, doi: 10.1016/j.anucene.2020.107412.
- [20] H. Cao and G. Wang, “The research on the heat transfer of a solid-core nuclear reactor cooled by heat pipe through a numerical simulation, considering the assembly gaps,” *Ann. Nucl. Energy*, vol. 130, pp. 431–439, 2019, doi: 10.1016/j.anucene.2019.03.013.
- [21] J. R. Snell, V. G., and Webb, “CANDU 9 - the CANDU product to meet customer and regulator requirements now and in the future,” in *Proceedings of the 11th Pacific Basin Nuclear Conference*, 1998, p. 32, [Online]. Available: <https://inis.iaea.org/search/searchsinglerecord.aspx?recordsFor=SingleRecord&RN=32000365>.
- [22] “Examination of an Irradiated Prototype Fuel Element for the Elk River Reactor - L. A. Neimark - Google Books.” <https://books.google.mu/books?id=4MkSUObNqEIC&site=reviews&hl=en> (accessed Apr. 08, 2021).
- [23] W. K. Sarber, Ed., “Results of initial nuclear tests on LWBR (LWBR Development Program),” West Mifflin, PA (United States), Jun. 1979. doi: 10.2172/5714222.
- [24] S. S. Bajaj and A. R. Gore, “The Indian PHWR,” *Nucl. Eng. Des.*, vol. 236, no. 7–8, pp. 701–722, Apr. 2006, doi: 10.1016/j.nucengdes.2005.09.028.
- [25] A. Kakodkar and S. B. Degweker, “Towards Sustainable, Secure, and Safe Energy Future: Leveraging Opportunities with Thorium,” in *Thorium Energy for the World*, Springer International Publishing, 2016, pp. 29–36.
- [26] “NUREG/CR-7176, ‘Safety and Regulatory Issues of the Thorium Fuel Cycle.’” Accessed: Apr. 08, 2021. [Online]. Available: <http://www.nrc.gov/reading-rm.html>.
- [27] “Molten salt reactor - Wikipedia.” https://en.wikipedia.org/wiki/Molten_salt_reactor (accessed Apr. 08, 2021).
- [28] “Molten salt reactors and the oil sands: odd couple or key to ..|INIS.” https://inis.iaea.org/search/search.aspx?orig_q=RN:47018067 (accessed Apr. 08, 2021).
- [29] L. Mathieu *et al.*, “Possible Configurations for the Thorium Molten Salt Reactor and Advantages of the Fast Nonmoderated Version.”
- [30] D. Y. Cui *et al.*, “Preconceptual nuclear design of a 50 kWth heat pipe cooled micro molten salt reactor (micro-MSR),” *Prog. Nucl. Energy*, vol. 134, no. August 2020, 2021, doi: 10.1016/j.pnucene.2021.103670.
- [31] VOSViewer, “Visualizing Bibliometric Networks,” 2021. <https://www.vosviewer.com/>.
- [32] B. P. Statistik, *Statistik Indonesia 2022*. Jakarta: Badan Pusat Statistik, 2022.
- [33] R. Testoni, A. Bersano, and S. Segantin, “Review of nuclear microreactors : Status , potentialities and challenges,” *Prog. Nucl. Energy*, vol. 138, no. May, 2021.
- [34] A. Widi Harto, “Report : Konseptual Desain Reaktor Mikro Hidrid,” Universitas Gadjah Mada, Yogyakarta, 2022.
- [35] I. Variansyah, “Simulasi Dinamika Reaktor Titik Untuk Reaktor Produksi Isotop Berbahan Bakar Cair (LFIPR) Berbahan Bakar Uranil Nitrat,” Universitas Gadjah Mada, 2014.
- [36] M. Y. Adi Putra, “No Title Optimasi Desain Molten Salt Reactor (MSR) Dual Fuel dengan Bahan Bakar Teras UF₄-LiF dan Blanket ²³²ThF₄-LiF,” Universitas Gadjah Mada, 2015.
- [37] N. Xoubi, “Annals of Nuclear Energy Calculation of the power and absolute flux of a source driven subcritical assembly using Monte Carlo MCNP code,” *Ann.*



- Nucl. Energy*, vol. 97, pp. 96–101, 2016, doi: 10.1016/j.anucene.2016.07.009.
- [38] A. W. Harto, “METODE MONTE CARLO DAN APLIKASINYA DALAM PERHITUNGAN RADIASI NUKLIR PADA BNCT (BORON NEUTRON CAPTURE CANCER THERAPY),” 2020.
- [39] A. F. Bielajew, “Fundamentals of the Monte Carlo method for neutral and charged particle transport,” 2016.
- [40] M. Necati Özişik, H. R. B. Orlande, M. J. Colaço, and R. M. Cotta, *Finite difference methods in heat transfer: Second Edition*. CRC Press, 2017.
- [41] A. Fortin Julian, “Analisis Perpindahan Kalor Konduksi pada Elemen Bahan Bakar Mikro-Reaktor Heat Pipe (MRHP) saat Terjadi Kebocoran yang Menyebabkan Fluida Intermediet Memenuhi Heat Pipe,” Universitas Gadjah Mada, 2020.
- [42] Y. Lu, G. Zhou, F. A. Hernández, P. Pereslavytsev, J. Leppänen, and M. Ye, “Benchmark of Serpent-2 with MCNP: Application to European DEMO HCPB breeding blanket,” *Fusion Eng. Des.*, vol. 155, no. September 2019, pp. 2–7, 2020, doi: 10.1016/j.fusengdes.2020.111583.
- [43] J. Leppänen, M. Pusa, T. Viitanen, V. Valtavirta, and T. Kaltiaisenaho, “The Serpent Monte Carlo code: Status, development and applications in 2013,” *Ann. Nucl. Energy*, vol. 82, pp. 142–150, 2015, doi: 10.1016/j.anucene.2014.08.024.
- [44] A. Widi Harto, “Conceptual Micro Reactor,” Yogyakarta, 2021.
- [45] J. A. Evans, M. D. Dehart, K. D. Weaver, and D. D. K. Jr, “Burnable absorbers in nuclear reactors – A review,” *Nucl. Eng. Des.*, vol. 391, no. January, p. 111726, 2022, doi: 10.1016/j.nucengdes.2022.111726.
- [46] N. E. Pavlov, V.I; Sindorenko, V.D.; Pozdnyakov, “IAEA 50 + years of INIS,” *At. Energy (New York)*, vol. 73, no. 6, pp. 977–980, 1993.
- [47] C. K. Burns, Kimberly A.; Love, Edward F.; Thornhill, “DESCRIPTION OF THE TRITIUM-PRODUCING BURNABLE ABSORBER ROD FOR THE COMMERCIAL LIGHT WATER REACTOR TTQP-1-015 Rev 19,” 2012. doi: 10.2172/1089103.
- [48] Naessens, E.P., Allen, K.S., Moretti, B.E., “Use of Pu-240 Waste as a Burnable Absorber in Light Water Reactors,” *Nucl Sci Eng*, vol. 152, no. 3, pp. 306–313, 2006.
- [49] R. Mary, G. P. Souza, and M. L. Moreira, “Power peak factor for protection systems – Experimental data for developing a correlation,” *Ann. Nucl. Energy*, vol. 33, pp. 609–621, 2006, doi: 10.1016/j.anucene.2006.02.008.
- [50] A. Hedayat, “Annals of Nuclear Energy Developing a safe and high performance fuel management optimization for MTRs using stochastic knowledge base searches,” *Ann. Nucl. Energy*, vol. 90, pp. 157–174, 2016.
- [51] T. Wakabayashi, “Concept of a small fast breeder reactor system capable of transmuting MA and LLFP,” *Nucl. Eng. Des.*, vol. 390, no. November 2021, 2022.
- [52] A. Kumar, S. S. Chirayath, and P. V. Tsvetkov, “Analysis of a sustainable gas cooled fast breeder reactor concept,” *Ann. Nucl. Energy*, vol. 69, pp. 252–259, 2014.
- [53] T. Takei and A. Yamaji, “Core design of PWR-type seed-blanket core breeder reactor with tightly packed fuel assembly,” *Nucl. Eng. Des.*, vol. 333, no. October 2017, pp. 45–54, 2018.