

## DAFTAR PUSTAKA

- Anggoro, A., Siregar, V. P., & Agus, S. B. (2016). The Effect of Sunlight on Benthic Habitats Mapping in Pari Island Using Worldview-2 Imagery. *Procedia Environmental Sciences*, 33, 487–495. <https://doi.org/10.1016/j.proenv.2016.03.101>
- Ariasari, A., Hartono, & Wicaksono, P. (2019). *Random forest classification and regression for seagrass mapping using PlanetScope image in Labuan Bajo, East Nusa Tenggara*. December 2019, 77. <https://doi.org/10.1117/12.2541718>
- Badan Informasi Geospasial. (2012). *Informasi geospasial mangrove Indonesia*. Bogor: Pusat Pemetaan dan Informasi Tematik; Badan Informasi Geospasial Indonesia; 335pp.
- Badan Pusat Statistik. (2020). *Kabupaten Klungkung dalam Angka 2020*. Bali, Indonesia: Badan Pusat Statistik Kabupaten Klungkung.
- Badan Pusat Statistik Indonesia. (2018). *Statistik Sumber Daya Laut dan Pesisir 2018*. Jakarta, Indonesia: Badan Pusat Statistik.
- Badan Pusat Statistik Provinsi Bali. (2021). *Bali dalam angka 2021*. Bali, Indonesia: Badan Pusat Statistik Provinsi Bali.
- Bayyana, S., Pawar, S., Gole, S., Dudhat, S., Pande, A., Mitra, D., Johnson, J. A., & Sivakumar, K. (2020). Detection and mapping of seagrass meadows at Ritchie's archipelago using Sentinel 2A satellite imagery. *Current Science*, 118(8), 1275–1282. <https://doi.org/10.18520/cs/v118/i8/1275-1282>
- Bostater, C. R., Aziz, S., Morrisette, C., Mcallister, D., Oney, T. S., Rotkiske, T., & Callahan, K. (2017). *Hyperspectral signatures and WorldView-3 imagery of Indian River Lagoon and Banana River Estuarine water and bottom types*. October 2017, 63. <https://doi.org/10.1117/12.2288511>
- Breiman, L. (2001). *Random Forest*. Machine Learning, 45, 5–32. (Vol. 7, Issue 6). <https://doi.org/10.14569/ijacsa.2016.070603>
- BSN. (2011). *SNI 7716/2011: Pemetaan habitat perairan laut dangkal*. 7–11. Badan Standarisasi Indonesia, Jakarta.
- Bujang, J. S., Zakaria M. H., & Arshad A. (2006). Distribution and significance of seagrass ecosystems in Malaysia. *Aquatic Ecosystem Health and Management* 9:203–214.
- Bukata, R. P., Jerome, J. H., Kondratyev, A. S., & Pozdnyakov, D. V. (1995). *Optical Properties and Remote Sensing of Inland and Coastal Waters*. CRC Press LLC.
- Chai, T., & Draxler, R. R. (2014). Root mean square error (RMSE) or mean absolute error (MAE)? -Arguments against avoiding RMSE in the literature. *Geoscientific*

- Model Development*, 7(3), 1247–1250. <https://doi.org/10.5194/gmd-7-1247-2014>
- Chavez, P. S. (1996). Image-based atmospheric corrections - Revisited and improved. *Photogrammetric Engineering and Remote Sensing*, 62(9), 1025–1036.
- Collin, A., Andel, M., James, D., & Claudet, J. (2020). *The superspectral/hyperspatial worldView-3 as the link between spaceborne hyperspectral and airborne hyperspatial sensors : the case study of the complex tropical coast*.
- Conger, C. L., Hochberg, E.J., Fletcher, C.H., & Atkinson, M. (2006). Decorrelating remote sensing color bands from bathymetry in optically shallow waters. *IEEE Trans. Geosci. Remote Sens.* 2006, 44, 1655–1660.
- Core Team R. (2016). A Language and Environment for Statistical Computing; R Foundation for Statistical Computing. <https://www.R-project.org/>, Vienna, Austria.
- Dai, B., Gu, C., Zhao, E., & Qin, X. (2018). Statistical model optimized random forest regression model for concrete dam deformation monitoring. *Structural Control and Health Monitoring*, 25(6), 1–15. <https://doi.org/10.1002/stc.2170>
- Daniya, T., Geetha, M., dan Kumar, K. S. (2020). Classification and regression trees with gini index. *Advances in Mathematics: Scientific Journal*, 9(10), 8237–8247. <https://doi.org/10.37418/amsj.9.10.53>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. In Yogyakarta : Andi Offset.
- Dat Pham, T., Xia, J., Thang Ha, N., Tien Bui, D., Nhu Le, N., & Tekeuchi, W. (2019). A review of remote sensing approaches for monitoring blue carbon ecosystems: Mangroves, sea grasses and salt marshes during 2010–2018. *Sensors (Switzerland)*, 19(8). <https://doi.org/10.3390/s19081933>
- Dekker, A. G., R. Mount, & A. J. (2007). Satellite and airborne imagery including aerial photography for benthic habitat mapping. *Geological Association of Canada: 327 p. ISBN-13: 978-1-897095-33-1*.
- Dekker, A., Phinn, S., Anstee, J., Bissett, P., Brando, V., Casey, B., Fearn, P., Hedley, J., Klonowski, W., Lee, Z., Lynch, M., Lyons, M., Mobley, C., Roelfsema, C. (2011). Intercomparison of shallow water bathymetry, hydro-optics, and benthos mapping techniques in Australian and Caribbean coastal environments. *Limnology and Oceanography Methods*. 2011; 9:396-425. <https://doi.org/10.4319/Lom.2011.9.396>.
- Dekker, A. G., Brando, V. E., & Anstee, J. M. (2006). Retrospective seagrass change detection in a shallow coastal tidal Australian Lake. *Remote Sensing and Environment*. 97(1):415-433.
- Digital Globe. (2012). *DigitalGlobe Core Imagery Products Guide*. 1–38.

[https://www.digitalglobe.com/downloads/DigitalGlobe\\_Core\\_Imagery\\_Products\\_Guide.pdf](https://www.digitalglobe.com/downloads/DigitalGlobe_Core_Imagery_Products_Guide.pdf)

- DigitalGlobe. (2014). World View-3 Design and Specifications. *Www.Digitalglobe.Com*, 1–2.
- Duarte, C. M, Tomas, S., & N. M. (2013). Assessing the CO<sub>2</sub> capture potential of seagrass restoration projects. *Journal of Applied Ecology* 2013, 50, 1341–1349. *Doi: 10.1111/13652664.12155*.
- Duarte, C. M., Dennison, W. C., Orth, R. J. W., & Carruthers, T. J. B. (2008). The Charisma of Coastal Ecosystems: Addressing the Imbalance. *Estuaries and Coasts: J CERF* (2008) 31:233–238. DOI 10.1007/S12237-008-9038-7.
- Duarte, C. M., Agusti, S., Barbier, E., Britten, G. L., Castilla, J. C., Gattuso, J. P., Fulweiler, R. W., Hughes, T. P., Knowlton, N., Lovelock, C. E., Lotze, H. K., Predragovic, M., Poloczanska, E., Roberts, C., & Worm, B. (2020). Rebuilding marine life. *Nature*, 580(7801), 39–51. <https://doi.org/10.1038/s41586-020-2146-7>
- Effrosynidis, D., Arampatzis, A., & Sylaios, G. (2018). Seagrass detection in the Mediterranean: A supervised learning approach. *Ecol. Inf.* 2018, 48, 158–170.
- Eisavi, V., Homayouni, S., Yazdi, A. M., & Alimohammadi, A. (2015). Land cover mapping based on random forest classification of multitemporal spectral and thermal images. *Environmental Monitoring and Assessment*, 187(5), 1–14. <https://doi.org/10.1007/s10661-015-4489-3>
- Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R., Suwardana, S., Fadhillah, N., Nurmallasari, I., Apriyani, S., & Wicaksono, P. (2017). Assessing the Capability of Sentinel-2A Data for Mapping Seagrass Percent Cover in Jerowaru, East Lombok. *Indonesian Journal of Geography Vol. 49, No.2, December 2017* (195 - 203).
- Fauzan, Muhammad Afif, Wicaksono, P., & Hartono. (2021). Characterizing Derawan seagrass cover change with time-series Sentinel-2 images. *Regional Studies in Marine Science*, 48, 102048. <https://doi.org/10.1016/j.rsma.2021.102048>
- Fourqurean, J.W., Duarte, C.M., Kennedy, H., Marbà, N. Holmer, M., Mateo, M. A., Apostolaki, E. T., Kendrick, G. A., Krause-Jensen, D., McGlathery, K. J., & Serrano, O. (2012). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience* 5, 505–509.
- Genuer, R., & Poggi, J.-M. (2020). Random Forests with R. In *Use R!*. Springer. <https://doi.org/10.1007/978-3-030-56485-8>
- Ginting, D. N. B., & Arjasakusuma, S. (2021). Pemetaan Lamun Menggunakan Machine Learning Dengan Citra PlanetScope Di Nusa Lembongan. *Jurnal Kelautan Tropis*, 24(3), 323–332. <https://doi.org/10.14710/jkt.v24i3.11180>

- Goodman, J. A., Lee, Z., & Ustin, S. L. (2008). Influence of Atmospheric and Sea-Surface Corrections on Retrieval of Bottom Depth and Reflectance Using a Semi-Analytical Model: A Case Study in Kaneohe Bay, Hawaii. *Appl. Opt.* 2008, 47, F1-F11.
- Grech, A., Chartrand-Miller, K., Erftemeijer, P., Fonseca, M., McKenzie, L., Rasheed, M., Taylor, H., & Coles, R. (2012). A comparison of threats, vulnerabilities and management approaches in global seagrass bioregions. *Environmental Research Letters*, 7(2). <https://doi.org/10.1088/1748-9326/7/2/024006>
- Green, E.P. & Short, F. T. (2013). World Atlas of Seagrasses. United Nations Environment Programme World Conservation Monitoring Centre (UNEP-WCMC). *Erkeley: University of California*. [Http:// Data.Unep-Wcmc.Org/Datasets/9](Http://Data.Unep-Wcmc.Org/Datasets/9).
- Green, E. P., Edwards, A. J., Clark, C. D., & Mumby, P. J. (1999). The cost-effectiveness of remote sensing for tropical coastal resources assessment and management. *Journal of Environmental Management*, 55(1998), 157–166. d
- Hadi, A. A., & Wicaksono, P. (2021). Accuracy assessment of relative and absolute water column correction methods for benthic habitat mapping in Parang Island. *IOP Conference Series: Earth and Environmental Science*, 686(1). <https://doi.org/10.1088/1755-1315/686/1/012034>
- Harah, Z. M. & B. J. S. (2013). Occurrence and Distribution of Seagrasses in Waters of Perhentian Island Archipelago, Malaysia. *Journal of Fisheries and Aquatic Science*, 8(3): 441-451.
- Hartoni, Siregar, V. P., Wouthuyzen, S., & Agus, S. B. (2022). Object based classification of benthic habitat using Sentinel 2 imagery by applying with support vector machine and random forest algorithms in shallow waters of Kepulauan Seribu, Indonesia. *Biodiversitas*, 23(1), 514–520. <https://doi.org/10.13057/biodiv/d230155>
- He, Q., & Chen, C. (2014). A new approach for atmospheric correction of MODIS imagery in turbid coastal waters: a case study for the Pearl River Estuary. *Remote Sensing Letters Volume 5, 2014 - Issue 3*.
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112. <https://doi.org/10.1080/01431160500034086>
- Hedley, J. D., Roelfsema, C. M., Chollett, I., Harborne, A. R., Heron, S. F., Weeks, S. J., Skirving, W. J., Strong, A. E., Mark Eakin, C., Christensen, T. R. L., Ticzon, V., Bejarano, S., & Mumby, P. J. (2016). Remote sensing of coral reefs for monitoring and management: A review. *Remote Sensing*, 8(2). <https://doi.org/10.3390/rs8020118>

- Hochberg, E. J., Andréfouët, S., & Tyler, M. R. (2003). Sea surface correction of high spatial resolution ikonos images to improve bottom mapping in near-shore environments. *IEEE Transactions on Geoscience and Remote Sensing*, 41(7 PART II), 1724–1729. <https://doi.org/10.1109/TGRS.2003.815408>
- Holon, F., Boissery, P., Guilbert, A., Freschet, E., & Deter, J. (2015). The impact of 85 years of coastal development on shallow seagrass beds (*Posidonia oceanica* L. (Delile)) in South Eastern France: A slow but steady loss without recovery. *Estuarine, Coastal and Shelf Science*, 165(May), 204–212. <https://doi.org/10.1016/j.ecss.2015.05.017>
- Hossain, M. S., Bujang, J. S., Zakaria, M. H., & Hashim, M. (2015). The application of remote sensing to seagrass ecosystems: an overview and future research prospects. *International Journal of Remote Sensing*, 36(1), 61–114. <https://doi.org/10.1080/01431161.2014.990649>
- Howard, J., Hoyt, S., Isensee, K., Pidgeon, E., & Telszewski, M. (2014). Coastal Blue Carbon: Methods for Assessing Carbon Stocks and Emissions Factors in Mangroves, Tidal Salt Marshes, and Seagrass Meadows. *Arlington, Virginia, USA: Conservation International, Intergovernmental Oceanographic Commission of UNESCO, International Union for Conservation of Nature*.
- Jensen. (2016). *Introductory Digital Image Processing: A Remote Sensing Perspective* (P. series in geographic information Science (ed.)). Pearson series in geographic information science.
- John E. N., Veron, L. M., DeVantier, E. T., Alison, L., Green, S. K., & Stafford-Smith, M. (2011). Coral reefs: An ecosystem in transition. *The Coral Triangle, May 2014*, 1–552. <https://doi.org/10.1007/978-94-007-0114-4>
- Kabupaten Klungkung. (2012). Rencana Pengelolaan KKP Nusa Penida. *Kabupaten Klungkung, Provinsi Bali*.
- Karasiak, N., Sheeren, D., Fauvel, M., Willm, J., Dejoux, J. F., & Monteil, C. (2017). Mapping tree species of forests in southwest France using Sentinel-2 image time series. *2017 9th International Workshop on the Analysis of Multitemporal Remote Sensing Images, MultiTemp 2017*, 1–4. <https://doi.org/10.1109/MultiTemp.2017.8035215>
- Kauffman, J.B. & Donato, D. . (2012). Protocols for the Measurement, Monitoring and Reporting of Structure, Biomass and Carbon Stocks in Mangrove Forests. *Working Paper 86, CIFOR, Bogor*.
- Kay, S., Hedley, J. D., & Lavender, S. (2009). Sun glint correction of high and low spatial resolution images of aquatic scenes: A review of methods for visible and near-infrared wavelengths. *Remote Sensing*, 1(4), 697–730. <https://doi.org/10.3390/rs1040697>



- Kepmen LH No. 200 Tahun 2004. (2004). Kriteria Baku dan Pedoman Penentuan Status Padang Lamun. *Menteri Negara Lingkungan Hidup Republik Indonesia*, 16.
- Khogkhao, C., Hayashizaki, K. I., Tuntiprapas, P., & Prathep, A. (2017). Changes in seagrass communities along the runoff gradient of the Trang river, Thailand. *ScienceAsia*, 43(6), 339–346. <https://doi.org/10.2306/scienceasia1513-1874.2017.43.339>
- Koedsin, W., Intararuang, W., Ritchie, R. J., & Huete, A. (2016). An integrated field and remote sensing method for mapping seagrass species, cover, and biomass in Southern Thailand. *Remote Sensing*, 8(4). <https://doi.org/10.3390/rs8040292>
- Kovacs, E., Roelfsema, C., Lyons, M., Zhao, S., & Phinn, S. (2018). Seagrass habitat mapping: How do landsat 8 OLI, sentinel-2, ZY-3A, and worldview-3 perform? *Remote Sensing Letters*, 9(7), 686–695. <https://doi.org/10.1080/2150704X.2018.1468101>
- Kumara. I. S.W. (2018). *Pemetaan spesies lamun melalui integrasi citra multispektral dan pola respon spektral di Nusa Lembongan, Bali*. (Skripsi yang tidak dipublikasikan). Universitas Gadjah Mada, Indonesia.
- Kutser, T.; Vahtmäe, E.; Praks, J. A. (2009). Sun Glint Correction Method for Hyperspectral Imagery Containing Areas with Non-Negligible Water Leaving NIR Signal. *Remote Sens. Environ.* 2009, 113, 2267-2274.
- Lee, K. (2019). *A Review on Atmospheric Correction Technique Using Satellite Remote Sensing*. 35(6).
- Lewis, D., Phinn, S., dan Arroyo, L. (2013). Cost-effectiveness of seven approaches to map vegetation communities - A case study from Northern Australia's tropical savannas. *Remote Sensing*, 5(1), 377–414. <https://doi.org/10.3390/rs5010377>
- Lillesand, T. M; Kiefer, R.F; Chipman, J. W. (2015). Remote Sensing and Image Interpretation. 7th Edition. In *Photogrammetric Engineering and Remote Sensing* (Vol. 81, Issue 8). <https://doi.org/10.14358/pers.81.8.615>
- Lujan-Moreno, G. A., Howard, P. R., Rojas, O. G., dan Montgomery, D. C. (2018). Design of experiments and response surface methodology to tune machine learning hyperparameters, with a random forest case-study. *Expert Systems with Applications*, 109, 195–205. <https://doi.org/10.1016/j.eswa.2018.05.024>
- Lyons, M., Roelfsema, C., Kovacs, E., Samper-Villarreal, J., Saunders, M., Maxwell, P., dan Phinn, S. (2015). Rapid monitoring of seagrass biomass using a simple linear modelling approach, in the field and from space. *Marine Ecology Progress Series*, 530, 1–14. <https://doi.org/10.3354/meps11321>
- Lyzenga, D.; Malinas, N.; Tanis, F. (2006). Multispectral Bathymetry Using a Simple Physically Based Algorithm. *IEEE Trans. Geosci. Remote Sens.* 2006, 44, 2251-

2259.

- Lyzenga, D. R. (1978). Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics*, 17(3), 379. <https://doi.org/10.1364/ao.17.000379>
- Lyzenga, D. R. (1981). Remote sensing of bottom reflectance and water attenuation parameters in shallow water using aircraft and landsat data. *International Journal of Remote Sensing*, 2(1), 71–82. <https://doi.org/10.1080/01431168108948342>
- Macreadie, P. I., Anton, A., Raven, J. A., Beaumont, N., Connolly, R. M., Friess, D. A., Kelleway, J. J., Kennedy, H., Kuwae, T., Lavery, P. S., Lovelock, C. E., Smale, D. A., Apostolaki, E. T., Atwood, T. B., Baldock, J., Bianchi, T. S., Chmura, G. L., Eyre, B. D., Fourqurean, J. W., ... Duarte, C. M. (2019). The Future of Blue Carbon Science. *Nature Communications*, 10(1), 1–13. <https://doi.org/10.1038/s41467-019-11693-w>
- Macreadie, P. I., Serrano, O., Maher, D. T., Duarte, C. M., dan Beardall, J. (2017). Addressing calcium carbonate cycling in blue carbon accounting. *Limnology And Oceanography Letters*, 2(6), 195–201. <https://doi.org/10.1002/lol2.10052>
- Maxwell, A. E., Warner, T. A., & Fang, F. (2018, May 3). Implementation of machine-learning classification in remote sensing: An applied review. *International Journal of Remote Sensing*. Taylor and Francis Ltd. <https://doi.org/10.1080/01431161.2018.1433343>
- McLeod, E., Chmura, G. L., Bouillon, S., Salm, Rodney., Bjork, M., Duarte, C. M., Lovelock, C. E., Schlesinger, W. H., dan Silliman, B. R. (2011). A Blueprint For Blue Carbon: Toward An Improved Understanding Of The Role Of Vegetated Coastal Habitats in Sequestering CO<sub>2</sub>. *Frontiers in Ecology and the Environment*, 9, 552 -260.
- Mendez, G., dan Lohr, S. (2011). Estimating residual variance in random forest regression. *Computational Statistics and Data Analysis*, 55(11), 2937–2950. <https://doi.org/10.1016/j.csda.2011.04.022>
- Mika, M. (2015). The use of hand-held GPS receivers for the identification of objects in a wooded area. *Geomatics and Environmental Engineering*, 9(1), 75. <https://doi.org/10.7494/geom.2015.9.1.75>
- Montgomery, D. C., Peck, E. A., & Vining, G. G. (2012). *Introduction to Linear Regression Analysis*. John Wiley & Sons, Inc.
- Mumby, P. J., Clark, C. D., Green, E. P., & Edwards, A. J. (1998). Benefits of water column correction and contextual editing for mapping coral reefs. *International Journal of Remote Sensing*, 19(1), 203–210. <https://doi.org/10.1080/014311698216521>
- Munir, M., & Wicaksono, P. (2019). *Support vector machine for seagrass percent*

- cover mapping using PlanetScope image in Labuan Bajo, East Nusa Tenggara. December*, 112. <https://doi.org/10.1117/12.2541849>
- Negara, I. K. S., Astawa Karang, I. W. G., & Giri Putra, I. N. (2020). Simpanan karbon padang lamun di Kawasan Pantai Nusa Lembongan, Klungkung, Bali. *Journal of Marine Research and Technology*, 3(2), 82. <https://doi.org/10.24843/jmrt.2020.v03.i02.p04>
- Nguyen, H. T. T., Doan, T. M., & Radeloff, V. (2018). Applying Random Forest classification to map Land use/Land cover using Landsat 8 OLI. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(3W4), 363–367. <https://doi.org/10.5194/isprs-archives-XLII-3-W4-363-2018>
- Niroumand-Jadidi, M., & Vitti, A. (2016). Optimal band ratio analysis of WorldView-3 imagery for bathymetry of shallow rivers (case study: Sarca River, Italy). *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 41(July), 361–364. <https://doi.org/10.5194/isprsarchives-XLI-B8-361-2016>
- Ozer, D. J. (1985). Correlation and the coefficient of determination. *Psychological Bulletin*, 97(2), 307–315. <https://doi.org/10.1037/0033-2909.97.2.307>
- Parente, C., & Pepe, M. (2018). Bathymetry from worldview-3 satellite data using radiometric band ratio. *Acta Polytechnica*, 58(2), 109–117. <https://doi.org/10.14311/AP.2018.58.0109>
- Praselia, D., Supriharyono, M., Anggoro, S., dan Sya'Rani, L. (2017). *Coral bleaching on Lembongan Island, Nusa Penida, Bali*. 134 (Icirad), 66–72. <https://doi.org/10.2991/icirad-17.2017.13>
- Preana, I. W. (2020). Pemetaan pola sebaran sekolah dasar berbasis sistem informasi geografis (SIG) di Kecamatan Nusa Penida. *Jurnal ENMAP (Environment and Mapping)*, 1(1), 37–43.
- Purwanto, A. D., Setiawan, K. T., & Ginting, D. N. B. (2019). Pemanfaatan data penginderaan jauh untuk ekstraksi habitat perairan laut dangkal di Pantai Pemuteran, Bali, Indonesia. *Jurnal Kelautan Tropis*, 22(2), 165. <https://doi.org/10.14710/jkt.v22i2.5092>
- Rahmawati. (2020). Selama 30 Tahun, Kami di Lembongan Diselamatkan Rumput Laut. *Kompas.Com*. <https://regional.kompas.com/read/2020/09/17/10220031/-selama-30-tahun-kami-di-lembongan-diselamatkan-rumput-laut-?page=all>
- Bukata, R. P., Jerome, J. H., Kondratyev, A. S., & Pozdnyakov, D. V. (1995). *Optical properties and remote sensing of inland and coastal waters*. CRC Press LLC.
- Roelfsema, C. M., Lyons, M., Kovacs, E. M., Maxwell, P., Saunders, M. I., Samper-Villarreal, J., & Phinn, S. R. (2014). Multi-temporal mapping of seagrass cover,



- species and biomass: A semi-automated object based image analysis approach. *Remote Sensing of Environment*, 150, 172–187. <https://doi.org/10.1016/j.rse.2014.05.001>
- Liang, S. (2004). Quantitative Remote Sensing of Land Surfaces. *John & Wiley Sons, New York*.
- Tassan, S. (1996). Modified Lyzenga's method for macroalgae detection in water with non-uniform composition. *Int. J. Remote Sens.* 1996, 17, 1601–1607.
- Sagawa, T., Boiesnier, E., Komatsu, T., Mustapha, K.B., Hattour, A., Kosaka, N., & Miyazaki, A. (2010). Using bottom surface reflectance to map coastal marine areas: A new application method for Lyzenga's model. *Int. J. Remote Sens.* 2010, 31, 3051–3064.
- Salford Systems. (2014). Random Forests for Beginners. *Salford Systems*, 71.
- Setiawan, K. T., Winarso, G., Ginting, D. N. B., Manessa, M. D. M., Surahman, Anggraini, N., Hartuti, M., Asriningrum, W., & Parwati, E. (2020). Pemanfaatan metode semi-analitik untuk penentuan batimetri menggunakan citra satelit resolusi tinggi . *Jurnal Penginderaan Jauh* 18(1), 1–13.
- Setyawan, I., Siregar, V., Pramono, G., & Yuwono, D. (2014). Pemetaan profil habitat dasar perairan dangkal berdasarkan bentuk topografi: studi kasus Pulau Panggang, Kepulauan Seribu Jakarta. *Majalah Ilmiah Globë*, 16(2), 125–132.
- Short, F.T., Carruthers, T., Dennison, W. & Waycott, M. (2007). Global seagrass distribution and diversity: a bioregional model. *Journal of Experimental Marine Biology and Ecology* 350(1–2), 3–20.
- Sjafrie, N.D.M., Hernawan, U.E., Prayudha, B., Supriyadi, I.H., Iswari, M.Y., Rahmat., Anggaraini, K., & Rahmawati, S., S. (2018). Status Padang Lamun Indonesia. *P2OLIP*.
- Smith, G. (2018). Step away from stepwise. *Journal of Big Data*, 5(1). <https://doi.org/10.1186/s40537-018-0143-6>
- Spitzer, D., & Dirks, R. (1987). Bottom influence on the reflectance of the sea. *Int. J. Remote Sens.* 1987, 8, 279–290.
- Strydom, M., Veldtman, R., Ngwenya, M. Z., & Esler, K. J. (2017). Invasive Australian Acacia seed banks: Size and relationship with stem diameter in the presence of gall-forming biological control agents. *PLoS ONE*, 12(8), 1–16. <https://doi.org/10.1371/journal.pone.0181763>
- Tamondong, A.M., Blanco, A.C., Fortes, M.D., & Nadaoka, K. (2013). Mapping of seagrass and other benthic habitats in Bolinao, Pangasinan using Worldview-2 satellite image. *In Proceedings of the IGARSS 2013—2013 IEEE International Geoscience and Remote Sensing Symposium, Melbourne, VIC, Australia*, 21–26

*July 2013; Pp. 1579–1582. Doi:10.1109/IGARSS.2013.6723091.*

- Thompson, B. (1995). *Stepwise regression and stepwise discriminant analysis need not apply here: A guidelines editorial* (Educationa, pp. 525–534). Sage Publications, Inc.
- Thorhaug, A., Richardson, A. D., & Berlyn, G. P. (2007). Spectral reflectance of the seagrasses: *Thalassia testudinum*, *Halodule wrightii*, *Syringodium filiforme* and five marine algae. *International Journal of Remote Sensing* 28(7-8):1487 - 1501.
- Ting, K. M. (2017). Confusion Matrix. Encyclopedia of Machine Learning and Data Mining. In *Encyclopedia of Machine Learning and Data Mining*. <https://doi.org/10.1007/978-1-4899-7687-1>
- UNEP. (2020). *Out of Blue: The value of seagrasses to the enviroment and to people*.
- Unsworth, R. K. F., McKenzie, L. J., Collier, C. J., Cullen-Unsworth, L. C., Duarte, C. M., Eklöf, J. S., Jarvis, J. C., Jones, B. L., & Nordlund, L. M. (2019). Global Challenges for Seagrass Conservation. *Ambio*, 48(8), 801–815. <https://doi.org/10.1007/s13280-018-1115-y>
- Wagschal, U. (2016). Regression analysis. In *Handbook of Research Methods and Applications in Political Science* (Issue March 2014). <https://doi.org/10.7748/nr1996.10.4.1.318.c6066>
- Wahyudi, A. J., Rahmawati, S., Irawan, A., Hadiyanto, H., Prayudha, B., Hafizt, M., Afdal, A., Adi, N. S., Rustam, A., Hernawan, U. E., Rahayu, Y. P., Iswari, M. Y., Supriyadi, I. H., Solihudin, T., Ati, R. N. A., Kepel, T. L., Kusumaningtyas, M. A., Daulat, A., Salim, H. L., ... Kiswara, W. (2020). Assessing Carbon Stock and Sequestration of the Tropical Seagrass Meadows in Indonesia. *Ocean Science Journal*, 55(1), 85–97. <https://doi.org/10.1007/s12601-020-0003-0>
- Wang, G. & Jain, W. (2003). *Regression Analysis Modeling dan Forecasting*. Graceway Publishing Company.
- Wicaksono, P., Danoedoro, P., Hartono, Nehren, U., Maishella, A., Hafizt, M., Arjasakusuma, S., & Harahap, S. D. (2021). Analysis of field seagrass percent cover and aboveground carbon stock data for non-destructive aboveground seagrass carbon stock mapping using worldview-2 image. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 46(4/W6-2021), 321–327. <https://doi.org/10.5194/isprs-Archives-XLVI-4-W6-2021-321-2021>
- Wicaksono, P., Lazuardi, W., & Munir, M. (2019). Integrating image at different spatial resolutions and field data for seagrass percent cover mapping. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 42(4/W19), 487–492. <https://doi.org/10.5194/isprs-archives-XLII-4-W19-487-2019>

- Wicaksono, P. (2015). *Remote Sensing Model Development for Seagrass and Mangroves Carbon Stock Mapping*. (Disertasi yang tidak dipublikasikan). Universitas Gadjah Mada, Indonesia.
- Wicaksono, P., Aryaguna, P. A., dan Lazuardi, W. (2019). Benthic habitat mapping model and cross validation using machine-learning classification algorithms. *Remote Sensing*, 11(11), 1–24. <https://doi.org/10.3390/rs11111279>
- Wicaksono, P., & Hafizt, M. (2018). Dark target effectiveness for dark-object subtraction atmospheric correction method on mangrove above-ground carbon stock mapping. *IET Image Processing*, 12(4), 582–587. <https://doi.org/10.1049/iet-ipr.2017.0295>
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>
- Wicaksono, P., & Lazuardi, W. (2019). Random Forest Classification Scenarios for Benthic Habitat Mapping using Planetscope Image. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 346, 8245–8248. <https://doi.org/10.1109/IGARSS.2019.8899825>
- Wicaksono, P., Wulandari, S. A., Lazuardi, W., & Munir, M. (2021). Sentinel-2 images deliver possibilities for accurate and consistent multi-temporal benthic habitat maps in optically shallow water. *Remote Sensing Applications: Society and Environment*, 23(April), 100572. <https://doi.org/10.1016/j.rsase.2021.100572>
- Wieczorek, J., Baran, A., Urbański, K., Mazurek, R., & Klimowicz-Pawlas, A. (2018). Assessment of the pollution and ecological risk of lead and cadmium in soils. *Environmental Geochemistry and Health*, 40(6), 2325–2342. <https://doi.org/10.1007/s10653-018-0100-5>
- Wiener, A. L. & M. (2004). Classification and Regression by randomForest. *R News*, Vol. 2/3,(5), 434–438. <https://doi.org/10.1177/154405910408300516>
- Yaakub, S. M., McKenzie, L. J., Erftemeijer, P. L. A., Bouma, T., & Todd, P. A. (2014). Courage under fire: Seagrass persistence adjacent to a highly urbanised city-state. *Marine Pollution Bulletin*, 83(2), 417–424. <https://doi.org/10.1016/j.marpolbul.2014.01.012>
- Zhang, C., & Xie, Z. (2012). Combining object-based texture measures with a neural network for vegetation mapping in the Everglades from hyperspectral imagery. *Rem. Sens. Environ.* 124, 310e320.
- Zhang, C., Selch, D., Xie, Z., Roberts, C., Cooper, H., & Chen, G. (2013). Object-Based Benthic Habitat Mapping In The Florida Keys From hyperspectral Imagery. *Estuarine, Coastal and Shelf Science* 134 (2013) 88e97.

- Zimmerman, R.C.; & Dekker, A. G. (2006). Aquatic optics: basic concepts for understanding how light affects seagrasses and makes them measurable from space. *Seagrasses: Biology, Ecology and Conservation*. Pp. 295-301.
- Zoffoli, M. L., Frouin, R., & Kampel, M. (2014). Water column correction for coral reef studies by remote sensing. In *Sensors (Switzerland)* (Vol. 14, Issue 9). <https://doi.org/10.3390/s140916881>