

## DAFTAR PUSTAKA

- Acee, A., & Fahs, M. (2012). Can treating depression improve diabetic management? *The Nurse Practitioner*, 37(1), 46-52. doi:10.1097/01.NPR.0000408509.34689.72
- Ahmad A, Abujbara M, Jaddou H, et al. Anxiety and depression among adult patients with diabetic foot: prevalence and associated factors. *J Clin Med Res*. 2018;10(5):411-418. <https://doi.org/10.14740/jocmr3352w>.
- Ahmad Sharoni SK, Minhat HS, Mohd Zulkefli NA, et al. Health education programmes to improve foot self-care practices and foot problems among older people with diabetes: a systematic review. *Int J Older People Nurs*. 2016;11(3):214-293.
- Anderson, R. J., Freeland, K. E., Clouse, R., & Lustman, P. (2001). The prevalence of co-morbid depression in adults with diabetes: A meta-analysis. *Diabetes Care*, 24(6), 1069-1078. doi:10.2337/diacare.24.6.1069
- Auliana Arshita, Yunir EM, Putranto Rudi, Nugroho Pringgodigdo. Pengaruh Depresi Terhadap Perbaikan Infeksi Ulkus Kaki Diabetik. *Jurnal Penyakit Dalam Indonesia*. 2017;02.DOI: 10.7454/jpdi.v2i4.88
- Arya AK, Garg S, Kumar S, et al. Estimation of lymphocyte apoptosis in patients with chronic non-healing diabetic foot ulcer. *Int J Med Sci Pub Health*. 2013;2(4):766-768.
- Bot, M., Pouwer, F., Zuidersma, M., van Melle, J. P., & de Jonge, P. (2012). Association of coexisting diabetes and depression with mortality after myocardial infarction. *Diabetes Care*, 35, 503-509.
- Chen, P., Callisaya, M., Wills, K., Greenaway, T., & Winzenberg, T. (2019). Associations of health literacy with risk factors for diabetic foot disease : a cross-sectional analysis of the Southern Tasmanian Health Literacy and Foot Ulcer Development in Diabetes Mellitus Study. 1–10. <https://doi.org/10.1136/bmjopen-2018-025349>
- Chuan F, Tang K, Jiang P, Zhou B, Ho X. Reliability and Validity of perfusion, extent, depth, infection and sensation (pedis) classification system and score in patients with diabetic foot ulcer. Fabio Santanelli, Di Pompeo D'illasi, Academic Editor. *Plos One*. 2015;10(4):e0124739.
- Chiwangsa FS, Njelekela MA. Diabetic foot: Prevalence, knowledge, and foot self-care practices among diabetic patients in Dares Salaam. Tanzania—a cross-

- sectional study. *J Foot Ankle Res.* 2015;8:20. <https://doi.org/10.1196/s13047-015-0080-y>
- Clayton, W.J. and Elasy. T.A. (2009) A Review of the Pathophysiology, Classification, and Treatment of Foot Ulcers in Diabetic Patients. *Clinical Diabetes*, 27,52-58. <https://doi.org/10.2337/diaclin.27.2.52>
- Conway, B., & Peltier, A. (2013). *Diabetic neuropathy*. Retrieved from <http://cdn.intechopen.com/pdfs-wm/43301.pdf>
- Dahlan, M. S. 2013. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Edisi 3, C. Jakarta: Penerbit Salemba Medika.
- Dinh T, Tecilazich F, Kafanas A, et al. Mechanisms involved in the development and healing of diabetic foot ulceration. *Diabetes*. 2012;61(11):2937-2947.
- Duwit, Felix. (2014). Hubungan Depresi Terhadap Derajat Ulkus Kaki Diabetik Pasien Diabetes Mellitus di RSUP DR. Sarjito Yogyakarta, *Tesis*.Yogyakarta: Fakultas Kedokteran UGM.
- Ferrari, A. J., Charlson, F. J., Norman, R. E., Patten, S. B., Freed- man, G., Murray, C. J., Whiteford, H. A. (2013). Burden of depressive disorders by country, sex, age, and year: Findings from the global burden of disease study 2010. *PLoS Medicine*, 10(11), e1001547.
- Fitria E, Nur A, Marissa N, Ramadhan N. Karakteristik Ulkus Diabetikum pada Penderita Diabetes Mellitus di RSUD dr . Zainal Abidin dan RSUD Meuraxa Banda Aceh. 2017:153-160.
- Harwell TS., Helgersen SD., Gohdes D., McInerney MJ., Roumaqoux LP., Smilie JG., *Foot care practices,service and perception of risk among medicare beneficiaries with diabetes at high and low risk for future foot complications*.*Foot Ankle Int.* 2001;22(9):734-8
- Hobizal KB, Wukich DK. Diabetic foot infections: current concept review. *Diabet Foot Ankle.* 2012;3.
- Ibrahim A, Jude E, Langdon DC, Martinez F, Harkless L, Gawish H, Huang Y et al.IDF Clinical Practice Recommendations on the Diabetic Foot – 2017. International Diabetes Federation. 2017; 1- 70.
- Kateel R, Augustine AJ, Prabhu S, Ullal S, Pai M, Adhikari P. Clinical and microbiological profile of diabetic foot ulcer patients in a tertiary care hospital. *Diabetes Metab Syndr Clin Res Rev.* 2017;8-11. doi:10.1016/j.dsx.2017.08.008.

- Kaki WS. Diabetes. In: Setati S, Alwi I, Sudoyo AW, Simadibrata M, Eds. Books of Science of Internal Medicine. Jakarta: Interna Publishing. 2014:2367.
- Kementrian Kesehatan RI., 2020. *Tetap Produktif, Cegah, dan atasi Diabetes Melitus*. Pusat Data dan Informasi Kementrian Kesehatan Republik Indonesia
- Kusuma, P. 2016a. Efektivitas Patient Health Questionnaire-9 (PHQ-9) terhadap edinburgh postnatal depression scale (EPDS) untuk Mendeteksi Risiko Depresi Postpartum. Universitas Gadjah Mada, Yogyakarta.
- Levis, B., Benedetti, A., Thombs, B. D., Screening, D., & Collaboration, D. D. 2019. Accuracy of Patient Health Questionnaire-9 ( PHQ-9 ) for screening to detect major depression : individual participant data meta-analysis. *British Medical Journal*, (365): 11476. doi: 10.1136/bmj.11476
- Lepine, Jean Pierre, Mike Briley. The increase burden of depression. *Neuropsychiatr Dis treat*. 2011; 7(Suppl 1):S3-7.
- Liao F An R, Pu F, Burns S, SHen S, Jan YK. Effect of exercise on risk factor of diabetic foot ulcers: a systematic review and meta-analysis. *Am J Phys Med Rehabil*. 2019;98:103-116
- Lino VT, Portela MC, Camacho LA, et al. Assasement of social support and its association to depression, self perceived health and cronic diseases in elderly individual residing in an area of proverty and social vulnerability in Rio de Jeneiro City, Brazil. *PLoS One*. 2013;8(8):e71712. <https://doi.org/journal.pone.0071712>.
- Lipsky BA, Berendt AR, Cornia PB, et al. 2012 Infectious Diseases Society of America clinical practice guideline for the diagnosis and treatment of diabetic foot infections. *Clin Infect Dis*. 2012;54(12):e132-e173.
- Kong LN, Zhu WF, He S et al. Relationship among social support, coping strategy and depressive syntoms in older adults with diabetes. *J Gerontol Nurs*. 2019;45(4):40-46.
- Mariam, T. G., Alemayehu, A., Tesfaye, E., Mequannt, W., Temesgen, K., Yetwale, F., & Limenih, M. A. (2017). Prevalence of Diabetic Foot Ulcer and Associated Factors among Adult Diabetic Patients Who Attend the Diabetic Follow-Up Clinic at the University of Gondar Referral Hospital, North West Ethiopia, 2016: Institutional-Based Cross-Sectional Study. *Journal of Diabetes Research*, 2017. <https://doi.org/10.1155/2017/2879249>

- Maximova NV, Udovichenko OV, Amosova MV, Yunilaynen OA, Berseneva EA, Starostina EG. Prevalence and prognostic value of depression and anxiety in patients with diabetic foot ulcer and possibilities of their treatment. *Curr Diabetes Rev.* 2017;13:97-106.
- Naningsih, Tri Nur., Yugistiyowati, Anafrin (2017). Dukungan Keluarga Dan Hubungannya Dalam Proses Penyembuhan Luka Diabetes Mellitus Grade I-III Di RSUD Wates Kulon Progo. *Jurnal Keperawatan Respati Yogyakarta* diakses dari <http://nursing.jurnal.respati.ac.id/index.php/JKRY/index>
- Nasution, Meva D (2021). Hubungan Skor Dukungan Sosial dengan Skor Depresi pada Disabilitas Rungu di Yogyakarta Tahun 2021. *Tesis*. Yogyakarta: Fakultas Kedokteran UGM.
- Neeru B, Gagandeep K, Pal AJ, et al. Psychosocial, psychiatric, and clinical implications of diabetic foot ulceration: a prospective analysis. *J Soc Health Diabetes.* 2015;3(2):89-94.
- Pearson S, Nash T, Ireland V. Depression symptoms in people with diabetes attending outpatient podiatry clinics for the treatment of foot ulcers. *J Foot Ankle Res.* 2014;7(1):47. doi:10.1186/s13047-014-0047-4
- Polikadrioti M, Vasilopoulos G, Koutelekos I, et al. Depression in diabetic foot ulcer: Associated Factors and the impact of perceived social support and anxiety on depression. *Int J Low Extrem Wounds*, Jan. 2020. DOI: 10.1111/iwj.13348
- Ren P, Qin X, Zhang Y, Zhang R. Is social support a cause or consequence of depression? A longitudinal study of adolescents. *Front Psychol.* 2018;9:1634. <https://doi.org/10.3389/fpsyg.2018.01634>.
- Riskesdas. (2018). Riset kesehatan dasar. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan RI.
- Salome GM, Blanes L, Ferreira LM. Assessment of depressive symptoms in people with diabetes mellitus and foot ulcer. *Rev Col Bras Cir.* 2011;38(5):327-33.
- Sastroasmoro, S., & Ismael, S. (Eds.). 2016. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi ke-5. Jakarta: Sagung Seto
- Scherrer, J. F., Garfield, L. D., Chrusciel, T., et al. (2011). Increased risk of myocardial infarction in depressed patients with type 2 diabetes. *Diabetes Care*, 34, 1729-1734.



- Shah P, Inturi R, Anne D, et al (January 22,2022) Wagner's Classification as a Tools for treating diabetic foot ulcers: Our Observations at a surbuban teacing hospital. *Cureus* 14(1):e21501. DOI 10.7759?cureus.21501.
- Soelistijo S, Novida H, Rudijanto A, et al. Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia 2015. 2015:1-93.
- Spanos K, Saleptsis V, Athanasoulas A, et al. Factors associated with ulcer healing and quality of life in patients with diabetic foot ulcer. *Angiology*. 2017;68(3):242-250.
- Spellicy. The MTHFR C677T Variant is Associated with responsiveness to disulfiram treatment for Cocaine dependency. *Front Psychiatry*. 2013;14(3):109.
- Spanos K, Saleptsis V, Athanasoulas A, et al. Factors associated with ulcer healing and quality of life in patients with diabetic foot ulcer. *Angiology*. 2017;68(3):242-250.
- Sulistiani, W., & Kristiana, I. F. (2022). *Validation of The Indonesian Version of The ( MSPSS ): A RASCH Model Approach*. 21(1), 89–103.
- Sumpio BE. Contemporary evaluation and management of the diabetic foot. *Scientifica*. 2012;435487
- Suryati, I., Primal, D., & Pordiati, D. (2019). Hubungan Tingkat Pengetahuan Dan Lama Menderita Diabetes Mellitus (Dm) Dengan Kejadian Ulkus Diabetikum Pada Pasien Dm Tipe 2. *Jurnal Kesehatan Perintis (Perintis's Health Journal)*, 6(1), 1–8. <https://doi.org/10.33653/jkp.v6i1.214>
- Roza, R. L., Afriant, R., & Edward, Z. (2015). Faktor Risiko Terjadinya Ulkus Diabetikum pada Pasien Diabetes Mellitus yang Dirawat Jalan dan Inap di RSUP Dr. M. Djamil dan RSI Ibnu Sina Padang. *Jurnal Kesehatan Andalas*, 4(1), 243–248. <https://doi.org/10.25077/jka.v4i1.229>
- Upton, D., Solowiej, K. L., & Woo, K. Y. (2014). A multinational health professional perspective of the prevalence of mood disorders in patients with acute and chronic wounds. *International Wound Journal*, 11(6), 625-635. doi:10.1111/iwj.12018
- Vakili MA, Derakhshanpour F, Farsinia M, Mirkarimi K, Depression and quality of life in patients with type 2 diabetes. *Iran Red Crescent Med J*. 2015;17:e3767.doi:10.5812/ircmj.17(5)2015.27676.

- Vasilopoulos G, Koutelekos I, et al. Quality of life in diabetic foot ulcer: associated factors and the impact of anxiety/depression and adherence to self-care. *Int J Low Extrem Wounds*, Jan. 2020. <https://doi.org/10.1177/1534734619900415>.
- Vedhara K, Miles J, Wetherell M, Dawe K, Searle A, Tallon D, et al. Coping style and depression influence the healing of diabetic foot ulcers: observational and mechanistic evidence. *Diabetologia*. 2010;53(8):1590-8.
- Wang X, Cai L, Qian J, Peng J. Social support moderates stress effects on depression. *Int J Ment Health Syst*. 2014;8(1):41. <https://doi.org/10.1186/1752-4458-8-41>.
- World Health Organization. (2015). *Diabetes Fact Sheet*. Retrieved from <http://www.who.int/mediacentre/factsheets/fs312/en/>
- Xia N, Morteza A, Yang F, et al. Review of the role of cigarette smoking in diabetic foot. *J Diabetes Invest*. 2019;10(2):202-215.
- Yilzid, E., Asti, T.(2015). *Determine the relationship between perceived social support and depression level of patients with diabetic foot*. *Journal of diabetes & metabolic disorder*, 14(1). doi: 10.1186/s40200-015-0168-8
- Zimet, G. (2016). (PDF) Multidimensional Scale of Perceived Social Support (MSPSS) - Scale Items and Scoring Information. Diakses dari [https://www.researchgate.net/publication/311534896\\_Multidimensional\\_Scale\\_of\\_Perceived\\_Social\\_Support\\_MSPSS\\_Scale\\_Items\\_and\\_Scoring\\_Information](https://www.researchgate.net/publication/311534896_Multidimensional_Scale_of_Perceived_Social_Support_MSPSS_Scale_Items_and_Scoring_Information)
- Zimet, G. D., Dahlem, N. W., Zimet, S. G., Gordon, K., & Farley, G. K. (2010). The Multidimensional Scale of Perceived Social Support The Multidimensional Scale of Perceived Social Support. *Journal of Personality Assessment*.