UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abd Rashid, S. N. A., Ab. Malik, S., Embi, K., Mohd Ropi, N. A., Yaakob, H., Cheng, K. K., Sarmidi, M. R., & Leong, H. Y. (2019). Carotenoids and antioxidant activity in virgin palm oil (VPO) produced from palm mesocarp with low heat aqueous-enzyme extraction techniques. *Materials Today: Proceedings*, *42*, 148–152. https://doi.org/10.1016/j.matpr.2020.10.616

Abdullah, B. M., Yusop, R. M., Salimon, J., Yousif, E., & Salih, N. (2013). Physical and Chemical Properties Analysis of Jatropha curcas Seed Oil for Industrial Applications. *International Journal of Chemical, Molecular, Nuclear, Materials and Metallurgical Engineering*, *7*(12), 893–896.

Abo El-Enin, S. A., Attia, N. K., El-Ibiari, N. N., El-Diwani, G. I., & El-Khatib, K. M. (2013). In-situ transesterification of rapeseed and cost indicators for biodiesel production. *Renewable and Sustainable Energy Reviews*, *18*(February), 471–477. https://doi.org/10.1016/j.rser.2012.10.033

Ahmadi, K., Wulansari, A., Subroto, Y., & Estiasih, T. (2017). Protective effect of food products enriched with unsaponifiable matter from palm fatty acid distillate on the aorta of hypercholesterolemic rats. *Journal of Applied Pharmaceutical Science*, *7*(12), 090–096. https://doi.org/10.7324/JAPS.2017.71212

Ahn, E., Koncar, M., Mittelbach, M., & Man, R. (1995). A low-waste process for the production of biodiesel. *Separation Science and Technology*, *30*(7–9), 2021–2033. https://doi.org/10.1080/01496399508010391

Al-Widyan, M. I., & Al-Shyoukh, A. O. (2002). Experimental evaluation of the transesterification of waste palm oil into biodiesel. *Bioresource Technology*, *85*(3), 253–256. https://doi.org/10.1016/S0960-8524(02)00135-9

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Amalia, I. K., Yani, M., Ariono, D., Evon, P., & Rigal, L. (2013). Biodiesel production from jatropha seeds: Solvent extraction and in situ transesterification in a single step. *Fuel*, *106*, 111–117. https://doi.org/10.1016/j.fuel.2013.01.021

Anguebes-Franseschi, F., Córdova-Quiroz, A., Cerón-Bretón, J., Aguilar-Ucan, C., Castillo-Martínez, G., Cerón-Bretón, R., Ruíz-Marín, A., & Montalvo-Romero, C. (2016). Optimization of Biodiesel Production from African Crude Palm Oil (Elaeis guineensis Jacq) with High Concentration of Free Fatty Acids by a Two-Step Transesterification Process. *Open Journal of Ecology*, *06*(01), 13–21. https://doi.org/10.4236/oje.2016.61002

Arora, S., Manjula, S., Gopala Krishna, A. G., & Subramanian, R. (2006). Membrane processing of crude palm oil. *Desalination*, *191*(1–3), 454–466. https://doi.org/10.1016/j.desal.2005.04.129

Asemi, Z., Alizadeh, S. A., Ahmad, K., Goli, M., & Esmaillzadeh, A. (2016). Effects of beta-carotene fortified synbiotic food on metabolic control of patients with type 2 diabetes mellitus: A double-blind randomized cross-over controlled clinical trial. *Clinical Nutrition*, *35*(4), 819–825. https://doi.org/10.1016/j.clnu.2015.07.009

Atadashi, I. M., Aroua, M. K., Abdul Aziz, A. R., & Sulaiman, N. M. N. (2013). The effects of catalysts in biodiesel production: A review. *Journal of Industrial and Engineering Chemistry*, *19*(1), 14–26. https://doi.org/10.1016/j.jiec.2012.07.009

Atapour, M., & Kariminia, H. R. (2011). Characterization and transesterification of Iranian bitter almond oil for biodiesel production. *Applied Energy*, *88*(7), 2377–2381. https://doi.org/10.1016/j.apenergy.2011.01.014

UNIVERSITAS
GADJAH MADA
PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE PALM OIL DALAM HIGH SHEAR REACTOR
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Boon, C. S., McClements, D. J., Weiss, J., & Decker, E. A. (2010). Factors influencing the chemical stability of carotenoids in foods. *Critical Reviews in Food Science and Nutrition*, *50*(6), 515–532. https://doi.org/10.1080/10408390802565889

Brunschwig, C., Moussavou, W., & Blin, J. (2012). Use of bioethanol for biodiesel production. *Progress in Energy and Combustion Science*, *38*(2), 283–301. https://doi.org/10.1016/j.pecs.2011.11.001

BSN. (2006). *SNI 04-7182-2006: Biodiesel*.

Cardenas-Toro, F. P., Forster-Carneiro, T., Rostagno, M. A., Petenate, A. J., Maugeri Filho, F., & Meireles, M. A. A. (2014). Integrated supercritical fluid extraction and subcritical water hydrolysis for the recovery of bioactive compounds from pressed palm fiber. *Journal of Supercritical Fluids*, *93*, 42–48. https://doi.org/10.1016/j.supflu.2014.02.009

Chattopadhyay, S., Das, S., & Sen, R. (2011). Rapid and precise estimation of biodiesel by high performance thin layer chromatography. *Applied Energy*, *88*(12), 5188–5192. https://doi.org/10.1016/j.apenergy.2011.07.027

Chiu, M. C., de Morais Coutinho, C., & Gonçalves, L. A. G. (2009). Carotenoids concentration of palm oil using membrane technology. *Desalination*, *245*(1–3), 783–786. https://doi.org/10.1016/j.desal.2009.03.002

Choo, Y. M., Yap, S. C., Ooi, C. K., Ong, A. S. H., & Goh, S. H. (1992). Production of Palm Oil Carotenoid Concentrate and its Potential Application in Nutrition. *Lipid-Soluble Antioxidants: Biochemistry and Clinical Applications*, 243–254. https://doi.org/10.1007/978-3-0348-7432-8_20

Chuang, M. H., & Brunner, G. (2006). Concentration of minor components in crude palm oil. *Journal of Supercritical Fluids*, *37*(2), 151–156.

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/j.supflu.2005.09.004

Commission, T. I., Committee, C. I. E. C., Com-, T., & Committee, C. I. E. C. (1977). CIE Recommendations on Uniform Color Spaces, Color-Difference Equations, and Metric Color Terms. *Color Research & Application*, *2*(1), 5–6. https://doi.org/10.1002/j.1520-6378.1977.tb00102.x

Cvengroš, J., Paligová, J., & Cvengrošová, Z. (2006). Properties of alkyl esters base on castor oil. *European Journal of Lipid Science and Technology*, *108*(8), 629–635. https://doi.org/10.1002/ejlt.200600031

Dal Prá, V., Lunelli, F. C., Vendruscolo, R. G., Martins, R., Wagner, R., Lazzaretti, A. P., Freire, D. M. G., Alexandri, M., Koutinas, A., Mazutti, M. A., & da Rosa, M. B. (2017). Ultrasound-assisted extraction of bioactive compounds from palm pressed fiber with high antioxidant and photoprotective activities. *Ultrasonics Sonochemistry*, *36*, 362–366. https://doi.org/10.1016/j.ultsonch.2016.12.021

Darnoko, D., & Cheryan, M. (2000a). Continuous production of palm methyl esters. *JAOCS, Journal of the American Oil Chemists' Society*, *77*(12), 1269–1272. https://doi.org/10.1007/s11746-000-0199-x

Darnoko, D., & Cheryan, M. (2000b). Kinetics of palm oil transesterification in a batch reactor. *JAOCS, Journal of the American Oil Chemists' Society*, *77*(12), 1263–1267. https://doi.org/10.1007/s11746-000-0198-y

Dewati, P. R. (2013). *Optimasi Proses dan Studi Kinetika pada Sintesa Biodiesel dari Used Cooking Oil berbasis Crude Palm Oil (CPO) dengan Reaksi Etanolisis*. Universitas Gadjah Mada.

Diwani, G. El, Attia, N. K., & Hawash, S. I. (2009). Development and evaluation of biodiesel fuel and by-products from jatropha oil. *International Journal of*

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Environmental Science and Technology, *6*(2), 219–224. https://doi.org/10.1007/bf03327625

Encinar, J. M., González, J. F., & Rodríguez-Reinares, A. (2007). Ethanolysis of used frying oil. Biodiesel preparation and characterization. *Fuel Processing Technology*, *88*(5), 513–522. https://doi.org/10.1016/j.fuproc.2007.01.002

Fogler, H. S. (2004). *Elements of Chemical Reaction Engineering* (3rd ed.). Prentice-Hall Inc., New Delhi.

Gerper, J. V., & Knothe, G. (2005). *The Biodiesel Handbook*. AOCS Press. https://doi.org/10.1016/B978-1-893997-62-2.50021-8

Gonzalez-Diaz, A., Pataquiva-Mateus, A., & García-Núñez, J. A. (2021). Recovery of palm phytonutrients as a potential market for the by-products generated by palm oil mills and refineries–A review. *Food Bioscience*, *41*(July 2020). https://doi.org/10.1016/j.fbio.2021.100916

Gul, K., Tak, A., Singh, A. K., Singh, P., Yousuf, B., & Wani, A. A. (2015). Chemistry, encapsulation, and health benefits of β-carotene - A review. *Cogent Food and Agriculture*, *1*(1). https://doi.org/10.1080/23311932.2015.1018696

Gupta, M., & Kumar, N. (2012). Scope and opportunities of using glycerol as an energy source. *Renewable and Sustainable Energy Reviews*, *16*(7), 4551–4556. https://doi.org/10.1016/j.rser.2012.04.001

Gurak, P. D., Mercadante, A. Z., González-Miret, M. L., Heredia, F. J., & Meléndez-Martínez, A. J. (2014). Changes in antioxidant capacity and colour associated with the formation of β-carotene epoxides and oxidative cleavage derivatives. *Food Chemistry*, *147*, 160–169. https://doi.org/10.1016/j.foodchem.2013.09.106

UNIVERSITAS
GADJAH MADA
PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE PALM OIL DALAM HIGH SHEAR REACTOR
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Haas, M. J., Scott, K. M., Marmer, W. N., & Foglia, T. A. (2004). In situ Alkaline Transesterification: An Effective Method for the Production of Fatty Acid Esters from Vegetable Oils. *JAOCS, Journal of the American Oil Chemists' Society*, *81*(1), 83–89. https://doi.org/10.1007/s11746-004-0861-3

Hernández-Almanza, A., Montañez-Sáenz, J., Martínez-Ávila, C., Rodríguez-Herrera, R., & Aguilar, C. N. (2014). Carotenoid production by Rhodotorula glutinis YB-252 in solid-state fermentation. *Food Bioscience*, *7*, 31–36. https://doi.org/10.1016/j.fbio.2014.04.001

Hoe, B. C., Chan, E. S., Nagasundara Ramanan, R., & Ooi, C. W. (2020). Recent development and challenges in extraction of phytonutrients from palm oil. *Comprehensive Reviews in Food Science and Food Safety*, *19*(6), 4031–4061. https://doi.org/10.1111/1541-4337.12648

Hoe, B. C., Chan, E. S., Ramanan, R. N., & Ooi, C. W. (2022). Direct recovery of palm carotene by liquid-liquid extraction. *Journal of Food Engineering*, *313*(July 2021), 110755. https://doi.org/10.1016/j.jfoodeng.2021.110755

Hori, K., Hashimoto, Y., Itani, A., Okada, T., & Tsumura, K. (2021). Effects of neutralization combined with steam distillation on the formation of monochloropropanediol esters and glycidyl esters in palm oil under laboratory-scale conditions. *Lwt*, *139*(November 2020), 110783. https://doi.org/10.1016/j.lwt.2020.110783

Iftikhar, Tan, H., & Zhao, Y. (2018). Enriching β-carotene from fatty acid esters mixture of palm oil using supercritical CO2 in the silica-packed column. *Journal of CO2 Utilization*, *26*(February), 93–97. https://doi.org/10.1016/j.jcou.2018.04.028

Ilham, Z., Lubes, Z., Zakaria, M., Sciences, B., Science, F., & Lumpur, K. (2009).

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Analysis of Parameters for Fatty Acid Methyl Esters Production from Refined Palm Oil for Use as Biodiesel in the Single- and Two-stage Processes. *17*, 5–9.

Indonesian Palm Oil Association. (2020). *Refleksi Industri Sawit 2020 & Prospek 2021 - Gabungan Pengusaha Kelapa Sawit Indonesia (GAPKI)*. https://gapki.id/news/18768/refleksi-industri-sawit-2020-prospek-2021

Japir, A. A. W., Salimon, J., Derawi, D., Bahadi, M., Al-Shuja'A, S., & Yusop, M. R. (2017). Physicochemical characteristics of high free fatty acid crude palm oil. *OCL - Oilseeds and Fats, Crops and Lipids*, *24*(5). https://doi.org/10.1051/ocl/2017033

Jing, K., He, S., Chen, T., Lu, Y., & Ng, I. S. (2016). Enhancing beta-carotene biosynthesis and gene transcriptional regulation in Blakeslea trispora with sodium acetate. *Biochemical Engineering Journal*, *114*, 10–17. https://doi.org/10.1016/j.bej.2016.06.015

Kabbashi, N. A. (2015). Effect of Process Parameters on Yield and Conversion of Jatropha Biodiesel in a Batch Reactor. *Journal of Fundamentals of Renewable Energy and Applications*, *05*(02). https://doi.org/10.4172/2090-4541.1000155

Kafuku, G., & Mbarawa, M. (2010). Biodiesel production from Croton megalocarpus oil and its process optimization. *Fuel*, *89*(9), 2556–2560. https://doi.org/10.1016/j.fuel.2010.03.039

Kaieda, M., Samukawa, T., Matsumoto, T., Ban, K., Kondo, A., Shimada, Y., Noda, H., Nomoto, F., Ohtsuka, K., Izumoto, E., & Fukuda, H. (1999). Biodiesel fuel production from plant oil catalyzed by Rhizopus oryzae lipase in a water-containing system without an organic solvent. *Journal of Bioscience and Bioengineering*, *88*(6), 627–631. https://doi.org/10.1016/S1389-

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

1723(00)87091-7

Kaur, K., Shivhare, U. S., Basu, S., & Raghavan, G. S. V. (2012). Kinetics of Extraction of <i>β</i>-Carotene from Tray Dried Carrots by Using Supercritical Fluid Extraction Technique. *Food and Nutrition Sciences*, *03*(05), 591–595. https://doi.org/10.4236/fns.2012.35081

Khachik, F. (2006). *Process for Purification and Crystallization of Palm Oil Carotenoids* (Patent No. 7.119.238 B2).

Knockaert, G., Lemmens, L., Van Buggenhout, S., Hendrickx, M., & Van Loey, A. (2012). Changes in β-carotene bioaccessibility and concentration during processing of carrot puree. *Food Chemistry*, *133*(1), 60–67. https://doi.org/10.1016/j.foodchem.2011.12.066

Knothe, G. (2006). Analyzing biodiesel: Standards and other methods. *JAOCS, Journal of the American Oil Chemists' Society*, *83*(10), 823–833. https://doi.org/10.1007/s11746-006-5033-y

Kumar, P. K. P., & Krishna, A. G. G. (2014). Physico-chemical characteristics and nutraceutical distribution of crude palm oil and its fractions. *Grasas y Aceites*, *65*(2), 1–12.

Kumar, R. S., & Purayil, S. T. P. (2019). Optimization of ethyl ester production from arachis hypogaea oil. *Energy Reports*, *5*, 658–665. https://doi.org/10.1016/j.egyr.2019.06.001

Lam, M. K., Lee, K. T., & Mohamed, A. R. (2010). Homogeneous, heterogeneous and enzymatic catalysis for transesterification of high free fatty acid oil (waste cooking oil) to biodiesel: A review. *Biotechnology Advances*, *28*(4), 500–518. https://doi.org/10.1016/j.biotechadv.2010.03.002

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Lamria, M., Soerawingdjaja, T. H., & Sinhaan, D. (2006). Solvolytic micellization in carotene recovery from palm biodiesel. *International Oil Palm Conference, June 2006*.

Lang, X., Dalai, A. K., Bakhshi, N. N., Reaney, M. J., & Hertz, P. B. (2001). Preparation and characterization of bio-diesels from various bio-oils. *Bioresource Technology*, *80*(1), 53–62. https://doi.org/10.1016/S0960-8524(01)00051-7

Latip, R. A., Baharin, B. S., Che Man, Y. B., & Rahman, R. A. (2001). Effect of adsorption and solvent extraction process on the percentage of carotene extracted from crude palm oil. *JAOCS, Journal of the American Oil Chemists' Society*, *78*(1), 83–87. https://doi.org/10.1007/s11746-001-0224-0

Leung, D. Y. C., Wu, X., & Leung, M. K. H. (2010). A review on biodiesel production using catalyzed transesterification. *Applied Energy*, *87*(4), 1083–1095. https://doi.org/10.1016/j.apenergy.2009.10.006

Lotero, E., Liu, Y., Lopez, D. E., Suwannakarn, K., Bruce, D. A., & Goodwin, J. G. (2005). Synthesis of biodiesel via acid catalysis. *Industrial and Engineering Chemistry Research*, *44*(14), 5353–5363. https://doi.org/10.1021/ie049157g

Ma, F., & Hanna, M. A. (1999). Biodiesel production: a review. *Bioresource Technology*, *70*(1), 1–15. https://doi.org/10.1016/s0960-8524(99)00025-5

Marjanović, A. V., Stamenković, O. S., Todorović, Z. B., Lazić, M. L., & Veljković, V. B. (2010). Kinetics of the base-catalyzed sunflower oil ethanolysis. *Fuel*, *89*(3), 665–671. https://doi.org/10.1016/j.fuel.2009.09.025

Maurer, M. M., Mein, J. R., Chaudhuri, S. K., & Constant, H. L. (2014). An improved UHPLC-UV method for separation and quantification of carotenoids in vegetable crops. *Food Chemistry*, *165*, 475–482.

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/j.foodchem.2014.05.038

Mba, O. I., Dumont, M. J., & Ngadi, M. (2017). Thermostability and degradation kinetics of tocochromanols and carotenoids in palm oil, canola oil and their blends during deep-fat frying. *LWT - Food Science and Technology*, *82*, 131–138. https://doi.org/10.1016/j.lwt.2017.04.027

Meher, L. C., Dharmagadda, V. S. S., & Naik, S. N. (2006). Optimization of alkali-catalyzed transesterification of Pongamia pinnata oil for production of biodiesel. *Bioresource Technology*, *97*(12), 1392–1397. https://doi.org/10.1016/j.biortech.2005.07.003

Meléndez-Martínez, A. J., Britton, G., Vicario, I. M., & Heredia, F. J. (2007). Relationship between the colour and the chemical structure of carotenoid pigments. *Food Chemistry*, *101*(3), 1145–1150. https://doi.org/10.1016/j.foodchem.2006.03.015

Mendow, G., Veizaga, N. S., & Querini, C. A. (2011). Ethyl ester production by homogeneous alkaline transesterification: Influence of the catalyst. *Bioresource Technology*, *102*(11), 6385–6391. https://doi.org/10.1016/j.biortech.2011.01.072

Meyers, K. J., Mares, J. A., Igo, R. P., Truitt, B., Liu, Z., Millen, A. E., Klein, M., Johnson, E. J., Engelman, C. D., Karki, C. K., Blodi, B., Gehrs, K., Tinker, L., Wallace, R., Robinson, J., LeBlanc, E. S., Sarto, G., Bernstein, P. S., SanGiovanni, J. P., & Iyengar, S. K. (2013). Genetic evidence for role of carotenoids in age-related macular degeneration in the carotenoids in age-related eye disease study (CAREDS). *Investigative Ophthalmology and Visual Science*, *55*(1), 587–599. https://doi.org/10.1167/iovs.13-13216

MH, N., YM, C., CH, C., & MA, H. (2018). Tocotrienols Concentration Using

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Packed Column Supercritical Fluid. *Journal of Food Processing & Technology*, *09*(02), 2–5. https://doi.org/10.4172/2157-7110.1000718

Mittelbach, M., & Remschmidt, C. (2004). *Biodiesel: The Comprehensive Handbook*. Boersedruck Ges.m.b.H, Vienna.

Mokrzycki, W. S., & Tatol, M. (2012). *Colour difference ΔE - A survey.pdf*. Machine Graphic & Vision.

Morcillo, F., Vaissayre, V., Serret, J., Avallone, S., Domonhédo, H., Jacob, F., & Dussert, S. (2021). Natural diversity in the carotene, tocochromanol and fatty acid composition of crude palm oil. *Food Chemistry*, *365*. https://doi.org/10.1016/j.foodchem.2021.130638

Nabu, E. B. P., Sulaswatty, A., & Kartohardjono, S. (2021). Palm carotene production technologies – A membrane perspective. *IOP Conference Series: Materials Science and Engineering*, *1053*(1), 012136. https://doi.org/10.1088/1757-899x/1053/1/012136

NCBI. (2022). *Methanol; Methyl Alcohol*. https://doi.org/10.5517/cc9m4qr

Nekkaa, A., Benaissa, A., Lalaouna, A. E. D., Mutelet, F., & Canabady-Rochelle, L. (2021). Optimization of the extraction process of bioactive compounds from Rhamnus alaternus leaves using Box-Behnken experimental design. *Journal of Applied Research on Medicinal and Aromatic Plants*, *25*(September), 100345. https://doi.org/10.1016/j.jarmap.2021.100345

Noipin, K., & Kumar, S. (2015). Optimization of ethyl ester production assisted by ultrasonic irradiation. *Ultrasonics Sonochemistry*, *22*, 548–558. https://doi.org/10.1016/j.ultsonch.2014.07.019

O. Egbuna, S., C. Onwubiko, D., & O. Asadu, C. (2019). Comparative Studies and

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Optimization of the Process Factors for the Extraction of Beta-carotene from Palm Oil and Soybean Oil by Solvent Extraction. *Journal of Engineering Research and Reports*, *8*(2), 1–16. https://doi.org/10.9734/jerr/2019/v8i216984

Okogeri, O., & Uchenna-Onu, U. (2016). Changes occurring in quality indices during storage of adulterated red palm oil. *International Journal of Food Science and Nutrition*, *1*(3), 1–5. http://www.foodsciencejournal.com

Paul, E. L., Obeng, V. A. A., & Kresta, S. M. (2005). Handbook of Industrial Mixing - Science and Practice [Book Review]. In *IEEE Electrical Insulation Magazine* (Vol. 21, Issue 1). https://doi.org/10.1109/mei.2005.1389283

Phan, A. N., & Phan, T. M. (2008). Biodiesel production from waste cooking oils. *Fuel*, *87*(17–18), 3490–3496. https://doi.org/10.1016/j.fuel.2008.07.008

PORIM. (1995). *Carotene content: Methods of test for palm oil and palm oil products*. Palm Oil Research Institute of Malaysia.

Pour Hosseini, S. R., Tavakoli, O., & Sarrafzadeh, M. H. (2017). Experimental optimization of SC-CO2 extraction of carotenoids from Dunaliella salina. *Journal of Supercritical Fluids*, *121*, 89–95. https://doi.org/10.1016/j.supflu.2016.11.006

Qu, T., Niu, S., Zhang, X., Han, K., & Lu, C. (2021). Preparation of calcium modified Zn-Ce/Al2O3 heterogeneous catalyst for biodiesel production through transesterification of palm oil with methanol optimized by response surface methodology. *Fuel*, *284*(August 2020), 118986. https://doi.org/10.1016/j.fuel.2020.118986

Rahayu, S., & Mindaryani, A. (2009). Methanolysis of coconut oil: the kinetic of heterogeneous reaction. *Proc World Cong Eng Comput Sci*, *I*(3), 3–7.

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

http://www.iaeng.org/publication/WCECS2009/WCECS2009_pp134-138.pdf

Rakkan, T., Suwanno, S., Paichid, N., Yunu, T., Klomklao, S., & Sangkharak, K. (2017). Optimized synthesis method for transesterification of residual oil from palm oil mill effluent and lipase from Pacific white shrimp (Litopenaeus vannamei) hepatopancreas to environmentally friendly biodiesel. *Fuel*, *209*(July), 309–314. https://doi.org/10.1016/j.fuel.2017.07.115

Razi, F., Azwar, A., Sofyana, S., Erfiza, N. M., & Luxyana, M. (2022). Preparation and characterization of nanofiltration (NF) polyethersulfone and its preliminary studies on beta-carotene concentration from crude palm oil Preparation and characterization of nanofiltration (NF) polyethersulfone and its preliminary studie. *IOP Conf. Series: Earth and Environmental Science*. https://doi.org/10.1088/1755-1315/1116/1/012064

Ribeiro, B. D., Coelho, M. A. Z., & Barreto, D. W. (2012). Production of concentrated natural beta-carotene from buriti (Mauritia vinifera) oil by enzymatic hydrolysis. *Food and Bioproducts Processing*, *90*(2), 141–147. https://doi.org/10.1016/j.fbp.2011.02.003

Ribeiro, J. A. A., Almeida, E. S., Neto, B. A. D., Abdelnur, P. V., & Monteiro, S. (2018). Identification of carotenoid isomers in crude and bleached palm oils by mass spectrometry. *LWT - Food Science and Technology*, *89*(November 2017), 631–637. https://doi.org/10.1016/j.lwt.2017.11.039

Rodigruez-Amaya, D. B., & Kimura, M. (2004). *HarvestPlus Handbook for Carotenoid Analysis*. HarvestPlus, Washington. https://doi.org/10.3141/2068-08

Saifuddin, N., Saltanat, A., & Refal, H. (2014). Enhancing the Removal of Phenolic

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Compounds from Palm Oil Mill Effluent by Enzymatic Pre-treatment and Microwave-Assisted Extraction. *Chemical Science Transactions*, *3*(3), 1083–1093. https://doi.org/10.7598/cst2014.797

Sampaio, K. A., Ayala, J. V., Silva, S. M., Ceriani, R., Verhé, R., & Meirelles, A. J. A. (2013). Thermal degradation kinetics of carotenoids in palm oil. *JAOCS, Journal of the American Oil Chemists' Society*, *90*(2), 191–198. https://doi.org/10.1007/s11746-012-2156-1

Sarungallo, Z. L., Hariyadi, P., Andarwulan, N., Purnomo, E. H., & Wada, M. (2015). Analysis of α-Cryptoxanthin, β-Cryptoxanthin, α -Carotene, and β-Carotene of Pandanus Conoideus Oil by High-performance Liquid Chromatography (HPLC). *Procedia Food Science*, *3*, 231–243. https://doi.org/10.1016/j.profoo.2015.01.026

Sato, T., Nagasawa, H., Kanezashi, M., & Tsuru, T. (2022). Transesterification membrane reactor with organosilica membrane in batch and continuous flow modes. *Chemical Engineering Journal*, *450*(P1), 137862. https://doi.org/10.1016/j.cej.2022.137862

Shahla, S., Ngoh, G. C., & Yusoff, R. (2012). The evaluation of various kinetic models for base-catalyzed ethanolysis of palm oil. *Bioresource Technology*, *104*, 1–5. https://doi.org/10.1016/j.biortech.2011.11.010

Smith, J. M. (1981). *Chemical Engineering Kinetics* (B. J. Clark (ed.); 2nd ed.). Mc Graw Hill, Singapore.

Szydłowska-Czerniak, A., Trokowski, K., Karlovits, G., & Szłyk, E. (2011). Effect of refining processes on antioxidant capacity, total contents of phenolics and carotenoids in palm oils. *Food Chemistry*, *129*(3), 1187–1192. https://doi.org/10.1016/j.foodchem.2011.05.101

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Ulfah, M. (2017). *Recovery Karotenoid Crude Palm Oil menggunakan Karbon Aktif Mesoporous dari Cangkang Sawit*. Universitas Gadjah Mada.

Vicente, G., Martínez, M., & Aracil, J. (2004). Integrated biodiesel production: A comparison of different homogeneous catalysts systems. *Bioresource Technology*, *92*(3), 297–305. https://doi.org/10.1016/j.biortech.2003.08.014

Wangi, I., Supriyanto, S., Sulistyo, H., Hidayat, C., & Mada, U. G. (2023). *High Shear Reactor for Glycerolysis – Interesterification Palm Stearin-Olein Blend : Reaction Kinetics and Physical Properties*. 617224.

Wong, Y. C., Tan, Y. P., Taufiq-Yap, Y. H., & Ramli, I. (2015). An optimization study for transesterification of palm oil using response surface methodology (RSM). *Sains Malaysiana*, *44*(2), 281–290. https://doi.org/10.17576/jsm-2015-4402-17

Wu, L., Guo, X., Wang, W., Medeiros, D. M., Clarke, S. L., Lucas, E. A., Smith, B. J., & Lin, D. (2016). Molecular aspects of β, β-carotene-9′, 10′-oxygenase 2 in carotenoid metabolism and diseases. *Experimental Biology and Medicine*, *241*(17), 1879–1887. https://doi.org/10.1177/1535370216657900

Yaakob, Z., Mohammad, M., Alherbawi, M., Alam, Z., & Sopian, K. (2013). Overview of the production of biodiesel from Waste cooking oil. *Renewable and Sustainable Energy Reviews*, *18*, 184–193. https://doi.org/10.1016/j.rser.2012.10.016

Zhang, J., Xu, S., & Li, W. (2012). High shear mixers: A review of typical applications and studies on power draw, flow pattern, energy dissipation and transfer properties. *Chemical Engineering and Processing: Process Intensification*, *57–58*, 25–41. https://doi.org/10.1016/j.cep.2012.04.004

Zhang, Y., Dubé, M. A., McLean, D. D., & Kates, M. (2003). Biodiesel production

UNIVERSITAS
GADJAH MADA
**PENGARUH PARAMETER ETANOLISIS ALKALI TERHADAP FATTY ACID ETHYL ESTER (FAEE) DAN KAROTENOID CRUDE
PALM OIL DALAM HIGH SHEAR REACTOR**
HIDROTUNNISA, Prof. Dr. Ir. Chusnul Hidayat;Dr. Rini Yanti, S.T.P., M.P.
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

from waste cooking oil: 1. Process design and technological assessment. *Bioresource Technology*, *89*(1), 1–16. https://doi.org/10.1016/S0960-8524(03)00040-3

Zhou, W., Konar, S. K., & Boocock, D. G. B. (2003). Ethyl esters from the single-phase base-catalyzed ethanolysis of vegetable oils. *JAOCS, Journal of the American Oil Chemists' Society*, *80*(4), 367–371. https://doi.org/10.1007/s11746-003-0705-1